

## **Documentation of the Role and Responsibilities of Extension Workers for Promotion of Sericulture Industry in Jammu & Kashmir**

**AbstractAim:** Bivoltine silk produced in Jammu and Kashmir is well recognized on global context but even though having most congenial climatic conditions, the raw silk yield is quite low. The reasons can be attributed to lack of awareness on proper rearing practices among the farmers and adoption rate of improved technologies. Therefore, current study was formulated to document the role and responsibilities of various research and extension institutions for progressive development of silk industry in Jammu and Kashmir (J and K).

**Study Design:** Field Survey study.

Place and duration of the study: The current study was framed at Post Graduation Department of Sericulture, Poonch Campus, University of Jammu and survey was conducted in Poonch district of J and K, India during the month of March-April; 2021.

**Methodology:** The survey was conducted with selected (25) farmers and data were collected using questionnaire.

**Results:** Among 25 respondents, only 08 farmers belonged to middle age group (35 to 50 years) and 72% of them had minimum education level of below 10<sup>th</sup> standard. 21 farmers had more than 20 years of experience in sericulture and 72 % farmers had very less exposure towards extension programmes. Only 15 farmers had attended training programmes and none of them have attended workshops, and farmer exhibition commonly known as kissan melas etc. Thus, the study recommends for strong need for collaboration between the farmers and extension professionals for strengthening sericulture.

**Conclusion:** Extension functionaries should educate the farmers for adoption of improved technologies to narrow down yield gaps at farmer level. This would help not only to improve the farmers yield realization but also increase their income through sericulture in the long run.

**Keywords:** extension, sericulture, yield, role, responsibilities

### **Introduction**

India poised to reach the position of second largest silk producer after China, known for producing all the four known commercial silk varieties viz, Mulberry, Tasar, Eri and Muga. In spite of the annual compound growth rate of 4.93% of mulberry raw silk production during the

year 2004 to 2015, country still has to import huge quantity of raw silk from the China every year to meet the domestic as well as export demand [2 & 11] which represents the actual scenario of productivity demanding progressive development in the field of sericulture and could be realized with the active participation of research and extension institutions.

J and K even though having congenial climatic conditions favourable for silkworm rearing and obtaining higher productivity, but unfortunately the average yield is quiet low because of various factors. Therefore, in order to cope up with these drawbacks, various research and extension institutions working towards the progressive development of sericulture including SKUAST-Jammu, SKUAST-Kashmir, Central Silk Board with its extensions like CSRTI Pampore, Regional Sericulture Research Station Miran sahib (RSRS), Research Extension Centers (REC), sub-units of RECs, State Sericulture Development Department (SSDD) and Department of Sericulture, University of Jammu are actively involved for formulating strategies and their direct implementation by organizing various extension activities. Thus it becomes the responsibility of such instructions to pay attention towards the development of sericulture status in the Union Territory (U.T.) of J and K so as to improve the overall production at national and international level. In this direction state and central sericulture institutions has programmed new initiatives[13]. As part of the extension activity, the division of sericulture of SKUAST-Jammu and SKUAST-Kashmir has adopted different villages for demonstrating package of practices. Thus an attempt was made aiming to document various roles and responsibilities of all institutes and research centres associated with sericulture in Jammu and Kashmir.

## **Materials and methods**

The methodology adopted for the present study was framed in the form of questionnaire as presented in results section and data on various aspects of sericulture was collected by personal interview of the selected farmers and subjected Microsoft excel for preparation of graphs. .

## **Results & Discussion**

### **1. General Information of the Farmers**

The data on the general information of the farmers and knowledge about sericulture among the respondents of the present survey are described in Table1 and Table2. Low literacy rate recorded among the sericulture farmers have been found to pose negative impact on the adoption of latest technologies as earlier reported by Chauhan *et al.*, 2016 and Girish *et al.*, 2020 [5 &7]. In addition to education, experience in sericulture and less participation of family members was

recorded to be low in the present survey. As less experience in silkworm rearing recorded among the respondents accounted for low yield and this finding lies in close conformity with the results obtained by Chanotra *et al.*, 2021a; Chanotra *et al.*, 2021b; Chauhan *et al.*, 2016; Shinghvi *et al.*, 1994 and Sreenivas *et al.*, 2009 [3, 4, 5, 14 & 17]. The current study also suggested utilizing agricultural land with integration of mulberry plants for improving the productivity status. Similar reports have been made by Fatima, 2013; Khan *et al.* 2018 and Kumar *et al.*, 2018 [6, 8 & 10], who also described that area is the basic requirement for any agricultural activity.

## **2. Sericulture Oriented Exposure /Participation in Sericulture Oriented Programmes**

The details regarding knowledge of the farmers on sericulture and rearing technology were recorded to be low as presented in Table3. The farmers were reported to have less interaction with the experts of State Sericulture Department (SSD) and Central Silk Board (CSB). Moreover, the SSD and CSB also arrange training, awareness programmes etc. for promotion of sericulture but unfortunately very less number of farmers were reported to attend such programmes. They were only reported to have attended training programmes and very few had attended the Kissan Mela and field trips which revealed lack of awareness among the farmers on importance of such programmes. Similar results have been also reported by Khan *et al.*, 2010 and Khan *et al.*, 2018 [8 & 9], who demonstrated impact of cluster promotion programme in Bandipora district of Jammu and Kashmir which resulted in the improvement of the socio-economic conditions of farmers and also strengthened the long production chain of sericulture. The method of acquiring sericulture information had effect on effective training. So extension education programmes have vital roles to play in sericulture as suggested by Singh *et al.*, 2020 and Singh *et al.*, 2015 [15 & 16].

## **3. Support of Government under Various Schemes for Development of Sericulture**

Among the surveyed respondents (n=25) maximum farmers had information pertaining to awareness about the support for construction of rearing house but only 72 per cent farmers availed the scheme. Knowledge of the respondents on installment of hot air oven, establishment of reeling unit, incentives on silk yarn and health insurance, Catalytic Development Programme (CDP), schemes of women empowerment and Agricultural Technology Management Agency (ATMA) was negligible as only 20 per cent farmers availed installment of hot air oven and rest

of the schemes were recorded with no respondents as they either did not have awareness about these schemes or did not avail benefits out of these schemes as presented in the Table4. Farmers were recorded to have awareness about various schemes of sericulture and their utilization was asked by the respondents but negligible number of farmers was reported to be associated with them as described in Table 4 & 5 and Figure1. Earlier, Singh *et al.*, 2015 and Sreenivas *et al.*, 2009 and [16 & 17] suggested significance of the training programmes for improving the crop yield.

#### **4. Mass Media Exposure to the Farmers**

Among various means of mass media exposure majority of the farmers were reported to be associated with radio on regular basis as 100 per cent of the respondents were recorded to have exposure to radio followed by Television (T.V.) as 40% on regular and 40% on occasional basis. None of the respondents were reported to have any exposure to agricultural magazines and pamphlets (Table6 and Figure2). Chanotra *et al.*, 2022, Khan *et al.*, 2018 and Khan *et al.*, 2010 [1, 8 & 9] emphasized the importance of training programmes and mass media exposure for strengthening sericulture industry in Jammu and Kashmir.

#### **5. Role and Responsibilities of Research Institutions for Development of Sericulture**

Various research and extension institutes associated with sericulture like SKUAST- Jammu and Kashmir, SSDD, CSB, RSRS and CSR & TI, Pampore were reported to be actively engaged in various research and developmental projects for promotion and extension of sericulture in the state. All the institutions were recorded with the prime role and responsibilities in the field of research including;

- I. Raising mulberry
- II. Supply of healthy parental material for making cuttings
- III. Breeding of pest and disease resistant varieties
- IV. Breeding of pest resistant varieties
- V. Breeding of varieties with improved quality parameters
- VI. Formulation of ecofriendly and effective pesticides
- VII. Fixation of lc-50 and ld-50 values
- VIII. Recommendation of package of practices for mulberry cultivation (pop)
- IX. Recommendation of package of practices for silkworm rearing (pop)

- X. Breeding of superior silkworm hybrids
- XI. Breeding of pest and disease resistant silkworm hybrids
- XII. Breeding of pest resistant silkworm hybrids and
- XIII. Breeding of silkworm hybrids with improved qualitative parameters etc.

Moreover, Department of Sericulture, Poonch Campus, University of Jammu were recorded to play prime role in education sector for promotion of sericulture among the youth as earlier suggested by Chouhan *et al.*, 2016 and Setty *et al.*, 2019 [5 & 12]. Some of the important roles and responsibilities have been enumerated as below:

1. Commencement of training and skill development programmes for sharpening and improving the technical skills of the workers.
2. Conduct technical awareness programmes to enhance knowledge of the workers for operating different types of machines.
3. Development of package of practices for introduction of improved sericulture technologies and its dissemination.
4. Efforts to reduce input cost & drudgery and by-product utilization to increase net income and productivity.
5. Dissemination of knowledge, Research and Development (R & D) innovations and package of practices.
6. Undertake collaborative research programmes/projects with reputed National and International R & D institutions.
7. Strengthening institutional framework to support ongoing research, allied activities, scientific and technical services.
8. Conduct On-station trials (OST) and On-farm trials (OFT) for test verifying the technologies developed by the main research institutes and suggest fine tuning/modifications of such technologies to provide solutions to region specific problems.
9. Conduct on-farm trials (OFT)/demonstration of the selected technologies with selected farmers in coordination with Department of Sericulture (DOS).
10. Popularize the proven technologies using various extension methods through cluster area approach.
11. Conduct training for both grass root level extension staff of DOS and farmers on advanced technological aspects.

12. Provide assistance in establishment of reeling, weaving, printing and silk dyeing units and financial assistance for acquiring machines.

13. Conduct Transfer of Technology (TOT) trials among the selected farmers.





Figure1

Figure-1: Support of Government under various schemes for development of Sericulture



**Figure-2: Mass media exposure of the farmers in percentage****Table 1: General Information of the respondents (n= 25)**

<b>Sl. No.</b>	<b>Category</b>	<b>Criteria</b>	<b>No. of farmers</b>	<b>Percentage (%)</b>
<b>1. Age (in years)</b>				
a	Young	< 35	04	16
b	Middle	35-50	08	32
c	Old	>50	13	52
<b>2. Education (in standards)</b>				
a	Illiterate	0	06	24
b	Below 10 <sup>th</sup>	1-4	18	72
c	12 <sup>th</sup>	5-10	01	4
<b>3. Family size (No.)</b>				
a	Big	<4	01	4
b	Medium	4-6	21	84
c	Small	>6	03	12
<b>4. Land holding (Area in kanals)</b>				
a	Small	<5	05	20
b	Medium	5-10	19	76

c	Big	>10	1	4
<b>5. Primary occupation</b>				
a	Agriculture	-	25	100
b	Agriculture with Sericulture	-	25	100
c	Service	-	02	08
<b>6. Experience in Agriculture (in years)</b>				
a	Low	<10	0	0
b	Medium	10-20	04	16
c	High	>20	21	84
<b>7. Experience in Sericulture (in years)</b>				
a	Low	<10	08	32
b	Medium	10-20	14	56
c	High	>20	03	12

**Table-2: Information about Sericulture**

<b>• Mulberry Production Practices</b>				
<b>1.</b>	<b>Practice mulberry cultivation</b>			
a.	Yes		16	64
b.	No		09	40
<b>2. System of Cultivation</b>				
A	Irrigated		20	80
B	Rainfed		05	20
<b>3. Methods of irrigation</b>				
A	Channel Irrigation		25	100
<b>4. Having separate Chawki Garden</b>				
A	Yes		0	0
B	No		25	100
<b>5. Fertilizer Input added</b>				
A	Yes		8	32

B	No	17	68
<b>6. Type of mulberry cultivation</b>			
A	Separate mulberry fields	02	8
B	Integrated farming or mix farming	23	98
<ul style="list-style-type: none"> <li><b>Silkworm Rearing Practices</b></li> </ul>			
<b>1.Type of rearing house</b>			
a.	Mud type of rearing house	4	16
b.	Concrete or cemented rearing house	0	0
c.	Don't have a separate rearing house	18	72
d.	Separate room in dwelling house	3	12
<b>2.Source of procurement of silkworm seed</b>			
a.	State Sericulture Development Department	25	100
b.	Central Silk Board	0	0
c.	Progressive farmers	0	0
<b>3. Name of Silkworm breed</b>			
a.	FC1 FC2	25	100
b.	Any other	0	0
<b>4. Procure Eggs or Chawki worms</b>			
a.	Silkworm Eggs	25	100
b.	Chawki worms	0	0
<b>5. Distance from procurement station (kms)</b>			
a.	<15	05	20
b.	15-20	15	60
c.	>20	5	20
<b>6. Commencement of Disinfection</b>			

A	Yes	15	60
B	No	10	40
<b>7. Method of rearing</b>			
A	Tray rearing	21	84
B	Floor rearing	03	12
C	Shelf rearing	01	4
D	Box rearing	0	0
<b>8. Frequency of feeding</b>			
A	Twice a day	2	8
B	Three times per day	20	80
C	Four times per day	3	12
<b>9. Frequency of cleaning</b>			
A	Twice during instar	10	40
B	Once after each moult	15	60
<b>10. Frequency of application of bed disinfectant</b>			
A	Twice during instar	12	48
B	Once after each moult	13	52
<b>11. Types of mountages used</b>			
A	Plastic collapsible mountages	21	84
B	Rotary mountages	0	0
C	Bottle brush mountages	0	0
D	Local mountages material	04	16`
<ul style="list-style-type: none"> <li>• <b>Cocoon marketing</b></li> </ul>			
<b>12. Is there any cocoon market available</b>			
A	Yes	25	100
B	No	0	0
<ul style="list-style-type: none"> <li>• <b>Interaction with experts and extension workers</b></li> </ul>			
<b>13. Interaction with experts</b>			
A	Regular	07	28

B	Occasional	18	72
C	Rarely	0	0
<b>14. Interaction with extension workers</b>			
A	Regular	12	48
B	Occasional	13	52
C	Rarely	0	0

**Table-3: Sericulture oriented exposure /Participation in Sericulture oriented programmes**

S.no.	Category	No. of farmers participated	Duration (Days (days))	No. of programmes attended	Percentage
1.	Trainings	15	15	1-2	60
2.	Workshops	0	0	0	0
3.	Exhibitions	0	0	0	0
4.	Seminars	0	0	0	0
5.	Conferences	0	0	0	0
6.	Kissan mela	8	03	1-2	32
8.	Exposure visits	0	0	0	0
9.	Field days/ Study trips	5	1	1	20

**Table-4: Support provided by State Sericulture Development Department in different aspects of sericulture**

Sl. No.	Category	No. of farmers			Benefit availed		
		Aware	Unaware	Percentage (%)	Yes	No	Percentage (%)
1	Support for raising mulberry	25	0	100	20	5	80
2	Supply of saplings/ cuttings	25	0	100	25	0	100
3	Supply of rearing	25	0	100	25	0	100

	appliances						
4	Support for construction of rearing house	25	0	100	18	07	72
5	Installation of hot air oven	20	5	20	5	20	20
6	Establishment of reeling unit	20	5	20	0	25	0
7	Incentives on silk yarn	15	10	60	0	25	0
8	Health insurance	15	10	60	0	25	0
9	Catalytic Development Programme (CDP)	10	15	40	0	26	0
10	Schemes of women empowerment	10	15	40	0	25	0
11	Agricultural Technology Management Agency (ATMA)	0	25	0	0	25	0

**Table-5: Support provided by Central Silk Board in different aspects of sericulture**

Sl. No.	Category	No. of farmers			Benefit availed		
		Aware	Unaware	Percentage (%)	Yes	No	Percentage (%)
1	Support for raising mulberry	25	0	100	10	15	40
2	Supply of saplings/ cuttings	25	0	100	10	15	40
3	Supply of rearing appliances	25	0	100	5	20	20
4	Support for construction of rearing house	0	25	0	0	25	0
5	Installation of hot air oven	0	25	0	0	25	0
6	Establishment of reeling units	0	25	0	0	25	0

7	Incentives on silk yarn	0	25	0	0	25	0
8	Health insurance	0	25	0	0	25	0
9	Schemes for women empowerment	10	15	40	5	20	20
10	Tribal Sub-Plan (TSB)	0	25	0	0	25	0
11	Schedule Caste Sub-Plan (SCSB)	0	25	0	0	25	0
12	Mahatma Gandhi Rural Empowerment Guarantee Act	0	25	0	0	25	0

**Table-6: Mass media exposure to the farmers**

S. No.	Particular	No. of farmers	Percentage
<b>• Exposure to T.V.</b>			
a	Regular	10	40
b	Occasional	10	40
c	Never	05	20
<b>• Radio</b>			
a	Regular	25	100
b	Occasional	0	0
c	Never	0	0
<b>• Newspaper</b>			
a	Regular	05	20
b	Occasional	05	20
c	Never	15	60
<b>• Agriculture based magazine</b>			
a	Regular	0	0
b	Occasional	0	0
c	Never	25	100
<b>• Pamphlets</b>			
a	Regular	0	0
b	Occasional	0	0

c	Never	25	100
<b>• Interaction with scientists of KVK</b>			
a	Regular	0	0
b	Occasional	10	40
c	Never	15	60
<b>• Interaction with Extension Workers</b>			
A	Regular	0	0
B	Occasional	15	60
C	Never	10	40

### Conclusion

The research provides guides for revitalizing silkworm cocoon production by helping sericulture extension. The most important effecting factor on revitalizing silkworm cocoon production and presenting technologies was effective training. So extension education programmes have vital roles to play in sericulture. Various research institutes including SKUAST- Jammu, SKUAST-Kashmir, CSRTI, Pampore, RSRS and CSB etc. were found to be actively engaged in overall development of sericulture by providing trainings on improved technology profits, cultivating mulberry varieties with high yield and appropriate hybrid of seasonal and regional silkworm. State Agricultural Universities i.e. SKUAST-Jammu and SKUAST-Kashmir, University of Jammu and University of Kashmir are reported to participate on national platforms for promotion of sericulture across the UT of Jammu and Kashmir. Therefore, it is suggested that the extension functionaries should take adequate care in adoption of improved technologies/practices to narrow down such yield gaps at different level. This would help not only to improve the farmers yield realization but also increase their income through sericulture in the long run.

### References

1. Chanotra B, Bali S, Gandotra R. Popularization of Bivoltine sericulture among tribal folk of Jammu and Kashmir with special reference to Poonch District. *Emergent Life Science Research*. 2022; 8(1): 43-49.
2. Chanotra S, Bali K, Bali RK. Sericulture: an opportunity for the upliftment of rural livelihood. *Journal of Entomology and Zoology Studies*. 2019; 7(6): 1100-1103.

3. Chanotra S, Devi S, Bhat MA. Sericulture as an important agro-enterprise for the marginal farmers. *Guj. J. Ext. Edu.* 2021a; 32: 195-201.
4. Chanotra S, Verma S, Bhat MA, Gandotra R. Evaluation of constraints responsible for yield gap in expected cocoon production under potential bivoltine area of Rajouri district of Jammu and Kashmir. *Journal of Emerging Technologies and Innovative Research.* 2021b; 8(5):04-11.
5. Chouhan S, Mittal V, Babular, Sharma SP, Gani M. Situation analysis of sericulture industry in Jammu and Kashmir. *Bio Bulletin.* 2016; 2(1): 52-57.
6. Fatima K. Trends in cocoon and silk production in Jammu and Kashmir state- A case of concern. *International Journal of Recent Scientific Research.* 2013; 4(11): 1826-1830.
7. Girish CE, Kadian KS, Meena BS, Mandi K. Knowledge assessment of farmers regarding sericulture based Dairy Farming in Karnataka State. **Indian Silk.** 2020; 38(4): 16-20.
8. Khan GA, Ahmed N, Shabnam A, Rashid H, Ghosh MK. Institute village linkage programme- A participatory approach for the development of sericulture in India. *International Journal of Advance Research in Science and Engineering.* 2018; 7 (4): 2319-8354.
9. Khan MA, Dhar A, Mir NA. Constraints and strategies for multiple cocoon crops in J&K State. Workshop on multiple cocoon crops for sustainable sericulture in J&K state organised by Directorate of sericulture, Sericulture Development Department J&K and CSRTI, Pampore on October 18, 2010, 4-8.
10. Kumar B, Neelaboina, Khan GA, Gani M, Ahmed S, Ahmed MN, Ghosh MK. Exploration of sericulture in unexplored region of Jammu and Kashmir. *Journal of Entomology and Zoology Studies.* 2018; 6(4): 1922-1925.
11. Lakshmanan S, Mallikarjuna B, Gannapathi RR, Jayaraman H, Geetadavi RG. Studies on adoption of sericulture innovation at farmers level in Tamil Nadu: An empirical analysis. *Indian J. Seri.* 1998; 37(1):44-47.
12. Setty HHN, Gopal L, Chinnaswamy KP. Empowerment of tribal communities through sericulture programme in Jharkhand state. *Journal of Social Science and Humanities Research.* 2019; 4(2):77-85.

13. Sharma A, Chanotra S, Gupta R, Kumar R. Influence of climate change on cocoon crop loss under subtropical conditions. *International Journal of Current Microbiology and Applied Sciences*. 2020; 9(5): 167-171.
14. Shinghivi NR, Seth RMK, Madhava RYR, Iyengar MN, Datta RK. Knowledge level and adoption of new sericulture technology by farmers in Hunsurtaluk, Mysore District, Karnataka state: An Evaluation. *Indian J. Seri*. 1994; 33(2):48-55.
15. Singh D, Mohammad D, Aslam M. Organizational setup, status and prospect of sericulture Industry in Haryana. *International Journal of Research and Development*. 2020; 5(1): 2455-7838.
16. Singh H, Andrabi RH. Spatial Differentiation in Agricultural Development in Jammu and Kashmir: A Geographical Approach. *International Journal of Scientific and Research Publications*. 2015; 5(8):1-9.
17. Sreenivas BT, Umesha A, Himantharaj MT, Jaishankar, Qadri SMH, Kamble CK. Impact of IVLP on mulberry leaf and cocoon yield at farmer's level. *Journal of Extension Management*. 2009; 10(2): 93-98.