

Review Article

REVIEW ON HERBAL REMEDIES FOR DYSENTERY AND DIARRHEA FROM THE MELGHAT REGION OF MAHARASHTRA STATE, INDIA

ABSTRACT:

With the rapid advancement in fast pacing world, the lifestyle of people is changing at an even faster rate and many people are getting more and more dependent on fast food or other services which provide the means to eat without requiring them to prepare it for themselves, allowing bacteria and viruses to enter into their body more conveniently. This is the major leading cause of the increase in stomach infections leading to dysentery and diarrhea. Dysentery is an infection that is caused by a parasite or bacteria in the intestine that causes bloody diarrhea, fever, nausea, and vomiting. In the case of amoebic dysentery, the symptoms occur after 2 to 4 weeks, making it difficult to treat. The current review focus on herbal remedies from the Melghat region on dysentery and diarrhea-related symptoms. A total of 287 medicinal plant species from 88 families have been compiled for Dysentery (210) and Diarrhea (243). Most reported Plant families were Fabaceae contributing 11.15 % plants of total population, followed by Asteraceae (5.5 %), Malvaceae (4.52 %), Lamiaceae (3.83 %), Rubiaceae (3.48 %), Apocynaceae (3.48 %), Combretaceae (3.13 %), Moraceae (2.78 %), Euphorbiaceae (2.78 %), Amaranthaceae (2.78 %), Mimosoideae (2.43 %) etc. In this study, out of 287 species reviewed, trees represented 34.49 % of species, followed by herbs (32.75 %), shrubs (21.95 %), climbers (8.01 %), grasses (2.43 %), and orchids (0.34 %). Curated data presented along with plant's botanical name, plant's family, category, ailments, the part used with relevant traditional, folk, ethnobotanical uses and patterns with cross citations offers scope for researchers engaged in herbal drug discovery and development to dwell into the herbal reservoir and find suitable plant compounds for fighting this disease.

Keywords: Melghat, Herbal remedies, Dysentery, Diarrhoea, Stomach infections, etc.

Comment [MB1]: Keywords are usually arranged in alphabetical and without a word etc.

INTRODUCTION:

India is known for containing the most prestigious medicinal plants which makes it a definitive hotspot for the exploration of plant-based compounds to cure diseases, solutions to which are yet to be discovered using synthetic compounds. Approximately 80% of the world population relies on plant-based herbal medicine, as plant-based compounds are known to show fewer side effects, are easily available, and are cost-effective [1]. Researchers are now developing what is known as a complementary and alternative therapy (CAM), based on botanical products. With this approach, the preparation of drugs from herbal plants is predicted to be faster and more convenient as compared to other sources [2]. This review article intends to fill in for the required knowledge regarding the potential reservoir of

medicinal plants, compounds from which can provide great insights in discovering natural compounds which can be used for medicinal purposes to cure dysentery and diarrhea.

Bacillary dysentery can be caused by four *Shigella* species: *S. dysenteriae*, *S. flexneri*, *S. boydii*, and *S. sonnei* [3]. *Shigella sonnei* is the most common *Shigella* species prevalent in developed countries. *S. flexneri* is more frequent in developing countries whereas *S. dysenteriae* and *S. boydii* are the least causative bacterial agent [4]. Amoebic dysentery comes from a parasite called *Entamoeba histolytica*, generally caused due to poor sanitary conditions. Symptoms of Dysentery include Diarrhoea with stomach pain, vomiting, nausea, and blood or mucus in diarrhea [5]. Due to the increase in antibiotic use for the treatment of this disease, it develops antibiotic resistance, leading to poor response to treatment in many cases [6]. Therefore, developing knowledge of treatments based on herbal plants can help defeat this concern.

Comment [MB2]: The species name should be written in italic.

From the research done on forest flora of Melghat region [7], reporting the colossal diversity of the contained medicinal plants. Many scientists, scholars, and researchers contributed to enlist the plant species from Melghat, contributing to the development of Melghat Plant databank (MPdb) [8][9] and wild mushroom database [10]. Authors have also reviewed the medicinal properties of the Melghat flora for respiratory infection of Asthma [9].

METHODS AND MATERIAL:

2.1 DATA RETRIEVAL

Pre-defined criteria were taken into consideration for selecting the research articles. The published literature and information obtained from international scientific databases such as Google Scholar, Medline, PubMed, PubMed Central, Research Gate, Science Direct, Scopus, and Web of Science were reviewed thoroughly keeping in mind the purpose of finding the plants which have the properties to heal the target ailment of this review. The plant species name, synonyms, and families were thoroughly verified using sources such as books, research articles, and publicly available online sources.

2.2 DATA ANALYSIS

The literature was reviewed with qualitative and quantitative data analysis through statistical tools, which includes graphs and tables. Plants found to show the medicinal properties in this review were higher than expected which offer scope for further development in this line of work including pharmacological screening, drug discovery, and development.

RESULTS:

This review article encircles plant species from Melghat, parts of which can be used to treat and manage diarrhea and dysentery; symptoms of dysentery include bloody diarrhea, nausea, vomiting, and excruciating stomach ache. It also includes information about botanical

name, plant category, plant family, and parts of the plant which have the herbal properties to treat the ailment.

The review article resulted in the tabulation of 287 entries, data from which yielded valuable information about the herbal properties of these plants. Out of 287 plants, it was found that 243 plants are having curative properties to treat dysentery and 210 plants have medicinal properties to treat Diarrhea, having 165 plants as common plant species.

UNDER PEER REVIEW

Sr. No.	Plant's Name	Family	Category	Ailments	Parts used	References
1	<i>Abelmoschus ficulneus</i> (L.) Wight & Arn. ex Wight	Malvaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[11]
2	<i>Abutilon indicum</i> (L.) Sweet (Syn. <i>Sida indica</i> L.)	Malvaceae	Shrubs	Dysentery	Leaves, Fruits	[12]
				Diarrhoea / Diarrhea	Leaves, Fruits, Roots	[1,12-14]
3	<i>Abutilon pannosum</i> (G. Forst.) Schldl.	Malvaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[15]
				Dysentery	Leaves, Bark, Roots	[15]
4	<i>Acacia catechu</i> (L.f.) Willd.	Fabaceae	Tree	Dysentery	Leaves	[16]
				Diarrhoea / Diarrhea	Leaves, Bark, Heartwood	[13,14,16]
5	<i>Acacia concinna</i> (Willd.) DC.	Mimosoideae	Climbers	Diarrhoea / Diarrhea	Leaves	[17]
6	<i>Acacia ferruginea</i> DC.	Mimosoideae	Tree	Diarrhoea / Diarrhea	Leaves	[18]
				Dysentery	Leaves	[18]
7	<i>Acacia jacquemontii</i> Benth	Mimosoideae	Shrubs	Diarrhoea / Diarrhea	Leaves	[19]
8	<i>Acacia lenticularis</i> Benth. (Syn. <i>Senegalia lenticularis</i> (Buch.-Ham. ex Benth.))	Mimosoideae	Tree	Diarrhoea / Diarrhea	Bark	[20]
				Dysentery	Bark	[20]
9	<i>Acacia nilotica</i> (L.) Delile (Syn. <i>Acacia arabica</i> (Lam.) Willd.)	Mimosoideae	Tree	Dysentery	Gum, Bark, Seeds	[16,21-25]
				Diarrhoea / Diarrhea	Leaves, Bark, Gum	[1,13,14,16,21,22, 25]
10	<i>Acalypha indica</i> L.	Euphorbiaceae	Herbs	Diarrhoea / Diarrhea	Leaves, Roots	[13,17]
				Dysentery	Leaves, Whole plant	[26,27]
11	<i>Achyranthes aspera</i> L.	Amaranthaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[13,28]

				Dysentery	Leaves, Roots, Whole plant	[16,21,22]
12	<i>Adansonia digitata</i> L.	Malvaceae	Tree	Diarrhoea / Diarrhea	Fruits, Seeds, Leaves	[29]
				Dysentery	Fruits, Seeds, Leaves	[29]
13	<i>Adina cordifolia</i> (Roxb.) Brandis (Syn. <i>Haldina cordifolia</i> (Roxb.) Ridsdale)	Rubiaceae	Tree	Diarrhoea / Diarrhea	Roots	[17,30]
				Dysentery	Roots	[17,30]
14	<i>Aegle marmelos</i> L.	Rutaceae	Tree	Dysentery	Fruits	[23-25,31-33]
				Diarrhoea / Diarrhea	Fruits, Leaves	[13,14,17,25,32-34]
15	<i>Aerva javanica</i> (Burm. f.) Juss. ex Schult. (Syn. <i>Aerva persica</i> (Burm. f.))	Amaranthaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[17]
				Dysentery	Whole plant	[17]
16	<i>Aerva lanata</i> (L.) Juss. ex Schult.	Amaranthaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[14]
17	<i>Agave americana</i> L.	Agavaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[35]
				Dysentery	Leaves	[35]
18	<i>Agave angustifolia</i> Haw.	Agavaceae	Herbs	Dysentery	Sap	[36]
19	<i>Ageratum conyzoides</i> L.	Asteraceae	Herbs	Diarrhoea / Diarrhea	Leaves	[13,37]
				Dysentery	Leaves	[31]
20	<i>Ailanthus excelsa</i> Roxb.	Simaroubaceae	Tree	Diarrhoea / Diarrhea	Bark, Stem bark	[14,38,39]
				Dysentery	Bark, Stem bark	[38,39]
21	<i>Alangium salviifolium</i> (L.f.) Wangerin	Cornaceae	Tree	Diarrhoea / Diarrhea	Leaves	[40]
				Dysentery	Leaves	[40]

22	<i>Albizia lebbbeck</i> (L.) Benth.	Fabaceae	Tree	Dysentery	Bark	[17,24,41]
				Diarrhoea / Diarrhea	Bark, Seeds	[14,16,17,24,32]
23	<i>Alstonia scholaris</i> (L.) R. Br.	Apocynaceae	Tree	Dysentery	Root-bark	[17,32,33]
				Diarrhoea / Diarrhea	Root-bark, Stem bark, Leaves	[13,14,17,31-33]
24	<i>Alternanthera sessilis</i> (L.) R.Br. ex DC.	Amaranthaceae	Herbs	Diarrhoea / Diarrhea	Roots	[17,42]
				Dysentery	Roots	[17,42]
25	<i>Alysicarpus vaginalis</i> (L.) DC.	Fabaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[17]
				Dysentery	Leaves	[17]
26	<i>Amaranthus spinosus</i> L.	Amaranthaceae	Herbs	Diarrhoea / Diarrhea	Whole plant, Leaves	[13,14,43]
27	<i>Amorphophallus paeoniifolius</i> (Dennst.) Nicolson	Araceae	Herbs	Dysentery	Tubers	[13]
28	<i>Ampelocissus latifolia</i> (Roxb.) Planch.	Vitaceae	Climbers	Dysentery	Roots	[44]
29	<i>Anacardium occidentale</i> L.	Anacardiaceae	Tree	Diarrhoea / Diarrhea	Leaves, Stem, Bark	[37,45]
				Dysentery	Leaves, Stem, Bark	[45]
30	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees	Acanthaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[33,46]
				Dysentery	Leaves, Whole Plant, Roots	[17,33,46]
31	<i>Annona squamosa</i> Linn	Annonaceae	Tree	Diarrhoea / Diarrhea	Fruits, Seeds	[13,17,24]
				Dysentery	Fruits, Seeds	[13,17,24]
32	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Beddome	Combretaceae	Tree	Diarrhoea / Diarrhea	Stem bark, Bark	[16,23,47]
				Dysentery	Stem bark, Bark	[16,48]

33	<i>Argemone mexicana</i> L.	Papaveraceae	Herbs	Dysentery	Leaves	[16]
34	<i>Argyreia nervosa</i> (Burm. f.) Bojer (Syn. <i>Argyreia speciosa</i> (L. f.) Sweet.)	Convolvulaceae	Climbers	Diarrhoea / Diarrhea	Tubers	[13]
35	<i>Artemisia vulgaris</i> L.	Asteraceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[13]
36	<i>Asparagus racemosus</i> Willd.	Asparagaceae	Shrubs	Diarrhoea / Diarrhea	Roots, Rhizome	[1,13,14,23,43,48]
				Dysentery	Roots, Rhizome	[23,33,48]
37	<i>Atylosia scarabaeoides</i> (L.) Benth. (Syn. <i>Cajanus scarabaeoides</i> (L.) Thouars)	Fabaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[49]
				Dysentery	Whole plant	[49]
38	<i>Azadirachta indica</i> A. Juss.	Meliaceae	Tree	Dysentery	Leaves	[22]
				Diarrhoea / Diarrhea	Leaves, Bark	[13]
39	<i>Azanza lampas</i> (Cav.) Alef.	Malvaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[50]
				Dysentery	Stem	[51]
40	<i>Bacopa monnieri</i> (L.) Pennell.	Scrophulariaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[52]
				Dysentery	Leaves	[23]
41	<i>Bauhinia purpurea</i> L.	Fabaceae	Tree	Diarrhoea / Diarrhea	Leaves	[1,14]
42	<i>Bauhinia racemosa</i> Lam.	Fabaceae	Tree	Dysentery	Bark	[24]
				Diarrhoea / Diarrhea	Leaves, Bark	[24,47]
43	<i>Bauhinia vahlii</i> Wight & Arn.	Fabaceae	Climbers	Diarrhoea / Diarrhea	Stem bark	[39]
				Dysentery	Stem bark	[39]
44	<i>Bauhinia variegata</i> L.	Caesalpinaceae	Tree	Dysentery	Flowers	[16]

				Diarrhoea / Diarrhea	Leaves, Stem bark	[13,14]
45	<i>Blumea lacera</i> (Burm.f.) DC.	Asteraceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[13]
46	<i>Blumea mollis</i> (D.Don) Merr.	Asteraceae	Herbs	Diarrhoea / Diarrhea	Leaves	[53]
47	<i>Boerhavia diffusa</i> L.	Nyctaginaceae	Herbs	Diarrhoea / Diarrhea	Roots	[16]
				Dysentery	Roots	[16]
48	<i>Bombax ceiba</i> L.	Malvaceae	Tree	Dysentery	Calyx, Resin, Bark	[16,23,33]
				Diarrhoea / Diarrhea	Leaves, Bark, Roots, Gum, Resin	[13,16,23,33,54]
49	<i>Borreria articularis</i> (L.f.) F.N. Williams	Rubiaceae	Herbs	Diarrhoea / Diarrhea	Seeds	[33]
				Dysentery	Seeds	[33]
50	<i>Borreria stricta</i> G. Mey. (Syn. <i>Borreria verticillata</i> L. / <i>Spermacoce verticillata</i> L.)	Rubiaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[55]
51	<i>Boswellia serrata</i> Roxb.	Burseraceae	Tree	Diarrhoea / Diarrhea	Gum resin	[14,56]
				Dysentery	Gum resin	[56]
52	<i>Buchanania cochinchinensis</i> (Lour.) Almeida (Syn. <i>Buchanania lanzan</i> Spreng)	Anacardiaceae	Tree	Diarrhoea / Diarrhea	Bark, Leaves	[14,47,57]
				Dysentery	Bark, Stem bark	[39,57]
53	<i>Butea monosperma</i> Roxb. (Syn. <i>Butea frondosa</i> Roxb.)	Fabaceae	Tree	Dysentery	Stem bark, Flowers	[16,47]
				Diarrhoea / Diarrhea	Stem bark, Gum, Flowers, Sap	[1,14,17,27,31,47]
54	<i>Butea superba</i> Roxb.	Fabaceae	Climbers	Diarrhoea / Diarrhea	Leaves, Bark	[17]
				Dysentery	Leaves, Bark	[17]

55	<i>Caesalpinia bonduc</i> (L.)Roxb.	Caesalpinioideae	Shrubs	Diarrhoea / Diarrhea	Leaves, Stem bark	[14,39]
				Dysentery	Roots	[39]
56	<i>Caesalpinia pulcherrima</i> (L.)Sw.	Caesalpinioideae	Shrubs	Dysentery	Wood	[58]
				Diarrhoea / Diarrhea	Wood, Bark	[14,58]
57	<i>Caesulia axillaris</i> Roxb.	Asteraceae	Herbs	Dysentery	Inflorescence	[42]
58	<i>Cajanus scarabaeoides</i> (L.) Thouars	Faboideae	Herbs	Diarrhoea / Diarrhea	Whole plant	[49]
				Dysentery	Whole plant	[49]
59	<i>Calotropis gigantea</i> (L.) W.T. Aiton	Asclepiadaceae	Shrubs	Diarrhoea / Diarrhea	Leaves, Flowers, Aerial part	[13,14]
				Dysentery	Root-bark	[17,32]
60	<i>Calotropis procera</i> (Aiton) W.T. Aiton	Asclepiadaceae	Shrubs	Diarrhoea / Diarrhea	Latex	[1,14]
61	<i>Canavalia gladiata</i> Sensu Robyns.	Fabaceae	Climbers	Dysentery	Seeds	[59]
62	<i>Capparis spinosa</i> L.	Capparaceae	Shrubs	Diarrhoea / Diarrhea	Buds, Leaves	[60]
				Dysentery	Buds, Leaves	[60]
63	<i>Capparis zeylanica</i> L.	Capparaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[14]
64	<i>Cardiospermum halicacabum</i> L.	Sapindaceae	Climbers	Diarrhoea / Diarrhea	Leaves	[33]
				Dysentery	Leaves, Whole plant	[33,34]
65	<i>Careya arborea</i> Roxb.	Lecythidaceae	Tree	Diarrhoea / Diarrhea	Stem bark	[47,61]
				Dysentery	Stem bark	[24,47,61]
66	<i>Carissa carandas</i> Linn.	Apocynaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[62]

67	<i>Casearia elliptica</i> Willd.	Salicaceae	Tree	Dysentery	Bark	[27]
68	<i>Cassia absus</i> L.	Caesalpiniaceae	Herbs	Diarrhoea / Diarrhea	Seeds	[63]
				Dysentery	Seeds	[63]
69	<i>Cassia fistula</i> L.	Caesalpiniaceae	Tree	Diarrhoea / Diarrhea	Fruits	[16,24]
				Dysentery	Fruits, Seeds	[16,22,24]
70	<i>Cassia mimosoides</i> DC.	Caesalpiniaceae	Herbs	Diarrhoea / Diarrhea	Roots	[64]
				Dysentery	Roots	[64]
71	<i>Cassia occidentalis</i> L. (Syn. <i>Senna occidentalis</i> (L.))	Caesalpiniaceae	Shrubs	Diarrhoea / Diarrhea	Whole plant, Roots	[13,65]
72	<i>Cassia tora</i> L. (Syn. <i>Senna tora</i> (L.) Roxb.)	Caesalpiniaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[13,31]
				Dysentery	Leaves, Fruits	[17]
73	<i>Casuarina equisetifolia</i> L.	Casuarinaceae	Tree	Dysentery	Bark	[17,63]
				Diarrhoea / Diarrhea	Bark, Whole plant	[13,17,63]
74	<i>Cayratia trifolia</i> (L.) Domin.	Vitaceae	Climbers	Diarrhoea / Diarrhea	Leaves	[13]
75	<i>Celastrus paniculatus</i> Willd.	Celastraceae	Shrubs	Diarrhoea / Diarrhea	Bark	[24]
				Dysentery	Bark, Leaves	[17,24]
76	<i>Celosia argentea</i> L. (Syn. <i>Celosia cristata</i> L.)	Amaranthaceae	Herbs	Dysentery	Seeds, Leaves	[16,17,31]
				Diarrhoea / Diarrhea	Seeds, Leaves, Flowers	[14,16,17,31]
77	<i>Centratherum anthelminticum</i> (L.) O. Ketz. (Syn. <i>Vernonia anthelmintica</i> (L.) Willd.)	Asteraceae	Herbs	Diarrhoea / Diarrhea	Seeds	[66]

78	<i>Chenopodium album</i> L.	Chenopodiaceae	Herbs	Diarrhoea / Diarrhea	Leaves, Roots	[17,43]
79	<i>Chlorophytum borivilianum</i> Santapau & R.R.Fern.	Liliaceae	Herbs	Diarrhoea / Diarrhea	Roots	[25]
				Dysentery	Roots	[25]
80	<i>Chlorophytum laxum</i> R. Br.	Liliaceae	Herbs	Diarrhoea / Diarrhea	Roots	[25]
				Dysentery	Roots	[25]
81	<i>Chlorophytum tuberosum</i> (Roxb.) Baker	Liliaceae	Herbs	Diarrhoea / Diarrhea	Roots	[25]
				Dysentery	Roots	[25]
82	<i>Cissampelos pareira</i> L.	Menispermaceae	Climbers	Dysentery	Leaves, Roots	[16,17,23]
				Diarrhoea / Diarrhea	Roots, Whole plant	[23,28,34,39]
83	<i>Cleome gynandra</i> L.	Cleomaceae	Herbs	Diarrhoea / Diarrhea	Seeds	[28]
84	<i>Clerodendrum viscosum</i> Vent.	Verbenaceae	Shrubs	Dysentery	Leaves	[23]
				Diarrhoea / Diarrhea	Leaves, Roots	[13]
85	<i>Coccinia grandis</i> (L.) Voigt (Syn. <i>Cephalandra indica</i> (Wight & Arn.) Naudin.)	Cucurbitaceae	Climbers	Diarrhoea / Diarrhea	Leaves, Roots	[13,17]
86	<i>Cocculus hirsutus</i> (L.) Diels	Menispermaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[16]
				Dysentery	Leaves	[16]
87	<i>Cochlospermum religiosum</i> (L.) Alston	Bixaceae	Tree	Diarrhoea / Diarrhea	Flowers	[27]
88	<i>Coix lacryma-jobi</i> L.	Poaceae	Grasses	Diarrhoea / Diarrhea	Roots, Seeds	[13]
89	<i>Colocasia esculenta</i> (L.) Schott	Araceae	Herbs	Diarrhoea / Diarrhea	Rhizome	[13,28]

90	<i>Combretum decandrum</i> Jacq. (Syn. <i>Combretum roxburghii</i> Spreng.)	Combretaceae	Climbers	Dysentery	Stem bark	[39]
91	<i>Combretum ovalifolium</i> Roxb. (Syn. <i>Combretum albidum</i> G.Don.)	Combretaceae	Climbers	Diarrhoea / Diarrhea	Fruits	[67]
				Dysentery	Fruits	[67]
92	<i>Commelina paludosa</i> Blume	Commelinaceae	Herbs	Dysentery	Leaves	[43]
93	<i>Conyza canadensis</i> (L.) Cronquist	Asteraceae	Herbs	Diarrhoea / Diarrhea	Aerial parts	[21,22]
				Dysentery	Aerial parts	[21,22]
94	<i>Corallocarpus epigaeus</i> (Rottl.) C.B.Clark	Cucurbitaceae	Herbs	Dysentery	Roots, Rhizomes	[68]
95	<i>Corchorus tridens</i> L.	Tiliaceae	Herbs	Diarrhoea / Diarrhea	Oil	[69]
96	<i>Cordia dichotoma</i> Forster. f., Prodr.	Boraginaceae	Tree	Diarrhoea / Diarrhea	Leaves, Stem bark	[70]
97	<i>Crotalaria retusa</i> L.	Fabaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[71]
98	<i>Cucumis callosus</i> (Rottb.) Cogn.	Cucurbitaceae	Herbs	Diarrhoea / Diarrhea	Roots	[72]
99	<i>Cucumis setosus</i> Cogn. (Syn. <i>Cucumis hardwickii</i> Royle.)	Cucurbitaceae	Climbers	Dysentery	Fruits	[73]
100	<i>Curculigo orchioides</i> Gaertn.	Hypoxidaceae	Herbs	Diarrhoea / Diarrhea	Roots	[23,31]
				Dysentery	Roots	[16]
101	<i>Cuscuta reflexa</i> Roxb.	Cuscutaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[13]
102	<i>Cyathula prostrata</i> (L.) Blume	Amaranthaceae	Herbs	Dysentery	Whole plant	[74]
103	<i>Cynodon dactylon</i> (L.) Pers.	Poaceae	Grasses	Diarrhoea / Diarrhea	Leaves	[33]
				Dysentery	Whole plant, Roots, Leaves	[13,16,21,22,33]

104	<i>Cyperus rotundus</i> L.	Cyperaceae	Herbs	Diarrhoea / Diarrhea	Rhizome, Tubers, Roots	[1,13,21,43]
				Dysentery	Whole plant, Roots	[22,43]
105	<i>Dactyloctenium aegyptium</i> (L.) Willd.	Poaceae	Grasses	Diarrhoea / Diarrhea	Seeds	[43]
				Dysentery	Seeds	[17]
106	<i>Dalbergia lanceolaria</i> L.f.	Fabaceae	Tree	Diarrhoea / Diarrhea	Bark	[14]
107	<i>Dalbergia latifolia</i> Roxb.	Fabaceae	Tree	Diarrhoea / Diarrhea	Bark	[75]
108	<i>Dalbergia sissoo</i> DC.	Faboideae	Tree	Diarrhoea / Diarrhea	Leaves	[1]
				Dysentery	Leaves, Bark	[16,23,24]
109	<i>Datura inoxia</i> Mill.	Solanaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[76]
110	<i>Datura metel</i> L.	Solanaceae	Shrubs	Dysentery	Fruits	[12]
				Diarrhoea / Diarrhea	Seeds	[77]
111	<i>Dendrophthoe falcata</i> (L.f.) Ettingsh. (Syn. <i>Loranthus falcatus</i> L.f.)	Loranthaceae	Shrubs	Diarrhoea / Diarrhea	Leaves, Whole plant	[39,78]
				Dysentery	Leaves, Whole plant	[78]
112	<i>Desmodium gangeticum</i> (L.) DC.	Fabaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[33]
				Dysentery	Roots	[24,33]
113	<i>Desmodium triflorum</i> (L.) DC.	Fabaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[31,33]
				Dysentery	Leaves	[31,33]
114	<i>Dichrostachys cinerea</i> (L.) Wight & Arn.	Mimosoideae	Shrubs	Diarrhoea / Diarrhea	Bark, Shoots	[79]
				Dysentery	Bark, Shoots	[79]

115	<i>Dicliptera verticillata</i> (Forssk.) Christensen	C.	Acanthaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[80]
116	<i>Dillenia pentagyna</i> Roxb		Dilleniaceae	Tree	Diarrhoea / Diarrhea	Leaves	[47]
					Dysentery	Leaves	[47]
117	<i>Dioscorea belophylla</i> (Prain) Haines	Voigt ex	Dioscoreaceae	Climbers	Dysentery	Tubers	[81]
118	<i>Dioscorea bulbifera</i> L.		Dioscoreaceae	Climbers	Dysentery	Roots, Tubers	[16], [33], [81]
					Diarrhoea / Diarrhea	Tubers	[33]
119	<i>Diospyros melanoxylon</i> Roxb.		Ebenaceae	Tree	Diarrhoea / Diarrhea	Bark, Leaves	[39,82]
120	<i>Eclipta prostrata</i> (L.) L. (Syn. <i>Eclipta alba</i> (L.) Hassk.)		Asteraceae	Herbs	Diarrhoea / Diarrhea	Leaves, Whole plant	[17,23,83]
121	<i>Ehretia laevis</i> (Rottler ex G. Don) Roxb.		Boraginaceae	Tree	Diarrhoea / Diarrhea	Roots	[84]
					Dysentery	Roots, Leaves	[84]
122	<i>Elephantopus scaber</i> L.		Asteraceae	Herbs	Diarrhoea / Diarrhea	Leaves, Roots	[33]
					Dysentery	Leaves, Roots	[17,33]
123	<i>Eleusine indica</i> (L.) Gaertn.		Poaceae	Grasses	Dysentery	Whole plant	[43]
124	<i>Emblica officinalis</i> Gaertn. (Syn. <i>Phyllanthus emblica</i> L.)		Euphorbiaceae	Tree	Dysentery	Fruits, Bark	[17,23,33]
					Diarrhoea / Diarrhea	Fruits, Bark, Leaves	[1,17,23,33]
125	<i>Emilia sonchifolia</i> (L.) DC.		Asteraceae	Herbs	Diarrhoea / Diarrhea	Roots	[17,34]
					Dysentery	Whole plant	[17]
126	<i>Erythrina suberosa</i> Roxb. (Syn. <i>Erythrina stricta</i> Roxb.)		Fabaceae	Tree	Dysentery	Leaves, Roots	[32]

127	<i>Eugenia jambolana</i> Lam.	Myrtaceae	Tree	Diarrhoea / Diarrhea	Fruits, Seeds	[85]
				Dysentery	Fruits, Seeds	[85]
128	<i>Euphorbia hirta</i> L.	Euphorbiaceae	Herbs	Diarrhoea / Diarrhea	Whole plant, Roots	[1,22,33,86]
				Dysentery	Whole plant, Roots, Leaves	[16,17,23,31,33]
129	<i>Euphorbia parviflora</i> L.	Moraceae	Tree	Diarrhoea / Diarrhea	Fruits, Bark	[43]
				Dysentery	Fruits, Bark	[43]
130	<i>Euphorbia thymifolia</i> L.	Euphorbiaceae	Herbs	Dysentery	Whole plant	[16]
131	<i>Evolvulus alsinoides</i> (L.) L.	Convolvulaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[87]
				Dysentery	Whole plant	[48,87]
132	<i>Ficus arnottiana</i> (Miq.) Miq.	Moraceae	Tree	Diarrhoea / Diarrhea	Bark	[88]
133	<i>Ficus benghalensis</i> L.	Moraceae	Tree	Diarrhoea / Diarrhea	Leaves, Roots, Latex, Aerial roots, Bark	[1,16,21,22,24,31-33,39]
				Dysentery	Stem bark, Latex, Aerial roots, Stem, Bark	[16,21-23,31,33]
134	<i>Ficus exasperata</i> Vahl.	Moraceae	Tree	Diarrhoea / Diarrhea	Leaves	[89]
				Dysentery	Leaves	[89]
135	<i>Ficus hispida</i> L. f.	Moraceae	Tree	Dysentery	Fruits, Latex	[17,34]
				Diarrhoea / Diarrhea	Fruits, Latex, Stem bark	[17,34,39]
136	<i>Ficus racemosa</i> L. (Syn. <i>Ficus glomerata</i> Roxb.)	Moraceae	Tree	Dysentery	Latex	[16]
				Diarrhoea / Diarrhea	Roots, Latex, Leaves	[16,24,31,90]

137	<i>Ficus religiosa</i> L.	Moraceae	Tree	Diarrhoea / Diarrhea	Bark, Stem bark	[39,91]
				Dysentery	Bark, Stem bark	[39,91]
138	<i>Flacourtia indica</i> (Burm. f.) Merr.	Flacourtiaceae	Tree	Diarrhoea / Diarrhea	Leaves, Bark, Fruits	[1,24]
139	<i>Gardenia gummifera</i> L.f.	Rubiaceae	Shrubs	Diarrhoea / Diarrhea	Gum	[31]
140	<i>Gardenia latifolia</i> Aiton	Rubiaceae	Tree	Diarrhoea / Diarrhea	Fruits, Bark	[92]
				Dysentery	Fruits, Bark	[92]
141	<i>Garuga pinnata</i> Roxb.	Burseraceae	Tree	Diarrhoea / Diarrhea	Fruits	[93]
				Dysentery	Roots, Bark, Fruits	[24]
142	<i>Getonia floribunda</i> Roxb. (Syn. <i>Calycopteris floribunda</i> (Roxb.))	Combretaceae	Climbers	Dysentery	Leaves	[90]
143	<i>Glinus lotoides</i> L.	Molluginaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[94]
144	<i>Glinus oppositifolius</i> (L.) Aug.DC.	Molluginaceae	Herbs	Diarrhoea / Diarrhea	Aerial parts	[95]
145	<i>Gmelina arborea</i> Roxb.	Verbenaceae	Tree	Diarrhoea / Diarrhea	Bark, Stem bark	[17,39]
146	<i>Grewia flavescens</i> Juss.	Tiliaceae	Shrubs	Diarrhoea / Diarrhea	Root bark	[96]
147	<i>Grewia hirsuta</i> Vahl	Tiliaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[17]
				Dysentery	Roots	[17,24]
148	<i>Grewia rothii</i> DC.	Tiliaceae	Shrubs	Dysentery	Root bark	[39]
149	<i>Grewia tiliifolia</i> Vahl.	Malvaceae	Tree	Diarrhoea / Diarrhea	Stem bark	[97]
				Dysentery	Stem bark	[31]
150	<i>Helicteres isora</i> L.	Malvaceae	Shrubs	Diarrhoea / Diarrhea	Fruits	[16,23,24,31,34]

				Dysentery	Fruits, Seeds	[16,17,23,31,34,54]
151	<i>Hemidesmus indicus</i> (L.) R. Br.	Apocynaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[1,98]
152	<i>Holarrhena antidysenterica</i> (L.) Wall. ex A. DC. (Syn. <i>Holarrhena pubescens</i> Wallich ex A. DC.)	Apocynaceae	Tree	Diarrhoea / Diarrhea	Stem bark, Bark, Seeds, Roots	[31-33,47,98]
				Dysentery	Stem bark, Bark, Seeds, Roots	[16,17,23,31-34,54,98]
153	<i>Holoptelea integrifolia</i> Planch.	Ulmaceae	Tree	Diarrhoea / Diarrhea	Leaves, Fruits	[99]
				Dysentery	Leaves, Stem bark	[98]
154	<i>Hybanthus enneaspermus</i> (L.) F. Muell.	Violaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[100]
				Dysentery	Whole plant	[100]
155	<i>Ichnocarpus frutescens</i> (L.) W.T.Aiton. (Syn. <i>Ichnocarpus ovatifolius</i> A. DC.)	Apocynaceae	Shrubs	Dysentery	Roots	[17]
156	<i>Impatiens balsamina</i> L.	Balsaminaceae	Herbs	Dysentery	-	[101]
157	<i>Imperata cylindrica</i> (L.) P. Beauv.	Poaceae	Grasses	Diarrhoea / Diarrhea	Roots	[43]
				Dysentery	Roots	[43]
158	<i>Indigofera cassioides</i> DC.	Fabaceae	Shrubs	Dysentery	Flowers, Roots	[23]
159	<i>Indigofera linnaei</i> Ali	Fabaceae	Herbs	Dysentery	Whole plant	[24]
160	<i>Ipomoea obscura</i> (L.) Ker Gawl.	Convolvulaceae	Climbers	Diarrhoea / Diarrhea	Leaves	[28]
				Dysentery	Leaves	[102]
161	<i>Ipomoea quamoclit</i> L.	Convolvulaceae	Climbers	Dysentery	Whole plant	[102]
162	<i>Jatropha curcas</i> L.	Euphorbiaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[1]
				Dysentery	Stem	[32]

163	<i>Juglans regia</i> L.	Juglandaceae	Tree	Diarrhoea / Diarrhea	Leaves	[103]
164	<i>Kyllinga brevifolia</i> Rottb.	Cyperaceae	Herbs	Diarrhoea / Diarrhea	Leaves, Tubers	[104]
165	<i>Kyllinga nemoralis</i> (J.R. Forst. & G. Forst.) Dandy ex Hutch. & Dalziel	Cyperaceae	Herbs	Diarrhoea / Diarrhea	Rhizome	[105]
166	<i>Lannea coromandelica</i> (Houtt.) Merr.	Anacardiaceae	Tree	Diarrhoea / Diarrhea	Leaves, Bark	[17]
				Dysentery	Leaves, Bark, Stem bark	[17,98]
167	<i>Lantana camara</i> L.	Verbenaceae	Shrubs	Dysentery	Leaves	[23]
				Diarrhoea / Diarrhea	Stem	[28]
168	<i>Leea macrophylla</i> Roxb. ex Hornem.	Vitaceae	Herbs	Dysentery	Roots	[17]
169	<i>Leonotis nepetifolia</i> (L.) R.Br.	Lamiaceae	Shrubs	Diarrhoea / Diarrhea	Whole plant	[106]
				Dysentery	Whole plant	[86]
170	<i>Leptadenia reticulata</i> (Retz.) Wight	Apocynaceae	Shrubs	Diarrhoea / Diarrhea	Seeds	[72]
171	<i>Leucas cephalotes</i> (Roth) Spreng.	Lamiaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[17]
				Dysentery	Leaves	[17]
172	<i>Limnophila indica</i> (L.) Druce	Scrophulariaceae	Herbs	Dysentery	Aerial parts	[42]
173	<i>Limonia acidissima</i> Linn.	Rutaceae	Tree	Diarrhoea / Diarrhea	Fruits	[107]
				Dysentery	Fruits	[107]
174	<i>Lindernia crustacea</i> (L.) F. Muell.	Scrophulariaceae	Herbs	Dysentery	Whole plant	[27,42]
175	<i>Litsea glutinosa</i> (Lour.) C. B. Rob.	Lauraceae	Tree	Diarrhoea / Diarrhea	Leaves, Bark	[33]
				Dysentery	Leaves, Bark	[33]

176	<i>Litsea monopetala</i> (Roxb. ex Baker) Pers (Syn. <i>Litsea sebifera</i> (Willd.) Persoon)	Lauraceae	Tree	Diarrhoea / Diarrhea	Bark	[33]
				Dysentery	Leaves, Bark	[32,33]
177	<i>Ludwigia octovalvis</i> (Jacq.) P.H. Raven	Onagraceae	Shrubs	Diarrhoea / Diarrhea	Whole plant	[108]
				Dysentery	Whole plant	[108]
178	<i>Madhuca indica</i> J.F. Gmel. (Syn. <i>Madhuca longifolia</i> (J. Konigex L.) J.F. Macbr.)	Sapotaceae	Tree	Diarrhoea / Diarrhea	Bark, Stem bark, Flowers	[1,16,31,98]
179	<i>Mallotus philippensis</i> (Lam.) Mull. Arg.	Euphorbiaceae	Tree	Dysentery	Fruits	[17]
180	<i>Mangifera indica</i> L.	Anacardiaceae	Tree	Diarrhoea / Diarrhea	Bark, Leaves, Flowers, Fruits, Seeds	[1,24,33,37,65]
				Dysentery	Bark, Leaves, Flowers, Fruits, Seeds	[24,32-34]
181	<i>Melia azedarach</i> Linn.	Meliaceae	Tree	Diarrhoea / Diarrhea	Bark, Leaves	[28,65]
182	<i>Melilotus indica</i> (L.) All. (Syn. <i>Melilotus indicus</i> (L.) All.)	Fabaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[43]
183	<i>Melochia corchorifolia</i> L.	Sterculiaceae	Herbs	Dysentery	Leaves, Roots	[109]
184	<i>Mesua ferrea</i> L.	Calophyllaceae	Tree	Diarrhoea / Diarrhea	Bark	[110]
				Dysentery	Bark	[110], [111]
185	<i>Mimosa hamata</i> Willd.	Fabaceae	Shrubs	Dysentery	-	[112]
				Diarrhoea / Diarrhea	Roots	[112]
186	<i>Mimusops elengi</i> L.	Sapotaceae	Tree	Dysentery	Fruits	[27,31]
				Diarrhoea / Diarrhea	Fruits, Seeds	[17,27,31]

187	<i>Mitragyna parvifolia</i> (Roxb.) Korth.	Rubiaceae	Tree	Dysentery	Stem bark	[98]
188	<i>Moghania bracteata</i> (Roxb.) H.L.Li (Syn. <i>Flemingia strobilifera</i> (L.) W.T. Aiton)	Fabaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[113]
				Dysentery	Roots, Tuber	[113]
189	<i>Momordica balsamina</i> sensu W. & A.	Cucurbitaceae	Climbers	Diarrhoea / Diarrhea	Leaves	[114]
190	<i>Moringa oleifera</i> Lam	Moringaceae	Tree	Dysentery	Leaves, Whole plant	[12,24]
191	<i>Mucuna pruriens</i> (L.) DC. (Syn. <i>Mucuna prurita</i> Wight.)	Fabaceae	Shrubs	Dysentery	Roots	[17]
192	<i>Murraya koenigii</i> (L.) Spreng.	Rutaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[16,31,37]
				Dysentery	Leaves, Roots	[16,31,54,98]
193	<i>Mussaenda frondosa</i> L. (Syn. <i>Mussaenda macrophylla</i> Wall.)	Rubiaceae	Tree	Diarrhoea / Diarrhea	-	[115]
				Dysentery	-	[115]
194	<i>Nepeta hindostana</i> (Roth) Haines (Syn. <i>Nepeta ruderalis</i> Buch.-Ham.)	Lamiaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[116]
				Dysentery	Whole plant	[116]
195	<i>Nervilia aragoana</i> Comm. ex Gaudich.	Orchidaceae	Orchid	Diarrhoea / Diarrhea	Whole plant	[117]
196	<i>Nyctanthes arbor-tristis</i> L.	Oleaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[17,47]
197	<i>Ocimum canum</i> Sims. (Syn. <i>Ocimum americanum</i> auct.)	Lamiaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[33,37]
				Dysentery	Leaves	[33]
198	<i>Ocimum gratissimum</i> L.	Lamiaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[37,118]
199	<i>Oroxylum indicum</i> (L.) Kurz	Bignoniaceae	Tree	Diarrhoea / Diarrhea	Root-barks	[17,32,33]
				Dysentery	Seeds, Root-barks, Stem bark	[16,17,23,33,98]

200	<i>Ougeinia oojeinensis</i> (Roxb.) Hochr.	Fabaceae	Tree	Diarrhoea / Diarrhea	Gum, Bark	[24]
				Dysentery	Gum, Bark	[16,24]
201	<i>Oxalis corniculata</i> L.	Oxalidaceae	Herbs	Dysentery	Leaves, Fruits, Roots	[21,23,32,34,43]
				Diarrhoea / Diarrhea	Leaves, Fruits, Roots, Whole plant	[22,32,43]
202	<i>Passiflora foetida</i> L.	Passifloraceae	Climbers	Diarrhoea / Diarrhea	Aerial parts	[119]
203	<i>Pergularia daemia</i> (Forssk.) Chiov.	Asclepiadaceae	Climbers	Diarrhoea / Diarrhea	Leaves	[31,98]
				Dysentery	Roots	[98]
204	<i>Phoenix sylvestris</i> (L.) Roxb.	Arecaceae	Tree	Diarrhoea / Diarrhea	Leaves, Gum, Fruits, Sap	[120]
				Dysentery	Leaves, Roots, Seeds	[120]
205	<i>Phyllanthus amarus</i> Schum & Thonn.	Euphorbiaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[16,31]
				Dysentery	Whole plant	[16,31,34]
206	<i>Phyllanthus fraternus</i> G.L.Webster	Euphorbiaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[33]
				Dysentery	Whole plant	[33]
207	<i>Phyllanthus maderaspatensis</i> L.	Phyllanthaceae	Shrubs	Diarrhoea / Diarrhea	Seeds	[121]
				Dysentery	Seeds	[121]
208	<i>Phyllanthus reticulatus</i> Poir.	Phyllanthaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[33]
				Dysentery	Roots	[33]
209	<i>Phyllanthus urinaria</i> L.	Phyllanthaceae	Herbs	Dysentery	Shoots or Roots	[122]
				Diarrhoea / Diarrhea	Whole plant, Shoots or Roots	[122]

210	<i>Pithecellobium dulce</i> (Roxb.)Benth.	Mimosoideae	Tree	Dysentery	Bark	[123]
				Diarrhoea / Diarrhea	Roots, Bark	[25], [123]
211	<i>Plectranthus rugosus</i> Wall. ex Benth. (Syn. <i>Isodon rugosus</i> (Wall. ex Benth.) Codd.)	Lamiaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[124]
212	<i>Plumbago zeylanica</i> L.	Plumbaginaceae	Shrubs	Dysentery	Roots, Leaves	[17,125]
				Diarrhoea / Diarrhea	Roots, Whole plant	[17,28,31,37]
213	<i>Pogostemon benghalensis</i> (Burm.f.) Kuntze	Lamiaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[126]
				Dysentery	Leaves	[126]
214	<i>Pongamia pinnata</i> (L.)Pierre (Syn. <i>Pongamia glabra</i> Vent.)	Fabaceae	Tree	Dysentery	Bark	[12]
				Diarrhoea / Diarrhea	Leaves	[31]
215	<i>Portulaca oleracea</i> L.	Portulacaceae	Herbs	Diarrhoea / Diarrhea	Aerial parts	[127]
				Dysentery	Aerial parts	[127]
216	<i>Portulaca quadrifida</i> L.	Portulacaceae	Herbs	Dysentery	Aerial parts	[128]
217	<i>Prunus persica</i> (L.) Stokes	Rosaceae	Tree	Dysentery	Leaves	[16]
218	<i>Pseudarthria viscida</i> (L.)Wight & Arn.	Fabaceae	Herbs	Diarrhoea / Diarrhea	Roots	[129]
219	<i>Psoralea corylifolia</i> L. (Syn. <i>Cullen corylifolium</i> (L.) Medik.)	Fabaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[17]
220	<i>Pterocarpus marsupium</i> Roxb.	Fabaceae	Tree	Diarrhoea / Diarrhea	Bark, Gum	[24]
				Dysentery	Bark, Stem bark	[25,98]
221	<i>Pterospermum acerifolium</i> (L.) Willd.	Malvaceae	Tree	Dysentery	Bark	[47]

				Diarrhoea / Diarrhea	Bark, Flowers	[47]
222	<i>Pupalia lappacea</i> (L.) Juss.	Amaranthaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[130]
223	<i>Quercus incana</i> W. Bartram	Fagaceae	Tree	Diarrhoea / Diarrhea	Fruits	[21]
				Dysentery	Fruits	[21]
224	<i>Rauvolfia tetraphylla</i> L.	Apocynaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[33]
				Dysentery	Roots	[33]
225	<i>Rubia cordifolia</i> L.	Rubiaceae	Herbs	Diarrhoea / Diarrhea	Roots	[28]
				Dysentery	Roots	[17]
226	<i>Salvia plebeia</i> R.Br.	Lamiaceae	Herbs	Diarrhoea / Diarrhea	Seeds	[131]
227	<i>Santalum album</i> L.	Santalaceae	Tree	Diarrhoea / Diarrhea	Heartwood	[1,17]
228	<i>Schleichera oleosa</i> (Lour.) Oken	Sapindaceae	Tree	Dysentery	Stem bark	[98]
229	<i>Scoparia dulcis</i> L.	Plantaginaceae	Herbs	Diarrhoea / Diarrhea	Leaves, Roots	[17,33,43,83]
				Dysentery	Leaves, Roots, Whole plant	[17,33,34,43,83]
230	<i>Securinega virosa</i> (Roxb. ex Willd.) Baill.	Phyllanthaceae	Shrubs	Diarrhoea / Diarrhea	Leaves, Stem bark	[37]
231	<i>Semecarpus anacardium</i> L.	Anacardiaceae	Tree	Diarrhoea / Diarrhea	Stem bark	[98]
232	<i>Sesamum indicum</i> L. (Syn. <i>Sesamum orientale</i> L.)	Pedaliaceae	Herbs	Dysentery	Seeds, Oil	[17,32]
				Diarrhoea / Diarrhea	Seeds, Oil	[132]
233	<i>Shorea robusta</i> Gaertn.	Dipterocarpaceae	Tree	Diarrhoea / Diarrhea	Fruits, Bark	[16,31]
				Dysentery	Gum	[16]

234	<i>Sida acuta</i> Burm. f.	Malvaceae	Shrubs	Diarrhoea / Diarrhea	Aerial parts	[37]
				Dysentery	Roots, Whole plant	[133]
235	<i>Sida cordifolia</i> L.	Malvaceae	Shrubs	Dysentery	Leaves, Root bark	[23,31]
236	<i>Sigesbeckia orientalis</i> L.	Asteraceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[134]
237	<i>Smilax zeylanica</i> L.	Smilacaceae	Climbers	Dysentery	Roots	[33]
238	<i>Solanum nigrum</i> L.	Solanaceae	Herbs	Dysentery	Fruits	[22]
				Diarrhoea / Diarrhea	Whole plant, Leaves	[28,31]
239	<i>Sonchus oleraceus</i> L.	Asteraceae	Herbs	Diarrhoea / Diarrhea	-	[135]
240	<i>Sorghum bicolor</i> (L.) Moench	Poaceae	Grasses	Diarrhoea / Diarrhea	Seeds	[28]
241	<i>Soymida febrifuga</i> (Roxb.) Juss.	Meliaceae	Tree	Diarrhoea / Diarrhea	Bark	[24]
				Dysentery	Bark	[23]
242	<i>Sphaeranthus indicus</i> L.	Asteraceae	Herbs	Dysentery	Whole plant	[136]
				Diarrhoea / Diarrhea	Whole plant	[136]
243	<i>Spilanthes calva</i> DC.	Asteraceae	Herbs	Dysentery	Whole plant	[42]
244	<i>Spondias pinnata</i> (L. f.) Kurz	Anacardiaceae	Tree	Diarrhoea / Diarrhea	Fruits, Bark	[16,23,32,33]
				Dysentery	Fruits, Bark	[16,17,33]
245	<i>Stachytarpheta jamaicensis</i> (L.) Vahl. (Syn. <i>Stachytarpheta indica</i> (L.) Vahl)	Verbenaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[31]
				Dysentery	Leaves	[31]
246	<i>Sterculia urens</i> Roxb.	Sterculiaceae	Tree	Dysentery	Gum	[24]

247	<i>Streblus asper</i> Lour.	Moraceae	Tree	Diarrhoea / Diarrhea	Bark, Seeds	[17,33]
				Dysentery	Stem bark, Roots, Seeds, Leaves	[17,23,31,33]
248	<i>Stylosanthes fruticosa</i> (Retz.) Alston.	Fabaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[28]
249	<i>Syzygium cumini</i> (L.) Skeels (Syn. <i>Eugenia jambolana</i> Linn)	Myrtaceae	Tree	Diarrhoea / Diarrhea	Stem bark, Roots, Seeds, Fruits	[12,16,17,22,23,33]
				Dysentery	Stem bark, Roots, Seeds, Leaves	[16,17,23,33,54]
250	<i>Syzygium heyneanum</i> (Duthie) Wall. ex Gamble (Syn. <i>Eugenia heyneana</i> Wall.)	Myrtaceae	Tree	Diarrhoea / Diarrhea	Bark	[137]
251	<i>Tacca leontopetaloides</i> (L.) Kuntze	Taccaceae	Herbs	Diarrhoea / Diarrhea	Tubers	[138]
				Dysentery	Tubers	[138]
252	<i>Tamarindus indica</i> L.	Fabaceae	Tree	Diarrhoea / Diarrhea	Fruits, Whole plant, Seeds	[17,25,28]
				Dysentery	Seeds	[17]
253	<i>Tamarix troupii</i> Hole (Syn. <i>Tamarix indica</i> Willd.)	Tamaricaceae	Shrubs	Dysentery	Bark, Fruits	[139]
254	<i>Tectona grandis</i> L. f.	Verbenaceae	Tree	Diarrhoea / Diarrhea	Bark	[17]
255	<i>Tephrosia purpurea</i> (L.) Pers.	Fabaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[17]
256	<i>Terminalia alata</i> Heyne ex Roth	Combretaceae	Tree	Diarrhoea / Diarrhea	Bark	[140]
				Dysentery	Bark	[140]
257	<i>Terminalia arjuna</i> (Roxb.) Wight & Arn.	Combretaceae	Tree	Dysentery	Bark, Leaves	[16,34]
258	<i>Terminalia bellirica</i> (Gaertn.) Roxb.	Combretaceae	Tree	Dysentery	Bark, Fruits	[23,33]
				Diarrhoea / Diarrhea	Fruits	[16,17,33]

259	<i>Terminalia chebula</i> Retz.	Combretaceae	Tree	Diarrhoea / Diarrhea	Fruits, Bark	[17,32]
				Dysentery	Fruits, Bark	[17,32]
260	<i>Terminalia tomentosa</i> Wight & Arn.	Combretaceae	Tree	Diarrhoea / Diarrhea	Bark	[17]
261	<i>Tinospora cordifolia</i> auct. non (DC). Miers: Hook f. & Thoms.	Menispermaceae	Herbs	Dysentery	Roots, Stem	[16,33,48]
				Diarrhoea / Diarrhea	Roots, Stem, Whole plant	[1,23,33,48]
262	<i>Trema orientalis</i> (L.) Blume	Ulmaceae	Tree	Diarrhoea / Diarrhea	Roots	[24,31]
				Dysentery	Roots	[141]
263	<i>Tribulus terrestris</i> L.	Zygophyllaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[12]
264	<i>Trichodesma indicum</i> (L.) R. Br.	Boraginaceae	Herbs	Dysentery	Roots	[27,31]
265	<i>Trichodesma zeylanicum</i> (Burn. fil.) R. Br.	Boraginaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[142]
				Dysentery	Whole plant	[142]
266	<i>Tridax procumbens</i> (L.) L.	Asteraceae	Herbs	Diarrhoea / Diarrhea	Leaves	[31]
				Dysentery	Leaves	[16,31]
267	<i>Triumfetta pilosa</i> Wall.	Malvaceae	Herbs	Diarrhoea / Diarrhea	Leaves	[143]
268	<i>Triumfetta rhomboidea</i> Jacq.	Tiliaceae	Shrubs	Diarrhoea / Diarrhea	Leaves, Bark	[17,33,34]
				Dysentery	Leaves, Bark	[17,33,34]
269	<i>Uraria picta</i> (Jacq.)DC.	Fabaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[144]
270	<i>Urena lobata</i> L.	Malvaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[17]
				Dysentery	Roots	[17]

271	<i>Vallisneria spiralis</i> (L.) Kuntze	Alismaceae	Climbers	Diarrhoea / Diarrhea	Leaves, Bark	[145]
272	<i>Vernonia cinerea</i> (L.) Less	Asteraceae	Herbs	Dysentery	Whole plant	[16]
273	<i>Vetiveria zizanioides</i> (L.) Nash	Poaceae	Grasses	Diarrhoea / Diarrhea	Roots	[146]
				Dysentery	Roots	[146]
274	<i>Vitex negundo</i> L.	Verbenaceae	Shrubs	Dysentery	Leaves, Flowers	[12,16,17]
				Diarrhoea / Diarrhea	Leaves, Whole plant	[12,16,24]
275	<i>Vitex trifolia</i> L.	Lamiaceae	Shrubs	Dysentery	Leaves	[17]
276	<i>Waltheria americana</i> L. (Syn. <i>Waltheria indica</i> L.)	Sterculiaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[147]
				Dysentery	Roots	[147]
277	<i>Withania somnifera</i> (L.) Dunal	Solanaceae	Shrubs	Diarrhoea / Diarrhea	Leaves	[28]
278	<i>Woodfordia fruticosa</i> (L.) Kurz	Lythraceae	Shrubs	Diarrhoea / Diarrhea	Flowers	[98]
				Dysentery	Flowers, Bark, Leaves, Fruits	[16,17,33,98]
279	<i>Wrightia tinctoria</i> Roem.	Apocynaceae	Tree	Diarrhoea / Diarrhea	Bark, Seeds	[148]
				Dysentery	Bark, Seeds	[148]
280	<i>Wrightia tomentosa</i> (Roxb.) Roem. & Schult. (Syn. <i>Wrightia arborea</i> (Dennst.) Mabb.)	Apocynaceae	Tree	Dysentery	Roots	[17]
281	<i>Xeromphis spinosa</i> (Thunb.) Keay (Syn. <i>Catunaregam spinosa</i> (Thunb.) Tirveng.)	Rubiaceae	Tree	Diarrhoea / Diarrhea	Bark	[149]
				Dysentery	Bark	[149]
282	<i>Xeromphis uliginosa</i> (Retz.) Maheshw	Rubiaceae	Tree	Diarrhoea / Diarrhea	Fruits, Roots	[17]

	(Syn. <i>Tamilnadia uliginosa</i> (Retz.) Tirveng. & Sastre.)			Dysentery	Fruits, Roots	[17]
283	<i>Ziziphus mauritiana</i> Lam.	Rhamnaceae	Tree	Dysentery	Leaves	[32]
				Diarrhoea / Diarrhea	Seeds, Bark	[16,28,34]
284	<i>Ziziphus nummularia</i> (Burm. f.) Wight & Walk.-Arn.	Rhamnaceae	Shrubs	Diarrhoea / Diarrhea	Roots	[16]
				Dysentery	Roots	[16]
285	<i>Ziziphus rugosa</i> Lam.	Rhamnaceae	Tree	Diarrhoea / Diarrhea	Bark	[17]
286	<i>Ziziphus xylopyrus</i> (Retz.) Willd.	Rhamnaceae	Tree	Diarrhoea / Diarrhea	Stem bark	[98]
287	<i>Zornia gibbosa</i> Span.	Fabaceae	Herbs	Diarrhoea / Diarrhea	Whole plant	[150]
				Dysentery	Whole plant	[150]

Table1

Tabulation

of

287

entries

3.1 PARTS OF PLANTS USED

From the data analysis of the review articles, it was found that leaves were the most herbal plant part as 97 plants (26.94%) are having leaves as their main part used in the treatment or capable of treating the ailment of diarrhea, following which bark shows herbal traits from 55 plants (15.27%) and roots from 51 plants (14.16%), the whole plant is also used in case of 33 plant species (9.16%). 28 plants (7.77 %) have fruits, 25 plants (6.94%) have seeds and 18 plants (5.00%) have seed bark as herbal plant part for diarrhea. 8 plants (2.22%) have flowers, 8 plants (2.22%) have Gums, 6 plants (1.66%) have aerial parts as medicinal plant parts.

For the treatment of dysentery, the most used plant part was found to be leaves as 66 plants (21.85 %) out of 210 plants has leaves as the main part used for the treatment of dysentery, followed by roots from 56 plants (18.54 %), bark from 45 plants (14.9%), whole plants from 33 plants (10.97%), fruits from 29 plants (9.6 %) and stem bark from 19 plants (6.29%).

Few plants also had aerial parts, aerial roots, buds, calyx, latex, inflorescence, rhizome, root bark, resins, and oils as their main plant part for treatment in case of both the diseases. The hierarchy of the plant parts capable of treatment of both the ailments is shown in figure 1(a) and figure 1(b)




Figure 1(a) Number of plants and plant parts used for the treatment of Dysentery. (b) Number of plants and plant parts used for the treatment of Diarrhea

3.2 TYPES OF PLANTS

From the study, it was found that 34.49 % of total plants (99 plants) were trees and 32.75 % (94 plants) were herbs. Shrubs were found to be 21.95% (63 plants) whereas climbers and grasses contributed only 8.01 % (23 plants) and 2.4 % (7 plants) respectively. Only 0.34 % of total plants (1 plant) were found to be orchids.




Figure 2: Type of plants and percentage of total plants of each type

3.3 FAMILY OCCUPANCY

287 herbal plants belonging to 88 families were found in the literature to be able to treat the ailment of dysentery and diarrhoea. The maximum number of plants were found to be part of the Fabaceae family, which has 32 plants (11.14%) of total plant species, following which Asteraceae contributes 16 plant species (5.57 %), Malvaceae contributes 13 plant species (4.52%), Lamiaceae contributes 11 plant species (3.83%), Rubiaceae and Apocynaceae contributes 10 plant species (3.48%) each, Combretaceae contributes 9 plant species (3.13%) Moraceae, Euphorbiaceae and Amaranthaceae contributes 8 plant species (2.78%) each. Many more families contributed as shown in figure 3, different families carry different herbal properties, making them an important factor to consider in this review study.

DISCUSSION:

It has been already established from previously done studies that phytochemicals such as alkaloids, terpenes, flavonoids, and tannins increase colonic water and electrolyte reabsorption, thereby having anti-diarrheal activity [151], some are also known to act by decreasing intestinal motility. Study of the phytochemicals derived from these plants can lead

to extraction of potential drug targets for the treatment of both diarrhoea and dysentery as there are 165 common plant species whose plant parts are used to treat both ailments.

UNDER PEER REVIEW




Figure 3: Family name and percentage of plants contributed by each family

CONCLUSION:

The main purpose of herbal remedies is to provide the solution with the least side effects, plant species that are proven to be useful in the treatment of ailments such as dysentery and diarrhea can provide a strong scientific foundation for researchers to create drugs with higher potential using now available and developed bioinformatics tools. The current investigation specifies medicinal plants, parts of which are traditionally used to treat the discussed ailments.

REFERENCES:

- [1] Singh Sandeep Kumar, Singh P, Singh A K, Srivastava A K, Singh V K, Yadav H, Pandey K D and Kumar A 2018 ROLE OF PLANTS AND THEIR METABOLITES IN THE TREATMENT OF DIARRHOEA *J. Sci. Res.* **62** 25–33
- [2] Pan S Y, Zhou S F, Gao S H, Yu Z L, Zhang S F, Tang M K, Sun J N, Ma D L, Han Y F, Fong W F and Ko K M 2013 New perspectives on how to discover drugs from herbal medicines: CAM'S outstanding contribution to modern therapeutics *Evidence-based Complement. Altern. Med.* **2013**
- [3] Pelczar M J, Chan E C S and Reid R D 1977 *Microbiology / Michael J. Pelczar, Jr., Roger D. Reid, E. C. S. Chan* ed E C S (Eddie C S Chan 1931- and R D Reid 1905- (McGraw-Hill)
- [4] Kotloff K L, Winickoff J P, Ivanoff B, Clemens J D, Swerdlow D L, Sansonetti P J, Adak G K and Levine & M M Global burden of Shigella infections: implications for vaccine development and implementation of control strategies
- [5] Willey J M, Prescott L M, Sandman K M and Wood D H (Dorothy H Prescott's microbiology
- [6] Ashkenazi S, Levy I, Kazaronovski V and Samra Z 2003 Growing antimicrobial resistance of Shigella isolates *J. Antimicrob. Chemother.* **51** 427–9
- [7] Patel R I 1968 Forest flora of Melghat xlviii, 380 p.
- [8] Atre N M and Khedkar D D 2020 A Review on Herbal Remedies for Sexually Transmitted Infections (STIs) from Melghat Region of Maharashtra State, India *European J. Med. Plants* **31** 1–17
- [9] Khedkar D D and Atre N M 2019 Medicinal flora of Melghat for asthma: A review *J. Pharmacogn. Phytochem.* **8** 2091–5
- [10] Hedawoo G, Pilley H, Atre N and Nagmote S 2012 Wild Mushroom Database: A repository for wild mushrooms from Melghat and Amravati region *J. Sci. Inf.* 107–9
- [11] Grosvenor P W, Gothard P K, McWilliam N C, Supriono A and Gray D O 1995 Medicinal plants from Riau Province, Sumatra, Indonesia. Part 1: Uses *J. Ethnopharmacol.* **45** 75–95

Comment [MB3]: There are 8 articles that have no year of publication and 25 from 151 references not up to date (more than 10 years)

- [12] Parthiban R, Vijayakumar S, Prabhu S and Morvin Yabesh J G E 2016 Quantitative traditional knowledge of medicinal plants used to treat livestock diseases from Kudavasal taluk of Thiruvavur District, Tamil Nadu, India *Rev. Bras. Farmacogn.* **26** 109–21
- [13] Rani Das P, Akter S, Tabibul Islam M, Humayun Kabir M, Megbahul Haque M, Khatun Z, Nurunnabi M, Khatun Z, Lee Y, Jahan R and Rahmatullah M 2012 A Selection Of Medicinal Plants Used For Treatment Of Diarrhea By Folk Medicinal Practitioners Of Bangladesh *J. Sustain. Agric.* **6** 153–61
- [14] Mishra A, Seth A and Maurya S K 2016 Therapeutic significance and pharmacological activities of anti-diarrheal medicinal plants mentioned in Ayurveda: A review *J. Intercult. Ethnopharmacol.* **5** 290–307
- [15] Arbat A A PHARMACOGNOSTIC STUDIES OF STEM OF ABUTILON PANNOSUM (FORST F.)
- [16] Gairola S, Sharma J, Gaur R D, Siddiqi T O and Painuli R M 2013 Plants used for treatment of dysentery and diarrhoea by the Bhoja community of district Dehradun, Uttarakhand, India *J. Ethnopharmacol.* **150** 989–1006
- [17] DeFilippis R A and Krupnick G A 2018 The medicinal plants of Myanmar *PhytoKeys* **341** 1–341
- [18] Deb J and Dash G K 2014 Pharmacognostical studies on stem bark of *Acacia ferruginea* DC *Der Pharm. Lett.* **6** 61–6
- [19] Rasool F, Ishaque M, Yaqoob S and Tanveer A 2017 Chemical composition and ethnobotanical uses of *Acacia jacquemontii* Benth. In the Thal Desert in Pakistan *Bois Forests des Trop.* **1** 67–76
- [20] Anon *Senegalia lenticularis* - Useful Tropical Plants
- [21] Jan G, Ajab Khan M and Gul F 2008 Ethnomedicinal Plants Used Against Diarrhea and Dysentery in Dir Kohistan Valley (NWFP), Pakistan *Ethnobot. Leaflet.* **12** 620–57
- [22] Ullah Khan S, Khan R U, Khan A, Ullah I and Zahra Bokhari T 2013 Medicinal Plants Used to Cure Diarrhea and Dysentery by the Local Inhabitants of District Bannu, Khyber Pakhtoonkhwa, Pakistan *Adv. Pharm. Ethnomedicines* **1** 15–8
- [23] Rout S D and Panda T 2017 Ethnobotanical survey of medicinal plants used for the treatment of diarrhoea and dysentery by the tribals of Similipal forest, Mayurbhanj, Odisha, India *App. Sci. Rep.* **19** 9–18
- [24] Sisodiya S and Dutt H C 2020 Woody Phyto-Resources of Medicinal Importance Used By the Tribal Populations Between Satpura and Vindyan Hills, Madhya Pradesh, India *Plant Arch.* **20** 9453–61
- [25] Dabur R, Gupta A, Mandal T K, Deepak Singh D, Bajpai V, Gurav A M and Lavekar G S 2007 ANTIMICROBIAL ACTIVITY OF SOME INDIAN MEDICINAL PLANTS

Afr. J. Trad. CAM **4** 313–8

- [26] Batubara I, Wahyuni W T and Firdaus I 2016 Utilization of Anting-Anting (*Acalypha indica*) Leaves as Antibacterial *IOP Conf. Ser. Earth Environ. Sci.* **31**
- [27] V. Nandagoapalan A D Ethnobotanical studies on useful plants of Pachamalai hills of Tiruchirappalli District of Tamilnadu.
- [28] Woldeab B, Regassa R, Alemu T and Megersa M 2018 Medicinal Plants Used for Treatment of Diarrhoeal Related Diseases in Ethiopia *Evidence-based Complement. Altern. Med.* **2018**
- [29] Kamatou G P P, Vermaak I and Viljoen A M 2011 An updated review of *Adansonia digitata*: A commercially important African tree *South African J. Bot.* **77** 908–19
- [30] Rokade Y and Pawar S P 2013 A comprehensive review on *Adina Cordifolia* *Int. J. Pharm. Sci. Rev. Res.* **18** 13–6
- [31] Shanmugam S, Rajendran Post Graduate K, Annadurai M and Rajendran K Ethnomedicinal plants used to cure diarrhoea and dysentery in Pachalur hills of Dindigul district in Tamil Nadu, Southern India
- [32] Marak N M and Lalnundanga 2017 Indigenous Knowledge on Medicinal Plants Used for Treating Diarrhoea and Dysentery among the Garo Community , Meghalaya (North East India) Study area *J. Nat. Prod. Plant Resour.* **7** 29–36
- [33] Morshed A J M and Nandni N C 2012 Indigenous Medicinal Plants Used by the Tribal Healers of Chittagong Hill Tracts to Treat Diarrhoea and Dysentery *Harmdard Med.* **55** 48–66
- [34] Vaidyanathan D, Senthilkumar M S S and Basha M G 2013 Studies on ethnomedicinal plants used by malayali tribals in Kolli hills of Eastern ghats, Tamilnadu, India *Asian J. Plant Sci. Res.* **3** 29–45
- [35] Misra A K, Varma S K and Kumar R 2018 Anti-inflammatory Effect of an Extract of *Agave americana* on Experimental Animals. *Pharmacognosy Res.* **10** 104–8
- [36] N M-B, ML O, E J-F, AR J-A, A Z, M G-C, J T and M H-R 2013 Anti-inflammatory activity of different agave plants and the compound cantalasonin-1 *Molecules* **18** 8136–46
- [37] Nduche M U and Omosun G 2016 The Use of Medicinal Plants in the Treatment of Diarrhoea in Nigeria : Ethnomedical Inventory of Abia State *Sch. J. Agric. Vet. Sci.* **3** 270–4
- [38] Lavhale M S and Mishra S H 2007 PHCOG REV .: Plant Review Nutritional and therapeutic potential of *Ailanthus excelsa* - A Review . **1** 105–13
- [39] S. B. Padal S B P 2013 Phytomedicinal Flora and their Folk claim of Visakha Patnam District Agency, Andhra Pradesh, India. *IOSR J. Environ. Sci. Toxicol. Food Technol.* **3** 9–16

- [40] Panara K, Singh P K, Rawat P, Kumar V, Maruf M, Patel K, Ravikumar R K and Kumar V 2016 Importance of *Alangium salviifolium* and Its Pharmacological Update *European J. Med. Plants* **12** 1–15
- [41] Verma S C, Vashishth E, Singh R, Kumari A, Meena A K, Pant P, Bhuyan G C and Padhi M M 2013 A review on parts of *Albizia lebbek* (L.) Benth. used as Ayurvedic drugs *Res. J. Pharm. Technol.* **6** 1307–13
- [42] Swapna M M, Prakashkumar R, Anoop K P, Manju C N and Rajith N P 2011 A review on the medicinal and edible aspects of aquatic and wetland plants of India *J. Med. Plants Res.* **5** 7163–76
- [43] Bhatt M D, Adhikari Y P and Kunwar R M 2021 Ethnomedicinal values of weeds in kanchanpur district, far-western nepal *Ethnobot. Res. Appl.* **21** 1–19
- [44] Tamilarasi M C T, Subasin U, Kavimani M S and Jaykar M B 2000 Phytochemical and Pharmacological Evaluation of *Ampelocissus Latifolia* *Anc. Sci. Life* **20** 14
- [45] Doss V A and Thangavel K P 2011 Antioxidant and antimicrobial activity using different extracts of *anacardium occidentale* L.
- [46] Okhuarobo A, Ehizogie Falodun J, Erharuyi O, Imieje V, Falodun A and Langer P 2014 Harnessing the medicinal properties of *Andrographis paniculata* for diseases and beyond: A review of its phytochemistry and pharmacology *Asian Pacific J. Trop. Dis.* **4** 213–22
- [47] Panda S K, Padhi L, Leyssen P, Liu M, Neyts J and Luyten W 2017 Antimicrobial, anthelmintic, and antiviral activity of plants traditionally used for treating infectious disease in the Similipal Biosphere Reserve, Odisha, India *Front. Pharmacol.* **8** 1–15
- [48] Sajeev K K and Sasidharan N 1997 Ethnobotanical observations on the tribals of chinnar wildlife sanctuary. *Anc. Sci. Life* **16** 284–92
- [49] Ray A S and Rahaman C H 2018 Pharmacognostic standardization and phytochemical investigation of *Cajanus scarabaeoides* (L.) Thouars *Res. J. Pharmacogn. Phytochem.* **10** 120–31
- [50] Rehamn and Sultana 2011 2009 A CONTRIBUTION TO THE ETHNOBOTANICAL USES OF PLANTS FOR ETHNOMEDICINE AND MAGICO-RELIGIOUS BELIEF BY THE TRIBALS OF BIRBHUM DISTRICT , WEST BENGAL Avijit Ghosh , Chowdhury Habibur Rahaman and Sudhendu Mandal Abstract Ethnobotanical observations have been m 675–82
- [51] Ghosh P and Rahaman C H 2018 Pharmacognostic and Phytochemical studies of *Azanza lampas* (Cav.) Alef.: An Ethnomedicinally important root drug of Malvaceae *Res. J. Pharmacogn. Phytochem.* **10** 259
- [52] Deo Y K and C R K R 2013 Critical review on pharmacological properties of Brahmi *Int. J. Ayurvedic Med.* **4** 92–9

- [53] Sreelekha, K. P., Krishna T. P. A., Krishna, T. P. A., Deepa, P. E., Darsana, U., Juliet, S., Nair, S. N., Ravindran R 2017 Pharmaco-chemical characterization of leaves of *Blumea mollis* (D. Don) merr. from Western Ghats of wayanad region of Kerala, India *J. Pharmacogn. Phytochem.* **6** 319–23
- [54] Tikadar P 2017 Phytochemical analysis of medicinal plants used for treatment of dysentery and diarrhoea by the Paraja Tribe of Koraput, Odisha, India Poly Tikadar, Sharat K Palita and Debabrata Panda *Int. J. Herb. Med.* **5** 1–4
- [55] Izuogu N B, Bello O E and Bello O M 2020 A review on *Borreria verticillata*: A potential bionematicide, channeling its significant antimicrobial activity against root-knot nematodes *Heliyon* **6** e05322
- [56] Siddiqui M Z 2011 *Boswellia serrata*, a potential antiinflammatory agent: An overview *Indian J. Pharm. Sci.* **73** 255–61
- [57] Buchanania T, Mishra S and Tiwari S 2018 Spatial Distribution of *Buchanania Cochinchinensis* in Jharkhand *An Int. Q. J. Life Sci.* **5** 344–53
- [58] Nainwal Pankaj N D A REVIEW ON PHYTOCHEMICAL AND PHARMACOLOGICAL ASPECTS OF *CAESALPINIA PULCHERRIMA*
- [59] Moteetee A N 2016 *Canavalia* (Phaseoleae, Fabaceae) species in South Africa: Naturalised and indigenous *South African J. Bot.* **103** 6–16
- [60] Chedraoui S, Abi-Rizk A, El-Beyrouthy M, Chalak L, Ouaini N and Rajjou L 2017 *Capparis spinosa* L. in A systematic review: A xerophilous species of multi values and promising potentialities for agrosystems under the threat of global warming *Front. Plant Sci.* **8** 1–18
- [61] Ambardar N and Aeri V 2013 A better understanding of traditional uses of *Careya arborea* Roxb.: Phytochemical and pharmacological review *Tang [Humanitas Med.* **3** 28.1--28.7
- [62] Tesfaye T and Ravichadran Y D 2018 Traditional Uses, Pharmacological Action and Phytochemical Analysis of *Carissa carandas* Linn.: A Review *Nat. Prod. Chem. Res.* **06** 1–20
- [63] Ahmad S, Hassan A, Abbasi W M and Rehman T 2018 Phytochemistry and pharmacological potential of *Cassia absus* – a review *J. Pharm. Pharmacol.* **70** 27–41
- [64] Abdallah M S, Warodi F A and Gambo R M 2017 Antibacterial Activity of Leaf Extract (*Cassia Mimosoides* Linn) On Some Bacterial Isolates from Diarrhoeal Samples of Infant *Imp. J. Interdiscip. Res.* **3** 1450–3
- [65] de Wet H, Nkwanyana M N and van Vuuren S F 2010 Medicinal plants used for the treatment of diarrhoea in northern Maputaland, KwaZulu-Natal Province, South Africa *J. Ethnopharmacol.* **130** 284–9
- [66] Negi D S, Semwal A, Juyal V and Rana A J 2014 Antibacterial and Antifungal Activity

of *Centratherum anthelminticum* seeds Asteraceae (Compositae) **2** 136–9

- [67] Sreedhar S, Nitha B and Shree A B R 2013 ANTIMICROBIAL ACTIVITY OF STEM BARK OF *COMBRETUM ALBIDUM* G. DON; A TRADITIONAL MEDICINAL LIANA *Int. J. Pharm. Sci. Res.* **4** 3184–8
- [68] Kothawade K A and Siddiqui A R A COMPREHENSIVE REVIEW ON PHARMACOLOGICAL ACTIVITY OF *VERNONIA ANTHELMINTICA* AND *CORALLOCARPUS EPIGAEUS* *Asian J. Pharm. Educ. Res.* **7** 28–35
- [69] S I, Kumar A C and Senthamizh S N 2016 Phytochemical Screening, Anti-microbial Activity and GC-MS Analysis of *Corchorus tridens* L. *Int. J. Pharmacol. Res.* **6** 353–7
- [70] Jamkhande P G, Barde S R, Patwekar S L and Tidke P S 2013 Plant profile, phytochemistry (Indian cherry): A review and pharmacology of *Cordia dichotoma* *Asian Pac. J. Trop. Biomed.* **3** 1009–12
- [71] Devendra B N, Srinivas N and Solmon K S 2012 A comparative pharmacological and phytochemical analysis of in vivo & in vitro propagated *Crotalaria* species *Asian Pac. J. Trop. Med.* **5** 37–41
- [72] Seliya A R and Patel N K 2009 Ethnomedicinal Uses of Climbers from Saraswati River Region of Patan District, North Gujarat *Ethnobot. Leaflet.* **13** 865–72
- [73] GARUD B D, VARGHESE M and THAKUR P L 2016 Contribution of plant diversity to healthcare in Saptashrunji region in Kalwan tahsil, Maharashtra with special reference to flowers, fruits and seeds *Int. J. Plant Sci.* **11** 135–40
- [74] Dulla O and Jahan F I 2017 Ethnopharmacological survey on traditional medicinal plants at Kalaroa Upazila, Satkhira District, Khulna Division, Bangladesh. *J. Intercult. Ethnopharmacol.* **6** 316–25
- [75] Swamy K R, Annappa, Pai V, Hanumantha M and Suryanarayan V 2019 Assessment of tar spot disease in *Dalbergia latifolia* and their management *J. Pharmacogn. Phytochem.* **8** 621–3
- [76] Abbas D A and Jaafar F R 2010 Study of antidiarrhoeal effect of *Datura innoxia* leave extract against diarrhoea induce by Castor oil and magnesium sulphate in mice. *Iraqi J. Vet. Med.* **34** 79–84
- [77] . K and Saini M 2018 Effect of *Datura Metel* (Dhatura) Seeds in Experimentally Induced Diarrhoea *Int. J. Res. Ayurveda Pharm.* **9** 96–8
- [78] Sinoriya P, Sharma V and Sinoriya A 2011 A review on *Dendrophthoe falcata* (LINN. F.) *Asian J. Pharm. Clin. Res.* **4** 1–5
- [79] Jayakumari S, Srinivasa Rao G H, Anbu J and Ravichandiran V 2011 Antidiarrhoeal activity of *Dichrostachys cinerea* (L.) Wight & Arn *Int. J. Pharm. Pharm. Sci.* **3** 61–3
- [80] Ette E, U E E, Peace U, Chris E, E O J, E U C, Eucharia N, Idorenyin A, Sifonobong A, Nsikan M and Susannah A 2015 Antiplasmodial and antidiarrhoeal activities of

Dicliptera verticillata leaf extract *J. Phytopharm. JPHYTO* **4** 73–9

- [81] Mustafa A, Ahmad A, Hussain Tantray A and Parry P A 2018 Ethnopharmacological potential and medicinal uses of miracle herb *Dioscorea* spp *J. Ayurvedic Herb. Med.* **4** 79–85
- [82] Chintala S, Kandhula A, Janapathi Y K, Md F K and P D V 2012 Pharmacognostic studies on *Diospyros melanoxylon* *Int. J. Pharm. Sci. Res.* **3** 3438–43
- [83] District C 2019 Medicinal Plants Used for Treatment of Diarrhea and Dysentery in Chandpur District, Bangladesh *Arch. Nat. Med. Chem.* **4** 1–6
- [84] Shukla A and Kaur A 2018 A systematic review of traditional uses bioactive phytoconstituents of genus *ehretia* *Asian J. Pharm. Clin. Res.* **11** 88–100
- [85] Usman M R M and Choubey N 2017 Medicinal importance and pharmacological significance of *Eugenia jambolana lam* *J. Pharm. Res.* **11** 83–90
- [86] Tugume P and Nyakoojo C 2019 Ethno-pharmacological survey of herbal remedies used in the treatment of paediatric diseases in Buhunga parish, Rukungiri District, Uganda *BMC Complement. Altern. Med.* **19** 1–10
- [87] Alam Khan Q, Ali Khan A, Jabeen A and Ansari S 2016 Sankhaholi *Evolvulus Alsinoides* Linn: a Review **4**
- [88] A. B, D. A and P. S 2017 Phytochemical Analysis of *Ficus arnottiana* (Miq.) Miq. Leaf Extract Using GC-MS Analysis *Int. J. Pharmacogn. Phytochem. Res.* **9** 7–12
- [89] Ahmed F, Mueen Ahmed K, Abedin M Z and Karim A A 2012 Traditional uses and pharmacological potential of *Ficus exasperata vahl* *Syst. Rev. Pharm.* **3** 15–23
- [90] Natarajan B and Paulsen B S 2000 An Ethnopharmacological Study from Thane District, Maharashtra, India: Traditional Knowledge Compared with Modern Biological Science *Pharm. Biol.* **38** 139–51
- [91] Singh S and Jaiswal S 2014 Therapeutic Properties of *Ficus Regligiosa* *Int. J. Eng. Res. Gen. Sci.* **2** 149–58
- [92] Dhurwe R K, Prajapati R K, Lakhera M L and Kumar P 2018 Documentation of non-timber forest products and medicinal plants available in Narayanpur forest area of Chhattisgarh *Int. J. Chem. Stud.* **6** 2644–54
- [93] Lavanya B and Thangamalathi S 2016 GARUGA PINNATA ROXBURGH –AN UPDATE *Int. J. INSTITUTIONAL Pharm. LIFE Sci.* **6** 6–11
- [94] Bhavani S 2015 Review Article *Glinus lotoides* (Ciru-Ceruppadai): An overview *J. Chem. Pharm. Res.* **7** 676–82
- [95] Chakraborty T, Paul S and Paul S 2017 *Glinus oppositifolius* (L .) Aug . DC : A Repository of Medicinal Potentiality *Int. J. Phytomedicine* **9** 543–57
- [96] Gebauer J, Bernholt H and Hammer K 2013 *Grewia flavescens*: A potential

horticultural crop? *Genet. Resour. Crop Evol.* **60** 1915–9

- [97] Sharma C, Malgaonkar M, Sangvikar S, Murthy S and Pawar S 2016 In vitro Evaluation of Antimicrobial and Antioxidant Profile of *Grewia L.* Root Extracts *J. Appl. Life Sci. Int.* **7** 1–9
- [98] S. B. Padal S B P 2013 Phytomedicinal Flora and their Folk claim of Visakha Patnam District Agency, Andhra Pradesh, India. *IOSR J. Environ. Sci. Toxicol. Food Technol.* **3** 9–16
- [99] Mondal S and Bandyopadhyay A 2016 The wonders of a medicinal tree: *Holoptelea integrifolia* (ROXB.) planch *Int. J. Pharm. Pharm. Sci.* **8** 43–8
- [100] Anupa M P, Chinju S and Murugan M 2016 Qualitative phytochemical screening and in vitro antioxidant activity of *hybanthus enneaspermus* *Int. J. Pharmacogn. Phytochem. Res.* **8** 1046–9
- [101] D N E, Rejimon G and Varghese A 2015 *Impatiens balsamina*: An overview *J. Chem. Pharm. Res.* **7** 16–21
- [102] Londhe D K, Neel R S and Bhuktar A S 2017 Ethno-medicinal uses of some species of genus *Ipomoea L.* from Maharashtra state *Int. J. Appl. Res.* **3** 82–4
- [103] Al-Snafi A E 2018 Chemical constituents, nutritional, pharmacological and therapeutic importance of *Juglans regia*-A review *IOSR J. Pharm. www.iosrphr.org* **8** 1–21
- [104] Penjor D, Tshering T, Bhattaria G and Namgay T 2020 The Study of Ethnobotanical Uses by Local Healers in Taktse Chiwog from Central Bhutan *Asian Plant Res. J.* **6** 19–39
- [105] Krishnasamy R, Jeyapal G, Chandrasekar M J N and Dhanabal S P 2017 Pharmacognostical studies on root and rhizomes of *Kyllinga nemoralis* *Int. J. Res. Pharm. Sci.* **8** 222–7
- [106] Pushpan R, Nishteswar K and Kumari H 2012 Ethno medicinal claims of *Leonotis nepetifolia* (L.) R. Br: A review *Int. J. Res. Ayurveda Pharm.* **3** 784–5
- [107] Vijayvargia P and Vijayvergia R 2014 A review on *Limonia acidissima* L.: Multipotential medicinal plant *Int. J. Pharm. Sci. Rev. Res.* **28** 191–5
- [108] Kadum Yakob H, Manaf Uyub A and Fariza Sulaiman S 2012 Toxicological evaluation of 80% methanol extract of *Ludwigia octovalvis* (Jacq.) P.H. Raven leaves (*Onagraceae*) in BALB/c mice *J. Ethnopharmacol.* **142** 663–8
- [109] T P 2014 Ethnobotany, Phytochemistry and Pharmacology of *Melochia Corchorifolia L.* *Int. Res. J. Pharm.* **5** 543–5
- [110] Chahar K 2013 *Mesua ferrea L.*: A review of the medical evidence for its phytochemistry and pharmacological actions *African J. Pharm. Pharmacol.* **7** 211–9
- [111] Asif M, Jafari S F, Iqbal Z, Revadigar V, Oon C E, Majid A S A and Majid A M S A

- 2017 Ethnobotanical and phytopharmacological attributes of *Mesua ferrea*: A mini review *J. Appl. Pharm. Sci.* **7** 242–51
- [112] Jasuja N D, Saxena R, Chandra S, Bhargava S and Joshi S C 2013 Pharmacological Evaluation of an Ethnomedicinal and Endangered Desert Plant: *Mimosa hamata* *J. Biol. Sci.* **14** 52–9
- [113] Narayanan¹ A, Shenoy¹ A and Shabaraya² A 2020 A Review on Pharmacological Activities of *Flemingia strobilifera* *Int. J. Pharm. Sci. Rev. Res.* 70–2
- [114] GS T, M B, BS S, P B, M D, GB P and PS B 2009 *Momordica balsamina*: a medicinal and nutraceutical plant for health care management *Curr. Pharm. Biotechnol.* **10** 667–82
- [115] Lalremruati M, Lalmuansangi C and Siana Z 2019 Free radical scavenging activity and antioxidative potential of various solvent extracts of *Mussaenda macrophylla* Wall: An in vitro and ex vivo study *J. Appl. Pharm. Sci.* **9** 94–102
- [116] Mahmood H, Chaudhry M A, Masood Z, Saeed M A and Adnan S 2017 A mechanistic evaluation of the traditional uses of *Nepeta ruderalis* in gastrointestinal and airway disorders *Pharm. Biol.* **55** 1017–21
- [117] Pant B 2013 Medicinal orchids and their uses: Tissue culture a potential alternative for conservation *African J. Plant Sci.* **7** 448–67
- [118] Prabhu K S, Lobo R, Shirwaikar A A and Shirwaikar A 2009 *Ocimum gratissimum*: A Review of its Chemical, Pharmacological and Ethnomedicinal Properties *Open Complement. Med. J.* **1** 1–15
- [119] Mohanasundari C, Natarajan D, Srinivasan K, Umamaheswari S and Ramachandran A 2007 Antibacterial properties of *Passiflora foetida* L. - A common exotic medicinal plant *African J. Biotechnol.* **6** 2650–3
- [120] Jain P, Jain S, Sharma S and Paliwal S 2018 Diverse application of *Phoenix sylvestris*: A potential herb *Agric. Nat. Resour.* **52** 107–14
- [121] Akhtar S, Rauf A and Siddiqui M Z 2019 A comprehensive review on *Kanocha* (*Phyllanthus maderaspatensis*): An important Unani drug *Int. J. Res. Pharm. Pharm. Sci.* **4** 24–8
- [122] Geethangili M and Ding S-T 2018 A Review of the Phytochemistry and Pharmacology of *Phyllanthus urinaria* L. *Front. Pharmacol.* **9** 1109
- [123] Kulkarni K V, Kaushik C, Kulkarni V and Jamakhandi V R 2018 Medicinal uses of *Pithecellobium dulce* and its health benefits *J. Pharmacogn. Phytochem.* **7** 700–4
- [124] Janbaz K H, Arif J, Saqib F, Imran I, Ashraf M, Zia-Ul-Haq M, Jaafar H Z E and De Feo V 2014 In-vitro and in-vivo validation of ethnopharmacological uses of methanol extract of *Isodon rugosus* Wall. ex Benth. (Lamiaceae) *BMC Complement. Altern. Med.* **14** 1–12

- [125] Tikadar P 2017 Phytochemical analysis of medicinal plants used for treatment of dysentery and diarrhoea by the Paraja Tribe of Koraput, Odisha, India Poly Tikadar, Sharat K Palita and Debabrata Panda ~ 1 ~ *Int. J. Herb. Med.* **5**
- [126] Shigwan A V, Khade, Amol Bhatpakki Basawaraj C and Ghurghure S M 2013 A Comprehensive Review on Pogostemon benghalensis (Burm. F.) O. Kuntze *Res. Rev. J. Pharmacogn. Phytochem.* **1** 10–5
- [127] Zhou Y, Xin H, Rahman K, Wang S, Peng C and Zhang H 2015 Portulaca oleracea L.: A Review of Phytochemistry and Pharmacological Effects *Biomed Res. Int.* **2015** 1–11
- [128] Durgawale T P, Khanwelkar C C and Durgawale P P 2018 Phytochemical analysis of portulaca oleracea and portulaca quadrifida extracts using gas chromatography–mass spectrometry *Asian J. Pharm. Clin. Res.* **11** 204–7
- [129] Mathew G M and Sasikumar J M **2007** Antioxidant Activity of Pseudarthria viscida *Indian J. Pharm. Sci.* **69** 581–2
- [130] Akindele A J, Salako O A and Ohonbamu U V. 2014 Evaluation of the antidiarrhoeal activity of the hydroethanolic leaf extract of Pupalia lappacea Linn. Juss. (Amaranthaceae) *J. Ethnopharmacol.* **151** 984–9
- [131] Shirsat R, Suradkar S and Koche D 2012 SOME PHENOLIC COMPOUNDS OF SALVIA PLEBEIA R. BR. *Biosci. Discov.* **3** 61–3
- [132] Nagpurkar M and Patil N M 2017 A REVIEW ON SESAME - AN ETHNO MEDICINALLY SIGNIFICANT OIL CROP *Int. J. Life Sci. Pharma Res.* **7** 58–63
- [133] Dinda B, Das N, Dinda S, Dinda M and Silsarma I 2015 The genus Sida L. - A traditional medicine: Its ethnopharmacological, phytochemical and pharmacological data for commercial exploitation in herbal drugs industry *J. Ethnopharmacol.* **176** 135–76
- [134] Rakotondrafara A, Rakotondrajaona R, Rakotoarisoa M, Ratsimbason M, Rasamison V E and Rakotonandrasana S R 2018 Ethnobotany of medicinal plants used by the Zafimaniry clan in Madagascar *J. Phytopharm.* **7** 483–94
- [135] Ahmad S S, Erum S, Khan S M, Nawaz M and Wahid A 2014 Exploring the medicinal plants wealth: A traditional medico-botanical knowledge of local communities in Changa Manga Forest, Pakistan *Middle - East J. Sci. Res.* **20** 1772–9
- [136] Galani V J, Patel B G and Rana D G **2010** Sphaeranthus indicus Linn.: A phytopharmacological review. *Int. J. Ayurveda Res.* **1** 247–53
- [137] Tripathi J, Singh R and Prakash Ahirwar R 2017 Ethnomedicinal study of plants used by Tribal person for Diarrhoea diseases in Tikamgarh District M.P *J. Med. Plants Stud.* **5** 248–53
- [138] Mosissa D 2020 Bio-prospecting Potential of Tacca leontopetaloides (L .) O . Kuntze for Access and Benefit Sharing *ACTA Sci. Biotechnol.* **1** 3–7

- [139] Shafi M S, Ashraf M Y and Sarwar G 2000 Wild Medicinal Plants of Cholistan Area of Pakistan *Pakistan J. Biol. Sci.* **4** 112–6
- [140] Saklani S, Rawat Y, Plygun S, Shariati M A, Nigam M, Maurya V K, Yadav A and Mishra A P 2019 Biological activity and preliminary phytochemical screening of terminalia alata Heyne ex Roth *J. Microbiol. Biotechnol. Food Sci.* **8** 1010–5
- [141] Fabowale P O, Ogundare A O, Awoyinka P and Agunloye O 2020 Trema orientalis Linn. Blume: Susceptibility Patterns of Selected Multiple Antibiotic Resistant Bacteria and Fungi to the Leaf Extracts *South Asian J. Res. Microbiol.* **8** 25–32
- [142] Maregesi M S, Nyamwisenda T, Mwangomo D and Kidukuli A 2013 In vitro antimicrobial activity and determination of essential metal and ash value contents of Trichodesma zeylanicum *Int. J. Res. Pharmacol. Pharmacother.* **2** 417–24
- [143] Labu Z, Ahmed M T, Bala A, Islam T, Binte Arfan N and Labu Z K 2016 In vitro investigation of thrombolytic, membrane stabilizing, antidiarrhoeal and antimicrobial activity of aerial parts of Triumphetta pilosa *Artic. Jordan J. Pharm. Sci.* **9** 89–103
- [144] Hem K, Singh N K and Singh M K 2017 Anti-inflammatory and hepatoprotective activities of the roots of Uraria picta *Int. J. Green Pharm.* **11** S166--S173
- [145] Wong S K and Chan E W C 2013 Botany, uses, phytochemistry and pharmacology of Vallaris: A short review *Pharmacogn. J.* **5** 242–6
- [146] Bhushan B, Kumar S S, Tanuja S, Lalit S and Hema A 2013 Vetiveria zizanioides (Linn.) nash: A pharmacological overview *Int. Res. J. Pharm.* **4** 18–20
- [147] Zongo F, Ribuo C, Boumendjel A and Guissou I 2013 Botany, traditional uses, phytochemistry and pharmacology of Waltheria indica L. (syn. Waltheria americana): a review. *J. Ethnopharmacol.* **148** 14–26
- [148] Review P 2014 Wrightia tinctoria R. Br.-a review on its ethnobotany, pharmacognosy and pharmacological profile *J. Coast. Life Med.* **2** 826–40
- [149] Patil M B and Khan P A 2017 Ethnobotanical, phytochemical and Fourier Transform Infrared Spectrophotometer (FTIR) studies of Catunaregam spinosa (Thunb.) Tirven *J. Chem. Pharm. Sci.* **10** 950–5
- [150] Valli M, Kumar O A and Padal S B 2016 Ethnomedicinal Plants Used for Dysentery and Diarrhoea By Tribes in Prakasam District , Andhra *BMR Phytomedicine* **2** 1–4
- [151] Palombo E A 2006 Phytochemicals from traditional medicinal plants used in the treatment of diarrhoea: modes of action and effects on intestinal function *Phyther. Res.* **20** 717–24