

Original Research Article

Profitability Assessment of sprinkler Irrigated Maize Production in Semi-Arid area of Maiduguri, Borno State, Nigeria

Abstract

Water has been identified as one of the scarce inputs, which can severely restrict agricultural production and productivity unless it is carefully conserved and managed. Increasing the adoption of irrigation technology is an important requirement for increasing Nigeria's agricultural productivity. Farmers in the region use the furrow irrigation method and fixed irrigation interval schedule for maize production in this region. The irrigation method used by the farmers has become unsustainable due to low yield, low water use efficiency, low quality of maize kernels and low net farm income. Thus, there is a growing gap between the demand for maize and its production to meet the food requirement for the growing population in the region. The aim of this study was to determine the profitability of sprinkler irrigation method for maize production for in semi-arid environment of Nigeria. ~~Sprinkler irrigation system not only save water over the traditional method but also increases yield and profitability of different crops and agro-climatic conditions.~~ Two field experiments were conducted in the 2014 and 2015 seasons at the Teaching and Research Farm of Ramat Polytechnic Maiduguri, Borno State which is located in the semi-arid region of Northern Nigeria. The profitability analysis result revealed that, Sprinkler irrigation was found to be a profitable irrigation method for maize production with net farm income of \$460.8 and benefit cost ratio of 1.99. ~~Based on the findings of this study, it is recommended that farmers in the semi arid region of Nigeria should all things being equal adopt the use of sprinkler irrigation method for improved maize production.~~ ~~Sprinkler irrigation system not only saves water over the traditional method but also increases the yield and profitability of different crops and agroclimatic conditions.~~ ~~Based on the results, it is recommended that farmers in the semi-arid region of Nigeria should use the sprinkler irrigation method for improved maize production.~~

Formatted: Highlight

Comment [ma1]: Please explain about statistical method

Comment [ma2]: Need to be more explain about the material and method in the part of "abstract"

Comment [ma3]: Please compare with percent, how much increased?

Keywords: Keywords: Irrigation, profitability, Semi-Arid, sprinkler

INTRODUCTION

Water has been identified as one of the scarce inputs, which can severely restrict agricultural production and productivity unless it is carefully conserved and managed (Gebremedhin, 2015). It is a wide-ranging practice of using every drop of water for crop production through suitable irrigation practices. Irrigation practice across the world is vital to successful green revolution all year round to achieving sustainable development goals in food security, socio-economic and rural development (Adelodun and Choi, 2018). Increasing adoption of irrigation technology is an important requirement for increasing Nigeria's agricultural productivity (IFPRI, 2010). Irrigation systems can guarantee long-term production sustainability (Reiin *et al.* 2011). The investment in an

irrigation system is influenced by two clusters of factors: the technical aspects of the irrigation systems, and the economics of the specific crop (O'Brien *et al.* 2010).

Nigeria is a net food-deficit nation and imports large amounts of grain (Cosmas *et al.*, 2010). And the exponential projection growth in the population has not translated to food sufficiency but rather ~~the~~ agricultural production is on the decline Adelodun and Choi (2018). Inadequate supply of water is a major limiting factor in agriculture hence the need for irrigation in crop production. In Nigeria, crop production is heavily dependent on rainfall thus production suffers from the seasonality of rainfall in time for a given locality.

Several studies revealed that, there is much need to increase food output in order to: feed the increasing population; earn the needed foreign exchange to import non-food needs; to generate savings for investment; and to preserve and conserve the natural resource base to enhance its productivity (Eugene, 2007; Stephen and Mshelia, 2008). Consequently, the approach to increasing agricultural production in a country through irrigation farming is a major panacea, if the problem of food shortage in the country is to be addressed (Tashikalma *et al.*, 2014).

Irrigation is the process of applying controlled amounts of water to plants at needed intervals. Irrigation helps to grow agricultural crops, maintain landscapes and re-vegetate disturbed soils in dry areas and during periods of less than average rainfall (Rajendra *et al.*, 2020). Different irrigation systems are suited to different soils, climates, crops and resources. There are three main types of irrigation systems: Surface, Sprinkler and Drip/trickle irrigation (Gangwar *et al.*, 2019, Singh *et al.*, 2019).

~~The S~~prinkler irrigation method is one of the modern methods of irrigation also known as ~~the~~ micro irrigation method. In the sprinkler system, water is sprinkled on the crop by using a pipe and nozzle system (Rajendra *et al.*, 2020). Sprinkler irrigation method is an easy and simple method of irrigation in present times. Sprinkler irrigation is a method of applying irrigation water which is similar to natural rainfall. Sprinkler irrigation system not only saves ~~s~~ water over the traditional method but also increases ~~the~~ yield and profitability of different crops and agro-climatic conditions (Rajendra *et al.*, 2020).

Farmers ~~in the region~~ use ~~the~~ furrow irrigation method and fixed irrigation interval (7 days) schedule for maize production ~~in this region~~. The irrigation method and schedule used by the farmers ~~has have~~ become unsustainable due to low yield, low water use efficiency, low quality of maize kernels and low net farm income (Bashir, 2018). Thus, there is a growing gap between the demand for maize and its production to meet the food requirement for the growing population in the region. The aim of this study was to determine profitability of ~~the~~ drip irrigation method for maize production ~~for in~~ semi-arid environment of Nigeria.

According to Alabi and Esobhawan, (2006) maize accounts for about 43% of calorie intake in Nigeria. Apart from being a food crop, maize has equally become a

commercial crop ~~on~~ which many industries depend ~~on~~ for raw materials (Abd El-Waheed and Ali, 2012). Maize contributes to about 80% of poultry feeds and this has a significant effect on the protein intake in Nigeria (IITA, 2008). Therefore, maize can be considered very vital to the economic growth of the nation through its contribution to food security and poverty alleviation (Bashir *et al.*, 2022).

Addressing the challenges of poverty and food insecurity calls for boosting agricultural production in Nigeria (Xie *et al.*, 2017). Irrigation ~~that~~ which had the highest contribution to increasing ~~the~~ global food production is the only alternative solution to this problem (Adeniji, 2002). Currently, crop production in Nigeria is rain-fed; the irrigated agriculture accounts for only 1% of cultivated area in the country (FAO AQUASTAT, 2017). This rain-fed agriculture makes crop production in Nigeria vulnerable to climatic variability, ~~both~~ intra-annually and inter-annually.

Irrigation has also greatly helped stabilize in stabilizing food production and prices over the years (Rosegrant *et al.*, 2002). Today, irrigated agriculture continues to make civilization less dependent on the vagaries of climate for food and fiber requirement to sustain life.

The general objective of this study is to examine the economics of irrigated maize production in Maiduguri, Borno State, Nigeria.

Specific objectives ~~are~~ were to:

- i. determine the costs associated with maize production using sprinkler irrigation method under different irrigation schedules
- ii. determine the profitability of maize production using sprinkler irrigation method under different irrigation schedules

MATERIALS AND METHODS

Study Area

Field experiments were carried out at the Teaching and Research Farm of Ramat Polytechnic Maiduguri, Borno State which is situated at latitudes 11° 46'18"N to 11° 53' 21"N and longitudes 13° 03' 23"E to 13° 14' 19"E in the semi-arid region of Northern Nigeria. Maiduguri lies within the Lake Chad Basin formation and is about 355m above sea level. The climate ~~of area~~ is semi-arid or tropical grasslands vegetation which is known for its dryness. The area has a long dry season of 6 to 7 months spanning from November to March and a short wet season that lasts for about four months (July to October). The area has high temperatures which range from 20-43°C with an average annual precipitation of about 640 mm. The hottest months are usually April and May, while the cold and ~~the~~ dry periods of harmattan are from November to January. The texture of the soil is mostly sandy loam (Arku, 2011).

The meteorological data recorded during the period of the experiment showed that the maximum and minimum air temperatures were 42.2 to 43.5° C and 24.5 to 25° C

respectively. The relative humidity ranged from 22.3 to 44.3%. The wind speed and evaporation rate were 123 to 135 km/h and 10 mm respectively.

The overall field layout for the experimental farm used for the maize production using the sprinkler irrigation method is presented in Figure 1. The total area of the land used for the research was 3500 m² (0.35 hectares). The entire area was harrowed and the plots were marked out.

Comment [ma4]: Need to be revised

Comment [ma5]: Which figure?

Determining the Performance of the Farm Enterprises

The rationale behind the estimations of the different costs and returns components associated with a production process is in order to evaluate the performance of the production activities of an enterprise or the entire farm business. Performance indices such as profitability, gross margin, net farm income, the rate of returns to investments etc. are some performance indicators that can be used to determine the optimal production process, enterprise selection, enterprise combination, make pricing decisions, marketing decisions as well as ascertaining the sustainability of investments. Comparisons of production costs structure between farms (in the same region or in different ones) could also lead to greater efficiency in the production process of individual farms as well as in the allocation of scarce resources.

The methods used in determining the performance of a farm business include farm profitability analysis, net farm income analysis, gross margin analysis and benefit-cost ratio (Srivastava, 2012). Farm profitability involves subtracting from the total returns the total costs of production to arrive at the profitability index. A positive value indicates that some profits are realized from the investments. The net farm income analysis is very similar to the profitability procedure with the major difference that it is used in cases of having a number of enterprises on the same farm with a common cost which cannot be easily allocated to a single enterprise. What is done in such a case is to calculate the gross returns from each enterprise and then get the net farm income by subtracting from the pooled gross returns. The net farm income was calculated using equation 1 used by Haruna *et.al.* (2010)

$$NFI=TR-TC \dots\dots\dots 1$$

Where:

NFI = net farm income from production per hectare.

TR = total revenue/returns from production per hectare.

TC = total costs of production per hectare.

Benefit cost ratio (BCR)

The benefit-cost ratio (BCR) which is the ratio of the present value of benefit and the present value of cost was determined using equation 2:

$$BCR=Benefit/Cost \dots\dots\dots 2$$

These were performed by identifying all costs incurred and the total revenue obtained from the production based on the irrigation methods and schedules used in the study. All

costs were classified as either fixed or variable cost. Costs that were incurred due to land hiring, land preparation, seed, fertilizer, water used, fuel, rented pump, rented water reservoir, water application, planting, fertilizer application, weeding, harvesting and threshing were classified as a variable cost. While costs incurred from sprinkler and drip irrigation components were classified as a fixed cost. The variable ~~cost~~ and fixed costs were summed up to arrive at the total production cost for the research. The total revenue was obtained by quantifying the yield in monetary terms. The two costs-production cost and selling price (total revenue) were compared to evaluate the economic viability of different irrigation methods and techniques for maize production. The net farm income, benefit cost ratio and were determined using the procedures outlined by Rao (1994), Brennan (2008) and Srivastava (2012) as shown in equations 3.41 and 3.42 respectively.

Costs of Production

Costs of production are generally classified into fixed costs and variable costs. To facilitative the calculation of net farm income and benefit cost ratio which were used to determine the profitability and economic viability of the different irrigation methods and schedules, the different cost items were identified, quantified and the amount involved in their use in the maize production were summed up and subtracted from the total returns. The following are the different costs and the various procedures used in getting the value of their worth in ~~the~~ maize cultivation under the different irrigation methods.

Land Hiring

As most of the land used for irrigation by the farmers was rented, the average rent value per hectare was used. In some areas, the farms are not clearly divided into hectareage~~s~~ and so the value is not accordingly charged on per hectare basis rather, for the whole farm land. In such cases, the total amount paid for the farm land is divided by the number of hectares to arrive at its rent per hectare basis. The land rent per hectare therefore, was determined using equation 3:

LR=LP/FLS..... 3

Where:

LR=land rent per hectare.

LP= land payments.

FLS= farm land size (Hectares)

Land Preparation

This involves clearing the land and then using farm tools or machines to harrow, and till as well as making the land suitable for irrigation purpose. For each particular farm operation, a specific amount is paid for carrying out such activities. The total amount paid for all of these activities divided by the total hectareage of the farm is the per hectare cost for land preparation. ~~The That was arrived-calculated at~~ using equation 4:

LPC=TALP/FLS..... 4

Where:

LPC= land preparation cost per hectare.

TALP= total amount paid for the various land preparation activities.

FLS= farm land size (Ha)

Formatted: Highlight
Formatted: Highlight

Seed Cost

In order to arrive at the seed cost per hectare, the total quantity of seed used was multiplied by the seed rate. This total was then divided by the total hectares of land cultivated with maize to get the seed cost per hectare as shown in equation 5:

$$SC = TSC / FLS \dots\dots\dots 5$$

Where:

SC= seed cost (Ha)

TSC= total cost of seed used.

FLS= farm land size (Ha)

Cost of Fertilizer

-Different types of fertilizer command different prices in the market and the total quantity used by a particular farmer influences his/her total cost of production. The total amount expended on fertilizer was divided by the total land size to arrive at the cost of fertilizer per hectare as shown in equation 6:

$$FC = TCF / FLS \dots\dots\dots 6$$

Where:

FC = fertilizer cost per hectare.

TCF = total cost of fertilizer used.

FLS = farm land size (Ha).

Cost of Fuel

This is the amount expended on the fuel used to run the water pump. It was calculated by summing all the amount of money spent on fuel which was then divided by the total hectareage with farmed maize to arrive at the fuel cost per hectare using equation 7:

$$FUC = TAF / FLS \dots\dots\dots 7$$

Where:

FUC= fuel cost per hectare.

FLS= farm land size (Ha).

TAF= total amount spent on fuel.

Rented pump

This is the amount paid for the use of a water pump to irrigate the farm under maize cultivation. The total amount paid as rent for the use of pump was summed and divided by the total hectare farmed using equation 8:

$$RP = TRC / FLS \dots\dots\dots 8$$

Where:

RP= pump rent per hectare.

TRC=total rental cost.

FLS= farm land size (Ha)

Water used Cost

The area of study being in the semi-arid region of the country is an area with a scarcity of water. For this reason, the total quantity of water used was quantified and costed based on the average prevailing water rate using equation 9:

$$\text{WCH}=\text{WUC}/\text{FLS}..... 9$$

Where:

WUC = total quantity of water used x average water rate.

WUC = total cost of water used by the farmer.

WCH = cost of water hectare.

Formatted: Highlight

Formatted: Highlight

Rented Water Reservoir Cost

~~Pumped Water~~ ~~water pumped~~ had to be reserved in some type of container before ultimately being used for irrigating the maize crops. While some farmers purchase large plastic containers others use concrete water reservoirs. The reservoir is normally rented for the period of cultivation. The cost of renting the reservoir was arrived at by dividing the total cost of rented reservoir by the number of hectares cultivated to convert to per hectare basis using equation 10:

$$\text{RWR}=\text{TRC}/\text{FLS}..... 10$$

Where:

RWR = water reservoir rent per hectare

TRC= total rental cost

FLS= farm land size

Labour Cost

Labour costs were incurred for carrying out the different cultural practices such as planting; fertilizer application, weeding, harvesting, threshing etc. involved in the maize production activities. The total amount of money expended on each of these operations ~~were was~~ calculated and divided by the size of the farm in hectares to get their per hectare basis. For instance, water application cost per hectare is the total amount per water application divided ~~by~~ farm size in hectares. For planting operation cost per hectare, it is the total cost of planting divided by farm size in hectares. For fertilizer application cost per hectare, it is the total cost for applying fertilizer divided by farm size in hectares. For weeding cost per hectare, it is total amount spent on weeding divided by farm size in hectares. For harvesting cost per hectare, it is total amount spent on harvesting divided by farm size in hectares. For threshing cost per hectare, it is total amount spent on threshing divided by farm size in hectares. The total for each of these activities on per hectare basis was the cost expended on labour for maize production per hectare.

RESULTS AND DISCUSSION

Economic analysis of maize production using sprinkler irrigation method and schedules

The process of choosing the most economically viable combination of irrigation method and schedule is one of the most important considerations in the development of irrigated agriculture, especially in arid and semi-arid areas.

Comment [ma6]: Need to be more explain about references in the part of "result and discussion"

The results of the total cost involved in maize production using sprinkler irrigation method and schedules are presented in Table 1. The result shows that the total cost of production varied from 403.39 to 467.33 \$/ha. This was however, considered high and could be attributed to the higher cost of the sprinkler components including the costs involved in the maintenance of the sprinkler system. The sprinkler irrigation system fixed costs accounted for 23.73 to 27.49% of the total cost of production. The variable costs per hectare for the irrigation method and schedules ~~was~~ were 293.20 to 367.8 \$/ha.

The variable costs were higher in pan and tensiometer irrigation techniques with shorter irrigation intervals (4 days) which resulted in higher costs of fuel and water application compared to the fixed irrigation interval of 7 days. The total variable cost contributed 72.68% to 76.42% to the total cost. Fertilizer and water application costs accounted for 7.3% to 16.0% of the total variable cost.

Table 1: Total cost involved in maize production under sprinkler irrigation method and schedules

Items	Sprinkler		
	Fixed	Tensiometer	IW/CPE
Output		\$/ha	
Variable inputs cost (VC)			
Land hiring	10.71(3.65)	10.71(3.00)	10.71(3.00)
Land preparation	17.86(6.09)	17.86(5.00)	17.86(5.00)
Seed	4.76(1.62)	4.76(1.33)	4.76(1.33)
Fertilizer	144.05(49.1)	144.05(40.3)	144.05(40.3)
Water used	4.52(1.54)	8.04(2.25)	8.04(2.25)
Fuel	42.86(14.62)	76.19(21.33)	76.19(21.33)
Rented pump (6.5 hp)	13.39(4.57)	23.81(6.67)	23.81(6.67)
Rented water reservoir	11.9	11.9	11.9
Water application	21.43(7.31)	38.1(10.7)	38.1(10.7)
Fertilizer application	8.93(3.05)	8.93(2.50)	8.93(2.50)
Weeding	4.46(1.52)	4.46(1.25)	4.46(1.25)
Harvesting	4.76(1.62)	4.76(1.33)	4.76(1.33)
Threshing	3.57(1.22)	3.57(1.00)	3.57(1.00)
Sub Total	293.20	357.14	357.14
Fixed inputs cost (FC):			
Sprinkler components	110.91	110.91	110.91
Sub Total	110.91	110.91	110.91
Total Cost	403.39	467.33	467.33

Source: Field experimental data 2014/2015

The next limiting factor is the cost of fuel for the sprinkler irrigation system. The cost of fuel incurred for the sprinkler irrigation system was 19.09% of the average variable costs of production under this system of production. The implication of this finding is that for the optimum output of maize to be obtained adequate provision should be made to cater for these factors.

Land hiring, preparation, seeds, water used, weeding, harvesting and threshing contributed 5 to 7.56%, 3 to 4.53%, 1.33 to 2.02%, 1.54 to 3.40%, 1.25 to 1.90%, 1.33 to 2.02% and 1 to 1.51% of the total variable cost respectively. Fuel and rented pump accounted for 4.13 to 21.33% and 2.05 to 6.67% of the total variable cost respectively. A substantial proportion of the total variable cost was expended on fertilizer and water application. The total revenue under the different irrigation schedules ranged from 456 to 928.1 \$/ha as shown in Table 2.

Total revenue of \$982.1 was obtained as shown in Table 2. The tensiometer and the ratio of irrigation amount to cumulative pan evaporation techniques also gave higher total revenue when compared with the fixed irrigation interval (7 days).

Comment [ma7]: Explain in the below of table

Comment [ma8]: Explain more in manuscript

Comment [ma9]: Explain this index in the below of table

Formatted: Indent: First line: 0", Space After: 0 pt, Line spacing: single

Formatted: Font: (Default) +Headings CS

Formatted: No Spacing, Tab stops: Not at 0.74"

Table 2: Net farm income for maize production and schedules

Items	Sprinkler		
	Fixed	Tensiometer	IW/CPE
Output			
Yield (kg)	2281.3	4640.7	4635.7
Unit price/100kg	20	20	20
Total revenue	456	982.1	927.1
Total Cost	403.39	467.33	467.33
Net farm income	52.6	460.8	459.8
Benefit cost ratio	1.13	1.99	1.98

Source: Field experimental data 2014/2015

The result further revealed that the net farm income and benefit cost ratio [were obtained of](#) \$460.8 and 1.99, respectively ~~were obtained~~.

CONCLUSION

Based on the research conducted to determine the proper irrigation method and schedule for maize production in the semi-arid environment of Nigeria, it can be concluded that Sprinkler irrigation was found to be a profitable irrigation method for maize production with net farm income of \$460.8 and benefit cost ratio of 1.99.

RECOMMENDATION

Based on the findings of this study, it is recommended that farmers in the semi-arid region of Nigeria should all things being equal adopt the use of sprinkler irrigation method for improved maize production based on its proven performance and economic viability as shown in this study.

REFERENCES

- Abd El-Wahed, M. H. and Ali, E. A. (2012). Effect of irrigation systems, amounts of irrigation water and mulching on corn yield, water use efficiency and net profit. *Agricultural Water Management*, 120, 64–71.
- Adelodun B. and Choi K-S. (2018). A review of the evaluation of irrigation practice in Nigeria: Past, present and future prospects. *African Journal of Agricultural Research* Vol. 13(40), pp. 2087-2097
- Adeniji, F. A. (2002). Operation and maintenance in capacity Utilization for sustainable development in Contemporary Nigeria. University of Maiduguri Faculty of Engineering Seminar Series. 2(1), 1-15

- Alabi, R. A. and Esobhawan, A. O. (2006). Relative economic value of maize-okra intercrops in Rainforest zone, Nigeria. *Journal of Central European Agriculture*, 7(3), 433-438.
- Arku, A. Y., Musa, S. M., Mofoke, A. E., and Dibal., J. M. (2011). Re-examining raw effluents from Nigerian Bottling Company Maiduguri for crop irrigation. *J. Appl. Phytotechnol. Environ. Sanit.* 1 1, 43-49.
- Bashir, A.U. (2018) Determining the Proper Irrigation Method and Schedule in Maize Production for Semi-Arid Environment of Nigeria Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in Fulfilment of the Requirements for the Degree of Doctor of Philosophy 243pp.
- Bashir AU., Muhammed G. and Umaru A.B. (2022). Profitability Assessment of Furrow Irrigated Maize Production of Semi-Arid Areas of Maiduguri Borno State, Nigeria. *Nigeria Journal of Engineering Science and Technology Research* volume 8 number 1 (66-73)
- Brennan, D. (2008). Factors affecting the economic benefits of sprinkler uniformity and their implications for irrigation water use. *Irrigation Science*, 26(2), 109-119.
- Cosmas N.A., Chinenye C.A., Okala O. N. and Godwin O.C.(2010) Present and Prospective Roles of Irrigation in National Food Security in Nigeria. *International Journal of Applied Agricultural Research* ISSN 0973-2683 Volume 5 Number 4 (2010) pp. 455–466
- Eugene, H., (2007). Farm and Infrastructure foundation. *New Agricultural Digest* 1, (6): 5-7.
- FAO AQUASTAT, (2017). Regional Report-Nigeria (http://www.fao.org/nr/water/aquastat/countries_regions/nga/index.stm, last Access: 8/10/2017).
- Gangwar, A., Rai, V.K., Nayak, T., Singh, R., Rai, A. (2019). Irrigation scheduling of rabi crops using CROPWAT model in bina command area, Sagar District, Madhya Pradesh. *Journal of Agricultural Physics*. 2019;19(1):115-126.
- Gebremedhin, T (2015). Effect of Drip and Surface Irrigation Methods on Yield and Water Use Efficiency of Onion (*Allium Cepa L.*) under Semi-Arid Condition of Northern Ethiopia. *Journal of Biology, Agriculture and Healthcare* www.iiste.org ISSN 2224-3208 (Paper) ISSN 2225-093X (Online) Vol.5, No.14, 2015
- Haruna, U, Garba, M., Nasiru, M. and Sani, M. H. (2010). Economics of Sweet Potato Production in Toro Local Government Area of Bauchi State, Nigeria. *Proceedings of 11th*

Annual National Conference of National Association of Agricultural Economists (NAAE), Federal University of Technology, Minna. 30th – 3rd December.

IFPRI (2010). Constraints and Knowledge Gaps for Different Irrigation Systems in Nigeria. Nigeria Strategy Support Program (NSSP) Report 10 October 2010.21pp

IITA. (2008). Maize Production in Nigeria. International Institute for Tropical Agriculture, Bulletin No 3, 25-28.

O'Brien, D. M., Rogers, D. H., Lamm, F. R., and Clark, G. A. (1998). An economic comparison of subsurface drip and center pivot sprinkler irrigation systems. *Applied Engineering in Agriculture*, 14(4), 391-398.

Rajendra S. B., Satyendra S. T. And Deepak R.(2020) Impact Of Sprinkler Irrigation System On Production And Profitability Of Wheat In Sagar District Of Madhya Pradesh, India GLOBAL Journal Of Pure And Applied Sciences Vol. 20, 2014: 77-87

Rao, A.S. (Ed.), 1994. Drip irrigation in India. Indian National Committee on Irrigation and Drainage. Ministry of Water Resources, Government of India, New Delhi, India, p. 176.

Rein P., Turner P. Mathias K. (2011). Good management practices manual for the cane sugar industry. Johannesburg, South Africa. PGBI Sugar and Bio Energy for IFC pp. 696.

Rosegrant, M. W., Cai, X., and Cline, S. A. (2002). World water and food to 2025: dealing with scarcity. Intl Food Policy Res Inst.

Singh M, Dwivedi AP, Yadav KS. (2019). Gaps in pulses production in windward pleatue agroclimatic zone of Madhya Pradesh: An assessment through frontier technology. *Indian Journal of Extension Education*. 2019;55(1):39-42.

Srivastava, S. K., Rai, B., and Kumar, S. (2012). Role of micro irrigation in improving food productivity. India water week: water, energy and food security.

Stephen, J. and Mshelia, S. I. (2008). Econometric analysis of cowpea production in the ~~northeastern~~ [Northeastern](#) part of Adamawa State, Nigeria. *Global Journal of Agricultural Sciences* 7, (2):127-130.

Tashikalma, A. K., Sani, R. M. And Giroh, D. Y. (2014). Comparative Profitability Analysis Of Selected Rainfed ~~And~~ [Irrigated](#) Food Crops In Adamawa State, Nigeria *Global Journal Of Pure And Applied Sciences* Vol. 20, 2014: 77-87

Xie H., You L., and Takeshima H. (2017) Invest in small-scale irrigated agriculture: A national assessment on potential to expand small-scale irrigation in Nigeria. *Agricultural Water Management* 193 (2017) 251–264.

UNDER PEER REVIEW