

Comparative Pharmaceutico-Analytical Study of **Shilajatu** Collected from Himachal Pradesh with that Samples Obtained from Standard Commercial Sources and their In-Vitro Antioxidant Study - A STUDY PROTOCOL

ABSTRACT

Background: *Shilajatu* is one among the most used and important drugs in *Ayurveda*. However, a big percentage of *Shilajatu* samples available in market is not genuine. The analytical standards of *Shilajatu* are still not in *Ayurvedic* pharmacopoeia or any authoritative publication. So, the characterization and standardization of *Shilajatu* is required. Moreover, *Shilajeet* is vaguely being used by the layman and even professionals. **It's** therapeutic potential needs to be specifically evaluated.

Aims: To compare pharmaceutico-analytical characteristics of *Shilajatu* collected from Himachal Pradesh with that samples obtained from standard commercial sources and their in-vitro antioxidant study.

Methodology: The collection of samples from the site near *Rampur Bushahr, Himachal Pradesh* will be done in favourable season (in the month of April to June and September-October) by personal visits. The samples of *Shilajatu* from two sites shall be taken for this study. Two market samples shall also be bought from two standard commercial sources. All the samples shall be taken in triplicate to ensure data accuracy. Minimum 4 sources samples in triplicate, so total minimum 12 raw samples shall be taken. Further analysis of raw samples then pharmaceutical processing (*Shodhana*) and again analysis of processed samples shall be done. In analysis organoleptic, Physico-Chemical, elemental analysis and estimation of Humic acid and Fulvic acid shall be done of minimum 12 Raw samples and 12 processed samples (total minimum 24 samples). In-Vitro antioxidant study shall be done for both sources, processed samples.

Observations & Results: The observations noted while collection, analysis, processing of all samples shall be documented and presented in the form of data, photographs, tables, chart, etc. as applicable. Further the processed *Shuddha Shilajeet* shall be subjected to an In-Vitro antioxidant study. Findings will be analyzed for interpretation of results. **Conclusion:** A comparative data of samples of *Shilajatu*, collected from site of natural occurrence and standard commercial sources, with respect to pharmaceutical work, analysis and In-Vitro antioxidant study will be generated.

Keywords: *Shilajatu, Himalayan Shilajeet, Fulvic Acid, Humic Acid, Rasayana, Revitalizer.*

1. INTRODUCTION

The description and therapeutic use of *Shilajatu* can be found from the oldest and commonest *Ayurveda* texts like *Charak Samhita* [1], *Sushruta Samhita* [2] and various texts of *Ras shastra*. However, even after such a long history of use; the availability, Identification and characterization of *Shilajatu* is a mystery till date. Even *Ayurveda* Pharmacopoeia of India do not have any details about Identification and standardization of *Shilajatu*. So, this work is focused on *Shilajatu* study.

Recently, availability of *Shilajatu* in *Himachal Pradesh* nearby *Rampur* region has been reported [3]. In this study, collection of raw *Shilajatu* sample from this site near *Rampur* area in *Himachal Pradesh* shall be done by personal visit. The location under study touches three districts; *Shimla, Kullu and Kinnaur* of *Himachal Pradesh* [4]. As per physiographic divisions [5] this area comes under lesser *Himalayas* or the central zone [5] and as per agroclimatic zones division [6], it is high hill temperate wet zone [6] respectively.

Maharishi Charaka discusses *Shilajatu* in a chapter on *Rasayana* [7] as rejuvenating or adaptogenic substance that confer long healthy life and so retard aging [7]. As per one another classical text, *Shilajatu* possess all the properties and actions of *Maharasa, Uparasa, Suta, Ratna and Lauha* [8]. *Shilajatu* has been used since long as a *Rasayana* (rejuvenator and anti-aging) and for treating diseases [9].

Raw *Shilajatu* that is found in high hill rocks, is somewhat brittle stony to crumbly material, without any specific shape and porosity and commonly have a good quantity (by weight), of stony, sandy and earthy impurities. It has not been categorized absolutely as mineral, plant or of animal origin. The composition of *Shilajatu* vary from source to source [10], [11] and study to study, no work till date has reported a complete identification and standardization criteria; However, broadly the composition of *Shilajatu* has been reported to have inorganic to organic materials like more than 85 minerals, many elements and compounds- eighteen free amino acids, benzoic acid, m – hydroxybenzoic acid, sterols, triterpenes, ellagic acid, three bencoumarins [11] and also Fulvic acid & Humic acid [12].

In the present study, collection of raw *Shilajatu* sample from the site near *Rampur area in Himachal Pradesh* has been planned by personal visit. A successful pilot study has already been done to ensure the availability of *Shilajeet* at planned sites. The analysis of the collected samples will be done as per general analysis protocol for *Ras Shastra* medicines, these analytical tests shall include organoleptic tests, physicochemical tests. Also, Elemental analysis and Humic acid and Fulvic acid estimation shall be done. Along with this, two different samples available in market shall be procured, identified and analyzed for comparison. Further, these collected samples and market samples shall be subjected to pharmaceutical processing that is extraction-shodhan as per *Ayurvedic Formulary of India (AFI)* [13]. The analysis of processed samples shall be repeated. All the samples shall be taken in triplicate to ensure reliable data generation. Further, In-Vitro antioxidant study shall be done on processed samples of both sources.

The observations of this study will provide qualitative and quantitative data for characterization and further studies on *Shilajatu*.

1.1 RESEARCH GAP: -

1. No Identification, Analysis & characterisation data about *Shilajeet* is available in *Ayurvedic pharmacopoeia of India* (API), AFI & any other official publication.
2. Although, tests in classical texts have been described to know the genuinity of *Shilajatu*, but, Modern day Analysis is not performed at that time. In today's context- Standard Analysis protocol is required.
3. No study is done and collected *Shilajatu* sample from the site specifically selected for this study (*Rampur Bushahr of Himachal Pradesh*). No Analysis and characterisation data is available for this *Shilajatu*.
4. Moreover, in case of *Shilajatu*, every new site is area for new study and a good possibility of new and unique research findings.
5. This is a comparative study; no previous study compares in-situ collected samples with the samples from commercial samples.
6. Various previous studies cannot be compared and compiled to form conclusive data as there is no in-situ sample collection, origin of samples is unknown, types of samples in various studies vary (*Shuddha/AShuddha*), only specific analysis has been done by

various researchers previously and there is huge variation in analytical findings. Thus, none of the previous studies gave conclusive data of Characterisation.

7. Therefore, **in this study it is proposed** to work on characterization of *Shilajatu* collected from *Sub-Himalayan* region and compare it with market samples.

2.1. AIM OF THE STUDY

To compare pharmaceutico-analytical characteristics of *Shilajatu* collected from *Himachal Pradesh* with that obtained from standard commercial sources and their in-vitro antioxidant study.

2.2 OBJECTIVES

1. To collect samples of *Shilajatu* from *Himachal Pradesh* around *Rampur region*.
2. To study pharmaceutico-analytical characteristics of *Shilajatu* collected from *Himachal Pradesh* around *Rampur region*.
3. To study pharmaceutico-analytical characteristics of *Shilajatu* collected from standard commercial sources.
4. To compare pharmaceutico-analytical characteristics of samples from both sources.
5. In-vitro antioxidant study of *Shilajeet* from both sources.

2.3 RESEARCH QUESTION

Whether there is variation in pharmaceutico-analytical characteristics of *Shilajatu* collected from *Himachal Pradesh* and procured from standard commercial sources?

3. MATERIAL AND METHODS

3.1; MATERIAL: -

- i. Field sample collection resources; like Mean of transport, **sample** collection tools and equipments.
- ii. Well established *Ras Sastra & Bhaishajya Kalpana* laboratory for doing the pharmaceutical work.
- iii. Well-equipped drug analysis laboratory or source for drug analysis work.
- iv. Raw drugs and other reagents for processing (*Shodhana*) and analysis of various *Shilajatu* samples. Raw material is required as per *AFI-I, Shodhan -47*, are; Table 1; In *AFI*, for **process of extraction and *shodhana*, water and decoction of *Triphala* has been advocated.**

Table 1: - Material for Processing; *Shodhana* Process; -


S.no.	Name	Botanical name	Part used	Proportion
1.	<i>Amalaki</i>	<i>Emblica officinalis</i> Linn.	Fr. P	1/3 parts
2.	<i>Haritaki</i>	<i>Terminalia chebula</i> Retz.	Fr. P	1/3 parts
3.	<i>Vibhitaka</i>	<i>Terminalia bellirica</i> Roxb.	Fr. P	1/3 parts
4.	<i>Shilajatu</i>	Raw form		2 parts

3.2: METHODOLOGY

The work will go through following sequence;

- 3.2.1 Collection of samples from the site at *Himachal Pradesh* and Procurement from standard commercial sources.
- 3.2.2. Identification, Pharmaceutico-analytical Characterization of samples.
- 3.2.3 Pharmaceutical processing (*Shodhan*)
- 3.2.4 Analysis of processed (*Shuddha*) Samples.
- 3.2.5 In-Vitro antioxidant study.
- 3.2.6 Analysis of data and conclusion.

FLOW CHART 1: -



FLOW CHART 1: - METHODOLOGY; STUDY DESIGN;

3.2.1: Collection of samples from the site at *Himachal Pradesh* and Procurement from standard commercial sources: -

The collection of samples from the site near *Rampur Bushahr, Himachal Pradesh* will be done in favourable season (in the month of April to June and September-October) by personal visits. A short one-page SOP for collection of samples shall be prepared specifically applicable to the study and material, referring; Standard Operating Procedure for the Collection of Soil and Sediment Samples for the SCoRR Strategy Pilot Study, U.S. Geological Survey, Reston, Virginia: 2015 [14]. Three sites namely; *Vill. Bhatkiyol-Bajrah, Nirmand, district Kullu, Vill. Kunath-Bhadgaon, Distt. Shimla & Vill. Koyal-Nithar, Tehsil Nirmand, District Kullu*, have already been visited and identified in the pilot study.

IMAGE 1 [3][5]: -




IMAGE 1: - GEOGRAPHIC LOCATION; SITE OF OCCURANCE OF SHILAJEET NEAR RAMPUR BUSHEHR REGION OF HIMACHAL PRADESH ALSO PHOTOGRAPHS DURING PILOT STUDY.

The samples of Shilajatu from minimum two out of these three sites shall be taken for this study. Two market samples shall also be bought from two standard commercial sources. As the samples from all source be taken in triplicate to achieve reliable quality data during further part of study, so 6 samples from site of occurrence and 6 samples from standard commercial source shall be available, so, the magic number of **statistics** (i.e., N=6) shall be reached [15]. This value in statistics is very commonly used, where the N value supposed to be minimum due to various reasons like lesser number of animals for experimental work due to ethical issue or lesser availability of test samples as a whole. The proper documentation of work shall be done. Details of various samples taken for study has been described in table 2.

TABLE 2: - SAMPLE SIZE FOR ANALYSIS AND PHARMACEUTICAL STUDY;

Analysis sample Summary	No. of Samples
Collection of Field Samples (from Rampur Bushahr, H.P.)	Minimum 2 sites in Triplicate (6)
Procurement of Market Samples	Minimum 2 sources in Triplicate (6)
Processing (Shodhan) of raw Samples (Both Field & Market Samples)	Minimum 12 Samples
Analysis of Raw and Processed Samples (Both Field & Market Samples)	Minimum 24 Samples

3.2.2: Identification, Pharmaceutico-analytical Characterisation of samples: -

All raw samples; collected and commercial samples shall be subjected to;

Classical Tests: - Shilajatu **pariksha**: -

Test on flame; -Vahano kshipatam – Bhaved Lingakaram[16], Adhoomakam[16].

Test in water; - Ambhasi-Kshipatam addho-tantuvat[17].

Organoleptic Tests; -Gomutra Gandhi[17],Maleenam[17],Gugulabh[18], Jatvabh[18].

Further, Standard analysis protocols of *API for Ras shastra* drugs has been planned, at some accredited drug testing laboratory/ies. Those tests are detailed in table 3.

TABLE 3: - ANALYSIS PLAN;

Organoleptic Parameters	Physico-chemical Parameters
Colour	pH (1% aqueous solution)
Odour	Loss on drying
Taste	Total ash
Touch	Acid-insoluble ash
Appearance	Alcohol-soluble extractive
	Water-soluble extractive

Elemental Analysis; by Energy Dispersive X-Ray Analysis (EDX) as minerals being important constituents of *Shilajatu*.

Humic acid and Fulvic acid estimation, (as these constituents are postulated in some studies as important constituents responsible for its pharmacological activities [10][19]).

i. Humic acid estimation.	ii. Fulvic acid estimation.
---------------------------	-----------------------------

3.2.3: Pharmaceutical processing (*Shodhan*);

Pharmacognostic Evaluation of herbal contents to be used for processing (*Shodhan*) shall be done. *Shilajeet* samples shall be processed in triplicate as per classical method. The *Shodhana* method and material used shall be as per *AFI-I- Shilajatu Shodhan-47* [13]

3.2.4: Analysis of processed *shuddha* Samples;

Processed *shuddha* samples, shall be subjected to analytical protocol as discussed for raw forms (3.2.2).

3.2.5: In-Vitro antioxidant study;

Determination of 1,1, diphenyl-2-picrylhydrazyl (DPPH) Radical Scavenging Activities. Shall be performed using 1,1 diphenyl-2-picrylhydrazyl (DPPH) according to the method described by Brand-Williams et al. with some modifications as per the resources available at *Mahatma Gandhi Ayurved College, Hospital & Research Centre, Saloh(H), Wardha*. One processed *shuddha* *Shilajatu* sample from each source shall be taken for in vitro antioxidant study. The extraction of samples shall be done in best suitable solvent as per the findings of physicochemical study. 1 ml of each extract shall be transferred into a clean test tube along with 0.5 ml of 0.3mM DPPH in suitable solvent. The mixture shall be shaken and left to stand in the dark at room temperature for 15 minutes. After incubation in the dark, the absorbance values shall be measured.

3.2.6: Analysis of data and conclusion: -

The collected data shall be analysed and discussed.

4. STUDY TYPE

Pharmaceutico-analytical & In-Vitro Antioxidant study.

5. OBSERVATION AND RESULTS

The observations noted while collection, analysis, processing and In-Vitro antioxidant study of all the applicable samples shall be documented and presented in the

form of data, photographs, tables, chart, etc. The data will be analyzed for interpretation of results.

6. DISCUSSION

Although many research publications can be seen about various aspects of *Shilajeet*, and the reporting about *Shilajeet* composition vary from source to source [10] [11], and study to study. Broadly, the composition of *Shilajatu* is reported to possess inorganic to organic materials, like more than 85 minerals, Ca, Fe, K, Li, Mg, Al, C, Mn, Na, Ni, P, Si, S etc. elements and compounds like eighteen free amino acids, benzoic acid, m – hydroxybenzoic acid, sterols, tri-terpenes, ellagic acid, three bencoumarins [11] and also Fulvic acid & Humic acid [19]. however, no work till date has reported a complete identification and analysis range that can be adopted as characterisation and standardisation protocol for *Shilajeet*. Limitation is that various previous studies cannot be compared and compiled to form conclusive data as in most of the studies [11-12][20-24], samples are from market; no in-situ sample collection has been done, so, origin of samples is unknown, types of samples in various studies vary *Shuddha/Ashuddha*, only specific analysis has been done by various researchers previously and there is huge variation in analytical findings for common criteria. Thus, none of the previous studies gave conclusive data about Characterisation.

As this study has been planned to collect the samples from site of occurrence and also samples from standard commercial sources shall also be studied. The analytical study of raw samples will be done, criteria being organoleptic, *pH*, Loss on drying, ash value, acid Insoluble ash, Water soluble Extractive and Alcohol soluble Extractive as per API protocol for *Ras Dravyas*. Also, as *Shilajeet* is rich in minerals, elements and organic constituents, the elemental analysis of the samples shall be done through Energy Dispersive X-Ray Analysis (EDX), to know the gross elemental composition [25-27]. In various previous studies [10][19] the Humic acid and Fulvic acid has been *claimed* as the organic constituents responsible for *it's* vast therapeutic properties, so *in this study* estimation of Humic acid and Fulvic acid will be an important part of *this* study. Further, an In-Vitro antioxidant study has been planned for the processed samples of *Shilajeet* of various origin, to initially assess the *claimed Rasayana*, rejuvenating and other vast therapeutic potential.

Observations of this study will provide qualitative and quantitative data for standardization of *Shilajatu* on the line of API protocol for *Ras Dravyas*. Also, the antioxidant study will provide an initial base and direction for working and evaluating the therapeutic potentials of *Shilajeet* of various origin.

7. CONCLUSION

A comparative data of different samples of *Shilajatu*, collected from site of natural and standard commercial sources, with respect to pharmaceutical work, analysis and In-Vitro antioxidant study *will be generated*.

8. SCOPE OF THE STUDY

- i. A qualitative and quantitative data for characterization of Raw and Processed *Shuddha Shilajatu* shall be generated.
- ii. Observations of this study will provide an Information and direction for further work on *Shilajatu*.

ETHICAL APPROVAL

This study was received ethical approval from IEC; - Vide IEC letter of approval no.; - MGACHRC/IEC/June-2022/511(Dated; 18/06/2022).

NOTE:

THE STUDY HIGHLIGHTS THE EFFICACY OF "AYURVEDA" WHICH IS AN ANCIENT TRADITION, USED IN SOME PARTS OF INDIA. THIS ANCIENT CONCEPT SHOULD BE CAREFULLY EVALUATED IN THE LIGHT OF MODERN MEDICAL SCIENCE AND CAN BE UTILIZED PARTIALLY IF FOUND SUITABLE.

REFERENCES

1. Tripathi BN. Chikitsa Sthana. Rasayana. 1(1-4). Charak Chandrika Hindi Commentary on Charak Samhita. 6th Edition, part 2: Varanasi, India; Chaukhamba Surbharati Prakashan; 1999. p.1-76.
2. Sharma AR. Chikitsa Sthana. Madhumeha Chikitsa 13/1-17. Sushrutvimarshini Hindi commentary on Sushruta Samhita 1st Edition; Vol 2: Varanasi, India; Chaukhamba Surbharati Prakashan; 2001. p. 278-80.
3. JantaTV.Himachal.Rampur. Silajeet eik fayade aneka [Internet](18th march,2020) [cited on 15th August. 2021]. **Video.** Available: https://www.youtube.com/watch?v=xIqK51R9S_I
4. Jaswal AK, Bhan SC, Karandikar AS, Gujar MK. Seasonal and annual rainfall trends in Himachal Pradesh during 1951-2005. Mausam, 66, 2 (April 2015), 247-264. Fig. 1. Elevation map of Himachal Pradesh state of India. Available: https://www.researchgate.net/figure/Elevation-map-of-Himachal-Pradesh-state-of-India_fig1_275337696 (map).
5. webindia123. Himachal Pradesh. physiographic divisions Himalayas. [Internet] (Cited: 15th August. 2021). Available: <https://www.webindia123.com/himachal/land/land.htm>.
6. Agroclimatic zone of Himachal [Internet] (Cited on 15th August.2021). available; <http://www.weathershimla.gov.in/pdf/agromet/agroclimaticzones.pdf>
7. Tripathi BN. Chikitsa Sthana. Rasayana. Karprachitiya 1(3)/48-65. Charak Chandrika Hindi Commentary on Charak Samhita. 6th Edition, part 2: Varanasi, India; Chaukhamba Surbharati Prakashan; 1999. p. 54-59.
8. Tripathi ID, Giri KD. Maharasa nirupan 2/107. Ras Prabha Vyakhya on Ras Ratna Samuchchya. Reprint. Varanasi, India; Chaukhamba Sanskrit Sansthan; 2019.p. 20.
9. Tripathi BN. Chikitsa Sthana. Rasayana. Karprachitiya 1(3)/52-53. Charak Chandrika Hindi Commentary on Charak Samhita. 6th Edition, part 2: Varanasi, India; Chaukhamba Surbharati Prakashan; 1999. p. 56.
10. Mishra SK, Das S. Collection and processing of naturally occurring Herbo mineral compound – Shilajit from the North east region of India (Arunachal Pradesh). Planta Med. 2008 [cited 15th August 2021];74(7): p.7. DOI: 10.1055/s-2008-1075203. Available: <https://www.thieme-connect.com/products/ejournals/abstract/10.1055/s-2008-1075203>
11. Lal VK, Panday KK, Kapoor ML. Literary support to the vegetable origin of Shilajatu. Ancient Science of Life;1988: 7(4). p.145-8.
12. Srivastava SR. Antifungal activity screening and HPLC analysis of crude extract from *Tectona grandis*, *Shilajit*, *Valeriana wallachi*. The Internet Journal of Alternative Medicine. 2007;5(2).
13. Shodhan Appendix-II. Shilajatu Shodhan-47. Ayurvedic Formulary of India, 2nd Edition, Part-1: Department of Ayush, Govt. of India: 2003. p. 370.

14. Standard Operating Procedure for Collection of Soil and Sediment Samples for the Sediment bound Contaminant Resiliency and Response (SCoRR) Strategy Pilot Study, U.S. Geological Survey, Reston, Virginia: 201556; Open-File Report 2015–1188B; p. 1-37. Doi; <https://doi.org/10.3133/ofr20151188B>; Available; <https://pubs.usgs.gov/of/2015/1188/B/ofr20151188b.pdf>.
15. Christopher Burgess. Is a Sample Size of n=6 a 'Magic' Number? Figure 3: Effect of the number of samples, n, on the 95% confidence interval of the mean expressed as multiples of the standard deviation. *Pharmaceutical Technology*, Pharmaceutical Technology, Volume 38, Issue 6; Published online; 06-02-2014; Available; <https://www.pharmtech.com/view/sample-size-n6-magic-number>.
16. Tripathi ID, Giri KD. Maharasa nirupan 2/102-107. Ras Prabha Vyakhya on Ras Ratna Samuchchya. Reprint. Varanasi, India; Chaukhamba Sanskrit Sansthan; 2019.p.20-21.
17. Tripathi ID, Tripathi DS. Vaidyaprabha commentary on Yogratanakar. First Edition; Varanasi; Krishan Das Academy; 1998. p.126-7.
18. Tripathi BN. Chikitsa Sthan. Rasayana. Karprachitiya 1(3)/48-65. Charak Chandrika hindi Commentary on Charak Samhita. 6th Edition, part 2: Varanasi, India; Chaukhamba Surbharti Prakashan; 1999. p. 54-59.
19. Agarwal SP, Anwer MK, Khanna R, Ali A, Sultan Y. Humic acid from Shilajatu – a physico-chemical and spectroscopic characterization. *J. Serb. Chem. Soc.* 2010;75 (3): p. 413–22.
20. Salman F. A, Redha A. A., Zaimoor ZA. Inorganic analysis and antioxidant activity of Shilajit. *International Journal of Scientific Research in Chemical Sciences*. [online]. June,2020[cited 15th August 2021];7(3). p.5-10.
21. Rehan I, Muhammad R, Rehan K, Karim K, Sultana S. Quantitative analysis of Shilajit using laser-induced breakdown spectroscopy and inductively coupled plasma/optical emission spectroscopy. *J Nutr Food Sci* 2017;7(4). p. DOI: 10.4172/2155-9600.1000611.
22. Kanoujia SK, Chaudhary SP, Kumar N. Physico chemical study of Shilajatu with arjuna kwath bhawita and Khadir kwath bhawita. *World Journal of Pharmaceutical Research* 24th June 2016;5(7):1271-80. DOI: 10.20959/WJPR20167-6563.
23. Rathi B, Shelke S, Rathi R, Awari D. Comparative Evaluation of Antipyretic Activity of an Ayurvedic Herbo-mineral Formulation Dhatriyadi Churna and Its Modified Dosage form in Albino Wistar Rats. *Journal of Pharmaceutical Research International*,2021;33(46A): p. 289-300.
24. Kong YC, But PH, Ng KH, Cheng KF, Cambie RC, Malla SB. Chemical Studies on a Nepalese Panacea – Shilajit. *International Journal of Crude Drug Research*. 1987;25(3); p. 179-82. Published online: 27 Sept. 2008. Available: <https://doi.org/10.3109/13880208709060925>.
25. Rathi B, Rathi R. Pharmaceutico-analytical Standardization of Triphala Mouthwash. *Journal of Indian System of Medicine*. 2017 Jan 1;5(1):30.
26. Ali S, Rathi R, Rathi B. A Comparative Study on the Efficacy of Kantkariand Vasa Lozenges in Children with Kasa (Cough)-Study Protocol *Journal of Pharmaceutical Research International*, 33(31B): p. 25-33
27. Tirpude B, Rathi B, Rathi R, Khabade S. Evaluation of Repeated Dose (Sub Chronic) Toxicity Study of Shilasindur Prepared by Two Different Methods Along with Its Characterization and Antimicrobial Activity. *Journal of Pharmaceutical Research International* 2022;34(9A): p. 26-35