

ASCERTAINING THE LEVEL OF AWARENESS OF THE FUNCTIONAL USE OF GEOSYNTHETICS AMONG CONSTRUCTION PRACTITIONERS IN THE CONSTRUCTION INDUSTRY IN GHANA

ABSTRACT

Whereas the strength properties, economic benefits, and the comparative advantages the use of geosynthetics has over traditional alternatives to soil improvement are known, little is known of studies that ascertain the level of awareness of the functional use of geosynthetics among construction practitioners in Ghana. Thus this current study seeks to establish the level of awareness of the functional use of geosynthetics among construction practitioners in the construction industry in Ghana. This cross-sectional study employed a structured questionnaire for data collection concerning the functional use of nine (9) categories of geosynthetics for civil engineering infrastructure. Data were analysed using frequency, percentage, mean, standard deviation, and one sample t-test. It was revealed that there was generally a low level of awareness of the functional use of geosynthetics among construction practitioners in the construction industry in Ghana. An overall mean score of 2.377 was recorded which was less than the hypothesised mean of 3.5. Relatively, the level of awareness among construction practitioners regarding the functional use of geopipes ranked 1st with a mean score of 4.057 whereas geofoams ranked 9th with a mean score of 1.796. Contrary to the view that geotextiles are the most known geosynthetics followed by geogrids, this study found out that in Ghana geopipes are the most known geosynthetics followed by geomembranes based on their functional use for civil engineering infrastructure. Practically this study has established the level of awareness of the functional use of geosynthetics in the construction industry in Ghana, especially involving construction practitioners such as civil engineers, construction engineers, construction technologists and building technologists. Theoretically, it has provided the basis for future studies on the functional use of geosynthetics.

Keywords: Civil Engineering, Construction practitioners, Geosynthetics, and Ghana.

INTRODUCTION

Over the past decades, the use of geosynthetics as an integral part of civil engineering infrastructure has proven to be an environmentally friendly and more sustainable approach to improving the conditions of soils for civil engineering infrastructure compared with the traditional methods of improving soil conditions [1],[2]. Civil engineering infrastructures are the basic systems and facilities that help society to function and maintain the environment [3]. They include roads, railways, buildings, tunnels, canals, dams, ponds, manholes, pipes, earth retaining structures, wastewater treatment systems, landfills, water supply systems, breakwaters, airfields, and utilities, among others [3]. Geosynthetics are planar products produced from polymeric materials and used with rock, soil, earth, or other geotechnical engineering-related material as an integral part of a man-made structure, project, or system [4]. The production and use of geosynthetics has the tendency of contributing to the realization of the sustainable development goal 12: responsible consumption and production, which among others encourages companies, especially large and transnational companies, to adopt

sustainable practices in the procurement of civil engineering **infrastructures**, reducing waste generation substantially through prevention, reduction, recycling, and reuse [5].

Geosynthetics are in nine major categories: **geonets, geocomposites, geogrids, geomembranes, geosynthetic clay liners, geofoams, geopipes, geotextiles and geocells** [6],[7]. Each category has a specific **functional use** for which it has been designed. However, they may be put into other **functional use** based on the **designer's** considerations. The **functional use** of geosynthetics includes filtration, separation, drainage, reinforcement, environmental protection, and provision of a fluid barrier[8],[9].

Geosynthetic studies in the past have focused on some aspects of geosynthetics such as the continental level of use of geosynthetics[9], properties of geosynthetics with focus on some properties such as physical, degradation, structural, mechanical, and hydraulic properties[9], challenges to the use of geosynthetics [10], use of geosynthetics in road construction[8], and comparative advantages the use of geosynthetics has over traditional alternatives to soil improvement [11]. Though some studies in the past have also argued that globally, the low level of use of geosynthetics has a relationship with the awareness of the functional use of geosynthetics[6], [10],[12], little is known of country-specific studies that establish the level of awareness of the functional use of geosynthetics for civil engineering infrastructure among construction practitioners. Moreover, none of the studies on geosynthetics has ever considered all the nine categories of geosynthetics in a single study. Thus, the relevance of this current study is that it seeks to establish the level of awareness of the functional use of geosynthetics among construction practitioners in the construction industry in Ghana. This study gives a more holistic view of the level of awareness of the functional use of geosynthetics among construction practitioners as it considers all the nine categories of geosynthetics in a single study.

The specific objectives that governed this study were:

- To establish the level of awareness of the **functional use** of geosynthetics among construction practitioners in the construction industry in Ghana;
- To determine the relative level of awareness of the **functional use** of geosynthetics among construction practitioners in the construction industry in Ghana.

This Ghana study does not seek to oversimplify its findings to represent that of Africa or the globe due to the different dynamics and the composition of the construction industry across the globe. However, it offers lessons for countries, such as Nigeria, Burkina Faso, Angola, Malaysia, and South Africa; whose construction industry shares closely resemblances with Ghana. It also provides the basis for future comparative studies on the level of awareness of construction practitioners on the **functional use** of geosynthetics for civil engineering infrastructure with a focus on Ghana and countries across the globe.

In this study, construction practitioners encapsulate practising civil engineers, construction engineers, construction technologists, building technologists, and consultants who are responsible for the design, construction and or management of civil engineering infrastructure. Also, the **functional use** of geosynthetics defines the intended function(s) for which a geosynthetic was produced to serve in addition to other **secondary functions** as specified by the designer or engineer [13]. Thus, in this study, the **functional use** of geosynthetics is synonymous with the functions of geosynthetics. Awareness on the other hand is the knowledge construction practitioners possess or have about the **functional use** of geosynthetics.

CATEGORIES AND FUNCTIONAL USE OF GEOSYNTHETICS FOR CIVIL ENGINEERING INFRASTRUCTURE

Every geosynthetic is made to serve a primary functional use [12]. The primary functional use of geosynthetics is the intended functional use for which the geosynthetic was made to serve [13]. However, beyond the primary functional use, existing studies also inform that there are other functional uses for geosynthetics (secondary or other functional use). For instance, according to [7] and [14], other functional use of geotextiles includes drainage, erosion control, and stabilization. According to [6] and [7], categories or types of geosynthetics include geotextiles, geonets, geogrids, geomembranes, geosynthetic clay liners, geofoams, geopipes, geocomposites, and geocells [6], [7].

Categories of geosynthetics:

Geotextiles

Geotextiles are permeable geosynthetic textile materials or fabrics used as an integral part of civil engineering infrastructure and are in contact with the soil, rock, earth, or any other geotechnical substance [4], [8], [15], [16]. Geotextiles were found to be among the most well-known geosynthetics in the UK, India, USA, and Nigeria respectively by [6], [10], [17], and [18] based on their functional use and application as an integral part of civil engineering infrastructure. The primary functional use of geotextiles includes separation, filtration, drainage, erosion control, stabilization, and reinforcement [7], [14]. Geotextiles function as reinforcement within the soil to improve the strength and deformation properties of unreinforced soil. They also function as a drain in soil, allowing fluid to flow through less permeable soils. Moreover, when geotextiles are used as a sand filter, they allow liquid to move through the soil and retain upstream soil particles. Geotextiles also function as a separator when used to separate layers of soil of different grades [14].

Geogrids

Geogrids are polymeric materials made by weaving, extrusion, or welding to form an opening aperture product of varying strain, strength, and load-carrying capability for soil reinforcement use [7]. [6] and [18] argued that geogrids are the second most known geosynthetics based on their functional use and application as an integral part of civil engineering infrastructure. Geogrids are manufactured primarily as a reinforcement or stabilizer material in addition to providing separation between soil and aggregate layers [8]. Geogrids could be used in the reinforcement of soils for steep slopes, walls, roadway and railway bases, and foundation soils, among others. They are also used for the stabilization of soils with low-bearing strength or high-water tables [7].

Geomembranes

Geomembranes are low-permeability or impermeable geosynthetic materials, used as an integral part of civil engineering infrastructure to reduce or prevent the flow of fluid through the soil [8]. They are commonly used as cut-offs and liners [8]. Geomembranes are also used as hydraulic barriers (an example is when used as canal lining), field seaming, and minimization of installation damage [8]. Geomembranes are also used in combination with other geosynthetics as geocomposites for civil engineering infrastructure for enhanced effects [14]. An example is a geotextile-geomembrane geocomposite for civil engineering infrastructure such as waste landfills [14]. The combination improves the protection function of geomembranes as water barriers in waste landfill systems and avoids also frictional instability [14].

Geonets

Geonets or Geospacers are polymeric structures formed by a set of continuous parallel polymeric ribs at acute angles to one another, forming a net-like pattern[7], [8]. In cases where chemical resistance is envisaged, geonets made from polyethylene and polypropylene polymers are highly recommendable[7], [8]. They are functionally used for in-plane drainage of gases or liquids (especially leachates from landfill and mining projects) and filtration of sediments contained within these fluids[7], [8]. Geonets are frequently laminated with geotextiles on one or both surfaces and are then referred to as drainage geocomposites[1], [4].

Geofoams

Geofoam is a closed-cell, super-lightweight, rigid, plastic foam[9], [19]. It is an extruded polystyrene (XPS) or expanded polystyrene (EPS) which is manufactured into large lightweight blocks[9], [19]. Geofoam is functionally used to reduce settlement below embankments, provide sound and vibration damping, reduce lateral pressure on sub-structures, and reduce stresses on rigid buried conduits and related applications[9],[19]. Primarily, geofoam provides a lightweight fill below a highway, bridge approach, bridge abutment, flood control levees, basement insulations, railways, embankment, and parking lot. It also serves as new fills in culverts and pipelines to reduce the load over the base structure [9],[19].

Geocells

Geocells are three-dimensional geosynthetic cellular structures made with novel polymeric alloy (NPA) or ultrasonically welded high-density polyethylene (HDPE) strips[1],[19],[20],[21]. Geocells are expanded on-site to form a honeycomb-like structure which is then filled with soil, gravel, rock, or concrete. Geocells are also known as Cellular Confinement Systems (CCS)[21]. They are functionally used for soil stabilization on flat ground and steep slopes, channel protection, erosion control, road construction, landfills, landscaping, mining operations, structural reinforcement for load support and earth retention, protective linings for channels and hydraulic structures, providing support for static and dynamic loads on weak subgrade soils, and green infrastructure projects[1],[21].

Geosynthetic clay liners

Geosynthetic clay liners consist of thin layers of bentonite clay sandwiched between two layers of geotextiles and bonded to a geomembrane[7]. Geosynthetic clay liners are used as hydraulic barriers for leachate, water, other liquids and even gases[7]. Geosynthetic clay liners are also used as a substitute for either compacted clay liners or geomembranes. They are also used in a composite manner to further improve traditional liner materials[7].

Geopipes

Geopipes are solid-wall or perforated polymeric pipes for the drainage of fluid (gases and liquids)[7]. They are primarily used for leachate collection and in instances of high compressive loads[7]. Geopipes are preferred for landfill use as a means for the collection and quick drainage of the leachate to a sump, and removal system [7].

Geocomposites

Geocomposites are geosynthetics formed by a mixture of two or more geosynthetics such as geomembrane-geonet, geonet-geotextile, and geogrid-geotextile, among others[9]. The geosynthetic clay liner is an example of a geocomposite[9]. Primary functional uses of geocomposites include separation, reinforcement, drainage, filtration, stabilization, containment, and erosion control[22].

Functional use of geosynthetics

Regarding the **functional use** of geosynthetics, several views have been expressed in previous studies [8], [9]. The use could be primary (**the intended functional use for which the geosynthetic product was manufactured or designed**) or secondary (other **functional use** apart from the intended use for which the geosynthetic product was **designed**). In literature, the **functional use** of geosynthetics has been predominantly discussed under reinforcement, stabilization, erosion control, filtration, fill material, containment, drainage, and separation use [8], [9].

Containment

When geosynthetics are used as containment, they serve as barriers to fluid, landfill liners and covers, and general **hydraulic applications including dams, surface impoundments and canals** (liquid or/and gases) [9], [23]. The **categories** of geosynthetics **functionally** used as containment are geomembranes, geosynthetic clay liners and some geocomposites [9], [22]. When **geosynthetic clay liners** are used for hydraulic projects they provide a hydraulic barrier for water, leachate, or other liquids and even gases when it gets into contact with the fluid. They are also used in highway construction, landfill construction, mining projects, and in canals as secondary containment [7]. Geomembranes aid in the prevention of contaminant diffusion in waste management [7]. Geomembranes serve as **hydraulic barriers** in ponds, transportation, tunnel, canal lining, environmental, and oil and gas applications [7].

Fill material

The category of geosynthetics used as fill material is the geofoam [7]. When used as a fill material, geofoams reduce lateral pressures on retaining walls and stresses on underlying soils, abutments, or foundations [7].

Soil erosion control

Category of geosynthetics used for erosion control include geotextiles, geonets, geocells, geomembranes, and some geocomposites [9]. Geonets are used in foundation walls, landfills, and roads for erosion control [7]. Geocells are used for erosion control on steep slopes and offer protection to channels [7].

Soil Stabilization

Categories of geosynthetics used for soil stabilization include geotextiles, geogrids, geocells, geonets and some geocomposites. Geotextiles are used in ensuring stability during saturation in the rainy season and conditions of sudden drawdown [9]. Geonets are used as stabilizers in foundation walls, landfills, and roads, asphalt concrete pavements [7]. Geocells are used for soil stabilization on steep slopes and flat grounds. Geogrids are used to stabilize the subgrade for the construction of embankments in railways and highways. Geogrids offer soil stabilization in areas with high water table levels or low bearing strength where **the laying of foundations** to carry heavy loads is critical [2], [7].

Drainage

Geosynthetics for drainage purposes allow liquid to flow through it without losing the soil. Categories of geosynthetics for drainage purposes include geopipes, geotextiles, geocells, geonets and some geocomposites [9], [22]. Geonets are used to convey all types of fluids [7]. Geopipes are used to collect and drain leachates from landfill sites [7]. When geocells are used in highway construction, they aid in fixing water accumulation problems and the soil erosion problem that may arise [7].

Filtration

Categories of geosynthetics for filtration purposes include geonets, geotextiles, and some geocomposites[9], [22]. Geonets serve as filter media and prevent surrounding fills from clogging drainages[7].

Separation

Categories of geosynthetics used for separation include geonets, geocells, geotextiles, geofoams, and some geocomposites[7]. According to[9], separation is a primary function of geofoams and geocells **applications as an integral part of civil engineering infrastructure**.

Reinforcement

Categories of geosynthetics used as reinforcement include geonets, **geogrids**, geotextiles, geocells and some geocomposites[22]. These geosynthetics are good in tension and thus complement the soil which is good in **compression** to serve its structural purposes when used as an integral part of civil engineering infrastructure[7]. Geocells offer structural reinforcement for earth retention and load support when used for **earth-retaining** structures[7]. Geogrids are normally used to reinforce the sub-bases of roads, as well as retaining walls or other structures such as dams due to their ability to redistribute load over a wider area, their high tensile strength, and their high holding capacity[7].

METHODOLOGY

This cross-sectional study, **because the data collected pertains to only what prevailed within the period of data collection and thus time bound**, employed a two-stage approach to research. Firstly, **a plethora of relevant literature was reviewed** which aided in identifying the **functional use of geosynthetics as an integral part of civil engineering infrastructure**. The second stage was the use of a structured questionnaire to solicit the views of construction practitioners on the **functional use of geosynthetics as an integral part of civil engineering infrastructure**. The respondents included construction practitioners from 257 construction firms who belong to the Association of Building and Civil Engineering Contractors of Ghana (ABCECG). **This sample size of construction firms was determined based on principle that, for a population of size around 1500, 20% should be sampled [24],[25]**. Thus, 20% of the population of 1282 construction firms registered with ABCECG is equivalent to 257 construction firms. The population size was obtained from the ABCECG secretariat **as affirmed by [26]**. ABCECG was chosen as the study population because it is the association for building and civil engineering contractors (construction firms) in Ghana with members in **all the regions of Ghana**. In each firm, information was solicited from construction practitioners within the field of civil engineering, construction engineering, construction technology, or building technology who have experienced the use of geosynthetics. In addition, the views of five (5) construction industry consultants were purposively added. Within each consulting firm, information was solicited from practitioners within the field of civil engineering, construction engineering, construction technology, or building technology who have experienced the use of geosynthetics. Thus, the views of 262 construction practitioners were sought regarding the use of geosynthetics for civil engineering infrastructure. In this study, construction practitioners embodied construction practitioners with both consultants and contractors (construction firms).

In establishing the level of awareness of the **functional use** of geosynthetics among construction practitioners, 32 statements regarding the **functional use of geosynthetics as an integral part of civil engineering infrastructure** were presented to the construction practitioners. **They were required to indicate the extent to which they agree with the statements based on their knowledge and/or experience, using a 5-point scale where (1)**

represents strongly disagree, (2) is disagree, (3) is neutral, (4) is agree, and (5) denotes strongly agree. Experience means work experience relating to geosynthetics or having worked in the construction industry for at least five years. Knowledge means having formal or informal information on the functional use of geosynthetics as an integral part of civil engineering infrastructure.

A 100% response rate was recorded because the questionnaire was self-administered with the help of twenty (20) field workers from March 2022 to July 2022. Respondents spent at most 8 minutes on the survey, and further clarification was given when requested. Data were analysed using the standard deviation and the mean. Data were further analysed using one sample t-test. This aid in comparing the mean value of the respondents to the population/hypothesized mean to establish the level of statistical significance of the responses obtained from the research respondents. Accordingly, a hypothesized mean was set at 3.5 [27]. The significance level was also set at 95% in accordance with predictable risk levels [27]. Any significant (1-tailed) value (p-value) not exceeding 0.05 was considered statistically significant [27].

RESULTS AND DISCUSSIONS

Table 1. Respondents' demographic characteristics

Main variables	Specific variables	Frequency(N)	Percentage (%)
Job role of respondents	Civil engineer	112	42.75
	Construction Technologist	35	13.36
	Building Technologist	85	32.44
	Construction Engineer	25	9.54
	Consultant	5	1.91
	Total	262	100
Working experience in Ghana	5 years	40	15.27
	6 to 10 years	43	16.41
	11 to 15 years	42	16.03
	16 to 20 years	79	30.15
	Above 20 years	58	22.14
	Total	262	100
Gender	Male	247	94.27
	Female	15	5.73
	Total	262	100

The demographic characteristics of the respondents suggested a great level of work experience. This is an indication that the research respondents were well informed and experience was brought to bear in response to the questions on the questionnaire. The percentage of male and female respondents only reflected that the construction industry in Ghana was a male-dominated sector. Thus, the need to cautiously bridge the male-female ratio in the sector by supporting more females to read construction related programmes.

Table 2a. Level of awareness of the functional use of geosynthetics among construction practitioners

Functional use of geosynthetics	Mean	Mean score ranking	Standard deviation	Sig(1-tailed)	Statistical significance
Geotextiles	2.770				
Geotextiles are used for soil separation	4.2061	1 st	0.65761	0.000	Yes
Geotextiles can be used for soil filtration	3.7328	2 nd	0.79099	0.000	Yes
Geotextiles functions as a filter media	2.4618	3 rd	0.71951	0.000	Yes
Geotextiles can be used as soil stabilizers	2.3321	4 th	0.58758	0.000	Yes
Geotextiles are useful for soil drainage	2.2824	5 th	0.57101	0.000	Yes
Geotextiles are useful for erosion control	2.2748	6 th	0.55438	0.000	Yes
Geotextiles serve as a reinforcement to soils	2.1031	7 th	0.73296	0.000	Yes
Geomembranes	3.105				
Geomembranes function as containment to prevent ground pollution	3.9198	1 st	0.77637	0.000	Yes
Geomembranes are useful for erosion control	2.2901	2 nd	0.56715	0.000	Yes
Geogrids	2.185				
Geogrids serve as a reinforcement to soil	2.6641	1 st	1.01037	0.000	Yes
Geogrids serve as soil stabilizers	1.7061	2 nd	0.72812	0.000	Yes

Table 2b. Level of awareness of the functional use of geosynthetics among construction practitioners

Functional use of geosynthetics	Mean	Mean score ranking	Standard deviation	Significant (1-tailed test)	Remarks Significant (1-tailed test)
Geonets	1.957				
Geonets could function as a filter media	2.0878	1 st	0.85541	0.000	Yes
Geonets are useful for erosion control	1.9542	2 nd	0.85646	0.000	Yes
Geonets serve drainage purposes in soil	1.9084	3 rd	0.96649	0.000	Yes
Geonets function as soil stabilizers	1.8779	4 th	1.03962	0.000	Yes
Geofoams	1.796				
Geofoams serve as fill material	1.8206	1 st	0.98372	0.000	Yes
Geofoams are used for	1.7710	2 nd	1.00241	0.000	Yes

soil separation					
Geosynthetic clay liners	1.897				
Geosynthetic clay liners serve as containment of fluid to prevent ground pollution	1.8969	1 st	1.04353	0.000	Yes

Table 2c. Level of awareness of the functional use of geosynthetics among construction practitioners

Functional use of geosynthetics	Mean	Mean score ranking	Standard deviation	Significant (1-tailed test)	Remarks Significant (1-tailed test)
Geocells	1.816				
Geocells separate soils	2.1832	1 st	1.08491	0.000	Yes
Geocells stabilize soils	1.8092	2 nd	0.87638	0.000	Yes
Geocells reinforce soil	1.7557	3 rd	0.99879	0.000	Yes
Geocells are useful for erosion control	1.5153	4 th	0.72036	0.000	Yes
Geocomposites	1.809				
Geocomposites are useful for soil separation	2.1374	1st	0.90469	0.000	Yes
Geocomposites are useful for soil stabilization	2.0382	2nd	1.14312	0.000	Yes
Geocomposites are useful for soil reinforcement	1.9427	3 rd	1.10752	0.000	Yes
Geocomposites are useful for fluid containment	1.8931	4 th	0.97676	0.000	Yes
Geocomposites serve as filtration media	1.8702	5 th	1.03869	0.000	Yes
Geocomposites are useful for soil drainage	1.7176	6 th	0.82374	0.000	Yes
Geocomposites are useful fill materials	1.5878	7 th	0.67660	0.000	Yes
Geocomposites are useful for erosion control	1.2863	8 th	0.45288	0.000	Yes
Geopipes	4.057				

Geopipes are useful for soil drainage	4.0573	1 st	0.67846	0.000	Yes
---------------------------------------	--------	-----------------	---------	-------	-----

From Tables 2a, 2b, and 2c, standard deviation values were largely below one (1.0). This was an indication that there was consistency in the data collected from the research respondents and there was little variability in the views they expressed. Thus, responses were reliable and accurate. Moreover, all the p-value for the one-tailed test from Tables 2a, 2b, and 2c, indicated a strong statistical significance of the data collected. All the p-values of the t-test were 0.000.

Table 3. Mean score ranking of the level of awareness of the functional use of geosynthetics among construction practitioners

Geosynthetic(s)	Mean score	Ranking
Geopipes	4.057	1 st
Geomembranes	3.105	2 nd
Geotextiles	2.770	3 rd
Geogrids	2.185	4 th
Geonets	1.957	5 th
Geosynthetic clay liners	1.897	6 th
Geocells	1.816	7 th
Geocomposites	1.809	8 th
Geofoams	1.796	9 th
Overall mean score	2.377	

Table 3 presents the outcome of the level of awareness of the functional use of geosynthetics among construction practitioners in the construction industry in Ghana based on their knowledge and experience. It was revealed that there was generally a low level of awareness of the functional use of geosynthetics among construction practitioners in the construction industry in Ghana. An overall mean score of 2.377 was recorded which was less than the hypothesized/population mean of 3.5. Specifically, the results indicated that apart from geopipes which recorded a mean score of 4.057, all the other categories of geosynthetics recorded mean scores that were lower than the population/hypothesized mean of 3.5. This was an indication that there was generally a low level of awareness regarding the functional use of geosynthetics among construction practitioners in Ghana. This confirms the argument by [6], [10], [12] and [18] that there is a generally low level of awareness among civil engineering practitioners regarding the functional use and application of geosynthetics as an integral part of civil engineering infrastructure. However, this current study in Ghana has further revealed that a low level of awareness on the functional use of geosynthetics as an integral part of civil engineering infrastructure was not only limited to civil engineering practitioners, but construction practitioners such as building technologists, construction technologists, and construction engineers in Ghana. Thus, the approach to address this low level of awareness of the use of geosynthetics should look beyond civil engineering practitioners. It should be centred on construction practitioners in general. Furthermore, this study unravels that relatively, the level of awareness of the functional use of geopipes among construction practitioners ranked 1st with a mean score of 4.057 according to Table 3. This was followed by geomembranes with a mean score of 3.105. Among the two functional use of geomembranes, geomembranes function as containment to prevent ground pollution with a mean score of 3.9198 ranked 1st whereas geomembranes are useful for erosion control with a mean score of 2.2901 ranked 2nd. This implied that sensitizations geared towards improving the level of

awareness among construction practitioners, regarding the functional use of geomembranes as an integral part of civil engineering infrastructure, should prioritize geomembranes as useful for erosion control.

The third 3rd was geotextiles with a mean score of 2.770. Geotextiles had seven functional uses out of which geotextiles are used for soil separation with a mean score of 4.2061 ranked 1st whereas geotextiles serve as a reinforcement to soils with a mean score of 2.1031 ranked 7th. Apart from the functions geotextiles are used for soil separation and geotextiles can be used for soil filtration, that recorded mean scores greater than the hypothesized mean of 3.5 for this study, all the remaining five functional uses of geotextiles recorded mean scores less than 3.5. This implied that there was generally a low level of awareness of the functional use of geotextiles as an integral part of civil engineering infrastructure among construction practitioners in Ghana. Hence, any effort to improve the level of awareness of construction practitioners regarding the functional use of geotextiles should prioritize the functional uses that record mean scores below the hypothesized mean of 3.5 such as, geotextiles serve as a reinforcement to soils and geotextiles are useful for erosion control, among others (Tables 2a, 2b, 2C and 3).

Moreso, awareness level of construction practitioners on the functional use of geogrids with a mean score of 2.185 ranked 4th. This was followed by geonets with a mean score of 1.957 ranking 5th, and geosynthetic clay liners with a mean score of 1.897 ranking 6th. Geocells recorded a mean score of 1.816 and ranked 7th whereas geocomposites obtained a mean score of 1.809 and ranked 8th. The least ranked geosynthetics was geofoams with a mean score of 1.796 and ranking 9th. The two functional use of geofoams comprised of geofoams serve as fill material with a mean of 1.8206 which ranked 1st and geofoams are used for soil separation with a mean score of 1.7710 which ranked 2nd.

It is worth emphasising that the level of awareness among construction practitioners regarding geopipes ranked 1st in this Ghana study. This contrasts the view of [10], [12] and [18] that geomembranes and geotextiles are the most known in terms of functional use and applications. This implies that the level of awareness of geosynthetics among construction practitioners differs from one country to another. Hence, Ghana's case contrasts that of the UK, Nigeria, and the USA as revealed by [6], [10], and [18] respectively. Moreover, geogrids with a mean score of 2.185 ranked 4th. This revelation contrasts with the opinion by [6] and [18] that geogrids are the second most well-known geosynthetics used for civil engineering infrastructure.

CONCLUSIONS

This current study seeks to establish the level of awareness of the functional use of geosynthetics among construction practitioners in the construction industry in Ghana. The study concluded that there was generally a low level of awareness of the use of geosynthetics among construction practitioners in the construction industry in Ghana. Relatively, awareness level among construction practitioners regarding the functional use of geopipes ranked 1st with a mean score of 4.057 whereas geofoams ranked 9th with a mean score of 1.796. Contrary to the view being held in previous studies that geotextiles are the most known geosynthetics followed by geogrids, based on their functional use and applications, this study found out that in Ghana geopipes were the most known geosynthetics followed by geomembranes based on their functional use. This affirms the argument that the level of

awareness of the functional use and applications of geosynthetics is industry or country-specific.

This study has empirically made known that the low level of awareness of the functional use of geosynthetics is not peculiar to civil engineering practitioners but, also to construction practitioners like construction engineers, construction technologists, and building technologists. Thus, approaches aimed at addressing this low level of awareness of the functional use of geosynthetics should include all construction practitioners in the construction industry in Ghana. The findings of this study have the tendency of informing policymakers in policy-making relating to the functional use and applications of geosynthetics. Practically it has established the level of awareness of the functional use of geosynthetics among construction practitioners in the construction industry in Ghana, especially when it involves construction practitioners such as civil engineers, construction engineers, construction technologists and building technologists. Again, the study contributes to the existing literature on geosynthetics usage and serves as the basis for future studies on the functional use of geosynthetics.

References

- [1] GMA. (2002). *Handbook of Geosynthetics*. Geosynthetics Material Association.
- [2] Macharia, G. P. (2019). *Geosynthetics in Road Pavement Design and Construction in Kenya*. University of Nairobi.
- [3] Fulmer, J. (2009, (July/August)). What in the world is infrastructure? *PEI Infrastructure Investor*, pp. 30–32.
- [4] ASTM. (1994). *Annual Books of ASTM Standards, American Society Testing and Materials, Philadelphia, Pennsylvania. Volume 4.08 (1), Soil and Rock, Volume 4. No. (8), Soil and Rock, Geosynthetics, Volume 7, No. 1, Textiles*.
- [5] United Nations. (2022). *Department of Economic and Social Affairs*. Retrieved September 2, 2022, from Envision2030: 17 goals to transform the world for persons with disabilities: www.un.org/development/desa/disabilities/envision2030.html
- [6] Qamhia, I. I., & Tutumluer, E. (2021). *Evaluation of Geosynthetics Use in Pavement Foundation Layers and Their Effects on Design Methods*. Illinois Center for Transportation/Illinois Department of Transportation.
- [7] The Constructor. (2022, September 9). *The constructor*. Retrieved from Types of geosynthetics in Construction: <https://theconstructor.org/building/9-types-geosynthetics-construction/45274/>
- [8] Khan, G. A., & Singh, E. S. (2020). Use of geosynthetic materials in road construction. *IJSDR*, 5(8), 1-9.
- [9] Oginni, F. A., & Dada, T. T. (2021). Comparative study of continental involvement in using geosynthetics and implications for Africa and Nigeria. *International Journal of Engineering Applied Sciences and Technology*, 5(9), 88-95.
- [10] Raja, J. (2011). Constraints and barriers to the application of geosynthetics. *Creating sustainable cities and infrastructure using poly-meric construction products: Proceedings of the 4th International Conference Geosynthetics Middle East*, (pp. 141-150).
- [11] Ait, M. (2021, June 24). *Industrial plastics*. Retrieved September 2, 2022, from Geomembrane Explained: <https://industrialplastics.com.au/geomembrane-explained/>
- [12] GSI. (2015). *Introduction to the Geosynthetic Certification Institute's Geosynthetic Designer Certification Program (GCI-GDCP)*. Geosynthetic Institute.
- [13] Obinna, U. (2022). *Geotextiles: Design, and Applications in Civil Engineering*. Retrieved September 13, 2022, from <https://structville.com/2022/04/geotextiles-design-and-applications-in-civil-engineering.html>

- [14] Jeon, H. Y. (2016). Geotextile composites having multiple functions. In *Geotextiles* (pp. 413-425). Woodhead Publishing, Elsevier.
- [15] Rawal, A., Shah, T. H., & Anand, S. C. (2016). Geotextiles in civil engineering. In *Handbook of technical textiles* (pp. 111-133). Woodhead Publishing.
- [16] Patel, A. (2019). *Geotechnical investigations and improvement of ground conditions*.
- [17] Ministry of Textile. (2013). *Study on Developing Measures to Promote the Use of Geosynthetics in India*. Mumbai: Technology Mission on Technical Textile (TMTT).
- [18] Adewumi, A. O. (2018). *An assessment on the use of geosynthetic materials by construction industry stakeholders in Lagos State Nigeria*. Federal University of Technology. Akure: Adewumi, a. O. (2018). An assessment on the use of geosynthetic materials by construction industry stakeholders in lagos state nigeria (doctoral dissertation, federal university of technology, akure).
- [19] Elragi, A. F. (2000). *Selected engineering properties and applications of EPS geofoam*. State University of New York College of Environmental Science and Forestry.
- [20] Yuu, J., Han, J., Rosen, A., Parsons, R. L., & Leshchinsky, D. (2008). Technical review of geocell-reinforced base courses over weak subgrade. *First Pan American geosynthetics conference*, (pp. 2-5). Cancun, Mexico.
- [21] Hegde, A. M. (2020). Cellular Confinement Systems: Characterization to Field Assessment. *Geocells*, 29-61.
- [22] Koerner, R. M. (2012). *Designing With Geosynthetics (6th ed.)*. Xlibris Publishing Co.
- [23] Pilarczyk, K. W. (2000). *Geosynthetics and Geosystems in Hydraulic and Coastal Engineering*. Rotterdam, The Netherlands.: A. A. Balkema Publ.
- [24] Neuman, W. L. (2006). *Social research methods qualitative and quantitative Approaches (6th ed.)*. Boston: Pearson.
- [25] Aigbavboa, C. O. (2014). *An Integrated Beneficiary Centered Satisfaction Model For Publicly Funded Housing Schemes In South Africa*. University of Johannesburg. Johannesburg: University of Johannesburg.
- [26] Construction Review Online. (2020, December 4). *Construction Review Online*. Retrieved from Construction Review Online: <https://constructionreviewonline.com/professional-associations/how-to-register-with-association-of-building-and-civil-engineering-contractors-of-ghana/#:~:text=The%20Association%20of%20Building%20and,1282companies%2C%20including%2015%20foreign%20contracto>
- [27] Tengan, C., Kissi, E., Asigri, T., & Eshun, B. (2020). Challenges and Strategies towards Entrepreneurship Education and Learning among Ghanaian Built Environment Students. *Journal of Engineering Research and Reports*, 15(1), 17-28.