

To study on knowledge of onion crop production technology by farmers of Sikar District, of Rajasthan

Abstract: Agriculture is a major sector of Indian economy, vegetables are grown in every part of our country under varied agro climatic and soil conditions in plains as well as hilly regions. The study was conducted in Sikar district of Rajasthan to measure the knowledge and adoption of onion crop production technology. Total 120 respondents were selected randomly. The data was collected by personal interview method by using pre structure interview schedule later appropriate statistical analysis is done to find out the meaningful results. The majority of the respondents belongs to middle aged group. 35.84 per cent belongs to illiterate and 48.33 per cent were doing agriculture as main occupation. Majority of 49.17 per cent respondents belongs to low level of knowledge and 44.17 per cent belongs to medium adoption level.

Comment [A1]: Needs to improve

Keywords: *knowledge, Adoption and onion crop production.*

Comment [A2]: Add 3-4 more keywords

Introduction

India being a predominantly agricultural economy enjoys a second position in the world in total vegetable production next only to China. Presently vegetable cultivation occupies 6.10 million hectares area with an annual production of 85.0 million tonnes. The country being blessed with the unique gift of nature of diverse climates and distinct seasons, it makes it possible to grow an array of vegetables whose number exceeds more than a hundred types.

Vegetables are grown in every part of our country under varied agro-climatic and soil conditions in plains as well as in hilly regions. At present, India produces about 70 different varieties of leafy fruity and starchy tuber varieties of vegetables. More than 40 kinds of vegetables belonging to different groups namely solanaceous, cucurbitaceous, leguminous, cruciferous (core crops) root crops and leafy vegetables are grown in India in tropical, subtropical and temperate regions. Important vegetables grown in India are tomato, onion, brinjal, cabbage, cauliflower, okra, peas etc. India contributes about 14 per cent of the world vegetable production and occupies first position in the cauliflower, second in onion and third in cabbage in the world. This shows the importance of onion production in India.

Adoption studies are also useful for illustrating the degree to which acceptance of new technologies is limited by insufficient inputs, credit, or marketing infrastructure. If it appears that

farmers are unable to take advantage of a new technology because they lack inputs, this information can be presented to policymakers who have the responsibility for the agricultural inputs that are available and the way they are distributed. Knowledge and adoption study also shows that if an access to credit significantly influences the type of technology that farmers use, then this information may be presented to those responsible for designing and funding credit programs. Similarly, adoption studies may be used to highlight marketing bottlenecks that limit the acceptability of new technologies.

There is no more distinctive feature of agriculture than its dynamism. Farming practices change continually. Farmers build on their own experience and that of their ~~neighbours~~[neighbors](#) to refine the way they manage their crops. Changes in natural conditions, resource availability, and market development also present challenges and opportunities to which farmers respond. In addition, farmers learn about new technologies from various organizations, programs, and projects dedicated to research, extension, or rural development. These organizations develop and promote new varieties, inputs, and management practices. It is essential that such organizations be able to follow the results of their efforts and understand how the technologies they promote fit into the complex pattern of agricultural change in which all farmers participate.

Research Methodology

Descriptive research design was adopted for the study as it describes the characteristics or phenomena that are being studied. The present study was conducted in Sikar district of Rajasthan. Out of 9 blocks in Sikar district, Dhod block is selected purposively based on maximum area covered under onion crop production. From the selected block, five villages were selected purposively based on the maximum area covered under onion crop production.

Objectives of the Study:

1. To ascertain the socio-economic profile of the respondents.
2. To analyse the knowledge and adoption level of recommended cultivation practices of onion crop.

UNDER PEER REVIEW

Results and Discussion

Comment [A3]: Results and Discussion part needs to strengthen

Table No. 1- Socio-economic profile of the respondents

Comment [A4]: Follow journal pattern

S.No	Independent variables	Category	Frequency	Percentage
1.	Age	Young (Up to 35 years)	34	28.33
		Middle (36-55 years)	60	50.00
		Old (above 55 years)	26	21.67
2.	Education	Illiterate	43	35.84
		Literate	18	15.00
		Primary Education	16	13.33
		Junior high education	14	11.67
		High Education	12	10.00
		Intermediate	10	8.33
		Graduate & above	07	5.83
3	Occupation	Agriculture	58	48.33
		Agriculture + Labor	42	35.00
		Agriculture + Business	20	16.67
4	Land holding	Up to 2 acres	35	29.17
		2 to 5 acres	71	59.16
		More than 5 acres	14	11.67
5	Family size	Small (3-4)	59	49.17
		Medium (5-7)	48	40.00
		Large (> 7)	13	10.83
6	Annual income	Rupees < 1,00,000	42	35.00

Comment [A5]: Give unit

		Rs. 1,00,001- 2,00,000	56	46.67
		Rs. > 2,00,000	22	18.33
7	Mass media exposure	Low (5-8)	46	38.34
		Medium (9 – 11)	64	53.34
		High (12 – 14)	10	8.33
8	Innovativeness	Low (5- 7)	54	45.00
		Medium (8- 9)	42	35.00
		High (10 -11)	24	20.00
9	Risk bearing capacity	Low (8-11)	46	38.33
		Medium (12-14)	62	51.67
		High (15-17)	12	10.00
10	Extension agent contact	Low (5-7)	36	30.00
		Medium (8-9)	59	49.17
		High (10-11)	25	20.83

From the table – 1 , it shows that 50.00 per cent of the respondents belongs to the middle age group. In the survey we find that the 35.84 per cent of the respondents are illiterate. In terms of annual income 46.67 per cent of the respondents has medium level of income in which 59.16 per cent of the respondents has 2-5 acres of land holding-. Find out that 48.33 per cent of the respondents has agriculture as their main occupation. Therefore, 49.17 per cent of the respondents [hashave](#) small family size. It is evident that 53.34 per cent of the respondents [hashave](#) medium level of mass media exposure and 45.00 per cent of the respondents [hashave](#) low level of innovativeness. It is seen that 51.67 per cent of the respondents has

medium level of risk bearing capacity. Finally 49.17 per cent of the respondents [hashave](#) medium level of extension agent contact. Similar finding is also reported by (Sharma and Badodiya, 2016)

Table No. 2 Knowledge of the respondents on improved onion cultivation practices

Comment [A6]: Follow journal pattern

S. No.	Statement	Response					
		Fully correct		Partially correct		Not correct	
		<i>f</i>	%	<i>f</i>	%	<i>f</i>	%
1.	Field preparation: i. Traditional method- 2-3 times ploughing ii. Use of zero tillage machine iii. Surface seeding method iv. Seed driller	36	30	53	44.17	31	25.83
2.	Improved variety: I. Udaipur-101 II. Pusa round III. Pusa white flat IV. Pusa ratna	43	35.83	40	33.33	37	30.83
3.	Seed and its treatment: Apron XL or Maxim 480 FS	14	11.67	64	53.33	42	35.00
4.	Sowing time: • June – July • August - September	39	32.50	62	51.67	19	15.83
5.	Spacing I. 20 x12 II. 10 x 5	25	20.83	59	49.17	36	30.00
6.	Fertilizers:(per hectare) NPKS/ha : 120:50:50:50 FYM – 25 tonnes/ ha	50	41.67	60	50.00	10	8.33

7.	Irrigation:						
	I. 1 times	32	26.67	65	54.17	23	19.17
	II. 2 times						

UNDER PEER REVIEW

	III. 3 times IV. 4times V. 5times						
8.	Weeding and hoeing operations: I. 2 times II. 3 times III. 4 times	21	17.50	74	61.67	25	20.83
9.	Weed control: I. Take two hand weeding on 25 or 45 days after sowing II. Top dressing	28	23.33	66	55.00	26	21.66
10.	Diseases: 1. Damping off 2. Pink root rot 3. Black mould	37	30.83	52	43.33	31	25.83
11.	Harvesting	36	30.00	58	48.33	26	21.67
12.	Yield: 30-40 t/ha 10-12 t/acre	54	45.00	35	29.17	31	25.83
13.	Soil: Well drained soil	38	31.67	50	41.67	32	26.67
14.	Chemical weed control: I. Pre-emergence II. post emergence	29	24.17	71	59.17	20	16.67
15.	Soil PH I. 6.0 II. 7.0	48	40.00	73	60.83	6	5.00

From the above table – 2 it shows that a majority of the respondents reported that regarding field preparation, 44.17 per cent partially correct. Regarding improved variety, 35.83 per cent, reported fully correct. Regarding seed and its treatment, 53.33 per cent partially correct. Regarding sowing time, 51.67 per cent, partially correct. Regarding spacing, 49.17 per cent partially correct, respectively.

Meanwhile, regarding fertilizers, 50.00 per cent partially correct. Regarding irrigation, 54.17 per cent partially correct. Regarding weeding and hoeing operations, 61.67 per cent and partially correct. Regarding weed control, 55.00 per cent partially correct. Regarding diseases, 30.83 per cent, 43.33 per cent and 25.83 per cent of respondents reported fully correct, partially correct and not correct response respectively.

Similarly, regarding harvesting, 48.33 per cent partially correct. Regarding yield, 45.00 of respondents reported fully correct, respectively. Regarding soil, 41.67 per cent of respondents reported partially correct. Regarding chemical weed control, 59.17 per cent of respondents reported, partially correct and. Regarding soil pH, 34.16 per cent, 60.83 per cent and 5.00 per cent of respondents reported fully correct, partially correct and not correct response respectively.

Table No. 3-Distribution of respondents according to their overall knowledge overall knowledge level

Comment [A7]: Follow journal pattern

S. No.	Category	Number	Percentage
1.	Low level knowledge (19-27)	34	28.33
2.	Medium level knowledge (28-35)	59	49.17
3.	High level knowledge (36-43)	27	22.50
	Total	120	100.00

It was clearly visible that majority 49.17 per cent of the onion growers had medium level of knowledge on improved maize cultivation practices, 28.33 per cent and 22.50 per cent of the onion growers had low and high level of knowledge on improved onion production practices respectively. Similar finding is also reported by Kumar (2021)

Comment [A8]: % Value on last bar is missing




Fig. 1- Distribution of respondents based on their knowledge on onion crop production.

Table No. 4 Association between selected independent variables with household activities.

Comment [A9]: Follow journal pattern

Sl.No.	Variables	Correlation coefficient ®
1	Age	0.999*
2	Education	0.835*
3	Occupation	0.295*
4	Land holding	0.521*
5	Family size	-0.349*
6	Annual income	0.914*
7	Mass media exposure	0.875*
8	Innovativeness	0.318*
9	Risk bearing capacity	0.868*
10	Extension contact	0.993*

* = Significant

From this above Table-4 concluded that the independent variables i.e. age, education, occupation, land holding, annual income, mass media exposure, innovativeness, risk bearing capacity and extension contact were positively and significantly correlated with the knowledge of onion crop production technology at 0.01% of probability. Whereas the independent variable of family size was negatively and significantly correlated with the knowledge of onion crop production technology at 0.05% of probability. Therefore, the null hypothesis was rejected for these variables.

CONCLUSION=CONCLUSION:

It is concluded that the age of the majority respondents was at middle age group and their education level is also medium. The low level of respondents were showing interest in innovativeness. The overall knowledge of the respondents ~~are~~is found under medium level. The independent variable of the respondents are age, education, occupation, land holding, annual income, mass media exposure, risk bearing capacity, innovativeness and extension contact were positively significant correlated with the knowledge at 0.01% probability. The study inferred that the majority of the onion growers were expressed major constraints such as lack of training programme related with improved practices, lack of proper information at time, unavailability of seed at ~~time~~-time. It is suggested by the respondents that the government should conduct demonstrations about new technology of production practices, support the farmers in the form of loans, subsidies, providing minimum knowledge about agricultural new technologies etc.

REFERENCE:

Comment [A10]: Follow journal pattern

Chandrashekhar (2016) Analysis of onion production and marketing behaviour of farmers in Gadag District Karnataka. M.sc (Ag) Thesis Submitted to University of Agricultural Sciences.

Goyal (2016) Resources use efficiency of onion cultivation at different levels of adoption in Sehore district of Madhya Pradesh.

Pandey (2016) Strategy for increasing onion productivity and minimize the post harvest losses in Onion in Andhra Pradesh.

Patel (2009) profitability and resources use efficiency of onion production in Khargone district of Madhya Pradesh.

Solanki (2009) A study on adoption behaviour of vegetable growers in relation to their socio-economic and psycho characteristics in Khandwa district of Madhya Pradesh. M.Sc. (Ag.) Thesis, submitted to R.A.K. College of Agriculture, Sehore (M.P.).

Venkataramalu (2016) Study on the knowledge level adoption and marketing behaviour of onion growers in Guntur district of Andhra Pradesh. M. Sc. (Agri.) Thesis, University of Agricultural Sciences, Dharwad.

Venkatesh (2002), Knowledge level and adoption behaviour of vegetable growers with respect to IPM of onion crop in Kolar district of Karnataka. M. Sc. (Agri.) Thesis, University of Agricultural Sciences, Dharwad.

Waman (2017) production, storage and marketing constraints faced by onion growers. Maharashtra 19. 104 –108.

UNDER PEER REVIEW

