

1 **Assessment of Plant Diversity occurring in**
2 **Prananath College (Autonomous), Khordha,**
3 **Odisha: a medicinal, conservational and**
4 **environmental study.**

5
6
7
8
9
10

ABSTRACT

An assessment study of the plant diversity in the campus of Prananath College (Autonomous), Khordha was carried out during 2019-20 and a checklist was prepared. A total of 241 vascular plant species belonging to 72 different families were recorded including four species of Gymnosperms. Among the families, Fabaceae, Apocynaceae, Euphorbiaceae, Malvaceae, Lamiaceae and Poaceae were the dominating families of the vascular plants in the study area. Aquatic plants, medicinal plants and ornamental plants are included in the study area. The floristic composition also include occurrence of invasive alien species such as *Parthenium*, *Ageratum*, *Cassia*, *Croton sparsiflorus*. The study also gives attention towards the conservation of bio-resources of the campus, toxic effects of the plants along with their medicinal values, proper utilization of bio-wealth in research and academic activities. Documentation of flora check list will be helpful in the environmental study too.

11
12 *Keywords: Assessment, plant diversity, habitat, medicinal plants, aquatic plants, toxic plants*

13
14 **1. INTRODUCTION**

15 Phytodiversity refers to wide variety of plant species in their natural environment. It is
16 concerned with the ecosystem balance, climate, erosion and shelter. Floristic studies provide
17 information on floristic pattern, present position, new entrant, rare, endemic and threatened
18 taxa in a particular phytogeographical area. Knowledge of flora of any region is essential for
19 the study of its biodiversity. It is essential to prepare documentations of local flora of urban
20 areas where there is severe threat to natural vegetation that are in different stage of
21 vulnerability (31). Preparation of the flora of smaller areas like districts, sub-divisions,
22 villages or institutions is essential for understanding the ecosystem function and
23 conservation and accordingly natural resource management and planning activities can be
24 taken up at local level.

25 Urbanization is spreading at a gallop across the world, pivotal challenge for conservation is
26 to understand how it affects the biodiversity (30). Urban-institutional ecosystems differ from
27 forest one in a number of ways (29, 20). Natural landscapes, peculiar species composition
28 and habitat add to nature conservation. Kumar and Satapathy (2011) studied the floral
29 wealth of the campus of Regional Institute of Education and reported 77 herbaceous
30 medicinal plants species with their utilization in research as well as in conservation of bio-
31 resources. It is believed that the plant resources play a vital role in balancing pollution and
32 other environmental factors in the institutional campus.

33 The objectives of the present study is to survey, identify and assess the plant diversity in the
34 campus of Prananath College (Autonomous), Khordha and to evaluate the socio-economic

35 importance and need conservation of these plants for maintaining the ecosystem of the
36 institution.


37 The plant biodiversity of Pran Nath College has been carried out to assess the plant and
38 their effect on climate change and assess their medicinal value and conserving and
39 protecting the endangered species from their depletion.

40 41 2. METHODOLOGY

42 2.1 Study Area

43 Pran Nath College, named after the great freedom fighter Late Pran Nath Pattanaik, the
44 founder Secretary of this institution established in the year 1959. Later it became a degree
45 college in Arts in the year 1963. About seven thousands of students are studying in this
46 institution. At Present Pran Nath College (Autonomous) is located in the Khordha district
47 along the NH16 at 20°10'48"N latitude and 85°38'21"E longitude covering an area of
48 74.428 Acre and about 25 Km from Bhubaneswar, State Capital of Odisha. The built up
49 area for class rooms, laboratories, halls, library, office, hostels etc. covers only 4 Acres of
50 land approximately. Khordha comes under the laterite sub-region. The temperature varies in
51 an average from 41.4°C in summer to 9.5°C in winter. The annual rainfall is 1443 mm
52 (<http://khordha.nic.in/topography.htm>). Though the institution is in the outskirts of Khordha
53 town and free from pollution, its environment is very fresh and healthy due to presence of
54 large number of plants.
55

56



59 **Fig.1:** Pran Nath College (Autonomous), Khordha, Odisha in Google Map.

60 **2.2 Data collection and identification of plants**

61 Field study was undertaken at different months of the year during 2019-20 in the campus of
 62 Pranath College (Auto.), Khordha. The campus was made into different units to locate the
 63 position of plants. Plant specimens focusing on the habits of the flowering plants like herbs,
 64 shrubs, climbers, grasses and trees were studied for their identification and systematic
 65 position. The Botany of Bihar and Odisha (21), The Flora of Odisha (42) were referred.
 66 Photographs were taken and vernacular (Local) names were mentioned against the plant.

67
 68 **Table1:** List of species recorded from the campus of Pranath College (Autonomous),
 69 Khordha, Odisha

Sl. no.	Botanical names	Family	Local name	English Name	Diseases for which used
Tree					
1.	<i>Acacia auriculiformis</i> A.Cunn. ex Benth.	Fabaceae	Acacia	Black wattle	Sore eyes, aches, rheumatism, allergy, itching, rashes, CNS depressant, antioxidant, antifungal, antimalarial, pesticidal, antidiabetic activities (40)
2.	<i>Acacia nilotica</i> (Linn.) Willd.	Fabaceae	Babul	Gum arabic tree	Antimicrobial, antiplasmodial and antioxidant activity, treatment of human immunodeficiency virus, hepatitis C virus and cancer, venereal diseases, nausea, burns and wounds, stomachache and diarrhea (38)
3.	<i>Adina cordifolia</i> (Roxb.) Brandis syn <i>Haldinia cordifolia</i>	Rubiaceae	Kuruma/ Holondo	Haldu	Chronic cough, jaundice, stomachache, cancer, diabetes. The roots are astringent and constipating, and are useful in diarrhea and dysentery. (11)
4.	<i>Aegle marmelos</i> (Linn.) Corr.	Rutaceae	Bela	bael	Leaf extract: ulcers, abscess, backache, vomiting, cuts, weakness of heart, acute bronchitis, blood sugars, diarrhea, dropsy, beriberi, laxative. (17) Root bark: intermittent fevers, fish poison, heart palpitation, melancholia and hypoglycemia (16). Flower extract: tonic for the stomach, intestine, antidiabetic, diaphoretic and local anesthetic (35); Fruits: diarrhoea, dysentery, gastric troubles, constipation, laxative, tonic, digestive, brain and heart tonic, ulcer, intestinal parasites, gonorrhoea, epilepsy (16)
5.	<i>Albizia lebbek</i> (L.) Benth.	Fabaceae	Sirisa (Kala)	Woman's tongue	Blood purifier, jundice, antidote, general tonic, anti-inflammatory, migraine, leprosy, toothache (55)
6.	<i>Albizia odoratissima</i> (L.f.) Benth.	Fabaceae	Tinia	Ceylon rosewood	Leprosy, ulcers, burns and asthma (22), Bark: antibacterial and antifungal (13)
7.	<i>Albizzia procera</i>	Fabaceae	Sirisa (Dhala)	White Siris	Anticancer activity. common

	(Roxb.) Benth.				traditional use: spermicidal activity, rheumatism, ulcers, haemorrhage and useful in treating problems of pregnancy and worm infection (46)
8.	<i>Alstonia scholaris</i> (L.) R.Br.	Apocynaceae	Chhatiana	White cheesewood	Fever, asthma, leucorrhea, eczema, indigestion and also to heal spider bites (7)
9.	<i>Anacardium occidentale</i> L.	Anacardiaceae	Cashew	Cashew	Diarrhoea, constipation, pain and inflammation, antioxidant, antimicrobial, and anticancer (51)
10.	<i>Anthocephalus cadamba</i> (Roxb.) Miq.	Rubiaceae	Kadamba	Kadam	Diabetes, diarrhoea, fever, inflammation, haemoptysis, cold, vomit, infections, wounds, debilitation, snake bite and antibacterial activity (33)
11.	<i>Araucaria heterophylla</i> (Salisb.) Franco.	Araucariaceae	Aurakaria	Chilian pine	Anti-inflammatory, antiulcer, antiviral, neuroprotective, antidepressant and anticoagulant (4).
12.	<i>Areca catechu</i> L.	Arecaceae	Gua	Betel-nut Palm	Leucoderma, diarrhoea, anaemia, obesity, leprosy, astringent, diuretic, digestion-promoting, stimulant, wound healing and laxative agent, antidepressant, antihelminthic, antihypertensive, antioxidant, antiallergic, antifungal and antimicrobial but it is considered as carcinogenic (18)
13.	<i>Artocarpus heterophyllus</i> Lam.	Moraceae	Panasa	Jackfruit	Anticancer, antihypertensive, diarrhoea and dysentery, asthma, prevent ringworm infection, and heal cracking of the feet. Bark: as nasal drops for headache (52)
14.	<i>Azadirachta indica</i> A. Juss	Meliaceae	Nimba	Neem (The Wonder Tree)	Dermatitis, Antioxidant, antifungal and antibacterial, anti-inflammatory antiarthritic, antipyretic, hypoglycemic, antigastric ulcer, antimalarial and antitumour, anticancer activities (43)
15.	<i>Bombax ceiba</i> L.	Malvaceae	Simuli /Bura	cotton tree	Bark: combat fever, heartwood: antidiabetics; bark juice reduces stomachache.(37)
16.	<i>Bridelia retusa</i> (L.) A.Juss.	Phyllanthaceae	Kasi	Spinous Kino Tree	Rheumatism, diabetes, diarrhoea, dysentery, removal of urinary concretions,
17.	<i>Buchanania lanzan</i> Spreng.	Anacardiaceae	Chara	chironji	Antidiabetic, antihyperlipidemic, antioxidant, anti-inflammatory, wound healing, antidiarrheal, antivenom activity (34)
18.	<i>Butea superba</i> Roxb.	Fabaceae	Palasa	Butea Gum Tree	Root: to cure goitre, Herbal Viagra
19.	<i>Caesalpinia pulcherrima</i> (L.) Sw.	Fabaceae	Krusnachuda	Peacock Flower	Anti-inflammatory, antiobesity, to treat minor injuries or to relieve fever (2)
20.	<i>Callistemon citrinus</i> (Curtis) Dum.Cours.	Myrtaceae	Bottle brush	lemon bottlebrush	Treatment of diarrhoea, dysentery and rheumatism, anticough, antibronchitis and insecticide (49)

21.	<i>Carica papaya</i> L.	Rubiaceae	Amrutabhand a	Papaya	Vitamins A, B and C, proteolytic enzymes (papain and chymopapain) thus anti-viral, antibacterial, antifungal, anti-inflammatory, anti-hypertensive, hypoglycaemic and hypolipidaemic, wound healing, free radical scavenging, anti-sickling, neuroprotective, diuretic, abortifacient and antifertility properties.(3)
22.	<i>Caryota urens</i> L.	Arecaceae	Jaggary Palm	fishtail palm	Seminal weakness and urinary disorders, gastric ulcer, migraine headaches, snake bite poisoning, as well as rheumatic swellings. (53)
23.	<i>Cassia alata</i> L.	Fabaceae	Jadumari	Candle Bush	As laxative, hyper tension, leprosy, ringworm infection, ophthalmic, skin diseases and liver disorders. (12)
24.	<i>Cassia fistula</i> L.	Fabaceae	Sunari	Amaltas	Joint pain, migraine, chest pain and blood dysentery, laxative. Root: useful in fever, heart diseases, retained excretions and biliousness.
25.	<i>Cassia siamea</i> Lam.	Fabaceae	Chakundi	cassia tree	Antimicrobial, antimalarial, antidiabetic, anticancer, hypotensive, diuretic, antioxidant, laxative, anti-inflammatory, analgesic, antipyretic, anxiolytic, antidepressant, and sedative activities. (9)
26.	<i>Casuarina equisetifolia</i> Linn.	Casuarinaceae	Jhaun	Australian pine	Nervous disorders, acne, throat infections, stomach ulcer, constipation, cough, diabetes, diarrhoea, dysentery, gonorrhoea (27)
27.	<i>Ceiba pentandra</i> (L.) Gaertn.	Malvaceae	Sweta Simili	cotton	Diuretic, aphrodisiac, headache, type II diabetes.
28.	<i>Cleistanthus collinus</i> (Roxb.) Benth. ex Hook.f.	Phyllanthaceae	Karada	Karra	Poisonous plant, antiseptic, antifungal, insecticidal, and larvicidal, anticancer property
29.	<i>Cocos nucifera</i> L.	Arecaceae	Nadia	Coconut	Antibacterial, antifungal, antiviral, antiparasitic, antidermatophytic, antioxidant, hypoglycemic, hepatoprotective, immunostimulant, antidiabetic
30.	<i>Dalbergia latifolia</i> Roxb.	Fabaceae	Sisoo	Indian rosewood/ shisham	Tannins from the bark are used to produce medicines for the treatment of diarrhea, worms, indigestion, and leprosy.
31.	<i>Dalbergia paniculata</i> Roxb.	Fabaceae	Barbakulia / Dhobi	Passi	Dyspepsia, leprosy and allied obstinate skin diseases. Seed oil is used in rheumatism and cutaneous diseases
32.	<i>Delonix regia</i> (Bojer ex Hook.) Raf.	fabaceae	Krushnachuda	Flame Tree	Antidiabetic, antibacterial, anti-diarrhoeal, hepatoprotective or cytotoxic property, antimicrobial, anti-inflammatory.

33.	<i>Desmodium oojeinensis</i> (Roxb.) H. Ohashi	Fabaceae	Bandhana	Ujjain Desmodium	Anti-inflammatory, antispasmodic, astringent, anaemia, leucoderma, ulcers, diarrhoea, dysentery and fevers.
34.	<i>Dillenia indica</i> L.	Dilleniaceae	Oau	Elephant Apple	Indigestion, asthma, influenza, dysentery, jaundice, weakness and rheumatic pain
35.	<i>Diospyros sylvatica</i> Roxb.	Ebenaceae	Kalucha	Forest Ebony	Diarrhoea, cholera, dysentery, intermittent fevers, bleeding gums, bronchitis, carbuncles, cough, cramps, pneumonia, syphilis, tumors, etc.
36.	<i>Dyopsis lutescens</i> (H. Wendl.) Beentje & J. Dransf.	Arecaceae	Areca palm	Butterfly palm	Diabetes, GI diseases, ulcer preventive, heart diseases, CNS disorder (depression, seizures), antiallergic
37.	<i>Elaeodendron glaucum</i> (Rottb.) Pers.	Celastraceae	Chauli	Ceylon Tea	Treatment of certain nerve diseases, particularly to rouse women from hysteria, anti-inflammatory, antioxidant
38.	<i>Erythrina indica</i> Lam.	Fabaceae	Paladhua	Indian coral tree	Inhaling of well crushed leaves by nostrils relieves headache.
39.	<i>Ficus bengalensis</i> L.	Moraceae	Bara	banyan	Antiarthritic, antimicrobial, analgesic & antipyretic
40.	<i>Ficus infectoria</i> (Miq.) Miq.	Moraceae	Jari	White Fig	Antiulcer, antibacterial, antidiabetic, in the treatment of gonorrhoea and skin diseases.
41.	<i>Ficus recemosa</i> L.	Moraceae	Dimiri	Cluster fig	Diabetes, liver disorders, diarrhea, inflammatory conditions, hemorrhoids, respiratory, and urinary diseases. (22)
42.	<i>Ficus religiosa</i> L.	Moraceae	Aswatha	Sacred fig tree	Antiulcer, antibacterial, antidiabetic, in the treatment of gonorrhoea and skin diseases.
43.	<i>Flacourtia indica</i> (Burm. f.) Merr.	Salicaceae	Bhaincha	Indian plum	Blood disorders, digestive, jaundice, liver disorders
44.	<i>Garuga pinnata</i> Roxb.	Burseraceae	Pitamoi	grey downy balsam	Fruit: stomachic, leaf: astringent, anti-asthmatic, bark: anti-diabetic
45.	<i>Gmelina arborea</i> Roxb.	Lamiaceae	Gambhari	White Teak	Astringent, bitter, digestive, cardiotoxic, diuretic, laxative and pulmonary and nervine tonic. (25)
46.	<i>Holarrhena antidysenterica</i> (L.) Wall. ex A. DC.	Apocynaceae	Kurei	Kurchi	Analgesic, antibacterial, anti-diarrhoeal, antiamoebic, anti-inflammatory and anti-haemorrhoidal antimalarial, antidiabetic, antioxidant, antiurolithic, antimutagenic
47.	<i>Hyophorbe lagenicaulis</i> (L.H. Bailey) H.E. Moore	Arecaceae	Bottle palm	Bottle palm	Anemia, chronic fatigue, cyanide poisoning, digestion problems, emollient, fights depression, high cholesterol, indigestion, skin disorders
48.	<i>Ixora parviflora</i> Lam.	Rubiaceae	Tellu/ kuruan	Torch Tree	Hemoptysis, catarrhal bronchitis, and dysmenorrhoea.
49.	<i>Kydia calycina</i> Roxb.	Malvaceae	Kapasia	Kydia	Leaves: skin diseases and body pains. Bark: clarifying sugar.
50.	<i>Lagerstroemia parviflora</i> Roxb.	Lythraceae	Sidha	crape myrtle	Edema, diabetes, urinary dysfunction, fevers, and digestive

					disorders, control cholesterol and blood pressure, helps in weight loss.
51.	<i>Lagerstroemia speciosa</i> (L.) Pers.	Lythraceae	Patuli	Pride of India	To lower blood sugar in the body (antidiabetic)
52.	<i>Madhuca indica</i> J. F. Gmel.	Sapotaceae	Mahula	Butternut tree	Antidiabetic, antiulcer, hepato protective, antipyretic, antifertility, analgesic, antioxidant, swelling, inflammation, piles, emetic, dermatological, laxative, tonic, anti-burn, antiearth worm, wound healing headache and many more problems.
53.	<i>Mangifera indica</i> L.	Anacardiaceae	Amba	Mango	Antioxidant, anti-inflammatory, and anticancer
54.	<i>Manilkara zapota</i> (L.) P. Royen	Sapotaceae	Sapota	naseberry	Treat coughs and colds and possess diuretic, antidiarrheal, antibiotic, antihyperglycemic, and hypocholesterolemic effects.
55.	<i>Melia azedarach</i> L.	Meliaceae	Mahalimba	Persian Lilac	Antioxidative, analgesic, anti-inflammatory, insecticidal, rodenticidal, antidiarrhoeal, diuretic, antidiabetic, cathartic, emetic, anti-rheumatic and antihypertensive.
56.	<i>Michelia champaca</i> (L.) Baill. ex Pierre-	Magnoliaceae	Champa	champak	Bleeding disorders, urinary infection, poisoning, worm infestation, cardiac tonic, ulcers, wounds, diabetes
57.	<i>Millettia pinnata</i> (L.) Panigrahi syn. <i>Pongamia glabra</i> Vent.	Fabaceae	Karanja	Indian beech	Treatment of tumors, piles, skin diseases, gonorrhoea, cleaning gums, teeth, and ulcers
58.	<i>Mimusops elengi</i> L.	Sapotaceae	Baula	Spanish Cherry	Strengthening teeth, anthelmintic, astringent tonic, anti-dote to snake- venom, diarrhea, antifungal, antibacterial
59.	<i>Moringa oleifera</i> Lam.	Moringaceae	Sajana	Drum stick	Antidiabetic, Anticancer, antioxidant, anti-inflammatory, lower cholesterol
60.	<i>Murraya koenigii</i> (L) Sprengel	Rutaceae	Bhursunga	Curry Leaf	Antioxidant, antidiabetic, anti-inflammatory, antitumor, reduce high cholesterol and neuroprotective activities
61.	<i>Nyctanthes arbortristis</i> L.	Oleaceae	Gangasiuli	Night Blooming Jasmine	Antihelminthic and antipyretic besides its use as a laxative, in rheumatism, skin ailments and as a sedative. (22)
62.	<i>Phyllanthus acidus</i> (Linn.) Skeels	Phyllanthaceae	Narakoli	Gooseberry	Used in inflammatory, antirheumatism, bronchitis, asthma, respiratory disorder, hepatic diseases and diabetes
63.	<i>Phyllanthus emblica</i> Linn.	Phyllanthaceae	Amla/Anla	Indian gooseberry	Source of vitamin C, amino acids, minerals, diarrhea, jaundice, and inflammation, antidiabetic, hypolipidemic, antibacterial, antioxidant, antiulcerogenic, hepatoprotective, gastro protective, and chemo preventive

64.	<i>Pistacia vera</i> L.	Anacardiaceae	Pesta badam	Pistachio	Tonic, aphrodisiac, antiseptic, antihypertensive and management of dental, gastrointestinal, liver, urinary tract, and respiratory tract disorders.
65.	<i>Plumeria rubra</i> L.	Apocynaceae	Katha Champa	Frangipani	Antifertility, anti-inflammatory, antioxidant, hepatoprotective and antimicrobial activities, used in toothache and for carious teeth
66.	<i>Polyalthia longifolia</i> Sonn.	Annonaceae	Debdaru	false ashoka	Used in fever, helminthiasis, diabetes and various cardiac problems.(40)
67.	<i>Psidium guajava</i> L.	Myrtaceae	Pijuli	Guava	Diarrhea, dysentery, gastroenteritis, hypertension, diabetes, caries, pain relief, cough, oral ulcers and to improve locomotors coordination and liver damage inflammation.
68.	<i>Pterocarpus marsupium</i> Roxb.	Fabaceae	Piasala	Indian kino	Bark: bleeding & toothaches, leaves: skin diseases, anti-diabetic.
69.	<i>Pterocarpus santalinus</i> L.f.	Fabaceae	Rakta Chandan	Red Sandal wood	Antioxidative, antidiabetic, antimicrobial, anticancer, and anti-inflammatory
70.	<i>Santalum album</i> Linn.	Santalaceae	Chandan	sandalwood	Oil: incense, cosmetic, antiseptic, astringent, for the treatment of headache, stomachache, inflammatory and eruptive skin diseases, stomachache, urinary and genital disorders
71.	<i>Saraca asoca</i> (Roxb.) Wild	Fabaceae	Ashoka	Sorrowless Tree	Analgesic, antidote, cardiogenic, blood purifier, antipyretic, improves reproductive system
72.	<i>Schleichera oleosa</i> (Lour.) Oken	Sapindaceae	Kusuma	Macassar oil tree	Antimicrobial, antioxidant, anticancer activity, and can be used for the production of biodiesel.
73.	<i>Sesbania grandiflora</i> (L.) Poiret	Fabaceae	Agasti	Agate	Smallpox, headache, stuffy nose
74.	<i>Sonneratia apetala</i> Buch.-Ham.	Lythraceae	Keruan	Mangrove Apple	Coughs, hematuria, smallpox, and cuts and bruises
75.	<i>Soymdia fabrifuga</i> (Roxb.) Juss.	Meliaceae	Suam	Indian redwood	Bark used in the treatment of diarrhoea, dysentery and fever and also as a general tonic; decoction used in gargles, vaginal infections, rheumatism swellings and as enemata.
76.	<i>Stereospermum angustifolium</i> Haines	Bignoniaceae	Chhuinpatuli	Yellow Snake Tree	Stomach problems, pain, diabetes, liver disorders
77.	<i>Streblus asper</i> Lour.	Moraceae	Sahada	Toothbrush tree	Filariasis, leprosy, toothache, diarrhea, dysentery and cancer.
78.	<i>Strychnos nux-vomica</i> L.	Loganiaceae	Kochila	nux vomica	Poisonous (all parts), treatment of neurodisorders, arthritis, and vomiting, inflammation, microbial infections, gastrointestinal problem, nervous system, bones cells, cardiovascular systems, cancer and blood glucose level.

79.	<i>Strychnos potatorum</i> L.f.	Loganiaceae	Katakala	Clearing-nut tree	Gonorrhoea, leucorrhoea, gastropathy, bronchitis, chronic diarrhoea, dysentery, renal and vesicle calculi, diabetes, conjunctivitis, scleritis, ulcers and other eye disease.
80.	<i>Syzygium cumini</i> (L.) Skeels.	Myrtaceae	Jamu	Java plum	Treatment of diabetes, sore throat, bronchitis, cardiometabolic disorders, asthma, thirst, biliousness, dysentery and ulcers.
81.	<i>Tamarindus indica</i> L.	Fabaceae	Kaiyan / Tentuli	Tamarind	Wound healing, abdominal pain, diarrhoea, dysentery, parasitic infestation, fever, malaria and respiratory problems, laxative
82.	<i>Tectona grandis</i> L.f.	Lamiaceae	Saguan	Teak	Wood is acrid, cooling, laxative, sedative to gravid uterus and useful in treatment of piles, leucoderma and dysentery. Flowers are acrid, bitter and dry and useful in bronchitis, biliousness, urinary discharges etc.
83.	<i>Terminalia arjuna</i> (Roxb.) Wight & Arn.	Combretaceae	Arjuna	Arjuna	Asthma, bile duct disorders, scorpion stings, and poisonings.
84.	<i>Terminalia bellirica</i> (Gaertn.) Roxb.	Combretaceae	Bahada	Baheda	Protect the liver and to treat respiratory conditions, including respiratory tract infections, cough, and sore throat
85.	<i>Terminalia catappa</i> L.	Combretaceae	Badam	Almond	Scabies, leprosy wounds and other skin diseases, diarrhoea and fever
86.	<i>Terminalia chebula</i> Retz.	Combretaceae	Harida	Myrobalan	Dementia, constipation, cardioprotective, antiarthritic and diabetes.
87.	<i>Thuja occidentalis</i> L.	Cupressaceae Gymnosperms	Thuja	White cedar	Respiratory tract infections such as bronchitis, bacterial skin infections, and cold sores, osteoarthritis, psoriasis
88.	<i>Trewia nudiflora</i> L.	Euphorbiaceae	Panigambhari	False White Teak	Plant: antibilious, antiflatulent, bechic, anti-inflammatory. Root: carminative, applied as poultice in gout and rheumatism. Plant extract showed anti-leukaemic activity.
89.	<i>Zizyphus jujuba</i> Mill.	Rhamnaceae	Barkoli	Red date	Respiratory system diseases (asthma, cough, and laryngitis), gastrointestinal problems (constipation, colitis and liver diseases), as well as cardiovascular and genitourinary system diseases
Shrubs					
90.	<i>Abutilon indicum</i> (Link) Sweet	Malvaceae	Pedipedika	Monkey Bush/ Mallow	Laxative, emollient, analgesic, antidiabetic, anti-inflammatory and blood tonic agent and also in the treatment of leprosy, urinary disease, jaundice, piles, relieving thirst, cleaning wounds and

					ulcers, vaginal infections, diarrhoea, rheumatism, mumps, pulmonary tuberculosis, bronchitis, allergy, blood dysentery, some nervous and some ear problems (36)
91.	<i>Adhatoda vasica</i> Linn.	Acanthaceae	Basanga	Malabar Nut	Asthma, cough, fever, stomachache, tuberculosis, malaria, constipation, sprain
92.	<i>Andrographis paniculata</i> (Burm.f.) Nees	Acanthaceae	Bhuin nimba/ Chireitta	Bitterweed	Anticancer, common cold and influenza, jaundice, COVID-19 therapeutic
93.	<i>Annona squamosa</i> L.	Annonaceae	Meghua	Custard apple	Analgesic, anti-inflammatory, antimicrobial, cytotoxic, antioxidant, antilipidemic, antiulcer, antitumor, molluscicidal properties, genotoxic effect, vasorelaxant, hepatoprotective, larvicidal, insecticidal, anthelmintic, etc. (15)
94.	<i>Barleria prionitis</i> L.	Acanthaceae	Dasakerenta	porcupine flower	Toothache, catarrhal affections, whooping cough, inflammations, glandular swellings, urinary infection, jaundice, fever, gastrointestinal disorders and as diuretic and tonic
95.	<i>Bauhinia acuminata</i> L.	Fabaceae	Kanchana	Dwarf White Orchid Tree	Antioxidant, antidiabetic, antinociceptive, anthelmintic, antidiarrheal, anticancer
96.	<i>Blumea membranacea</i> Wall. ex DC.	Asteraceae	Pokasungha	Panicled Camphorweed	Anticancer, antioxidant, antifungal, anti-inflammatory
97.	<i>Bougainvillea spectabilis</i> Willd.	Nyctaginaceae	Kagaja phula	Great bougainvillea	Anticancer, antidiabetic, antihepatotoxic, anti-inflammatory, antihyperlipidemic, antimicrobial, antioxidant, and antiulcer properties. (18)
98.	<i>Butea superba</i> Roxb.	Fabaceae	Lahapalasa	Butea Gum Tree	Reduce fatigue, lower cholesterol, increase libido, stimulate male fertility and reduce inflammation.
99.	<i>Calotropis gigantea</i> (L.) Dryand.	Apocynaceae	Arakha	Crown flower	Used for digestive disorders including diarrhoea, constipation and stomach ulcers; for painful conditions including toothache, cramps, and joint pain; for parasitic infections including elephantiasis and worms.
100	<i>Calotropis procera</i> (Aiton.) R.Br.	Asclepiadaceae	Dhala Arakha	Giant milkweed	Poisonous(latex), antidote for snake bite, sinus fistula, rheumatism, mumps, burn injuries, and body pain (18)
101	<i>Canthium dicoccum</i> (Gaertn.) Merr.	Rubiaceae	Kuruma	Ceylon Boxwood	Treatment of diabetes
102	<i>Carissa carandus</i> L.	Apocynaceae	Ankhu koli	Christ's thorn	Digestion, skin diseases, wound treatment, cure acidity, urinary disorders, and diabetic ulcer.
103	<i>Carissa spinarum</i> L.	Apocynaceae	Khiri koli	Bush plum	Antimicrobial, anthelmintic and antimalarial agent, stomach-ache, diarrhoea, dysentery, treat ulcers

					and muscle cramps, treat rabies, typhoid fever, syphilis, herpes simplex viruses (HSV I and II), gonorrhoea, hepatitis, measles, chickenpox, and polio, cataracts, anemia, constipation, anticancer, antidiabetic, and antirheumatic (6)
104	<i>Cascabela thevetia</i> (L.) H. Lippold	Apocynaceae	Kaniara	Yellow oleander	Poisonous, antimicrobial, antioxidant, antidiabetic, piscicidal, larvicidal, pesticidal, antifertility, antitumor (1)
105	<i>Cassia tora</i> L.	Fabaceae	Chakundi	Sickle senna	Antioxidant, anti-inflammatory, antiproliferative, hypolipidemic, antidiabetic, antimicrobial, hepatoprotective, antigenotoxic, immunostimulatory (45)
106	<i>Catunaregam spinosa</i> (Thunb.) Tirveng.	Rubiaceae	Salara koli	Common Emetic Nut	Fruit: acute bronchitis and asthma, bark: sedative and nerve carminative, diarrhoea and dysentery
107	<i>Cipadessa fruticosa</i> Blume.	Meliaceae	Nahalbeli	Hill neem	Leaves have powerful antivenom properties, especially for the treatment of cobra poison. In treating indigestion, cough and cold
108	<i>Citrus limon</i> L.	Rutaceae	Lembu	Lemon	Antimicrobial, antifungal, anti-inflammatory, anticancer, depurative, antimigraine, diuretic effect and antiscorbutic, colds and the flu, fight fatigue etc. especially in pregnancy, nursing and radiation exposure, lemon essential oil is poisonous
109	<i>Clerodendrum indicum</i> (Linn.) Gaertn	Verbenaceae	Brahmajusti	Tubeflower	Stomachic, expectorant, anti-inflammatory, antibronchitis, febrifuge, hence useful for asthma, cough, and scrofulous affections
110	<i>Codiaeum variegatum</i> (L.) A.Juss.	Euphorbiaceae	Croton	Garden croton	Anticancerous and anti-inflammatory (8)
111	<i>Cycas circinalis</i> L.	Cycadaceae	Cycas	Sago palm	The bark and the seeds are ground to a paste with oil and used as a poultice on sores and swellings. The juice of tender leaves is useful in the treatment of flatulence and vomiting
112	<i>Datura stramonium</i> L.	Solanaceae	Dudura	Jimsonweed	Remedy for ulcers, wounds, inflammation, rheumatism and gout, sciatica, bruises and swellings, fever, asthma, bronchitis and toothache (48), to treat dandruff and falling hair
113	<i>Dieffenbachia seguine</i> (Jacq.) Schott	Araceae	Dumb cane	Dumb cane	Poisonous (all parts), An antidote (counter-irritant) against snakebites, and to treat rheumatism and gout externally. It is also used to treat tumors and warts

114	<i>Duranta erecta</i> L.	Verbenaceae	Golden hedge	Golden dewdrop	Beneficial for itches, infertility, fever, pneumonia, malaria, asthma, bronchitis, cataracts, abscesses and parasitism
115	<i>Ecbolium viride</i> (Forssk.) Alston	Acanthaceae	piccokatho	Ice crossandra	Tumors, jaundice, menorrhoea, rheumatism, inflammation.
116	<i>Eupatorium odoratum</i> L.	Asteraceae		Jack in the bush	Diarrhoea, diuretic activity, wound healing, Antimycobacterial activity and insect repellent properties
117	<i>Euphorbia neriifolia</i> L., <i>Euphorbia antiquorum</i> L.	Euphorbiaceae	Siju	Common milk hedge	Latex: laxative, purgative, carminative and expectorant as well as in treatment of whooping cough, gonorrhoea, leprosy, asthma, dyspepsia, jaundice, roots: symptomatic treatment of snake bite, scorpion sting and antispasmodic.
118	<i>Flacourtia jangomos</i> (Lour.) Raeusch.	Salicaceae	Baincha koli	Indian sour cherry	Dried leaves: effective for bronchitis and roots: suppress toothache. Bark: antifungal and antibacterial.
119	<i>Gardenia jasminoides</i> J.Ellis	Rubiaceae	Sugandharaj	Cape Jasmine	Cathartic, antispasmodic, anthelmintic, antiperiodic, antidaibetic, antidysenteric
120	<i>Glycosmis pentaphylla</i> (Retz.)DC.	Rutaceae	Anachara	Toothbrush plant	Treatment of cough, fever, bronchitis, chest pain, anemia, jaundice, liver disorders, inflammation, rheumatism, fractures, pain, urinary tract infections, gonorrhoea, diabetes, cancer and other chronic diseases.
121	<i>Hibiscus mutabilis</i> L.	Malvaceae	Sthala Padma	Cotton rose	Leaves: anodyne, antidotal, demulcent, expectorant and refrigerant. Flowers: burns, swellings and other skin problems
122	<i>Hibiscus rosa-sinensis</i> L.	Malvaceae	Mandara	China rose	Treating wounds, inflammation, fever and coughs, diabetes, infections caused by bacteria and fungi, hair loss, and gastric ulcers
123	<i>Hibiscus syriacus</i> L.	Malvaceae	Mandara	Rose mallow	Leaves: diuretic, expectorant and stomachic. Flowers: diuretic, ophthalmic and stomachic, treatment of itch and other skin diseases, dizziness and bloody stools accompanied by much gas. Root bark: treatment of diarrhoea, dysentery, abdominal pain, leucorrhoea, dysmenorrhoea, dermatophytosis.
124	<i>Ixora coccinea</i> L.	Rubiaceae	Ixora (rangani)	Jungle flame	Dysentery, ulcers and gonorrhoea.
125	<i>Jasminum multiflorum</i> (Burm. f.) Andrews	Oleaceae	Kunda	Indian jusmine	Cough and cold, headache, poisoning
126	<i>Kopsia fruticosa</i> (Ker-Gawl.) A. DC.	Apocynaceae		Shrub Vinca	For sores and syphilis
127	<i>Lantana camara</i> L.	Verbenaceae	Lantana (Naga airi)	Sage	Poisonous (entire plant), for various therapeutic applications such as cancers, chicken pox,

					measles, asthma, ulcers, swellings, eczema, tumors, high blood pressure, bilious fevers, catarrhal infections, tetanus, rheumatism, malaria, antiseptic, antispasmodic, carminative and diaphoretic. (26)
128	<i>Murraya paniculata</i> (L.) Jack	Rutaceae	Kamini	Orange jasmine	Bark: as antidote in snake bites, root: cure body ache, leaves: stimulant, astringent: relief from diarrhoea and dysentery , to treat cough, hysteria and rheumatism
129	<i>Musa paradisiac</i> L.	Musaceae	Kadali	Banana	Tonic, diarrhoea, dysentery, intestinal lesions in ulcerative colitis, diabetes, sprue, uremia, nephritis, gout, hypertension and cardiac disease.
130	<i>Nerium oleander</i> L.	Apocynaceae	Karabira	Oleander	Poisonous (All parts), Treating ulcers, haemorrhoids, leprosy, to treat ringworm, herpes, and abscesses (14).
131	<i>Nyctanthes arbor-tristis</i> L.	Oleaceae	Gangasiuli	Night Blooming Jasmine	Sciatica, arthritis, stimulate the immune system
132	<i>Opuntia</i> Mill.	Cactaceae	Saptapheni	Cactus	Cardiovascular diseases, cholesterol-lowering properties, antiatherogenic, antidiabetic, antiobesity, anticancer, skin wound healing (41)
133	<i>Phyllanthus niruri</i> L.	Phyllanthaceae	Bhuin Anala	Stone breaker	Ulcers, urinary tract stones, dysentery, swelling, antiviral, diabetes, jaundice, anticancer
134	<i>Plumeria pudica</i> Jacq.	Apocynaceae	Naga champa	Wild Plumeria	Treatment of blennorrhagia, herpes and syphilis, latex from the stem: treating ulcers, dartre (skin diseases) and flowers: treating chest coughs and grippe. The oil: treating fear, anxiety, insomnia and tremors.
135	<i>Rauwolfia serpentine</i> (L.) Benth. ex Kurz	Apocynaceae	Patalagaruda	Indian snakeroot	Hypertension, tachycardia, and thyrotoxicosis, schizophrenia and bipolar disorder, epilepsy and seizures, migraine, insomnia and sleep problems.
136	<i>Ricinus communis</i> L.	Euphorbiaceae	Jada /Gaba	Castor oil plant	Poisonous (entire plant), anti-cancer, anti-diabetes, anti-inflammatory, anti- ulcer and anthelmintic (10)
137	<i>Rosa</i> L.	Rosaceae	Golapa	Rose	Antidepressant, antispasmodic, aphrodisiac, astringent, increase bile production, cleansing, anti-bacterial and antiseptic
138	<i>Tabernaemontana divaricata</i> R.Br. ex Roem. & Schult.	Apocynaceae	Tagara	Pinwheel flower	Antioxidant, antiinfection, antitumour action, analgesia and the enhancement of cholinergic activity in both peripheral and central nervous systems
139	<i>Tragia involucrata</i> L.	Euphorbiaceae	Bichhuati	Indian stinging nettle	Inflammation, wounds, eczema, scabies and skin infections. It has also been found to be effective in

					treating pain and bronchitis (22)
140	<i>Vitex negundo</i> Linn.	Lamiaceae	Begunia/ Nirgundi	Chaste Tree	Ear pain, obesity, diabetes, rheumatism, muscular pain, skin disease
141	<i>Zamia furfuracea</i> L.f.	Zamiaceae	Cardboard plant	Cardboard cycad	Poisonous, air purifying qualities
142	<i>Zyzyphus oenoplia</i> (L.) Mill.	Rhamnaceae	Kantakoli	Jackal jujube	Antimicrobial, wound healing activity, anthelmintic, antiplasmodial, antioxidant, antihepatotoxicity, antiulcer, antiplasmodial, anticancer, hypolipidemic, analgesic and anti-nociceptive (44)
Herbs					
143	<i>Abutilon indicum</i> (Link) Sweet.	Malvaceae	Pedipedika	Indian mallow	Used as a demulcent, aphrodisiac, laxative, diuretic, sedative, astringent, expectorant, tonic, anticonvulsant, anti-inflammatory, anthelmintic, and analgesic and to treat leprosy, ulcers, headaches, gonorrhoea, and bladder infection
144	<i>Acalypha indica</i> L.	Euphorbiaceae	Indramaricha/ Nakachana	Indian copperleaf	Anthelmintic, anti-inflammation, antibacterial, anticancer, antidiabetes, antihyperlipidemic, antiobesity, antivenom, hepatoprotective, hypoxia, and wound healing medicine.
145	<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Apamaranga	Prickly - chaff-flower/ bur weed	Treatment of boils, asthma, in facilitating delivery, bleeding, bronchitis, debility, dropsy, cold, colic, cough, dog bite, snake bite, scorpion bite, dysentery, earache, headache, leukoderma, renal complications, pneumonia, and skin diseases.
146	<i>Ageratum conyzoides</i> L.	Asteraceae	Pokashungha	White weed	Toxic – causes liver lesions and tumors, act against vomiting, dysentery and diarrhoea. It is also an insecticide and nematicide.
147	<i>Aloe vera</i> (L.) Burm.f.	Asphodelaceae/ Liliaceae	Gheekuanri	Aloe vera	Heals burns, improves digestive health, oral health, clears acne, skin care, relieves anal fissures as laxative, lowering blood sugar, anticancer
148	<i>Alternanthera sessilis</i> (L.) R.Br ex A.P.DC.	Amaranthaceae	Madaranga	Sessile joyweed	Treatment of dysuria and haemorrhoids
149	<i>Amaranthus spinosus</i> Linn.	Amaranthaceae	Kantaleutia	Spiny amaranth	Treatment of internal bleeding, diarrhea, excessive menstruation, snake bites, boils, stomach disorders, ulcerated mouths, vaginal discharges, nosebleeds and wounds.
150	<i>Andrographis paniculata</i> (Burn.f.) Wall.ex Nees-	Acanthaceae	Bhuin nimba/ chireita-	Creat	Cancer, diabetes, high blood pressure, ulcer, leprosy, bronchitis, skin diseases, flatulence, colic, influenza, dysentery, dyspepsia and malaria

151	<i>Argemone mexicana</i> L.	Papaveraceae	Agara	Mexican poppy	Poisonous (all parts), Diuretic. Purgative, sedative and destroys worms, cures leprosy, skin-diseases, inflammations and bilious fevers
152	<i>Argyreia speciosa</i> (Linn.f.) Sweet.	Convolvulaceae	Brudhataraka	Elephant Creeper	Treat leucorrhoea and fever
153	<i>Bacopa monnieri</i> (Linn.) Pennell	Scrophulariaceae	Brahmi	water hyssop	Improving memory, reducing anxiety, and treating epilepsy
154	<i>Barleria cristata</i> L.	Acanthaceae	Bana patali	Philippine violet	Antidote for Snake bite, Root-fever, anaemia, bronchitis and pneumonia
155	<i>Blumea chinensis</i> (L.) DC.	Asteraceae	peetapushpi	Little ironweed	Decoction for diuretic, kidney disorders, inflammation, lower abdominal pains and menstrual pains
156	<i>Blumea membranacea</i> Wall. ex DC.	Asteraceae	Pokasungha	Panicled Camphorweed	Anticancer, antioxidant, antifungal, antiinflammatory
157	<i>Boerhavia diffusa</i> L.	Nyctaginaceae	Puruni	Red Spiderling	Cure disorders like intestinal colic, kidney disorders, cough, hemorrhoids, skin diseases, alcoholism, insomnia, eye diseases, asthma and jaundice, diabetes.
158	<i>Caladium hortulanum</i> L.	Araceae	Hati kana	Elephant ear	Toxic, antimicrobial activity
159	<i>Canna indica</i> L.	Cannaceae	Sarbajaya	Indian Shot	Anthelmintic, antibacterial, antimicrobial, antiviral, antidiabetic, antidiarrheal, anti-inflammatory, analgesic, immunomodulatory, antioxidant, cytotoxic, hemostatic, hepatoprotective, molluscicidal, and other effects
160	<i>Cassia occidentalis</i> L.	Fabaceae	Chakunda-	Coffee senna	Antibacterial, antifungal, antidiabetic, anti-inflammatory, anticancerous, antimutagenic and hepatoprotective activity
161	<i>Centella asiatica</i> (Linn.) Urban	Apiaceae/ Umbelliferae	Thalkudi (hati khojia)	Gotu kola/ Spadeleaf	Wound healing, treatment of various skin conditions such as leprosy, lupus, varicose ulcers, eczema, psoriasis, diarrhoea, fever, amenorrhoea, diseases of the female genitourinary tract and also for relieving anxiety and improving cognition.
162	<i>Chrysanthemum indicum</i> L.	Asteraceae	Banasebati	Indian chrysanthemum	Anti-inflammatory, antioxidation, antipathogenic microorganism, anticancer, immune regulation, and hepatoprotective effects
163	<i>Cleome viscosa</i> L.	Capparidaceae	arikahita	Tick weed	Rheumatic arthritis, hypertension, malaria, neurasthenia, and wound healing
164	<i>Coleus amboinicus</i> Lour.	Lamiaceae	Karpuravalli	Indian mint	Cold, asthma, constipation, headache, cough, fever and skin diseases
165	<i>Coleus scutellarioides</i> (L.) Benth.	Lamiaceae		Painted nettle/ Coleus	Mild relaxing and/or hallucinogenic effects when consumed, treatment of rashes,

					asthma, bronchitis, insomnia, epilepsy, and angina.
166	<i>Colocasia esculenta</i> (L.) Schott	Araceae	Saru	Taro	Asthma, arthritis, diarrhea, internal hemorrhage, neurological disorders, and skin disorders.
167	<i>Commelina benghalensis</i> L.	Commelinaceae	Kanasiri	Benghal Dayflower	Leprosy, sore throat, ophthalmia, burns, pain and inflammation and also used as depressant, demulcent, emollient and laxative. Increases the milk production naturally in cows.
168	<i>Commelina communis</i> L.	Commelinaceae	Kosapuspi	Asiatic day flower	Febrifugal, antipyretic, anti-inflammatory, and diuretic effects. Additionally, for treating sore throats and tonsillitis
169	<i>Croton bonplandianus</i> Baill.	Euphorbiaceae	Banamaricho	Bonpland's croton	Liver disorders, skin diseases including ring worm infection, to cure the swelling of body, bronchitis and asthma, seed-jaundice, acute constipation, abdominal dropsy
170	<i>Curcuma angustifolia</i> Roxb.	Zingiberaceae-monocot	Palua	Arrowroot	Antioxidant, anticancerous, Antimicrobial, Anti-ulcerogenic, Antidiabetic
171	<i>Cymbopogon citratus</i> (DC.) Stapf	Poaceae	Dhanwantari	Lemon grass	Leaves: stimulant, sudorific, antiperiodic, and anticatarrhal, the essential oil: as carminative, depressant, analgesic, antipyretic, antibacterial, and antifungal agent. Ability to repel the pestilent stable fly.
172	<i>Desmodium gangeticum</i> L.	Fabaceae	Salaparni	Salparni	Febrifuge, aphrodisiac, analgesic, diuretic, antiinflammatory, and haemorrhagic properties. It is used in postnatal complaints, diarrhoea, chronic fever, biliousness, cough, vomiting, and asthma.
173	<i>Dracaena fragrans</i> (L.) Ker Gawl.	Asparagaceae	Dracaena	Cornstalk dracaena	Indoor, poisonous to pets, improves air quality.
174	<i>Dracaena marginata</i> Lam.			Dragon tree	
175	<i>Dracaena reflexa</i> Lam.			Song of India	
176	<i>Eclipta prostrate</i> L.	Asteraceae	Bhringaraj	False daisy	Infectious hepatitis, snake venom poisoning, gastritis, and respiratory diseases such as a cough and asthma.
177	<i>Euphorbia hirta</i> L.	Euphorbiaceae	Dudhi ghasa/ harharika	Asthma Weed	For female disorders, respiratory ailments (cough, coryza, bronchitis, and asthma), worm infestations in children, dysentery, jaundice, pimples, gonorrhoea, digestive problems, and tumors.
178	<i>Furcraea foetida</i> (L.) Haw.	Asparagaceae-monocot	Furcaria	Mauritius Hemp	The root: as blood purifying remedy, treatment for syphilis, back pain. The leaves: to treat children's obstinate colds.

179	<i>Gomphrena globosa</i> L.	Amaranthaceae	Godibana	Globe amaranth	Hypertension, antioxidant, antimicrobial, cough, diabetes, kidney problems, hoarseness, bronchitis, jaundice and high cholesterol.
180	<i>Jasminum sambac</i> (L.) Aiton	Oleaceae	Malli	Jasmine	Treat dysmenorrhoea, amenorrhoea, ringworm, leprosy, skin diseases and also as an analgesic, antidepressant, anti-inflammatory, antiseptic, aphrodisiac, sedative, expectorant.
181	<i>Leucas aspera</i> (Willd.) Link	Lamiaceae	Gayasa	Thummichittu	Antipyretic, insecticide, antifungal, prostaglandin inhibitory, antioxidant, antimicrobial, antinociceptive and cytotoxic activities. Used in chronic rheumatism.
182	<i>Lippia javanica</i> (Burm.f.) Spreng	Verbenaceae	Naguari	Fevertea	For colds, cough, fever or malaria, wounds, repelling mosquitos, diarrhoea, chest pains, bronchitis, and asthma.
183	<i>Mimosa pudica</i> L.	Fabaceae	Lajakuli	Touch me not	Treatment of urogenital disorders, piles, dysentery, sinus, and also applied on wounds. (18)
184	<i>Mirabilis jalapa</i> L.	Nyctaginaceae	Rangani-red, yellow	Four-o-clock	Anti-inflammatory, antidote for animal bite, skin infections like rashes or boils, wounds and cuts, excellent diuretic, aphrodisiac (improve sexual health).
185	<i>Ocimum basilicum</i> L.	Lamiaceae	Durlava	Purple Basil	Headaches, coughs, diarrhea, constipation, warts, worms, and kidney malfunctions.
186	<i>Ocimum gratissimum</i> L.	Lamiaceae	Bana tulasi	African basil	General tonic and anti-diarrhea agent, treatment of conjunctivitis by instilling directly into the eyes; the leaf oil when mixed with alcohol is applied as a lotion for skin infections, and taken internally for bronchitis.
187	<i>Ocimum kilimandscharicum</i> Gürke	Lamiaceae	Karpura tulasi	Camphor basil	Colds, coughs, abdominal pains, measles, anti-ulcer, bronchitis, anorexia, memory disorders and diarrhoea.
188	<i>Ocimum sanctum</i> Linn.Mant	Lamiaceae	Rama tulasi	Green Tulsi	The Queen of Herbs: anti-bacterial, anti-viral and anti-fungal, anti-oxidant, antiinflammatory, analgesic, antipyretic, antidiabetic, hepatoprotective, hypolipidemic, antistress, and immunomodulatory activities.
189	<i>Ocimum Tenuiflorum</i> L.	Lamiaceae	Kala/Krishna Tulasi	Holy Basil	Antioxidant, aiding cough, asthma, diarrhea, fever, dysentery, arthritis, eye diseases, indigestion, gastric ailments, etc.
190	<i>Pandanus amaryllifolius</i> Roxb.	Pandanaceae	Arnapurna	Pandan	Diabetes, constipation, boils, and cold- or flu-like symptoms.

191	<i>Parthenium hysterophorus</i> L.	Asteraceae	Gajar ghasa	Carrot grass	Poisonous (leaves and flowers), A cause of allergic respiratory problems, asthma, bronchitis contact dermatitis, mutagenicity in human and livestock. Treatments of skin inflammation, rheumatic pain, diarrhoea, urinary tract infections, dysentery, malaria and neuralgia (32).
192	<i>Phyllanthus amarus</i> Schumach. & Thonn.	Euphorbiaceae	Bhui anla	Carry me seed	In the problems of stomach, genitourinary system, liver, kidney and spleen
193	<i>Pistia stratiotes</i> Linn.	Araceae	Borajhanji	Water cabbage	Eczema, leprosy, ulcers, piles, stomach disorder, throat and mouth inflammation
194	<i>Plumbago zeylanica</i> (Linn.).	Plumbaginaceae	Swetachitapar u	Wild leadwort	Treatment of stubborn chronic rheumatoid arthritis, skin diseases and tumors in correcting chronic menstrual disorders, viral warts and chronic diseases of nervous system.
195	<i>Rouvolfia serpentine</i> (Linn.) Benth. ex Kurz	Apocynaceae	Patalagaruda/ sarpagandha	Indian snakeroot	Treat high blood pressure, severe agitation in patients with mental disorders,
196	<i>Sida acuta</i> Burm. f.	Malvaceae	Anachanra	Common wireweed	Fevers, Dysentery, Wounds, Headache, Headache, Toothache
197	<i>Sida cordifolia</i> Burm. f.	Malvaceae	Bajramuli	Bala	Applied directly to the skin for numbness, nerve pain, muscle cramps, skin disorders, tumors, joint pain (osteoarthritis and rheumatoid arthritis), healing wounds, ulcers, scorpion sting, snakebite, and as a massage oil
198	<i>Sinapis arvensis</i> L.	Brassicaceae	Bana shorisa	Wild Mustard	Stimulating the appetite, treatment of melancholy or depression, reducing swelling and pain.
199	<i>Spathiphyllum wallisii</i> Regel	Araceae monocot	Peace lily	Peace Lily	Filter the indoor air, increase the levels of humidity, helping you breathe better
200	<i>Tradescantia spathacea</i> Sw. syn <i>Rhoeo discolor</i>	Commelinaceae	Rhoeo	Boat Lily	Anticancer, Antioxidant, Antiviral, Antifungal, Antidiabetic
201	<i>Tridax procumbens</i> L.	Asteraceae	Bisalyakarani	Tridax daisy	Wound healing and as an anticoagulant, antifungal, and insect repellent.
202	<i>Vinca rosea</i> L. syn. <i>Catharanthus roseus</i> (L.) G. Don	Apocynaceae	Sadabihari	Periwinkle	Antidiabetic, anticancer, controls nose bleeding, cough, sore throat, skin infection,
203	<i>Zephyranthes rosea</i> Lindl.	Amaryllidaceae	Pink lily	Pink Rain lily	Highly poisonous, good for diabetes, ear & chest ailments, viral infection and breast cancer
204	<i>Zingiber officinale</i> Roscoe	Zingiberaceae-monocot	Sunthi/Ada	Ginger	Treating nausea, dysentery, heartburn, flatulence, diarrhea, loss of appetite, infections, cough, and bronchitis
Climbers					
205	<i>Abrus precatorius</i> L.	Fabaceae	Kaincha	Rosary pea	Poisonous (seeds), to treat

					tetanus, leucoderma, scratches and sores and wounds caused by dogs, cats and mice, prevent rabies, The leaves: cure fever, cough and cold.
206	<i>Allamanda blanchetii</i> A.DC.	apocynaceae		Purple allamanda	Treating malaria, jaundice, cough, wounds and constipation, leukemia and human carcinomamia
207	<i>Asparagus racemosus</i> Willd.	Asparagaceae	Satabari/ chhatuari	Satavari	Dyspepsia, constipation, stomach spasms, and stomach ulcers, for fluid retention, pain, anxiety, cancer, diarrhea, bronchitis, tuberculosis, dementia, and diabetes, promote fertility
208	<i>Bignonia venusta</i> Ker Gawl.	Bignoniaceae	Bignonia	Flamevine	Diseases of the respiratory system related to infections, such as bronchitis, flu and cold. An infusion is used to treat diarrhea, vitiligo and jaundice.
209	<i>Cissus quadrangularis</i> Linn.	Vitaceae	Hadabhanga	Veldt grape	A tonic and analgesic, to heal broken bones and injured ligaments and tendons, strengthening bones, osteoporosis
210	<i>Clitoria ternatea</i> L.	Fabaceae	Aparajitta	Butterfly pea	For food coloring, stress, infertility and gonorrhea
211	<i>Coccinia grandis</i> (L.) Voigt	Cucurbitaceae	Kainchi Kakudi	Scarlet gourd	Analgesic, antipyretic, anti-inflammatory, antimicrobial, antiulcer, antidiabetic, antioxidant, hypoglycemic, hepatoprotective, antimalarial, antidyslipidemic, anticancer, antitussive, mutagenic.
212	<i>Combretum indicum</i> L.	Combretaceae	Madhumalati	Rangoon creeper	Fruits: for coughs, to alleviate nephritis. Root: rheumatism.
213	<i>Dioscorea alata</i> L.	Dioscoreaceae	Khamba alu	Purple yam	Cough, cold, stomach ache, leprosy, burns, fungal diseases, skin diseases, contraceptive, dysentery, arthritis, rheumatism
214	<i>Gouania leptostachya</i> DC.	Rhamnaceae	Raktapituli	Slender Spiked Gouania	Anti-inflammatory, to treat skin complaints
215	<i>Gymnema sylvestre</i> (Retz.) Schult.	Asclepiadaceae	Gudamari	Australian cowplant	Antioxidant, antimicrobial, aphrodisiac antidiabetic, to treat eye diseases, allergies, constipation, cough, dental caries, obesity, stomach ailments, and viral infections.
216	<i>Hemidesmus indicus</i> (Linn.) R. Br.	Asclepiadaceae	Anantamula	Indian Sarsaparilla	Anticancerous, chemopreventive, wound healing power, antiarrhoeal, antioxidant; antivenom, antileprotic diuretic activities.
217	<i>Ipomoea quamoclit</i> L.	Convolvulaceae	Kunjalata	Cypress Vine	To treat hemorrhoids, ulcers, diabetes and cancer.
218	<i>Mucuna pruriens</i> (L.) DC.	Fabaceae	Baidanka	Velvet bean	In bone fractures, cough, dog-bite, madness, pain, pleuritis, ring worm, scorpion sting, snake-bite, sores and syphilis, menstruation

					disorders, constipation, edema, fever, tuberculosis anticholesterolemic, antiparkinson, antidiabetic, aphrodisiac, anti-inflammatory and antimicrobial
219	<i>Paederia foetida</i> Linn.	Rubiaceae	Pasaruni	Stinkvine	Treatment of inflammation, piles, and diarrhea
220	<i>Passiflora caerulea</i> L.	Passifloraceae	Krushnatamal	Blue passionflower	Sedative and anticonvulsant
221	<i>Passiflora incarnata</i> L.	Passifloraceae	Radhatamala	Purple passionflower	Relieve anxiety and insomnia
222	<i>Piper longum</i> Linn.	Piperaceae	Pipali	Indian long pepper	To treat chronic bronchitis, asthma, constipation, gonorrhoea, paralysis of the tongue, diarrhea, cholera, chronic malaria, viral hepatitis, respiratory infections, stomachache, bronchitis, diseases of the spleen, cough, and tumors
223	<i>Syngonium podophyllum</i> Schott	Araceae		Arrowhead vine	Poisonous and cause severe mouth pain if eaten, severe skin burning caused by plant sap. Reduce stress, anxiety, sleep disorders and arguments. Air Purifying Plant
224	<i>Tinospora cordifolia</i> (Thunb.) Miers	Menispermaceae	Guluchi	Guduchi	Antioxidant, anti-inflammatory, antidiabetic, immunomodulatory activity, antitoxic, hepatoprotective, anticancer, cardioprotective activity, radioprotective, antimicrobial, anti-stress, anti-HIV and many more
225	<i>Trichosanthes bracteata</i> (Lam.) Voigt	Cucurbitaceae	Salarakoli	Indrayan	Treatment of asthma, earache and ozoena (intranasal crusting, atrophy and fetid odor)
226	<i>Ventilago maderaspatana</i> Gaertner	Rhamnaceae	Phuluri/ Raktakai	Red creeper	Antidiabetic, antioxidant, antimicrobial and antibacterial, cardioprotective,
Grass					
227	<i>Acorus calamus</i> Linn.	Acoraceae	Bacha	Sweet-flag	Effect on central nervous system, antiulcer and cytoprotective, antispasmodic, analgesic
228	<i>Cymbopogon martini</i> (Roxb.)	Poaceae	Dhanwantary	Palmarosa	Treatment of joint pain, respiratory diseases, anorexia, intestinal worms, skin diseases and diarrhea
229	<i>Cynodon dactylon</i> L.	Poaceae	Duba ghasa	Durva	For snake bites, gout, and rheumatic affections, anthelmintic activity anti-inflammatory
230	<i>Cyperous rotundus</i> L.	Cyperaceae	Mutha	Coco grass	Diarrhoea, diabetes, pyresis, inflammation, malaria, and stomach and bowel disorders
231	<i>Desmostachya bipinnata</i> (L.) Stapf	Poaceae	Kusha	Halfa grass	To treat dysentery and menorrhagia, and as a diuretic
232	<i>Thysanolaena maxima</i> Roxb.	Poaceae	Phula chanchhuni	Tiger Grass	Treatment of eye infection, improve digestion
233	<i>Vetiveria zizanioides</i>	Poaceae	Bena	Vetivergrass	Relieving stress, as well as for

	(L.)Nash.				emotional traumas and shock, lice, and repelling insects
Bamboo					
234	<i>Bambusa arundinacea</i> (Retz.) Willd.	Poaceae	Daba baunsa	Bamboo	Cough, skin diseases, wounds, digestive disorders, nausea, gynecological disorders and fever.
235	<i>Bambusa pallida</i> (L.) Voss	Poaceae	Pani baunsa		
236	<i>Bambusa ventricosa</i> McClure	Poaceae	Buddha baunsa	Buddha bamboo	Hypertension, arteriosclerosis, cardiovascular disease
237	<i>Dendrocalamus strictus</i> (Roxb.) Nees	Poaceae	Salia baunsa		
238	<i>Gigantochloa nigrociliata</i> (Buse) Kurz.	Poaceae	Balangi baunsa	Bamboo	Juice from young bamboo shoots is used for asthma, coughs, and gallbladder disorders.
Aquatic					
239	<i>Nymphaea nouchali</i> Burm. f.	Nymphaeaceae	Neela kain	Blue lotus	Rhizomes: mild sedative and spasmolytic action, diarrhoea, dysentery, stomach ache, colic and dyspepsia, leaves: treatment of gonorrhoea, cardiotoxic
240	<i>Eichhornia crassipes</i> Kunth.	Pontederiaceae	Bilatidala/Eichornia	Water hyacinth	Antioxidants, antiaging and anticancer.
241	<i>Hydrilla verticillata</i> (L.f.) Royle	Hydrocharitaceae	Chingudia dala	Water Thyme	Provide complete nutrition, to improve digestion and gastrointestinal function, circulation, neurological health, blood sugar control, to strengthen immunity and increase endurance

70 2.3. DIVERSITY ANALYSIS

71 A diversity index is a quantitative tool used to assess diversity in a specific community. They
72 are developed by ecologists to examine the number and abundance of species in a
73 community and the density of certain species in a community. The type of diversity used
74 here is alpha diversity of species within a community or habitat. The diversity index was
75 calculated by using the Simpson's Diversity Index. Simpson's Diversity Index is a measure of
76 diversity which takes into account the number of species present, as well as the relative
77 abundance of each species. As species richness and evenness increase, so diversity
78 increases.

79 Simpson's Diversity Index (D) = $1 - \left(\frac{\sum n(n-1)}{N(N-1)} \right)$

80 n = the total number of organisms of a particular species

81 N = the total number of organisms of all species

82 The value of D ranges between 0 and 1. With this index, 1 represents infinite diversity and 0,
83 no diversity.

84 3. RESULT

85 3.1 Assessment of Flora

86 Survey of flora of Prananath College campus revealed the presence of a total of 241 species
87 under 72 families belonging to dicots, monocots and gymnosperms (Table 1). Among the

118 From the study area, seven plants species were found to be vulnerable, endangered and
 119 critically endangered (Table-3). It is highly essential to protect these medicinal plants through
 120 *in-situ* conservation.

121 **Table 3:** List of Endangered, Vulnerable Medicinal species recorded in PNCA Campus.
 122 (The IUCN Red List of Threatened Species: <https://www.gbif.org/species>)

Sl. No.	Botanical Name	Common Name	Family	IUCN Status
1.	<i>Dalbergia latifolia</i> Roxb.	Sisoo/ Indian rosewood/ shisham	Fabaceae	Vulnerable
2.	<i>Pterocarpus marsupium</i> Roxb.	Piasala / Indian kino	Fabaceae	Near threatened
3.	<i>Pterocarpus santalinus</i> L.f.	Rakta Chandan / Red Sandal wood	Fabaceae	Endangered
4.	<i>Santalum album</i> Linn.	Chandan / sandalwood	Santalaceae	Vulnerable
5.	<i>Saraca asoca</i> (Roxb.) Wild	Ashoka/ Sorrowless Tree	Fabaceae	Vulnerable
6.	<i>Rauvolfia serpentine</i> (Linn.) Benth. ex Kurz	Patalagaruda/ sarpagandha/ Indian snakeroot	Apocynaceae	Critically Endangered
7.	<i>Zamia furfuracea</i> L.f.	Cardboard plant	Zamiaceae	Vulnerable

123 As recorded in CITES (Convention on International Trade in Endangered Species of Wild
 124 Fauna and Flora) (5) *Aegle marmelos* (L.) Corrêa, *Desmodium oojeinense* (Roxb.)
 125 H.Ohashi, *Ficus racemosa* L., *Melia azedarach* L., *Phyllanthus emblica* L., *Pterocarpus*
 126 *marsupium* Roxb., *Pterocarpus santalinus* L.f., *Santalum album* L., *Saraca asoca* (Roxb.)
 127 Willd., *Strychnos nux-vomica* L., *Strychnos potatorum* L.f., *Terminalia arjuna* (Roxb. ex DC.)
 128 Wight & Arn, *Terminalia bellirica* (Gaertn.) Roxb., *Andrographis paniculata* (Burm.f.) Nees,
 129 *Carissa spinarum* L., *Cycas circinalis* L., *Euphorbia neriifolia* L., *Rauvolfia serpentina* (L.)
 130 Benth. ex Kurz, *Curcuma angustifolia* Roxb, *Plumbago zeylanica* L., *Abrus precatorius* L.,
 131 *Asparagus racemosus* Willd., *Dioscorea alata* L., *Gymnema sylvestre* (Retz.) R.Br. ex Sm.,
 132 *Mucuna pruriens* (L.) DC., *Paederia foetida* L., *Piper longum* L., *Acorus calamus* L. and
 133 *Hydrilla verticillata* (L.f.) Royle are found to be threatened plants enlisted in table-1.

134 3.2 Toxic Plants

135 Out of 35 Indian traditional toxic plants (19), eleven plants like *Cleistanthus collinus* (Roxb.)
 136 Benth. ex Hook.f., *Cascabela thevetia* (L.) H. Lippold, *Ricinus communis* L., *Zamia*
 137 *furfuracea* L.f, *Ageratum conyzoides* L., *Caladium hortulanum* L. *Parthenium hysterophorus*
 138 L. *Zephyranthes rosea* Lindl., *Syngonium podophyllum* Schott, *Abrus precatorius* L (table-1)
 139 are reported to be present in the campus having toxic effects though they have medicinal
 140 and ornamental values.

141 3.3 Calculation of Diversity Index

142 **Table 4:** Total number of families assessed with their species for valuation of Diversity Index

Sl. No.	Family	No. of Species (N)	n(n-1)	Sl. No.	Family	No. of Species (N)	n(n-1)
1.	Acanthaceae	6	30	37.	Lamiaceae	11	110
2.	Acoraceae	1	0	38.	Loganiaceae	2	2

3.	Amaranthaceae	4	12	39.	Lythraceae	3	6
4.	Amaryllidaceae	1	0	40.	Magnoliaceae	1	0
5.	Anacardiaceae	4	12	41.	Malvaceae	11	110
6.	Annonaceae	4	12	42.	Meliaceae	4	12
7.	Apiaceae/ Umbelliferae	1	0	43.	Menispermaceae	1	30
8.	Apocynaceae	15	210	44.	Moraceae	6	30
9.	Araceae	5	20	45.	Moringaceae	1	0
10.	Araucariaceae	1	0	46.	Musaceae	1	0
11.	Arecaceae	6	30	47.	Myrtaceae	3	6
12.	Asclepiadaceae	3	6	48.	Nyctaginaceae	3	6
13.	Asparagaceae	3	6	49.	Nymphaeaceae	1	0
14.	Asphodelaceae/ Liliaceae	1	0	50.	Oleaceae	4	12
15.	Asteraceae	9	72	51.	Pandanaceae	1	0
16.	Bignoniaceae	2	2	52.	Papaveraceae	1	0
17.	Brassicaceae	1	0	53.	Passifloraceae	2	2
18.	Burseraceae	1	0	54.	Phyllanthaceae	5	20
19.	Cactaceae	1	0	55.	Piperaceae	1	0
20.	Cannaceae	1	0	56.	Plumbaginaceae	1	0
21.	Capparidaceae	1	0	57.	Poaceae	11	110
22.	Casuarinaceae	1	0	58.	Pontederiaceae	1	0
23.	Celastraceae	1	0	59.	Rhamnaceae	4	12
24.	Combretaceae	5	20	60.	Rosaceae	1	0
25.	Commelinaceae	3	6	61.	Rubiaceae	8	56
26.	Convolvulaceae	2	2	62.	Rutaceae	5	20
27.	Cucurbitaceae	2	2	63.	Salicaceae	2	2
28.	Cupressaceae	1	0	64.	Santalaceae	1	0
29.	Cycadaceae	1	0	65.	Sapindaceae	1	0
30.	Cyperaceae	1	0	66.	Sapotaceae	3	6
31.	Dilleniaceae	1	0	67.	Scrophulariaceae	1	0
32.	Dioscoreaceae	1	0	68.	Solanaceae	1	0
33.	Ebenaceae	1	0	69.	Verbenaceae	4	12
34.	Euphorbiaceae	9	72	70.	Vitaceae	1	0
35.	Fabaceae	30	870	71.	Zamiaceae	1	0
36.	Hydrocharitaceae	1	0	72.	Zingiberaceae	2	2
					N	241	$\Sigma n(n-1)=$ 1950
					N(N-1)	57840	

143 Using the values, Simpson's Index (D) = $1950 / 241(241-1)$
144 = $1950/57840=0.03371$

145 Simpson's Index of Diversity = $1 - D$ = $1 - 0.03371 = 0.9663$

146 From the floral data collected from the College campus, the Simpson's Diversity Index value
147 was calculated to be 0.9663 which means that there are several species in the community
148 and the population proportion of species is even. The results showed that the study area has
149 greater level of diversity.

150 From the analysis it is found that almost all the plants are medicinally significant apart from
151 their specific commercial values like wood, timber, food, oil. Some plants are reported as air
152 purifiers (Table 1). Plants enriches the aesthetic values of the campus as the study area has
153 seven specific gardens with a number of ornamental plants.

154 4. CONSERVATION OF BIODIVERSITY IN THE CAMPUS

155 The consequences of human activity in a natural area initiates the loss of species and
156 unique ecosystems. Invasive species sometimes overtake the biodiversity by reducing the
157 native plants. New construction of buildings is a major cause of depletion of biodiversity in
158 the campus although proper care is taken to protect the plants. The areas rich in biodiversity
159 are free from human activity and grow in their natural habitat. Every year a massive
160 plantation programme is carried out on 19th July, the Forest Festival (Van Mahotsav) Day.
161 The Green Brigade (Sabuja Bahini) of Eco Club, NCC, Rangers & Rovers, NSS also take
162 care of plants, plantation and campus cleaning on a regular basis. Students are well aware
163 of the biodiversity. The waste management is properly maintained. At present in order to
164 protect the biodiversity it is necessary to reconsider the construction of infrastructure
165 vertically but not in horizontal manner.

166 5. DISCUSSION

167 The habit analysis revealed that trees dominate while hydrophytes are very rare because of
168 lack of natural water bodies. Among the angiosperms, Fabaceae is a large, economically
169 and medicinally important family of flowering plants for its productivity and stability of the
170 ecosystem. The contribution of this family to the availability of nutrients, absorption and
171 growth of neighbouring species is indeed well described throughout the scientific literature
172 (47, 28, 23, 39). Collation of data from books, research articles, conducting of ethnobotanical
173 surveys shows that all most all plants are medicinally important. According to the World
174 Health Organization (WHO), as many as 80% of the world's people depend on traditional
175 medicine for their primary health care needs. The best means of conservation is to ensure
176 that the populations of species of plants continue to grow and evolve in the wild - in their
177 natural habitats. The forest festival (Van Mahotsav) in the college campus is a best practice
178 to involve the students and spread awareness for in situ conservation of these plants to save
179 the ecosystem.

180 6. CONCLUSION

181 It is important to be aware of poisonous plants, especially for students who may come in to
182 contact with them in the outdoors. Staff members and students should be educated about
183 the toxic effect of certain plants. Seeds, flowers, latex, leaves, and roots of such plants are
184 having toxic effect. Even all parts of the plants with toxicity such as *Argemon*, *Lantana*,
185 *Nerium*, *Ricinus*, and *Strychnus* are also found in the campus. The toxic substance found in
186 these plants can cause skin irritation, respiratory problems, digestive problems and even
187 death. Students who enjoy outdoor activities should learn how to identify these plants and
188 how to avoid coming into contact with them. Posters depicting the toxic effect may be
189 erected near the plants for awareness. Posters containing the botanical names, local names
190 along with medicinal values of all plants should be erected as practised in Botanical
191 Gardens. Students can safely enjoy the beauty of plants inside the campus without putting
192 their health at risk.

193 REFERENCES

- 194 1. Ahmad T, Hamid AT, Sharma A and Bhardwaj U. *Thevetia peruviana*: a
195 multipurpose medicinal plant- A review. International Journal of Advanced Research.
196 2017; 5(8):486-493
- 197 2. Anju V and Zachariah SM. Phytochemical and pharmacological activities of
198 *Caesalpinia pulcherrima* - An overview. International Journal of Pharmaceutical
199 Research. 2023; 15(1)

- 200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
3. Aravind G, Bhowmik D, Duraivel S, Harish G. Traditional and Medicinal Uses of *Carica papaya*. Journal of Medicinal Plants Studies. 2013; (1) : 1,7-15
 4. Aslam MS, Choudhary BA, Uzair M and Ijaz AS. Phytochemical and Ethno-Pharmacological Review of the Genus *Araucaria* – Review. Tropical Journal of Pharmaceutical Research. 2013;12 (4): 651-659
 5. Barik SK, Tiwari ON, Adhikari D, Singh PP, Tiwary R and Barua S. Geographic distribution pattern of threatened plants of India and steps taken for their conservation, Current Science. 2018; 114(3) : 470-503.
 6. Berhanu G, Babele D A and Kandi V. Review of the Medicinal and Antimicrobial Properties of *Carissa spinarum* L. American Journal of Biomedical Research. 2020; 8(2):54-58
 7. Bhandary MJ. *Alstonia scholaris* in the ethnomedicinal and religious tradition of Coastal Karnataka, India. Biodiversitas. 2020; 21: 1569-1577.
 8. Bijekar SR & Gayatri MC. Ethnomedicinal properties of Euphorbiaceae family- A comprehensive review. Int JPhytomed 2014; 6: 144-156
 9. Camille Koffi. Ethnobotany, phytochemistry, pharmacology and toxicology profiles of *Cassia siamea* Lam. The Journal of Phytopharmacology. 2014; 3(1): 57-76
 10. Chouhan HS, Swarnakar G and Jogpal B. Medicinal properties of *Ricinus communis*: A review. International Journal of Pharmaceutical Sciences and Research 2021; 12(7):3632-3642
 11. Dalu AP, Zagare VS, Avchar PE, Kadam MP, Ingole AS, Nagrik SU and Patil PA. A Pharmacological Potential of *Adina cordifolia*. Journal of Drug Delivery and Therapeutics.2021; 11(2-S), 132-135.
 12. Dewi R, Firza Y, Nashiry MA, Al-Suede FSR, Majid ASA. A Review on *Cassia alata*: Pharmacological, Traditional and Medicinal Aspects , Australian Herbal insight.2019; 1(4):016-021
 13. Dinesh K, Sonia K, Sunil K, Jyoti G, Pranay J, Ram KP. Screening of methanolic bark extract of *Albizia odoratissima* for antimicrobial activity. Phcog Commn. 2011; 1:47–49.
 14. Farooqui S, & Tyagi T. *Nerium oleander*: it's application in basic and applied science: A review. International Journal of Pharmacy and Pharmaceutical Sciences.2018; 10(3), 1–4.
 15. Gajalakshmi S, Divya R, Deepika VD, Sathiavelu M and Sathiavelu A. Pharmacological activities of *Annona squamosa*: A review, International Journal of Pharmaceutical Sciences Review and Research. 2011;10(2):24-29
 16. Gaur RD. Flora of the district Garhwal North West Himalaya (with ethnobotanical notes). (Trans Media, Srinagar Garhwal): 1999; 811
 17. George KV, Mohanan N, Nair SS. Ethnobotanical investigations of *Aegle marmelos* (Linn.) Corr. In: Ethnobot. Med. Plants India and Nepal, by Singh V and Jain AP (Scientific Publishers, Jodhpur): 2003; 29-35.
 18. Grover M. *Areca catechu* L. (Chikni Supari): A Review based upon its Ayurvedic and Pharmacological Properties. The Journal of Phytopharmacology. 2021; 10(5):338-344
 19. Gupta VK, Sharma B. Forensic Applications of Indian Traditional Toxic Plants and their Constituents. Forensic Res Criminol Int J. 2017; 4(1):27-32. DOI: 10.15406/frcij.2017.04.00101
 20. Haase D, Frantzeskaki N, Elmqvist T. Ecosystem service in urban landscapes: practical applications and governance implications. Ambio. 2014; 43(4): 407-412
 21. Haines, H.H. (1921-25): The Botany of Bihar and Orissa, London.
 22. Kirtikar KR, Basu BD. Indian Medicinal Plants, Lalit Mohan Basu, Allahabad; 1935:p.939. 1987

- 251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
23. Küchenmeister F, Küchenmeister K, Wrage N, Kayser M, Isselstein J. Yield and yield stability in mixtures of productive grassland species: does species number or functional group composition matter? *Grassland Science*. 2012; 58: 94-100.
 24. Kumar D, Kohli S, Kumar S, Gupta J, Jain P and Pundir RK. Screening of Methanolic Bark Extract of *Albizia odoratissima* for Antimicrobial Activity, *Research Letter*. 2011; 1(2)
 25. Kumar S, Satapathy MK. Medicinal plants in an urban environment: Herbaceous medicinal flora from the campus of Regional Institute of Education, Bhubaneswar, Odisha. *Int. J. Pharm. Life Sci*. 2011; 2(11):1206-1210.
 26. Lonare MK, Sharma M, Hajare SW, Borekar VI. *Lantana camara*: overview on toxic to potent medicinal properties. *Int. J. Pharm. Sci. Res*. 2012; 3(9), 3031–3035.
 27. Mamillapalli V, Kondaveeti LS, Chapala RH, Sareddu TKS, Pattipati S, Khantamneni P. A detailed investigation of phytochemical, biological and commercial utilization of horse tail tree *Casuarina equisetifolia*. *Asian Journal of Pharmaceutical Research*. 2022; 12(1)
 28. Marquard E, Weigelt A, Temperton VM, Roscher C, Schumacher J, Buchmann N, Fischer M, Weisser WW, Schmid B. Plant species richness and functional composition drive over yielding in a six-year grassland experiment. *Ecology* 2009; 90: 3290-3302.
 29. Marzluff JM, Shulenberger E, Endlicher W, Alberti M, Bradley G, ZumBrunnen CRC, Simon U. *Urban Ecology*. Springer, New York, NY10013, USA 2008; pp-1-797
 30. McKinney ML. Effects of urbanization on species richness: a review of plants and animals. *Urban Ecosyst*. 2008; 11: 161-176
 31. Padalia H, Chauhan N, Porwal MC, Roy PS. Phytosociological observations on tree species diversity of Andaman Islands, India. *Curr. Sci*. 2004; 87:799-806.
 32. Patel S. Harmful and beneficial aspects of *Parthenium hysterophorus*: an update, 3 *Biotech*. 2011; 1(1):1-9 (Source PubMed)
 33. Pathak R, Sharma H and Kumar N. A Brief Review on *Anthocephalus cadamba*. *Acta Scientific Pharmacology*. 2022; 3 (5)
 34. Patil RN, Rothe SP. *Buchanania lanzan* : an enormous medicinal value, *IJARIIIE* 2017; 3 (1)
 35. Rahman A, Said HM, Ahmad VU. *Pakistan Encyclopaedia Planta Medica*. Hammad foundation press. 1986
 36. Rajeshwari S and Sevarkodiyone SP. Medicinal properties of *Abutilon indicum*, *Academia Journal of Medicinal Plants*. 2018; 6(4): 062-065
 37. Rajput RT. Ethanomedicine and Pharmacology of Semal (*Bombax ceiba* L.)- A *Indian Medicinal Plant: A Review*. *Agric. Rev*. 2021; 43:145-153. <https://doi.org/10.18805/ag.R-1942>.
 38. Roozbe N and Darvish L. *Acacia Nilotica*: New Plant for Help in Pelvic Organ Prolapse. *J Menopausal Med*. Dec, 2016; 22(3): 129–130.
 39. Roscher C, Schumacher J, Gubsch M, Lipowsky A, Weigelt A, Buchmann N, Schmid B, Schulze ED. Using plant functional traits to explain diversity-productivity relationships. *PLoS One*. 2012; 7(5):e36760. doi: 10.1371/journal.pone.0036760. Epub 2012 May 18. PMID: 22623961; PMCID: PMC3356333.
 40. Samanta S, Rangra NK, Pradhan KK. A comprehensive review on phytopharmacological investigations of *Acacia auriculiformis* A. Cunn. ex Benth. *Asian Pacific Journal of Tropical Biomedicine* 2019; 9(1):1-11
 41. Santos-Díaz MS, de la Rosa APB, Héliers-Toussaint C, Guéraud F, Nègre-Salvayre A. *Opuntia* spp.: Characterization and benefits in chronic diseases. *Oxidative Medicine and Cellular Longevity*. 2017; 1-17. <https://doi.org/10.1155/2017/8634249>
 42. Saxena, H.O. & M. Brahmam. *The Flora of Orissa*. Vol. I-IV. Orissa Forest Development Corporaton, Bhubaneswar. 1996

- 304 43. Sharma V. and Vaquil. A review on medicinal properties of neem (*Azadirachta*
305 *indica*), The Pharma Innovation Journal. 2018; 7(4): 648-650
- 306 44. Shukla A, Garg A, Mourya P, Jain CP. *Zizyphus oenoplia* Mill: A review on
307 Pharmacological aspects, Advance Pharmaceutical Journal. 2016; 1(1): 8-12
- 308 45. Shukla SK, Kumar A, Terrence M and Yusuf J. The probable medicinal usage of
309 *Cassia tora*: An overview, On Line Journal of Biological Sciences. 2013; 13(1)
310 DOI:10.3844/ojbssp.2013.13.17
- 311 46. Sivakrishnan S, Kavitha J. An overview on benefits of *Albizia procera*. IJRAR 2018;
312 5(1): 224-230
- 313 47. Spehn EM, Scherer-Lorenzen M, Schmid B. The role of legumes as a component of
314 biodiversity in a cross-European study of grassland biomass nitrogen. Oikos 2002;
315 98: 205-218
- 316 48. Srivastava R and Srivastava P. The Medicinal Significance of *Datura stramonium*: A
317 Review: Biomedical Journal of Scientific & Technical Research. 2020; 29(2): 22223-
318 22226
- 319 49. Sutar N, Sutar R, Kumar M. *Callistemon citrinus* (Bottle brush), an important
320 medicinal plant: A review of its traditional uses, phyto-constituents and
321 pharmacological properties. Indian J. Pharm. Sci. 2014; 1:70–77
- 322 50. Temperton VM, Mwangi PN, Scherer-Lorenzen M, Schmid B, Buchmann N. Positive
323 interactions between nitrogen-fixing legumes and four different neighbouring species
324 in a biodiversity experiment. Oecologia. 2007; 151:190-205.
- 325 51. Thomas BT, Soladoye MO, Adegboyega TT, Agu GC and Popoola OD. Antibacterial
326 and Anti-Inflammatory Activities of *Anacardium occidentale* Leaves and Bark
327 Extracts. Nigerian Journal of Basic and Applied Science. 2015; 23(1): 1-6
- 328 52. Tyagi S. Medicinal uses of Jackfruit (*Artocarpus heterophyllus*). XII Agricultural
329 Science Congress At: ICAR-National Dairy Research Institute, Karnal, Haryana,
330 India. 2015
- 331 53. Vaishnavi R and Suneetha V. Phytochemical analysis on *Caryota urens* (fishtail
332 palm) fruit from VIT university campus for pharmaceutical use. Scholars Research
333 Library. Der Pharmacia Lettre. 2013; 5 (3):71-75
- 334 54. Victor Kuete, Katrin Viertel and Thomas Efferth. Antiproliferative Potential of African
335 Medicinal Plants. In: Victor Kuete, Editor. Medicinal Plant Research in Africa,
336 Pharmacology and Chemistry. 711-724. 2013
- 337 55. Waseem A, Jamal A, Ahmad W, Fazil M. Siras (*Albizia lebbbeck* L. Benth.) and its
338 medicinal uses in Unani Medicine- A Review. CellMed. 2020; 10 (2) / e12.