

# Assessment of Plant Diversity: a medicinal, conservational and environmental study.

## ABSTRACT

An assessment study of the plant diversity in the campus of Prananath College (Autonomous), Khordha was carried out during 2019-20 and a checklist was prepared. A total of 241 vascular plant species belonging to 72 different families were recorded including four species of Gymnosperms. Among the families, Fabaceae, Apocynaceae, Euphorbiaceae, Malvaceae, Lamiaceae and Poaceae were the dominating families of the vascular plants in the study area. Aquatic plants, medicinal plants and ornamental plants are included in the study area. The floristic composition also include occurrence of invasive alien species such as *Parthenium*, *Ageratum*, *Cassia*, *Croton sparsiflorus*. The study also gives attention towards the conservation of bio-resources of the campus, toxic effects of the plants along with their medicinal values, proper utilization of bio-wealth in research and academic activities. Documentation of flora check list will be helpful in the environmental study too.

*Keywords: Assessment, plant diversity, habitat, medicinal plants, aquatic plants, toxic plants*

## 1. INTRODUCTION

Plant diversity refers to wide variety of plant species in their natural environment. It is concerned with the ecosystem balance, climate, erosion and shelter. Floristic studies provide information on floristic pattern, present position, new entrant, rare, endemic and threatened taxa in a particular phytogeographical area. Knowledge of flora of any region is essential for the study of its biodiversity. It is essential to prepare documentations of local flora of urban areas where there is severe threat to natural vegetation that are in different stage of vulnerability (33). Preparation of the flora of smaller areas like districts, sub-divisions, villages or institutions is essential for understanding the ecosystem function and conservation and accordingly natural resource management and planning activities can be taken up at local level.

Urbanization is spreading at a gallop across the world, pivotal challenge for conservation is to understand how it affects the biodiversity (31). Urban-institutional ecosystems differ from forest one in a number of ways (30,21). Natural landscapes, peculiar species composition and habitat add to nature conservation. Kumar and Satapathy (2011) studied the floral wealth of the campus of Regional Institute of Education and reported 77 herbaceous medicinal plants species with their utilization in research as well as in conservation of bio-resources. It is believed that the plant resources play a vital role in balancing pollution and other environmental factors in the institutional campus.

The objectives of the present study is to survey, identify and assess the plant diversity in the campus of Prananath College (Autonomous), Khordha and to evaluate the socio-economic importance and need conservation of these plants for maintaining the ecosystem of the institution.

35 The plant biodiversity of Pran Nath College has been carried out to assess the plants and  
36 their effect on climate change and assess their medicinal value and conserving and  
37 protecting the endangered species from their depletion.


38  
39

## 2. METHODOLOGY

### 2.1 Study Area

41 Pran Nath College, named after the great freedom fighter Late Pran Nath Pattanaik, the  
42 founder Secretary of this institution established in the year 1959. Later it became a degree  
43 college in Arts in the year 1963. About seven thousands of students are studying in this  
44 institution. At Present Pran Nath College (Autonomous) is located in the Khordha district  
45 along the NH16 at 20°10'48"N latitude and 85°38'21"E longitude covering an area of  
46 74.428 Acre and about 25 Km away from Bhubaneswar, State Capital of Odisha. The built  
47 up area for class rooms, laboratories, halls, library, office, hostels etc. covers only 4 Acres of  
48 land approximately. Khordha comes under the laterite sub-region. The temperature varies in  
49 an average from 41.4°C in summer to 9.5°C in winter. The annual rainfall is 1443 mm  
50 (<http://khordha.nic.in/topography.htm>). Though the institution is in the outskirts of Khordha  
51 town and free from pollution, its environment is very fresh and healthy due to presence of  
52 large number of plants.  
53

54



57 **Fig.1:**Pran Nath College (Autonomous), Khordha, Odisha in Google Map.

### 58 2.2 Data collection and identification of plants

59 Field study was undertaken at different months of the year during 2019-20 in the campus of  
 60 Pranath College (Auto.), Khordha. The campus was made into different units to locate the  
 61 position of plants. Plant specimens focusing on the habits of the flowering plants like herbs,  
 62 shrubs, climbers, grasses and trees were studied for their identification and systematic  
 63 position. The Botany of Bihar and Odisha (22), The Flora of Odisha (44) were referred.  
 64 Photographs were taken and local names were mentioned against the plant.

65  
 66 **Table1:** List of species recorded from the campus of Pranath College (Autonomous),  
 67 Khordha, Odisha

Sl. no.	Botanical names	Family	Local name	English Name	Medicinal Uses
<b>Tree</b>					
1.	<i>Acacia auriculiformis</i> A.Cunn. ex Benth.	Fabaceae	Acacia	Black wattle	Sore eyes, aches, rheumatism, allergy, itching, rashes, CNS depressant, antioxidant, antifungal, antimalarial, pesticidal, antidiabetic activities (42)
2.	<i>Acacia nilotica</i> (Linn.) Willd.	Fabaceae	Babul	Gum arabic tree	Antimicrobial, antiplasmodial and antioxidant activity, treatment of human immunodeficiency virus, hepatitis C virus and cancer, venereal diseases, nausea, burns and wounds, stomachache and diarrhea (40)
3.	<i>Adina cordifolia</i> (Roxb.) Brandis syn <i>Haldinia cordifolia</i>	Rubiaceae	Kuruma/ Holondo	Haldu	Chronic cough, jaundice, stomachache, cancer, diabetes. The roots are astringent and constipating, and are useful in diarrhoea and dysentery. (11)
4.	<i>Aegle marmelos</i> (Linn.) Corr.	Rutaceae	Bela	Bael	Leaf extract: ulcers, abscess, backache, vomiting, cuts, weakness of heart, acute bronchitis, blood sugars, diarrhea, dropsy, beriberi, laxative. (18) Root bark: intermittent fevers, fish poison, heart palpitation, melancholia and hypoglycemia (17). Flower extract: tonic for the stomach, intestine, antidiabetic, diaphoretic and local anesthetic (37); Fruits: diarrhoea, dysentery, gastric troubles, constipation, laxative, tonic, digestive, brain and heart tonic, ulcer, intestinal parasites, gonorrhoea, epilepsy (17)
5.	<i>Albizia lebeck</i> (L.) Benth.	Fabaceae	Sirisa (Kala)	Woman's tongue	Blood purifier, jaundice, antidote, general tonic, anti-inflammatory, migraine, leprosy, toothache (57)
6.	<i>Albizia odoratissima</i> (L.f.) Benth.	Fabaceae	Tinia	Ceylon rosewood	Leprosy, ulcers, burns and asthma (23), Bark: antibacterial and antifungal (13)
7.	<i>Albizia procera</i> (Roxb.) Benth.	Fabaceae	Sirisa (Dhala)	White Siris	Anticancer activity. common traditional use: spermicidal activity, rheumatism, ulcers,

					haemorrhage and useful in treating problems of pregnancy and worm infection (48)
8.	<i>Alstonia scholaris</i> (L.) R.Br.	Apocynaceae	Chhatiana	White cheesewood	Fever, asthma, leucorrhoea, eczema, indigestion and also to heal spider bites (7)
9.	<i>Anacardium occidentale</i> L.	Anacardiaceae	Cashew	Cashew	Diarrhoea, constipation, pain and inflammation, antioxidant, antimicrobial, and anticancer (53)
10.	<i>Anthocephalus cadamba</i> (Roxb.) Miq.	Rubiaceae	Kadamba	Kadam	Diabetes, diarrhoea, fever, inflammation, haemoptysis, cold, vomit, infections, wounds, debilitation, snake bite and antibacterial activity (35)
11.	<i>Araucaria heterophylla</i> (Salisb.) Franco.	Araucariaceae	Aurakaria	Chilian pine	Anti-inflammatory, antiulcer, antiviral, neuroprotective, antidepressant and anticoagulant (4).
12.	<i>Areca catechu</i> L.	Arecaceae	Gua	Betel-nut Palm	Leucoderma, diarrhoea, anaemia, obesity, leprosy, astringent, diuretic, digestion-promoting, stimulant, wound healing and laxative agent, antidepressant, antihelmintic, antihypertensive, antioxidant, antiallergic, antifungal and antimicrobial but it is considered as carcinogenic(19)
13.	<i>Artocarpus heterophyllus</i> Lam.	Moraceae	Panasa	Jackfruit	Anticancer, antihypertensive, diarrhoea and dysentery, asthma, prevent ringworm infection, and heal cracking of the feet. Bark: as nasal drops for headache (54)
14.	<i>Azadirachta indica</i> A. Juss	Meliaceae	Nimba	Neem (The Wonder Tree)	Dermatitis, Antioxidant, antifungal and antibacterial, anti-inflammatory antiarthritic, antipyretic, hypoglycemic, antigastric ulcer, antimalarial and antitumour, anticancer activities (45)
15.	<i>Bombax ceiba</i> L.	Malvaceae	Simuli /Bura	cotton tree	Bark: combat fever, heartwood: antidiabetics; bark juice reduces stomachache.(39)
16.	<i>Bridelia retusa</i> (L.) A.Juss.	Phyllanthaceae	Kasi	Spinous Kino Tree	Rheumatism, diabetes, diarrhoea, dysentery, removal of urinary concretions,
17.	<i>Buchanania lanzan</i> Spreng.	Anacardiaceae	Chara	chironji	Antidiabetic, antihyperlipidemic, antioxidant, anti-inflammatory, wound healing, antidiarrheal, antivenom activity (36)
18.	<i>Butea superba</i> Roxb.	Fabaceae	Palasa	Butea Gum Tree	Root: to cure goitre, Herbal Viagra
19.	<i>Caesalpinia pulcherrima</i> (L.) Sw.	Fabaceae	Krusnachuda	Peacock Flower	Anti-inflammatory, antiobesity, to treat minor injuries or to relieve fever (2)
20.	<i>Callistemon citrinus</i> (Curtis) Dum.Cours.	Myrtaceae	Bottle brush	lemon bottlebrush	Treatment of diarrhoea, dysentery and rheumatism, anticough, antibronchitis and insecticide (51)
21.	<i>Carica papaya</i> L.	Rubiaceae	Amrutabhand a	Papaya	Vitamins A, B and C, proteolytic enzymes (papain and

					chymopapain) thus anti-viral, antibacterial, antifungal, anti-inflammatory, anti-hypertensive, hypoglycaemic and hypolipidaemic, wound healing, free radical scavenging, anti-sickling, neuroprotective, diuretic, abortifacient and antifertility properties.(3)
22.	<i>Caryota urens</i> L.	Arecaceae	Jaggary Palm	Fishtail palm	Seminal weakness and urinary disorders, gastric ulcer, migraine headaches, snake bite poisoning, as well as rheumatic swellings.(55)
23.	<i>Cassia alata</i> L.	Fabaceae	Jadumari	Candle Bush	As laxative, hyper tension, leprosy, ringworm infection, ophthalmic, skin diseases and liver disorders. (12)
24.	<i>Cassia fistula</i> L.	Fabaceae	Sunari	Amaltas	Joint pain, chest pain, blood dysentery, laxative,migraine. Root: useful in fever, heart diseases, retained excretions and biliousness.
25.	<i>Cassia siamea</i> Lam.	Fabaceae	Chakundi	Cassia tree	Antimicrobial, antimalarial, antidiabetic, anticancer, hypotensive, diuretic, antioxidant, laxative, anti-inflammatory, analgesic, antipyretic, anxiolytic, antidepressant, and sedative activities. (9)
26.	<i>Casuarina equisetifolia</i> Linn.	Casuarinaceae	Jhaun	Australian pine	Nervous disorders, acne, throat infections, stomach ulcer, constipation, cough, diabetes, diarrhoea, dysentery, gonorrhoea (28)
27.	<i>Ceiba pentandra</i> (L.) Gaertn.	Malvaceae	Sweta Simili	Cotton	Diuretic, aphrodisiac, headache, diabetes.
28.	<i>Cleistanthus collinus</i> (Roxb.) Benth. ex Hook.f.	Phyllanthaceae	Karada	Karra	Poisonous plant, antiseptic, antifungal, insecticidal, larvicidal, and anticancer property
29.	<i>Cocos nucifera</i> L.	Arecaceae	Nadia	Coconut	Antibacterial, antifungal, antiviral, antiparasitic, antidermatophytic, antioxidant, antidiabetic, hypoglycemic, hepatoprotective, immunostimulant.
30.	<i>Dalbergia latifolia</i> Roxb.	Fabaceae	Sisoo	Indian rosewood/ shisham	Tannins from the bark are used to produce medicines for the treatment of diarrhoea, worms, indigestion, and leprosy.
31.	<i>Dalbergia paniculata</i> Roxb.	Fabaceae	Barbakulia / Dhobi	Passi	Dyspepsia, leprosy and allied obstinate skin diseases. Seed oil is used in rheumatism and cutaneous diseases
32.	<i>Delonix regia</i> (Bojer ex Hook.) Raf.	fabaceae	Krushnachuda	Flame Tree	Antidiabetic, antibacterial, antidiarrhoeal, hepatoprotective or cytotoxic property, antimicrobial, anti-inflammatory.
33.	<i>Desmodium oojeinensis</i> (Roxb.)	Fabaceae	Bandhana	Ujjain Desmodium	Anti-inflammatory, antispasmodic, astringent, anaemia, leucoderma,

	H.Ohashi				ulcers, diarrhoea, dysentery and fevers.
34.	<i>Dillenia indica</i> L.	Dilleniaceae	Oau	Elephant Apple	Indigestion, asthma, influenza, dysentery, jaundice, weakness and rheumatic pain
35.	<i>Diospyros sylvatica</i> Roxb.	Ebenaceae	Kalucha	Forest Ebony	Diarrhoea, cholera, dysentery, intermittent fevers, bleeding gums, bronchitis, carbuncles, cough, cramps, pneumonia, syphilis, tumors, etc.
36.	<i>Dypsis lutescens</i> (H.Wendl.) Beentje & J.Dransf.	Arecaceae	Areca palm	Butterfly palm	Diabetes, GI diseases, ulcer preventive, heart diseases, CNS disorder (depression, seizures), antiallergic
37.	<i>Elaeodendron glaucum</i> (Rottb.) Pers.	Celastraceae	Chauli	Ceylon Tea	Treatment of certain nerve diseases, particularly to rouse women from hysteria, anti-inflammatory, antioxidant
38.	<i>Erythrina indica</i> Lam.	Fabaceae	Paladhua	Indian coral tree	Inhaling of well crushed leaves by nostrils relieves headache. (32)
39.	<i>Ficus bengalensis</i> L.	Moraceae	Bara	Banyan	Antiarthritic, antimicrobial, analgesic & antipyretic (32)
40.	<i>Ficus infectoria</i> (Miq.) Miq.	Moraceae	Jari	White Fig	Antiulcer, antibacterial, antidiabetic, in the treatment of gonorrhoea and skin diseases.
41.	<i>Ficus recemosa</i> L.	Moraceae	Dimiri	Cluster fig	Diabetes, liver disorders, diarrhea, inflammatory conditions, hemorrhoids, respiratory, and urinary diseases. (22)
42.	<i>Ficus religiosa</i> L.	Moraceae	Aswatha	Sacred fig tree	Antiulcer, antibacterial, antidiabetic, in the treatment of gonorrhoea and skin diseases.
43.	<i>Flacourtia indica</i> (Burm. f.) Merr.	Salicaceae	Bhaincha	Indian plum	Jaundice, liver disorders digestive, blood disorders
44.	<i>Garuga pinnata</i> Roxb.	Burseraceae	Pitamoi	Grey downy balsam	Fruit: stomachic, leaf: astringent, anti-asthmatic, bark: anti-diabetic
45.	<i>Gmelina arborea</i> Roxb.	Lamiaceae	Gambhari	White Teak	Astringent, bitter, digestive, cardiotoxic, diuretic, laxative, pulmonary and nerve tonic. (25)
46.	<i>Holarrhena antidysenterica</i> (L.) Wall. ex A. DC.	Apocynaceae	Kurei	Kurchi	Analgesic, antibacterial, anti-diarrhoeal, anti-moebic, anti-inflammatory and anti-haemorrhoidal antimalarial, antidiabetic, antioxidant, antiurolithic, antimutagenic
47.	<i>Hyophorbe lagenicaulis</i> (L.H.Bailey) H.E.Moore	Arecaceae	Bottle palm	Bottle palm	Anemia, chronic fatigue, cyanide poisoning, digestion problems, emollient, fights depression, high cholesterol, indigestion, skin disorders
48.	<i>Ixora parviflora</i> Lam.	Rubiaceae	Tellu/ kuruan	Torch Tree	Hemoptysis, catarrhal bronchitis, and dysmenorrhoea.
49.	<i>Kydia calycina</i> Roxb.	Malvaceae	Kapasia	Kydia	Leaves: skin diseases and body pains; Bark: sprains, swellings
50.	<i>Lagerstroemia parviflora</i> Roxb.	Lythraceae	Sidha	Crape myrtle	Edema, diabetes, urinary dysfunction, fevers, and digestive disorders, control cholesterol and blood pressure, helps in weight

					loss.
51.	<i>Lagerstroemia speciosa</i> (L.) Pers.	Lythraceae	Patuli	Pride of India	Antidiabetic
52.	<i>Madhuca indica</i> J. F. Gmel.	Sapotaceae	Mahula	Butternut tree	Antidiabetic, antiulcer, hepato protective, antipyretic, antifertility, analgesic, antioxidant, swelling, inflammation, piles, emetic, dermatological, laxative, tonic, anti-burn, antiearth worm, wound healing headache and many more problems.
53.	<i>Mangifera indica</i> L.	Anacardiaceae	Amba	Mango	Antioxidant, anti-inflammatory, and anticancer
54.	<i>Manilkara zapota</i> (L.) P.Royen	Sapotaceae	Sapota	Naseberry	Treat coughs and colds and possess diuretic, antidiarrheal, antibiotic, antihyperglycemic, and hypocholesterolemic effects.
55.	<i>Melia azedarach</i> L.	Meliaceae	Mahalimba	Persian Lilac	Antioxidative, analgesic, anti-inflammatory, insecticidal, rodenticidal, antidiarrhoeal, diuretic, antidiabetic, cathartic, emetic, anti-rheumatic and antihypertensive.
56.	<i>Michelia champaca</i> (L.) Baill. ex Pierre-	Magnoliaceae	Champa	Champak	Bleeding disorders, urinary infection, poisoning, worm infestation, cardiac tonic, ulcers, wounds, diabetes
57.	<i>Millettia pinnata</i> (L.) Panigrahi syn. <i>Pongamia glabra</i> Vent.	Fabaceae	Karanja	Indian beech	Treatment of tumors, piles, skin diseases, gonorrhoea, cleaning gums, teeth, and ulcers
58.	<i>Mimusops elengi</i> L.	Sapotaceae	Baula	Spanish Cherry	Strengthening teeth, antihelminthic, astringent tonic, anti-dote to snake- venom, diarrhoea, antifungal, antibacterial
59.	<i>Moringa oleifera</i> Lam.	Moringaceae	Sajana	Drum stick	Antidiabetic, Anticancer, antioxidant, anti-inflammatory, lower cholesterol
60.	<i>Murraya koenigii</i> (L) Sprengel	Rutaceae	Bhrusunga	Curry Leaf	Antioxidant, antidiabetic, anti-inflammatory, antitumor, reduce high cholesterol and neuroprotective activities
61.	<i>Nyctanthes arbortristis</i> L.	Oleaceae	Gangasiuli	Night Blooming Jasmine	Antihelminthic, antipyretic, laxative, in rheumatism, skin ailments and as a sedative. (23)
62.	<i>Phyllanthus acidus</i> (Linn.) Skeels	Phyllanthaceae	Narakoli	Gooseberry	Used in inflammatory, arthritism, bronchitis, asthma, respiratory disorder, hepatic diseases and diabetes
63.	<i>Phyllanthus emblica</i> Linn.	Phyllanthaceae	Amla/Anla	Indian gooseberry	Source of vitamin C, amino acids, minerals, diarrhoea, jaundice, inflammation, antidiabetic, hypolipidemic, antibacterial, antioxidant, antiulcerogenic, hepatoprotective, gastro protective, and chemo preventive
64.	<i>Pistacia vera</i> L.	Anacardiaceae	Pesta badam	Pistachio	Tonic, aphrodisiac, antiseptic, antihypertensive and used

					idental, gastrointestinal, liver, urinary tract and respiratory tract disorders.
65.	<i>Plumeria rubra</i> L.	Apocynaceae	Katha Champa	Frangipani	Antifertility, anti-inflammatory, antioxidant, hepatoprotective, antimicrobial, used in toothache and for carious teeth
66.	<i>Polyalthia longifolia</i> Sonn.	Annonaceae	Debdaru	False ashoka	Used in fever, helminthiasis, diabetes and various cardiac problems.(42)
67.	<i>Psidium guajava</i> L.	Myrtaceae	Pijuli	Guava	Diarrhea, dysentery, gastroenteritis, diabetes, oral ulcers, hypertension, caries, pain relief, cough, and to improve locomotor coordination and liver damage inflammation.
68.	<i>Pterocarpus marsupium</i> Roxb.	Fabaceae	Piasala	Indian kino	Bark: bleeding and toothaches, leaves: skin diseases, anti-diabetic.
69.	<i>Pterocarpus santalinus</i> L.f.	Fabaceae	Rakta Chandan	Red Sandal wood	Antioxidative, antidiabetic, antimicrobial, anticancer, and anti-inflammatory
70.	<i>Santalum album</i> Linn.	Santalaceae	Chandan	Sandalwood	Oil: incense, cosmetic, antiseptic, astringent, for the treatment of headache, stomachache, inflammatory and eruptive skin diseases, stomachache, urinary and genital disorders
71.	<i>Saraca asoca</i> (Roxb.) Wild	Fabaceae	Ashoka	Sorrowless Tree	Analgesic, antidote, cardiotoxic, blood purifier, antipyretic, improves reproductive system
72.	<i>Schleichera oleosa</i> (Lour.) Oken	Sapindaceae	Kusuma	Macassar oil tree	Antimicrobial, antioxidant, anticancer activity and used for the production of biodiesel.
73.	<i>Sesbania grandiflora</i> (L.) Poiret	Fabaceae	Agasti	Agate	Smallpox, headache, stuffy nose
74.	<i>Sonneratia apetala</i> Buch.-Ham.	Lythraceae	Keruan	Mangrove Apple	Coughs, hematuria, smallpox, cuts and bruises
75.	<i>Soyimida fabrifuga</i> (Roxb.) Juss.	Meliaceae	Suam	Indian redwood	Bark: a general tonic used in the treatment of diarrhoea, dysentery and fever; decoction used in gargles, vaginal infections, rheumatism swellings and as enemata.
76.	<i>Stereospermum angustifolium</i> Haines	Bignoniaceae	Chhuinpatuli	Yellow Snake Tree	Stomach problems, pain, diabetes, liver disorders
77.	<i>Streblus asper</i> Lour.	Moraceae	Sahada	Toothbrush tree	Filariasis, leprosy, toothache, diarrhea, dysentery and cancer.
78.	<i>Strychnos nux-vomica</i> L.	Loganiaceae	Kochila	Nux vomica	Poisonous (all parts), treatment of neurodisorders, arthritis, and vomiting, inflammation, microbial infections, gastrointestinal problem, nervous system, bones cells, cardiovascular systems, cancer and blood glucose level.
79.	<i>Strychnos potatorum</i> L.f.	Loganiaceae	Katakala	Clearing-nut tree	Gonorrhoea, leukorrhoea, gastropathy, bronchitis, chronic diarrhea, dysentery, renal and vesicle calculi, diabetes,

					conjunctivitis, scleritis, ulcers and other eye disease.
80.	<i>Syzigium cumini</i> (L.) Skeels.	Myrtaceae	Jamu	Java plum	Treatment of diabetes, sore throat, bronchitis, cardiometabolic disorders, asthma, thirst, biliousness, dysentery and ulcers.
81.	<i>Tamarindus indica</i> L.	Fabaceae	Kaiyan / Tentuli	Tamarind	Wound healing, abdominal pain, diarrhoea, dysentery, parasitic infestation, fever, malaria and respiratory problems, laxative
82.	<i>Tectona grandis</i> L.f.	Lamiaceae	Saguan	Teak	Wood: laxative, sedative to gravid uterus and piles, leucoderma, dysentery. Flowers: bronchitis, liver problem, headache
83.	<i>Terminalia arjuna</i> (Roxb.) Wight & Arn.	Combretaceae	Arjuna	Arjuna	Asthma, diabetes, bile duct disorders, scorpion stings, and poisonings.(32)
84.	<i>Terminalia bellirica</i> (Gaernt.) Roxb.	Combretaceae	Bahada	Baheda	Protect the liver and to treat respiratory conditions, including respiratory tract infections, cough, and sore throat, tuberculosis (32)
85.	<i>Terminalia catappa</i> L.	Combretaceae	Badam	Almond	Scabies, leprosy wounds and other skin diseases, diarrhea and fever
86.	<i>Terminalia chebula</i> Retz.	Combretaceae	Harida	Myrobalan	Dementia, constipation, respiratory tract infection, anti-allergy, cardioprotective, antiarthritic and diabetes.(32)
87.	<i>Thuja occidentalis</i> L.	Cupressaceae Gymnosperms	Thuja	White cedar	Respiratory tract infections such as bronchitis, bacterial skin infections, and cold sores, osteoarthritis, psoriasis
88.	<i>Trewia nudiflora</i> L.	Euphorbiaceae	Panigambhari	False White Teak	Plant: antibilious, antifatulent, anti-inflammatory, anti-leukaemic. Root: carminative, applied as poultice in gout and rheumatism.
89.	<i>Zizyphus jujuba</i> Mill.	Rhamnaceae	Barakoli	Red date	Respiratory system diseases (asthma, cough, and laryngitis), gastrointestinal problems (constipation, colitis and liver diseases), genitourinary and cardiovascular system diseases
<b>Shrubs</b>					
90.	<i>Abutilon indicum</i> (Link) Sweet	Malvaceae	Pedipedika	Monkey Bush/ Mallow	Laxative, emollient, analgesic, antidiabetic, anti-inflammatory and blood tonic agent and also in the treatment of leprosy, urinary disease, jaundice, piles, relieving thirst, cleaning wounds and ulcers, vaginal infections, diarrhoea, rheumatism, mumps, pulmonary tuberculosis, bronchitis, allergy, blood dysentery, some nervous and some ear problems (38)
91.	<i>Adhatoda vasica</i> Linn.	Acanthaceae	Basanga	Malabar Nut	Asthma, cough, fever, stomachache, tuberculosis, malaria, constipation, sprain (32)

92.	<i>Andrographis paniculata</i> (Burm.f.) Nees	Acanthaceae	Bhuin nimba/ Chireitta	Bitterweed	Anticancer, common cold and influenza, jaundice, COVID-19 therapeutic and Dengue (16)
93.	<i>Annona squamosa</i> L.	Annonaceae	Meghua	Custard apple	Analgesic, anti-inflammatory, antimicrobial, cytotoxic, antioxidant, antilipidemic, antiulcer, antitumor, molluscicidal properties, genotoxic effect, vasorelaxant, hepatoprotective, larvicidal, insecticidal, anthelmintic, etc. (15)
94.	<i>Barleria prionitis</i> L.	Acanthaceae	Dasakerenta	porcupine flower	Toothache, catarrhal affections, whooping cough, inflammations, glandular swellings, urinary infection, jaundice, fever, gastrointestinal disorders and postnatal complications (32)
95.	<i>Bauhinia acuminata</i> L.	Fabaceae	Kanchana	Dwarf White Orchid Tree	Antioxidant, antidiabetic, antinociceptive, anthelmintic, antidiarrheal, anticancer
96.	<i>Blumea membranacea</i> Wall. ex DC.	Asteraceae	Pokasungha	Paniced Camphorweed	Anticancer, antioxidant, antifungal, anti-inflammatory, eczema, constipation (32)
97.	<i>Bougainvillea spectabilis</i> Willd.	Nyctaginaceae	Kagaja phula	Great bougainvillea	Anticancer, antidiabetic, antihepatotoxic, anti-inflammatory, antihyperlipidemic, antimicrobial, antioxidant, and antiulcer properties. (19)
98.	<i>Butea superba</i> Roxb.	Fabaceae	Lahapalasa	Butea Gum Tree	Reduce fatigue, lower cholesterol, increase libido, stimulate male fertility and reduce inflammation.
99.	<i>Calotropis gigantea</i> (L.) Dryand.	Apocynaceae	Arakha	Crown flower	Used for digestive disorders including diarrhoea, constipation and stomach ulcers; for painful conditions including toothache, cramps, and joint pain; for parasitic infections including elephantiasis and worms.
100.	<i>Calotropis procera</i> (Aiton.) R.Br.	Asclepiadaceae	Dhala Arakha	Giant milkweed	Poisonous (latex), antidote for snake bite, sinus fistula, rheumatism, mumps, burn injuries, and body pain (19, 32)
101.	<i>Canthium dicoccum</i> (Gaertn.) Merr.	Rubiaceae	Kuruma	Ceylon Boxwood	Treatment of diabetes
102.	<i>Carissa carandus</i> L.	Apocynaceae	Ankhu koli	Christ's thorn	Digestion, skin diseases, wound treatment, cure acidity, urinary disorders, and diabetic ulcer.
103.	<i>Carissa spinarum</i> L.	Apocynaceae	Khiri koli	Bush plum	Antimicrobial, anthelmintic and antimalarial agent, stomach-ache, diarrhoea, dysentery, treat ulcers and muscle cramps, treat rabies, typhoid fever, syphilis, herpes simplex viruses (HSV I and II), gonorrhoea, hepatitis, measles, chickenpox, and polio, cataracts, anemia, constipation, anticancer, antidiabetic, and antirheumatic (6)

104.	<i>Cascabela thevetia</i> (L.) H. Lippold	Apocynaceae	Kaniara	Yellow oleander	Poisonous, antimicrobial, antioxidant, antidiabetic, piscicidal, larvicidal, pesticidal, antifertility, antitumor (1)
105.	<i>Cassia tora</i> L.	Fabaceae	Chakundi	Sickle senna	Antioxidant, anti-inflammatory, antiproliferative, hypolipidemic, antidiabetic, antimicrobial, hepatoprotective, antigenotoxic, immunostimulatory (47)
106.	<i>Catunaregam spinosa</i> (Thunb.) Tirveng.	Rubiaceae	Salara koli	Common Emetic Nut	Fruit: acute bronchitis and asthma; bark: sedative and nerve carminative, diarrhoea and dysentery
107.	<i>Cipadessa fruticosa</i> Blume.	Meliaceae	Nahalbeli	Hill neem	Leaves have powerful antivenom properties, especially for the treatment of cobra poison. In treating indigestion, cough and cold
108.	<i>Citrus limon</i> L.	Rutaceae	Lembu	Lemon	Antimicrobial, antifungal, anti-inflammatory, anticancer, depurative, antimigraine, diuretic effect and antiscorbutic, colds and the flu, fight fatigue etc. especially in pregnancy, nursing and radiation exposure, lemon essential oil is poisonous
109.	<i>Clerodendrum indicum</i> (Linn.) Gaertn	Verbenaceae	Brahmajusti	Tubeflower	Stomachic, expectorant, anti-inflammatory, antibronchitis, febrifuge, hence useful for asthma, cough, and scrofulous affections
110.	<i>Codiaeum variegatum</i> (L.) A.Juss.	Euphorbiaceae	Croton	Garden croton	Anticancerous and anti-inflammatory (8)
111.	<i>Cycas circinalis</i> L.	Cycadaceae	Cycas	Sago palm	The bark and the seeds are ground to a paste with oil and used as a poultice on sores and swellings. The juice of tender leaves is useful in the treatment of flatulence and vomiting
112.	<i>Datura stramonium</i> L.	Solanaceae	Dudura	Jimsonweed	Remedy for ulcers, wounds, inflammation, rheumatism and gout, sciatica, bruises and swellings, fever, asthma, bronchitis and toothache(50,32), to treat dandruff and falling hair(32)
113.	<i>Dieffenbachia seguine</i> (Jacq.) Schott	Araceae	Dumb cane	Dumb cane	Poisonous (all parts), An antidote against snakebites, to treat rheumatism, gout, tumors and warts externally
114.	<i>Duranta erecta</i> L.	Verbenaceae	Golden hedge	Golden dewdrop	Beneficial for itches, infertility, fever, pneumonia, malaria, asthma, bronchitis, cataracts, abscesses and parasitism
115.	<i>Ecbolium viride</i> (Forssk.) Alston	Acanthaceae	Piccokatho	Ice crossandra	Tumors, jaundice, menorrhoea, rheumatism, inflammation.
116.	<i>Eupatorium odoratum</i> L.	Asteraceae	Tivra-gandha	Siam Weed/ Jack in the	Diarrhoea, diuretic activity, wound healing, antimycobacterial activity

				bush	and insect repellent properties
117.	<i>Euphorbia nerifolia</i> L., <i>Euphorbia antiquorum</i> L.	Euphorbiaceae	Siju	Common milk hedge	Latex: laxative, purgative, carminative, expectorant, treatment of whooping cough, gonorrhoea, leprosy, asthma, dyspepsia, jaundice; roots: symptomatic treatment of snake bite, scorpion sting and antispasmodic.
118.	<i>Flacourtia jangomos</i> (Lour.) Raeusch.	Salicaceae	Baincha koli	Indian sour cherry	Dried leaves: bronchitis; roots: suppress toothache. Bark: antifungal and antibacterial.
119.	<i>Gardenia jasminoides</i> J.Ellis	Rubiaceae	Sugandharaj	Cape Jasmine	Cathartic, antispasmodic, anthelmintic, antiperiodic, antidiabetic, antidysenteric
120.	<i>Glycosmis pentaphylla</i> (Retz.)DC.	Rutaceae	Anachara	Toothbrush plant	Treatment of cough, fever, bronchitis, chest pain, anemia, jaundice, liver disorders, inflammation, rheumatism, fractures, pain, urinary tract infections, gonorrhoea, diabetes, cancer and other chronic diseases.
121.	<i>Hibiscus mutabilis</i> L.	Malvaceae	Sthala Padma	Cotton rose	Leaves: anodyne, antidotal, demulcent, expectorant and refrigerant. Flowers: burns, swellings and other skin problems
122.	<i>Hibiscus rosa-sinensis</i> L.	Malvaceae	Mandara	China rose	Treating wounds, inflammation, fever and coughs, diabetes, infections caused by bacteria and fungi, hair loss, and gastric ulcers
123.	<i>Hibiscus syriacus</i> L.	Malvaceae	Mandara	Rosemallow	Leaves: diuretic, expectorant and stomachic. Flowers: diuretic, ophthalmic and stomachic, treatment of itch and other skin diseases, dizziness and bloody stools accompanied by much gas. Root bark: treatment of diarrhoea, dysentery, abdominal pain, leucorrhoea, dysmenorrhoea, dermatophytosis.
124.	<i>Ixora coccinea</i> L.	Rubiaceae	Ixora (rangani)	Jungle flame	Dysentery, ulcers and gonorrhoea.
125.	<i>Jasminum multiflorum</i> (Burm. f.) Andrews	Oleaceae	Kunda	Indian jasmine	Cough and cold, headache, poisoning
126.	<i>Kopsia fruticosa</i> (Ker-Gawl.) A. DC.	Apocynaceae		Shrub Vinca	For sores and syphilis
127.	<i>Lantana camara</i> L.	Verbenaceae	Lantana (Naga airi)	Sage	Poisonous (entire plant), for various therapeutic applications such as cancers, chicken pox, measles, asthma, ulcers, swellings, eczema, tumors, high blood pressure, bilious fevers, catarrhal infections, tetanus, rheumatism, malaria, antiseptic, antispasmodic, carminative and diaphoretic. (27)
128.	<i>Murraya paniculata</i> (L.) Jack	Rutaceae	Kamini	Orange jasmine	Bark: as antidote in snake bites, root: cure body ache, leaves:

					stimulant, astringent: relief from diarrhoea and dysentery , to treat cough, hysteria and rheumatism
129.	<i>Musa paradisiac</i> L.	Musaceae	Kadali	Banana	Tonic, diarrhoea, dysentery, intestinal lesions in ulcerative colitis, diabetes, sprue, uremia, nephritis, gout, hypertension and cardiac disease.
130.	<i>Nerium oleander</i> L.	Apocynaceae	Karabira	Oleander	Poisonous (All parts), Treating ulcers, haemorrhoids, leprosy, to treat ringworm, herpes, and abscesses (14).
131.	<i>Nyctanthes arbor-tristis</i> L.	Oleaceae	Gangasiuli	Night Blooming Jasmine	Sciatica, arthritis, stimulate the immune system
132.	<i>Opuntia</i> Mill.	Cactaceae	Saptapheni	Cactus	Cardiovascular diseases, cholesterol-lowering properties, antiatherogenic, antidiabetic, antiobesity, anticancer, skin wound healing (43)
133.	<i>Phyllanthus niruri</i> L.	Phyllanthaceae	Bhuin Anala	Stone breaker	Ulcers, urinary tract stones, dysentery, swelling, antiviral (16), diabetes, jaundice, anticancer
134.	<i>Plumeria pudica</i> Jacq.	Apocynaceae	Naga champa	Wild Plumeria	Treatment of blennorrhagia, herpes and syphilis, latex from the stem: treating ulcers, darts (skin diseases) and flowers: treating chest coughs and grippe. The oil: treating fear, anxiety, insomnia and tremors.
135.	<i>Rauwolfia serpentine</i> (L.) Benth. ex Kurz	Apocynaceae	Patalagaruda	Indian snakeroot	Hypertension, tachycardia, and thyrotoxicosis, schizophrenia and bipolar disorder, epilepsy and seizures, migraine, insomnia and sleep problems.
136.	<i>Ricinus communis</i> L.	Euphorbiaceae	Jada /Gaba	Castor oil plant	Poisonous (entire plant), anti-cancer, anti-diabetes, anti-inflammatory, anti- ulcer and anthelmintic (10)
137.	<i>Rosa</i> L.	Rosaceae	Golapa	Rose	Antidepressant, antispasmodic, aphrodisiac, astringent, increase bile production, cleansing, anti-bacterial and antiseptic
138.	<i>Tabernaemontana divaricata</i> R.Br. ex Roem. & Schult.	Apocynaceae	Tagara	Pinwheel flower	Antioxidant, antiinfection, antitumour action, analgesia and the enhancement of cholinergic activity in both peripheral and central nervous systems
139.	<i>Tragia involacrata</i> L.	Euphorbiaceae	Bichhuati	Indian stinging nettle	Inflammation, wounds, eczema, scabies and skin infections. It has also been found to be effective in treating pain and bronchitis (23)
140.	<i>Vitex negundo</i> Linn.	Lamiaceae	Begunia/ Nirgundi	Chaste Tree	Ear pain, obesity, diabetes, rheumatism, muscular pain, skin disease, tuberculosis
141.	<i>Zamia furfuracea</i> L.f.	Zamiaceae	Cardboard plant	Cardboard cycad	Poisonous, air purifying qualities
142.	<i>Zyzyphus oenoplia</i> (L.) Mill.	Rhamnaceae	Kantaikoli	Jackal jube	Antimicrobial, wound healing activity, anthelmintic, antiplasmodial, antioxidant,

					antihepatotoxicity, antiulcer, antiplasmodial, anticancer, hypolipidemic, analgesic and anti-nociceptive (46)
<b>Herbs</b>					
143.	<i>Abutilon indicum</i> (Link) Sweet.	Malvaceae	Pedipedika	Indian mallow	Used as a demulcent, aphrodisiac, laxative, diuretic, sedative, astringent, expectorant, tonic, anticonvulsant, anti-inflammatory, anthelmintic, and analgesic and to treat leprosy, ulcers, headaches, gonorrhea, and bladder infection
144.	<i>Acalypha indica</i> L.	Euphorbiaceae	Indramaricha/ Nakachana	Indian copperleaf	Anthelmintic, anti-inflammation, antibacterial, anticancer, antidiabetes, antihyperlipidemic, antiobesity, antivenom, hepatoprotective, hypoxia, and wound healing medicine.
145.	<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Apamaranga	Prickly - chaff-flower/ bur weed	Treatment of boils, asthma, in facilitating delivery, bleeding, bronchitis, debility, dropsy, cold, colic, cough, dog bite, snake bite, scorpion bite, dysentery, earache, headache, leukoderma, renal complications, Kidney stone, pneumonia, and skin diseases.
146.	<i>Ageratum conyzoides</i> L.	Asteraceae	Pokashungha	White weed	Toxic – causes liver lesions and tumors, act against vomiting, dysentery and diarrhoea, It is also an insecticide and nematocide.
147.	<i>Aloe vera</i> (L.) Burm.f.	Asphodelaceae/ Liliaceae	Gheekuanri	Aloe vera	Heals burns, improves digestive health, oral health, clears acne, skin care, relieves anal fissures as laxative, lowering blood sugar, anticancer
148.	<i>Alternanthera sessilis</i> (L.) R.Br ex A.P.DC.	Amaranthaceae	Madaranga	Sessile joyweed	Treatment of dysuria and haemorrhoids
149.	<i>Amaranthus spinosus</i> Linn.	Amaranthaceae	Kantaleutia	Spiny amaranth	Treatment of internal bleeding, diarrhea, excessive menstruation, snake bites, boils, stomach disorders, ulcerated mouths, vaginal discharges, nosebleeds and wounds.
150.	<i>Andrographis paniculata</i> (Burn.f.) Wall.ex Nees-	Acanthaceae	Bhuin nimba/ chireita-	Creat	Cancer, diabetes, high blood pressure, ulcer, leprosy, bronchitis, skin diseases, flatulence, colic, influenza-H1N1, H9N2, H5N1 (16) dysentery, dyspepsia and malaria
151.	<i>Argemone mexicana</i> L.	Papaveraceae	Agara	Mexican poppy	Poisonous (all parts), Diuretic. Purgative, sedative and destroys worms, cures leprosy, skin-diseases, inflammations and bilious fevers
152.	<i>Argyreia speciosa</i> (Linn.f.) Sweet.	Convolvulaceae	Brudhataraka	Elephant Creeper	Treat leucorrhoea and fever
153.	<i>Bacopa monnieri</i>	Scrophulariaceae	Brahmi	Water hyssop	Improving memory, reducing

	(Linn.) Pennell				anxiety, laryngitis and treating epilepsy (32)
154.	<i>Barleria cristata</i> L.	Acanthaceae	Bana patali	Philippine violet	Antidote for Snake bite, Root-fever, anaemia, bronchitis and pneumonia
155.	<i>Blumea chinensis</i> (L.) DC.	Asteraceae	peetapushpi	Little ironweed	Decoction for diuretic, kidney disorders, inflammation, lower abdominal pains and menstrual pains
156.	<i>Blumea membranacea</i> Wall. ex DC.	Asteraceae	Pokasungha	Paniced Camphorweed	Anticancer, antioxidant, antifungal, antiinflammatory
157.	<i>Boerhavia diffusa</i> L.	Nyctaginaceae	Puruni	Red Spiderling	Cure disorders like intestinal colic, kidney disorders, cough, hemorrhoids, skin diseases, alcoholism, insomnia, eye diseases, asthma and jaundice, diabetes.
158.	<i>Caladium hortulanum</i> L.	Araceae	Hati kana	Elephant ear	Toxic, antimicrobial activity
159.	<i>Canna indica</i> L.	Cannaceae	Sarbajaya	Indian Shot	Anthelmintic, antibacterial, antimicrobial, antiviral, antidiabetic, antidiarrheal, anti-inflammatory, analgesic, immunomodulatory, antioxidant, cytotoxic, hemostatic, hepatoprotective, molluscicidal, and other effects
160.	<i>Cassia occidentalis</i> L.	Fabaceae	Chakunda	Coffee senna	Antibacterial, antifungal, antidiabetic, anti-inflammatory, anticancerous, antimutagenic and hepatoprotective activity
161.	<i>Centella asiatica</i> (Linn.) Urban	Apiaceae/ Umbelliferae	Thalkudi (hati khojia)	Gotu kola/ Spadeleaf	Wound healing, treatment of various skin conditions such as leprosy, lupus, varicose ulcers, eczema, psoriasis, diarrhoea, fever, amenorrhoea, diseases of the female genitourinary tract and also for relieving anxiety and improving cognition.
162.	<i>Chrysanthemum indicum</i> L.	Asteraceae	Banasebati	Indian chrysanthemum	Anti-inflammatory, antioxidation, antipathogenic microorganism, anticancer, immune regulation, and hepatoprotective effects
163.	<i>Cleome viscosa</i> L.	Capparidaceae	Arikahita	Tick weed	Rheumatic arthritis, hypertension, malaria, neurasthenia, and wound healing
164.	<i>Coleus amboinicus</i> Lour.	Lamiaceae	Karpuravalli	Indian mint	Cold, asthma, constipation, headache, cough, fever and skin diseases
165.	<i>Coleus scutellarioides</i> (L.) Benth.	Lamiaceae	Coleus	Painted nettle/ Coleus	Mild relaxing and/or hallucinogenic effects when consumed, treatment of rashes, asthma, bronchitis, insomnia, epilepsy, and angina.
166.	<i>Colocasia esculenta</i> (L.) Schott	Araceae	Saru	Taro	Asthma, arthritis, diarrhea, internal hemorrhage, neurological disorders, and skin disorders.
167.	<i>Commelina benghalensis</i> L.	Commelinaceae	Kanasiri	Benghal Dayflower	Leprosy, sore throat, ophthalmia, burns, pain and inflammation and

					also used as depressant, demulcent, emollient and laxative. Increases the milk production naturally in cows.
168.	<i>Commelina communis</i> L.	Commelinaceae	Kosapuspi	Asiatic day flower	Febrifugal, antipyretic, anti-inflammatory, and diuretic effects. Additionally, for treating sore throats and tonsillitis
169.	<i>Croton bonplandianus</i> Baill.	Euphorbiaceae	Banamaricho	Bonpland's croton	Liver disorders, skin diseases including ring worm infection, to cure the swelling of body, bronchitis and asthma, seed-jaundice, acute constipation, abdominal dropsy
170.	<i>Curcuma angustifolia</i> Roxb.	Zingiberaceae-monocot	Palua	Arrowroot	Antioxidant, anticancerous, Antimicrobial, Anti-ulcerogenic, Antidiabetic
171.	<i>Cymbopogon citratus</i> (DC.) Stapf	Poaceae	Dhanwantari	Lemon grass	Leaves: stimulant, sudorific, antiperiodic, and anticatarrhal, the essential oil: as carminative, depressant, analgesic, antipyretic, antibacterial, and antifungal agent. Ability to repel the pestilent stable fly.
172.	<i>Desmodium gangeticum</i> L.	Fabaceae	Salaparni	Salparni	Febrifuge, aphrodisiac, analgesic, diuretic, antiinflammatory, and haemorrhagic properties. It is used in postnatal complaints, diarrhoea, chronic fever, biliousness, cough, vomiting, and asthma.
173.	<i>Dracaena fragrans</i> (L.) Ker Gawl.	Asparagaceae	Dracaena	Cornstalk dracaena	Indoor, poisonous to pets, improves air quality.
174.	<i>Dracaena marginata</i> Lam.			Dragon tree	
175.	<i>Dracaena reflexa</i> Lam.			Song of India	
176.	<i>Eclipta prostrata</i> L.	Asteraceae	Bhringaraj	False daisy	Infectious hepatitis, snake venom poisoning, gastritis, and respiratory diseases such as a cough and asthma.
177.	<i>Euphorbia hirta</i> L.	Euphorbiaceae	Dudhi ghasa/ harharika	Asthma Weed	For female disorders, respiratory ailments (cough, coryza, bronchitis, and asthma), worm infestations in children, dysentery, jaundice, pimples, gonorrhoea, digestive problems, and tumors.
178.	<i>Furcraea foetida</i> (L.) Haw.	Asparagaceae-monocot	Furcaria	Mauritius Hemp	The root: as blood purifying remedy, treatment for syphilis, back pain. The leaves: to treat children's obstinate colds.
179.	<i>Gomphrena globosa</i> L.	Amaranthaceae	Godibana	Globe amaranth	Hypertension, antioxidant, antimicrobial, cough, diabetes, kidney problems, hoarseness, bronchitis, jaundice and high cholesterol.
180.	<i>Jasminum sambac</i> (L.) Aiton	Oleaceae	Malli	Jasmine	Treat dysmenorrhoea, amenorrhoea, ringworm, leprosy,

					skin diseases and also as an analgesic, antidepressant, anti-inflammatory, antiseptic, aphrodisiac, sedative, expectorant.
181.	<i>Leucas aspera</i> (Willd.) Link	Lamiaceae	Gayasa	Thummichittu	Antipyretic, insecticide, antifungal, prostaglandin inhibitory, antioxidant, antimicrobial, antinociceptive and cytotoxic activities. Used in chronic rheumatism, antidote for snakebite.
182.	<i>Lippia javanica</i> (Burm.f.) Spreng	Verbenaceae	Naguari	Fevertea	For colds, cough, fever or malaria, wounds, repelling mosquitos, diarrhoea, chest pains, bronchitis, and asthma.
183.	<i>Mimosa pudica</i> L.	Fabaceae	Lajakuli	Touch me not	Treatment of urogenital disorders, piles, dysentery, sinus, and also applied on wounds. (19)
184.	<i>Mirabilis jalapa</i> L.	Nyctaginaceae	Rangani-red, yellow	Four-o-clock	Anti-inflammatory, antidote for animal bite, skin infections like rashes or boils, wounds and cuts, excellent diuretic, aphrodisiac (improve sexual health).
185.	<i>Ocimum basilicum</i> L.	Lamiaceae	Durlava	Purple Basil	Headaches, coughs, diarrhea, constipation, warts, worms, and kidney malfunctions.
186.	<i>Ocimum gratissimum</i> L.	Lamiaceae	Bana tulasi	African basil	General tonic and anti-diarrhea agent, treatment of conjunctivitis by instilling directly into the eyes; the leaf oil when mixed with alcohol is applied as a lotion for skin infections, and taken internally for bronchitis.
187.	<i>Ocimum kilimandscharicum</i> Gürke	Lamiaceae	Karpura tulasi	Camphor basil	Colds, coughs, abdominal pains, measles, anti-ulcer, bronchitis, anorexia, memory disorders and diarrhoea.
188.	<i>Ocimum sanctum</i> Linn.Mant	Lamiaceae	Rama tulasi	Green Tulsi	The Queen of Herbs: anti-bacterial, anti-viral and anti-fungal, anti-oxidant, antiinflammatory, analgesic, antipyretic, antidiabetic, hepatoprotective, hypolipidemic, antistress, and immunomodulatory activities.
189.	<i>Ocimum Tenuiflorum</i> L.	Lamiaceae	Kala/Krishna Tulasi	Holy Basil	Antioxidant, aiding cough, asthma, diarrhea, fever, dysentery, arthritis, eye diseases, indigestion, gastric ailments, etc.
190.	<i>Pandanus amaryllifolius</i> Roxb.	Pandanaceae	Arnapura	Pandan	Diabetes, constipation, boils, and cold- or flu-like symptoms.
191.	<i>Parthenium hysterophorus</i> L.	Asteraceae	Gajar ghasa	Carrot grass	Poisonous (leaves and flowers), A cause of allergic respiratory problems, asthma, bronchitis contact dermatitis, mutagenicity in human and livestock. Treatments of skin inflammation, rheumatic pain, diarrhoea, urinary

					tract infections, dysentery, malaria and neuralgia(34).
192.	<i>Phyllanthus amarus</i> Schumach. & Thonn.	Euphorbiaceae	Bhui anla	Carry me seed	In the problems of stomach, genitourinary system, liver, kidney and spleen
193.	<i>Pistia stratiotes</i> Linn.	Araceae	Borajhanji	Water cabbage	Eczema, leprosy, ulcers, piles, stomach disorder, throat and mouth inflammation
194.	<i>Plumbago zeylanica</i> (Linn.).	Plumbaginaceae	Swetachitapar u	Wild leadwort	Treatment of stubborn chronic rheumatoid arthritis, skin diseases and tumors, in correcting chronic menstrual disorders, viral warts and chronic diseases of nervous system.
195.	<i>Rouvolfia serpentine</i> (Linn.) Benth. ex Kurz	Apocynaceae	Patalagaruda/ sarpagandha	Indian snakeroot	Treat high blood pressure, severe agitation in patients with mental disorders,
196.	<i>Sida acuta</i> Burm. f.	Malvaceae	Anachanra	Common wireweed	Fevers, dysentery, wounds, headache, toothache
197.	<i>Sida cordifolia</i> Burm. f.	Malvaceae	Bajramuli	Bala	Applied directly to the skin for numbness, nerve pain, muscle cramps, skin disorders, tumors, joint pain (osteoarthritis and rheumatoid arthritis), healing wounds, ulcers, scorpion sting, snakebite, and as a massage oil
198.	<i>Sinapis arvensis</i> L.	Brassicaceae	Bana shorisa	Wild Mustard	Stimulating the appetite, treatment of melancholy or depression, reducing swelling and pain.
199.	<i>Spathiphyllum wallisii</i> Regel	Araceae	Peace lily	Peace Lily	Filter the indoor air, increase the levels of humidity, helping you breathe better
200.	<i>Tradescantia spathacea</i> Sw. syn <i>Rhoeo discolor</i>	Commelinaceae	Rhoeo	Boat Lily	Anticancer, Antioxidant, Antiviral, Antifungal, Antidiabetic
201.	<i>Tridax procumbens</i> L.	Asteraceae	Bisalyakarani	Tridax daisy	Wound healing and as an anticoagulant, antifungal, and insect repellent.
202.	<i>Vinca rosea</i> L. syn. <i>Catharanthus roseus</i> (L.) G. Don	Apocynaceae	Sadabihari	Periwinkle	Antidiabetic, anticancer, controls nose bleeding, cough, sore throat, skin infection,
203.	<i>Zephyranthes rosea</i> Lindl.	Amaryllidaceae	Pink lily	Pink Rain lily	Highly poisonous, good for diabetes, ear & chest ailments, viral infection and breast cancer
204.	<i>Zingiber officinale</i> Roscoe	Zingiberaceae	Sunthi/Ada	Ginger	Treating nausea, dysentery, heartburn, flatulence, diarrhea, loss of appetite, infections, cough, and bronchitis
<b>Climbers</b>					
205.	<i>Abrus precatorius</i> L.	Fabaceae	Kaincha	Rosary pea	Poisonous (seeds), to treat tetanus, leucoderma, scratches, sores and wounds caused by dogs, cats and mice, prevent rabies; leaves: cure fever, cough and cold.
206.	<i>Allamanda blanchetii</i> A.DC.	apocynaceae	Kahali phoola	Purple allamanda	Treating malaria, jaundice, cough, wounds and constipation,

					leukemia and human carcinomamia
207.	<i>Asparagus racemosus</i> Willd.	Asparagaceae	Satabari/ chhatuari	Satavari	Dyspepsia, constipation, stomach spasms, and stomach ulcers, for fluid retention, pain, anxiety, cancer, diarrhea, bronchitis, tuberculosis, dementia, and diabetes, promote fertility
208.	<i>Bignonia venusta</i> Ker Gawl.	Bignoniaceae	Bignonia	Flame vine	Diseases of the respiratory system related to infections, such as bronchitis, flu and cold. An infusion is used to treat diarrhea, vitiligo and jaundice.
209.	<i>Cissus quadrangularis</i> Linn.	Vitaceae	Hadabhanga	Veldt grape	A tonic and analgesic, to heal broken bones and injured ligaments and tendons, strengthening bones, osteoporosis
210.	<i>Clitoria ternatea</i> L.	Fabaceae	Aparajita	Butterfly pea	For food coloring, stress, acne, headache, infertility and gonorrhoea
211.	<i>Coccinia grandis</i> (L.) Voigt	Cucurbitaceae	Kainchi Kakudi	Scarlet gourd	Analgesic, antipyretic, anti-inflammatory, antimicrobial, antiulcer, antidiabetic, antioxidant, hypoglycemic, hepatoprotective, antimalarial, antidyslipidemic, anticancer, antitussive, mutagenic.
212.	<i>Combretum indicum</i> L.	Combretaceae	Madhumalati	Rangoon creeper	Fruits: for coughs, to alleviate nephritis. Root: rheumatism.
213.	<i>Dioscorea alata</i> L.	Dioscoreaceae	Khamba alu	Purple yam	Cough, cold, stomach ache, leprosy, burns, fungal diseases, skin diseases, contraceptive, dysentery, arthritis, rheumatism
214.	<i>Gouania leptostachya</i> DC.	Rhamnaceae	Raktapituli	Slender Spiked Gouania	Anti-inflammatory, to treat skin complaints
215.	<i>Gymnema sylvestre</i> (Retz.) Schult.	Asclepiadaceae	Gudamari	Australian cowplant	Antioxidant, antimicrobial, aphrodisiac, antidiabetic, to treat eye diseases, allergies, constipation, cough, dental caries, obesity, stomach ailments, and viral infections.
216.	<i>Hemidesmus indicus</i> (Linn.) R. Br.	Asclepiadaceae	Anantamula	Indian Sarsaparilla	Anticancerous, chemopreventive, wound healing power, anti-diarrhoeal, antioxidant; antivenom, antileprotic diuretic activities.
217.	<i>Ipomoea quamoclit</i> L.	Convolvulaceae	Kunjatala	Cypress Vine	To treat hemorrhoids, ulcers, diabetes and cancer.
218.	<i>Mucuna pruriens</i> (L.) DC.	Fabaceae	Baidanka	Velvet bean	In bone fractures, cough, dog-bite, madness, pain, pleuritis, ring worm, scorpion sting, snake-bite, sores and syphilis, menstruation disorders, constipation, edema, fever, tuberculosis anticholestolemic, antiparkinson, antidiabetic, aphrodisiac, anti-inflammatory and antimicrobial

219.	<i>Paederia foetida</i> Linn.	Rubiaceae	Pasaruni	Stinkvine	Treatment of inflammation, piles, and diarrhea
220.	<i>Passiflora caerulea</i> L.	Passifloraceae	Krushnatamal	Blue passionflower	Sedative and anticonvulsant
221.	<i>Passiflora incarnata</i> L.	Passifloraceae	Radhatamala	Purple passionflower	Relieve anxiety and insomnia
222.	<i>Piper longum</i> Linn.	Piperaceae	Pipali	Indian long pepper	To treat chronic bronchitis, asthma, constipation, gonorrhea, paralysis of the tongue, diarrhea, cholera, chronic malaria, viral hepatitis, respiratory infections, stomachache, bronchitis, diseases of the spleen, cough, and tumors
223.	<i>Syngonium podophyllum</i> Schott	Araceae	Arrowhead	Arrowhead vine	Poisonous and cause severe mouth pain if eaten, severe skin burning caused by plant sap. Reduce stress, anxiety, sleep disorders and arguments. Air purifying plant
224.	<i>Tinospora cordifolia</i> (Thunb.) Miers	Menispermaceae	Guluchi	Guduchi	Antioxidant, anti-inflammatory, antidiabetic, immunomodulatory activity, antitoxic, hepatoprotective, anticancer, cardioprotective activity, radioprotective, antimicrobial, anti-stress, anti-HIV (16) and many more
225.	<i>Trichosanthes bracteata</i> (Lam.) Voigt	Cucurbitaceae	Salarakoli	Indrayan	Treatment of asthma, earache and ozoena (intranasal crusting, atrophy and fetid odor)
226.	<i>Ventilago maderaspatana</i> Gaertner	Rhamnaceae	Phuluri/Raktak ai	Red creeper	Antidiabetic, antioxidant, antimicrobial and antibacterial, cardioprotective,
<b>Grass</b>					
227.	<i>Acorus calamus</i> Linn.	Acoraceae	Bacha	Sweet-flag	Effect on central nervous system, antiulcer and cytoprotective, antispasmodic, analgesic
228.	<i>Cymbopogon martini</i> (Roxb.)	Poaceae	Dhanwantary	Palmarosa	Treatment of joint pain, respiratory diseases, anorexia, intestinal worms, skin diseases and diarrhea
229.	<i>Cynodon dactylon</i> L.	Poaceae	Duba ghasa	Durva	For snake bites, gout, and rheumatic affections, anthelmintic activity anti-inflammatory
230.	<i>Cyperous rotundus</i> L.	Cyperaceae	Mutha	Coco grass	Diarrhoea, diabetes, pyrosis, inflammation, malaria, and stomach and bowel disorders
231.	<i>Desmostachya bipinnata</i> (L.) Stapf	Poaceae	Kusha	Halfa grass	To treat dysentery and menorrhagia, and as a diuretic
232.	<i>Thysanolaena maxima</i> Roxb.	Poaceae	Phula chanchhuni	Tiger Grass	Treatment of eye infection, improve digestion
233.	<i>Vetiveria zizanioides</i> (L.) Nash.	Poaceae	Bena	Vetivergrass	Relieving stress, as well as for emotional traumas and shock, lice, and repelling insects
<b>Bamboo</b>					
234.	<i>Bambusa arundinacea</i> (Retz.) Willd.	Poaceae	Daba baunsa	Bamboo	Cough, skin diseases, wounds, digestive disorders, nausea,

					gynecological disorders and fever.
235.	<i>Bambusa pallida</i> (L.) Voss	Poaceae	Pani baunsa		
236.	<i>Bambusa ventricosa</i> McClure	Poaceae	Buddha baunsa	Buddha bamboo	Hypertension, arteriosclerosis, cardiovascular disease
237.	<i>Dendrocalamus strictus</i> (Roxb.) Nees	Poaceae	Salia baunsa		
238.	<i>Gigantochloa nigrociliata</i> (Buse) Kurz.	Poaceae	Balangi baunsa	Bamboo	Juice from young bamboo shoots is used for asthma, coughs, and gallbladder disorders.
<b>Aquatic</b>					
239.	<i>Nymphaea nouchali</i> Burm. f.	Nymphaeaceae	Neela kain	Blue lotus	Rhizomes: mild sedative and spasmolytic action, diarrhoea, dysentery, stomach ache, colic and dyspepsia, leaves: treatment of gonorrhoea, cardiotonic
240.	<i>Eichhornia crassipes</i> Kunth.	Pontederiaceae	Bilatidala/Eichornia	Water hyacinth	Antioxidants, antiaging and anticancer.
241.	<i>Hydrilla verticillata</i> (L.f.) Royle	Hydrocharitaceae	Chingudia dala	Water Thyme	Provide complete nutrition, to improve digestion and gastrointestinal function, circulation, neurological health, blood sugar control, to strengthen immunity and increase endurance

## 68 2.3. DIVERSITY ANALYSIS

69 A diversity index is a quantitative tool used to assess diversity in a specific community. They  
70 are developed by ecologists to examine the number and abundance of species in a  
71 community and the density of certain species in a community. The type of diversity used  
72 here is alpha diversity of species within a community or habitat. The diversity index was  
73 calculated by using the Simpson's Diversity Index. Simpson's Diversity Index is a measure of  
74 diversity which takes into account the number of species present, as well as the relative  
75 abundance of each species. As species richness and evenness increase, so diversity  
76 increases.

$$77 \text{ Simpson's Diversity Index (D)} = 1 - \left( \frac{\sum n(n-1)}{N(N-1)} \right)$$

78 n = The total number of organisms of a particular species

79 N = The total number of organisms of all species

80 The value of D ranges between 0 and 1. With this index, 1 represents infinite diversity and 0,  
81 no diversity.

## 82 3. RESULT

### 83 3.1 Assessment of Flora

84 Survey of flora of Pranath College campus revealed the presence of a total of 241 species  
85 under 72 families belonging to dicots, monocots and gymnosperms (Table 1). Among the  
86 plant types, the dicotyledonous plants dominates in the study areas with occurrence of about  
87 85% and monocots with 13% while gymnosperms is only 2% of total flora recorded.

88 **Table 2:** Assessment of Angiosperms and Gymnosperms.



Sl. No.	Botanical Name	Common Name	Family	IUCN Status
1.	<i>Dalbergia latifolia</i> Roxb.	Sisoo/ Indian rosewood/ shisham	Fabaceae	Vulnerable
2.	<i>Pterocarpus marsupium</i> Roxb.	Piasala / Indian kino	Fabaceae	Near threatened
3.	<i>Pterocarpus santalinus</i> L.f.	Rakta Chandan / Red Sandal wood	Fabaceae	Endangered
4.	<i>Santalum album</i> Linn.	Chandan / sandalwood	Santalaceae	Vulnerable
5.	<i>Saraca asoca</i> (Roxb.) Wild	Ashoka/ Sorrowless Tree	Fabaceae	Vulnerable
6.	<i>Rauvolfia serpentina</i> (Linn.) Benth. ex Kurz	Patalagaruda/ sarpagandha/ Indian snakeroot	Apocynaceae	Critically Endangered
7.	<i>Zamia furfuracea</i> L.f.	Cardboard plant	Zamiaceae	Vulnerable

121 As recorded in CITES (Convention on International Trade in Endangered Species of Wild  
 122 Fauna and Flora) (5) *Aegle marmelos* (L.) Corrêa, *Desmodium oojeinense* (Roxb.)  
 123 H.Ohashi, *Ficus racemosa* L., *Melia azedarach* L., *Phyllanthus emblica* L., *Pterocarpus*  
 124 *marsupium* Roxb., *Pterocarpus santalinus* L.f, *Santalum album* L., *Saraca asoca* (Roxb.)  
 125 Willd., *Strychnos nux-vomica* L., *Strychnos potatorum* L.f, *Terminalia arjuna* (Roxb. ex DC.)  
 126 Wight & Arn, *Terminalia bellirica* (Gaertn.) Roxb., *Andrographis paniculata* (Burm.f.) Nees,  
 127 *Carissa spinarum* L., *Cycas circinalis* L., *Euphorbia neriifolia* L., *Rauvolfia serpentina* (L.)  
 128 Benth. ex Kurz, *Curcuma angustifolia* Roxb, *Plumbago zeylanica* L., *Abrus precatorius* L.,  
 129 *Asparagus racemosus* Willd., *Dioscorea alata* L., *Gymnema sylvestri* (Retz.) R.Br. ex Sm.,  
 130 *Mucuna pruriens* (L.) DC., *Paederia foetida* L., *Piper longum* L., *Acorus calamus* L. and  
 131 *Hydrilla verticillata* (L.f.) Royle are found to be threatened plants enlisted in table-1.

### 132 3.2 Toxic Plants

133 Out of 35 Indian traditional toxic plants (20), eleven plants like *Cleistanthus collinus* (Roxb.)  
 134 Benth. ex Hook.f., *Cascabela thevetia* (L.) H. Lippold, *Ricinus communis* L., *Zamia furfuracea*  
 135 L.f, *Ageratum conyzoides* L., *Caladium hortulanum* L., *Parthenium hysterophorus* L.  
 136 *Zephyranthes rosea* Lindl., *Syngonium podophyllum* Schott, *Abrus precatorius* L (table-1)  
 137 are reported to be present in the campus having toxic effects though they have medicinal and  
 138 ornamental values.

### 139 3.3 Calculation of Diversity Index

140 **Table 4:** Total number of families assessed with their species for valuation of Diversity Index

Sl. No.	Family	No. of Species (N)	n(n-1)	Sl. No.	Family	No. of Species (N)	n(n-1)
1.	Acanthaceae	6	30	37.	Lamiaceae	11	110
2.	Acoraceae	1	0	38.	Loganiaceae	2	2
3.	Amaranthaceae	4	12	39.	Lythraceae	3	6
4.	Amaryllidaceae	1	0	40.	Magnoliaceae	1	0
5.	Anacardiaceae	4	12	41.	Malvaceae	11	110
6.	Annonaceae	4	12	42.	Meliaceae	4	12
7.	Apiaceae/ Umbelliferae	1	0	43.	Menispermaceae	1	30
8.	Apocynaceae	15	210	44.	Moraceae	6	30

9.	Araceae	5	20	45.	Moringaceae	1	0
10.	Araucariaceae	1	0	46.	Musaceae	1	0
11.	Arecaceae	6	30	47.	Myrtaceae	3	6
12.	Asclepiadaceae	3	6	48.	Nyctaginaceae	3	6
13.	Asparagaceae	3	6	49.	Nymphaeaceae	1	0
14.	Asphodelaceae/ Liliaceae	1	0	50.	Oleaceae	4	12
15.	Asteraceae	9	72	51.	Pandanaceae	1	0
16.	Bignoniaceae	2	2	52.	Papaveraceae	1	0
17.	Brassicaceae	1	0	53.	Passifloraceae	2	2
18.	Burseraceae	1	0	54.	Phyllanthaceae	5	20
19.	Cactaceae	1	0	55.	Piperaceae	1	0
20.	Cannaceae	1	0	56.	Plumbaginaceae	1	0
21.	Capparidaceae	1	0	57.	Poaceae	11	110
22.	Casuarinaceae	1	0	58.	Pontederiaceae	1	0
23.	Celastraceae	1	0	59.	Rhamnaceae	4	12
24.	Combretaceae	5	20	60.	Rosaceae	1	0
25.	Commelinaceae	3	6	61.	Rubiaceae	8	56
26.	Convolvulaceae	2	2	62.	Rutaceae	5	20
27.	Cucurbitaceae	2	2	63.	Salicaceae	2	2
28.	Cupressaceae	1	0	64.	Santalaceae	1	0
29.	Cycadaceae	1	0	65.	Sapindaceae	1	0
30.	Cyperaceae	1	0	66.	Sapotaceae	3	6
31.	Dilleniaceae	1	0	67.	Scrophulariaceae	1	0
32.	Dioscoreaceae	1	0	68.	Solanaceae	1	0
33.	Ebenaceae	1	0	69.	Verbenaceae	4	12
34.	Euphorbiaceae	9	72	70.	Vitaceae	1	0
35.	Fabaceae	30	870	71.	Zamiaceae	1	0
36.	Hydrocharitaceae	1	0	72.	Zingiberaceae	2	2
					N	241	$\Sigma n(n-1)=$ 1950
					N(N-1)	57840	

141 Using the values, Simpson's Index (D) =  $1950 / 241(241-1)$   
142 =  $1950/57840=0.03371$

143 Simpson's Index of Diversity =  $1 - D$  =  $1 - 0.03371 = 0.9663$

144 From the floral data collected from the College campus, the Simpson's Diversity Index value  
145 was calculated to be 0.9663 which means that there are several species in the community  
146 and the population proportion of species is even. The results showed that the study area has  
147 greater level of diversity.

148 From the analysis it is found that almost all the plants are medicinally significant apart from  
149 their specific commercial values like wood, timber, food, oil. Some plants are reported as air  
150 purifiers (Table 1). The medicinal values are studied from Ancient Ayurvedic Catalogue  
151 "Sahaja Chikitsa" written by famous Kaviraj of Odisha, Laxman Mishra (1960)(32). Plants  
152 also enriches the aesthetic values of the campus as the study area has seven specific  
153 gardens with a number of ornamental plants.

#### 154 4. CONSERVATION OF BIODIVERSITY IN THE CAMPUS

155 The consequences of human activity in a natural area initiates the loss of species and  
156 unique ecosystems. Invasive species sometimes overtake the biodiversity by reducing the  
157 native plants. New construction of buildings is a major cause of depletion of biodiversity in

158 the campus although proper care is taken to protect the plants. The areas rich in biodiversity  
159 are free from human activity and grow in their natural habitat. Every year a massive  
160 plantation programme is carried out on 19th July, the Forest Festival (Van Mahotsav)Day.  
161 The Green Brigade (Sabuja Bahini) of Eco Club, NCC, Rangers & Rovers, NSS also take  
162 care of plants, plantation and campus cleaning on a regular basis. Students are well aware  
163 of the biodiversity. The waste management is properly maintained. At present in order to  
164 protect the biodiversity, it is necessary to reconsider the construction of infrastructure  
165 vertically but not in horizontal manner.

## 166 5. DISCUSSION

167 The habit analysis revealed that trees dominate while hydrophytes are very rare because of  
168 lack of natural water bodies. Among the angiosperms, Fabaceae is a large, economically  
169 and medicinally important family of flowering plants for its productivity and stability of the  
170 ecosystem (56, 49, 52, 29). The contribution of this family to the availability of nutrients,  
171 absorption and growth of neighbouring species is indeed well described throughout the  
172 scientific literature (49,29,24, 41). Collation of data from books, research articles, conducting  
173 of ethnobotanical surveys shows that all most all plants are medicinally important. Herbs  
174 have been used for medicinal purposes for thousands of years in various cultures of India.  
175 Herbs can be a natural and effective way to treat various illness. It is important to consult a  
176 specialist in herbs before using them as some herbs can interact with medication or have  
177 potential side effects. According to the World Health Organization (WHO), as many as 80%  
178 of the world's people depend on traditional medicine for their primary health care needs. The  
179 best means of conservation is to ensure that the populations of species of plants continue to  
180 grow and evolve in the wild - in their natural habitats. The Forest Festival (Van Mahotsav) in  
181 the college campus is a best practice to involve the students and spread awareness for *in*  
182 *situ* conservation of these plants to save the ecosystem.

## 183 6. CONCLUSION

184 It is important to be aware of poisonous plants, especially for students who may come in to  
185 contact with them in the outdoors. Staff members and students should be educated about the  
186 toxic effect of certain plants. Seeds, flowers, latex, leaves, and roots of such plants are  
187 having toxic effect. Even all parts of the plants with toxicity such as *Argemon*, *Lantana*,  
188 *Nerium*, *Ricinus*, and *Strychnus* are also found in the campus. The toxic substance found in  
189 these plants can cause skin irritation, respiratory problems, digestive problems and even  
190 death. Students who enjoy outdoor activities should learn how to identify these plants and  
191 how to avoid coming into contact with them. Posters depicting the toxic effect may be  
192 erected near the plants for awareness. Posters containing the botanical names, local names  
193 along with medicinal values of all plants should be erected as practised in Botanical  
194 Gardens. Students can safely enjoy the beauty of plants inside the campus without putting  
195 their health at risk.

## 196 REFERENCES

- 197 1. Ahmad T, Hamid AT, Sharma A and Bhardwaj U. *Thevetia peruviana*: a multipurpose  
198 medicinal plant- A review. International Journal of Advanced Research.2017;  
199 5(8):486-493
- 200 2. Anju V and Zachariah SM. Phytochemical and pharmacological activities of  
201 *Caesalpinia pulcherrima* - An overview. International Journal of Pharmaceutical  
202 Research.2023;15(1)
- 203 3. Aravind G, Bhowmik D, Duraivel S, Harish G. Traditional and Medicinal Uses of  
204 *Carica papaya*. Journal of Medicinal Plants Studies. 2013; (1) : 1,7-15

- 205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256
4. Aslam MS, Choudhary BA, Uzair M and Ijaz AS. Phytochemical and Ethno-Pharmacological Review of the Genus *Araucaria* – Review. Tropical Journal of Pharmaceutical Research. 2013;12 (4): 651-659
  5. Barik SK, Tiwari ON, Adhikari D, Singh PP, Tiwary R and Barua S. Geographic distribution pattern of threatened plants of India and steps taken for their conservation, Current Science. 2018; 114(3):470-503.
  6. Berhanu G, Babele D A and Kandi V. Review of the Medicinal and Antimicrobial Properties of *Carissa spinarum* L. American Journal of Biomedical Research. 2020; 8(2):54-58
  7. Bhandary MJ. *Alstonia scholaris* in the ethnomedicinal and religious tradition of Coastal Karnataka, India. Biodiversitas. 2020; 21: 1569-1577.
  8. Bijekar SR & Gayatri MC. Ethanomedicinal properties of Euphorbiaceae family- A comprehensive review. Int JPhytomed 2014; 6: 144-156
  9. Camille Koffi. Ethnobotany, phytochemistry, pharmacology and toxicology profiles of *Cassia siamea* Lam. The Journal of Phytopharmacology. 2014; 3(1): 57-76
  10. Chouhan HS, Swarnakar G and Jogpal B. Medicinal properties of *Ricinus communis*: A review. International Journal of Pharmaceutical Sciences and Research 2021; 12(7):3632-3642
  11. Dalu AP, Zagare VS, Avchar PE, Kadam MP, Ingole AS, Nagrik SU and Patil PA. A Pharmacological Potential of *Adina cordifolia*. Journal of Drug Delivery and Therapeutics. 2021; 11(2-S), 132-135.
  12. Dewi R, Firza Y, Nashiry MA, Al-Suede FSR, Majid ASA. A Review on *Cassia alata*: Pharmacological, Traditional and Medicinal Aspects , Australian Herbal insight. 2019; 1(4):016-021
  13. Dinesh K, Sonia K, Sunil K, Jyoti G, Pranay J, Ram KP. Screening of methanolic bark extract of *Albizia odoratissima* for antimicrobial activity. Phcog Commn. 2011; 1:47–49.
  14. Farooqui S, & Tyagi T. *Nerium oleander*. it's application in basic and applied science: A review. International Journal of Pharmacy and Pharmaceutical Sciences. 2018; 10(3), 1–4.
  15. Gajalakshmi S, Divya R, Deepika VD, Sathiavelu M and Sathiavelu A. Pharmacological activities of *Annona squamosa*: A review, International Journal of Pharmaceutical Sciences Review and Research. 2011;10(2):24-29
  16. Gangal N, Nagle V, Pawar Y, Dasgupta S. Reconsidering Traditional Medicinal Plants to Combat COVID-19. AIJR Preprints. Series: Coronavirus. 2020; Article Id: 34(1).
  17. Gaur RD. Flora of the district Garhwal North West Himalaya (with ethnobotanical notes). (Trans Media, Srinagar Garhwal): 1999; 811
  18. George KV, Mohanan N, Nair SS. Ethnobotanical investigations of *Aegle marmelos* (Linn.) Corr. In: Ethnobot. Med. Plants India and Nepal, by Singh V and Jain AP (Scientific Publishers, Jodhpur): 2003; 29-35.
  19. Grover M. *Areca catechu* L. (Chikni Supari): A Review based upon its Ayurvedic and Pharmacological Properties. The Journal of Phytopharmacology. 2021; 10(5):338-344
  20. Gupta VK, Sharma B. Forensic Applications of Indian Traditional Toxic Plants and their Constituents. Forensic Res Criminol Int J. 2017; 4(1):27-32. DOI: 10.15406/frcij.2017.04.00101
  21. Haase D, Frantzeskaki N, Elmqvist T. Ecosystem service in urban landscapes: practical applications and governance implications. Ambio. 2014; 43(4): 407-412
  22. Haines, H.H. (1921-25): The Botany of Bihar and Orissa, London.
  23. Kirtikar KR, Basu BD. Indian Medicinal Plants, Lalit Mohan Basu, Allahabad; 1935:p.939.1987

- 257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309
24. Küchenmeister F, Küchenmeister K, Wrage N, Kayser M, Isselstein J. Yield and yield stability in mixtures of productive grassland species: does species number or functional group composition matter? *Grassland Science*. 2012; 58: 94-100.
  25. Kumar D, Kohli S, Kumar S, Gupta J, Jain P and Pundir RK. Screening of Methanolic Bark Extract of *Albizia odoratissima* for Antimicrobial Activity, *Research Letter*. 2011; 1(2)
  26. Kumar S, Satapathy MK. Medicinal plants in an urban environment: Herbaceous medicinal flora from the campus of Regional Institute of Education, Bhubaneswar, Odisha. *Int. J. Pharm. Life Sci*. 2011; 2(11):1206-1210.
  27. Lonare MK, Sharma M, Hajare SW, Borekar VI. *Lantana camara*: overview on toxic to potent medicinal properties. *Int. J. Pharm. Sci. Res*. 2012; 3(9), 3031–3035.
  28. Mamillapalli V, Kondaveeti LS, Chapala RH, Sareddu TKS, Pattipati S, Khantamneni P. A detailed investigation of phytochemical, biological and commercial utilization of horse tail tree *Casuarina equisetifolia*. *Asian Journal of Pharmaceutical Research*. 2022; 12(1)
  29. Marquard E, Weigelt A, Temperton VM, Roscher C, Schumacher J, Buchmann N, Fischer M, Weisser WW, Schmid B. Plant species richness and functional composition drive over yielding in a six-year grassland experiment. *Ecology* 2009; 90: 3290-3302.
  30. Marzluff JM, Shulenberger E, Endlicher W, Alberti M, Bradley G, ZumBrunnen CRC, Simon U. *Urban Ecology*. Springer, New York, NY 10013, USA 2008; pp-1-797
  31. McKinney ML. Effects of urbanization on species richness: a review of plants and animals. *Urban Ecosyst*. 2008; 11: 161-176.
  32. Mishra L. *Anubhuta Yogamala - Sahaja Chikitsa*. 12th Edition. Perfect Print and Graphics (Pvt.) Ltd. 2014.
  33. Padalia H, Chauhan N, Porwal MC, Roy PS. Phytosociological observations on tree species diversity of Andaman Islands, India. *Curr. Sci*. 2004; 87:799-806.
  34. Patel S. Harmful and beneficial aspects of *Parthenium hysterophorus*: an update, *3 Biotech*. 2011; 1(1):1-9 (SourcePubMed)
  35. Pathak R, Sharma H and Kumar N. A Brief Review on *Anthocephalus cadamba*. *Acta Scientific Pharmacology*. 2022; 3 (5)
  36. Patil RN, Rothe SP. *Buchanania lanzan* : an enormous medicinal value, *IJARIE* 2017; 3 (1)
  37. Rahman A, Said HM, Ahmad VU. *Pakistan Encyclopaedia PlantaMedica*. Hamdard foundation press. 1986
  38. Rajeshwari S and Sevarkodiyone SP. Medicinal properties of *Abutilon indicum*, *Academia Journal of Medicinal Plants*. 2018; 6(4): 062-065
  39. Rajput RT. Ethnomedicine and Pharmacology of Semal (*Bombax ceiba* L.)- A Indian Medicinal Plant: A Review. *Agric. Rev*. 2021; 43:145-153. <https://doi.org/10.18805/ag.R-1942>.
  40. Roozbe N and Darvish L. *Acacia Nilotica*: New Plant for Help in Pelvic Organ Prolapse. *J Menopausal Med*. Dec, 2016; 22(3): 129–130.
  41. Roscher C, Schumacher J, Gubsch M, Lipowsky A, Weigelt A, Buchmann N, Schmid B, Schulze ED. Using plant functional traits to explain diversity-productivity relationships. *PLoS One*. 2012;7(5):e36760. doi: 10.1371/journal.pone.0036760. Epub 2012 May 18. PMID: 22623961; PMCID: PMC3356333.
  42. Samanta S, Rangra NK, Pradhan KK. A comprehensive review on phytopharmacological investigations of *Acacia auriculiformis* A. Cunn. ex Benth. *Asian Pacific Journal of Tropical Biomedicine* 2019; 9(1):1-11
  43. Santos-Díaz MS, de la Rosa APB, Héliès-Toussaint C, Guéraud F, Nègre-Salvayre A. *Opuntia* spp.: Characterization and benefits in chronic diseases. *Oxidative Medicine and Cellular Longevity*. 2017; 1-17. <https://doi.org/10.1155/2017/8634249>

- 310 44. Saxena, H.O. & M. Brahmam. The Flora of Orissa. Vol. I-IV.Orissa Forest  
311 Development Corporaton, Bhubaneswar. 1996
- 312 45. Sharma V. and Vaquil. A review on medicinal properties of neem (*Azadirachta*  
313 *indica*), The Pharma Innovation Journal. 2018; 7(4): 648-650
- 314 46. ShuklaA, GargA, Mourya P, Jain CP.*Zizyphus oenoplia*Mill:Areview on  
315 Pharmacological aspects,Advance Pharmaceutical Journal. 2016; 1(1): 8-12
- 316 47. Shukla SK, Kumar A, Terrence M and Yusuf J. The probable medicinal usage of  
317 *Cassia tora*: An overview, On Line Journal of Biological Sciences. 2013; 13(1)  
318 DOI:10.3844/ojbssp.2013.13.17
- 319 48. Sivakrishnan S, Kavitha J. An overview on benefits of *Albizia procera*. IJRAR 2018;  
320 5( 1): 224-230
- 321 49. Spehn EM, Scherer-Lorenzen M, Schmid B. The role of legumes as a component of  
322 biodiversity in a cross-European study of grassland biomass nitrogen. Oikos 2002;  
323 98: 205-218
- 324 50. Srivastava R and Srivastava P. The Medicinal Significance of *Datura stramonium*: A  
325 Review: Biomedical Journal of Scientific & Technical Research. 2020; 29(2): 22223-  
326 22226
- 327 51. Sutar N, Sutar R, Kumar M.*Callistemon citrinus* (Bottle brush), an important  
328 medicinal plant: A review ofits traditional uses, phyto-constituents and  
329 pharmacological properties. Indian J. Pharm. Sci. 2014; 1:70–77
- 330 52. Temperton VM, Mwangi PN, Scherer-Lorenzen M, Schmid B, Buchmann N. Positive  
331 interactions between nitrogen-fixing legumes and four different neighbouring species  
332 in a biodiversity experiment. Oecologia. 2007; 151:190-205.
- 333 53. Thomas BT, Soladoye MO, Adegboyega TT, Agu GC and Popoola OD. Antibacterial  
334 and Anti-Inflammatory Activities of *Anacardium occidentale* Leaves and Bark  
335 Extracts. Nigerian Journal of Basic and Applied Science. 2015; 23(1): 1-6
- 336 54. Tyagi S. Medicinal uses of Jackfruit (*Artocarpus heterophyllus*). XII Agricultural  
337 Science Congress At: ICAR-National Dairy Research Institute, Karnal, Haryana,  
338 India. 2015
- 339 55. Vaishnavi R and Suneetha V. Phytochemical analysis on *Caryota urens* (fishtail  
340 palm) fruit from VIT university campus for pharmaceutical use. Scholars Research  
341 Library. Der Pharmacia Lettre. 2013; 5 (3):71-75
- 342 56. Victor Kuete, Katrin Viertel and Thomas Efferth. Antiproliferative Potential of African  
343 Medicinal Plants.In: Victor Kuete, Editor.Medicinal Plant Research in Africa,  
344 Pharmacology and Chemistry. 711-724. 2013
- 345 57. Waseem A, Jamal A, Ahmad W, Fazil M. Siras (*Albizia lebbeck* L. Benth.) and its  
346 medicinal uses in Unani Medicine- A Review. CellMed. 2020; 10 (2) / e12.