

Review Article

Effects of coral reef destruction on humans and the environment

Abstract

Coral reefs are home to a rich biodiversity and one of the most diverse ecosystems on the planet. It provides home to 35,000–60,000 species of plants and animals (over 25% of all marine life), many of which have not been described by science. It provides food, employment, and tourism to people, protecting coastal areas from storm surges; and acts as nesting grounds for many species of fish that are important for commerce. In recent years, several natural and anthropogenic disturbances have damaged the coral reefs of the world a number of events, including pollution, overfishing, destructive fishing methods, boat anchor falls, tourism, mining coral for building materials, and a warming climate, are destroying coral reefs. To reduce the destruction of coral reefs, mitigation measures, encourage sustainable fishing, following all safety precautions when visiting coral reef areas, provide alternative management plans such as coral restoration, artificial reef management, and coral nurseries to improve the coral cover in degraded areas and also increase public awareness and stewardship program related to coral reef and its associated biota, reduce plastic pollution in the ocean.

Keywords: coral reef, biodiversity, threats, conservation

Introduction:

A coral reef, also called a rainforest of the sea, is an underwater habitat characterized by reef-forming corals. Reefs are composed of coral polyp colonies held together by calcium carbonate (Mulhall, 2008). Stony corals, whose polyps aggregate together, make up the majority of coral reefs. Coral reefs belong to the class Anthozoa and the phylum Cnidaria, which includes sea anemones and jellyfish. Unlike sea anemones, corals develop hard carbonate exoskeletons that serve as support and protection for the coral. Most reefs thrive in warm, shallow, clear, bright, and muddy water. At the beginning of the Early Ordovician, 485 million years ago, coral reefs first emerged, replacing the microbial and sponge reefs of the Cambrian (Lee *et al.*, 2015).

The amazing diversity of coral reef ecosystems on the planet is the most valuable ecosystem for marine creatures as food, shelter, and breeding ground and also for humans as food, income, and protection (Abdullah *et al.*, 2016). Coral reefs protect coasts from waves and tides and support the local social economy (Shafiq-a-yusof & Radzi, 2022). Both natural and anthropogenic disturbances can contribute to coral reef damage. Coral reef removal, sedimentation, trash, eutrophication, and fishing are examples of anthropogenic disturbance, where disease, acanthaster outbreaks, coral bleaching, and changing climate are natural disturbances. Some previous research indicated that rising CO₂ in the ocean, rising global temperatures, and other effects of climate change were adversely affecting the health of coral reefs. If CO₂ emissions continue to increase at the current rate, there will undoubtedly be a reduction in the size and diversity of coral reefs in the future (Tuwo & Tresnati, 2020).

World Coral Reef Diversity

In the Coral Triangle, an area of approximately 6 million km² that includes several countries such as Indonesia, the Philippines, Papua New Guinea, Timor Leste, and Malaysia, 75% of the world's coral species are located (Gan *et al.*, 2021). According to estimates, coral reefs cover 1% of the ocean floor and provide habitat for 25% of aquatic organisms (Loh *et al.*, 2018). Corals can be found in both temperate and tropical environments, although shallow water reefs only grow in the area bounded by 30°N and 30°S of the equator. The maximum depth at which tropical corals can grow is 50 m (160 ft). The optimum temperature for most coral reefs is 26–27 °C (79–81 °F), while some reefs grow below 18 °C (64 °F) (Achtuv & Dubinsky, 1990).

Indian Coral Reef Diversity

Most of the world's coral is found in four regions of India - Gulf of Kutch (Gujarat), Gulf of Mannar (Tamil Nadu), Andaman and Nicobar Islands, and Lakshadweep Islands. Some coral fragments have also been reported off the coast of Maharashtra, Kerala, and parts of the east coast. Coral reefs provide livelihood and social welfare to coastal communities where they are available along the coast of India. They contribute up to 25% of the total fish catch in the accessible area (Rajasuriya *et al.*, 2002; Mohale *et al.*, 2023).




Figure 1. Major coral reef areas in India (**Source:** Venkataraman, 2011)

Major Coral Reefs of the World

Most of the world's coral reefs are found in tropical oceans. Below is a list of some of the largest coral reefs in the world.

Chart 1 : list of some of the largest coral reefs in the world

Major Coral Reefs in the World	Location
Great Barrier Reef	The Coral Sea, Coast of Queensland, Australia
Apo Reef	Mindoro Strait, Philippines
Belize Barrier Reef	Belize
Coral Triangle	Solomon Islands, Indonesia, Timor-Leste, Malaysia, Philippines, and Papua New Guinea
Florida Keys	The Atlantic Ocean and Gulf of Mexico, United States
New Caledonian Barrier Reef	New Caledonia in the South Pacific
Red Sea Coral Reef	Egypt, Israel, Eritrea, Sudan, and Saudi Arabia
Amazon Reef	The Atlantic Ocean, the coast of northern Brazil, and French Guiana

Bar Reef	Kalpitiya peninsula, Sri Lanka
Mesoamerican Reef	The Caribbean Sea, Cost of Honduras, Belize, Mexico, Guatemala

Source: <https://www.envpk.com/coral-reef-destruction-causes-effects-and-solutions/>

Causes of Coral Reef Destruction

1. Coral Mining

Generally, it has been seen that people living on the islands use sand, coral rocks, and wood to build houses due to easy availability and less expensive. But in recent times, excessive mining and reclamation of reef flats have put corals at risk (Brown & Duns, 1988; Kenchington, 1990). The severe flooding of the Malé capital in 1987 by severe storm waves was largely the result of these efforts (excessive mining and reclamation of coral reefs) (Pernetta and Sestini 1989). Similarly, in Sri Lanka, southern India and Indonesia, coral reefs have been over-mined in search of limestone for cement production (Brown 1986; UNEP/IUCN 1988). Sand has also been mined in an unsustainable manner in Fiji and Mauritius (UNEP/IUCN 1988).

2. Fisheries

Most fishing in the past was labor-intensive, focused on nearby reefs, and used traditional gear including hooks, lines, nets, and spears. Transportation is constrained by the ability to paddle or sail to nearby reefs and the dangers of long journeys. Thus, fish populations were decreased around populated islands, and fish populations were increased around vast expanses of unpopulated or less populated areas.

Recently introduction of outboard motors has helped to reduce or eliminate some of these restrictions. Additionally, the availability of rubber-powered diving masks and spear guns has dramatically improved the ability to catch fish and extract other resources. For example, tridacnid clams have become practically extinct on many Indo-Pacific reefs (Gomez and Alcalá, 1988; Govan *et al.*, 1988), while the virtual extinction of pearl shell clams in Tokelau has been attributed to diving masks (Toloa and Gillette, 1989). Scuba spearfishing has led to substantial reductions in target fish species on prosperous islands such as Nauru (Dalzell and Debaio, 1994). Overfishing removes natural restraints on reefs, and this can lead to a rapid transition in population stages from reefs dominated by corals to reefs dominated by macroalgae, soft corals,

or echinoids (Done, 1992). Populations of algae-grazing urchins have increased due to the eradication of urchin predators, especially ballistids, in several areas including Kenya (McGlanahan and Obura 1995), Okinawa (Chou and Yamazato, 1990), and Indonesia. Grazing urchins, especially *Anchinemeta matthei*, actively destroy newly established corals and damage existing corals. In addition, many pharmaceutical companies obtain drugs and cultural artifacts from reefs, which are currently causing significant coral degradation (de Vries and Hall, 1994).

3. Pollution and sedimentation

According to Burke *et al.*, (2011) and Kroon *et al.*, (2014), agricultural pollution threatens at least 25% of the world's coral reefs. Intensive agriculture is a highly erosive process for coral reefs because they expose silt, inorganic and organic nutrients (especially nitrogen), and other toxic substances to streams, aquifers, and sensitive reefs. Nutrient contamination caused a nearly 10% reduction in coral cover in the aquifer-dominated Japanese islands between 1977 and 2005 (Dadhich *et al.*, 2017). Corals exhibit poor recovery with agricultural expansion because heavy sedimentation prevents the seeding of new larvae and damages reefs and discourages herbivorous fish from grazing the algae mats (Wolanski *et al.*, 2004). Therefore pollution prevention and management is very important to save coral reefs.

4. Global warming

The main reason for the extinction of corals is global warming and another is ocean acidification caused by carbon dioxide absorbed from the atmosphere. As a result, the coral would be less able to convert its bones into calcareous, which would prevent them from growing and cause them to collapse. Additionally, as a result of global warming, extremely warm ocean water will damage the top layer of coral, causing it to bleach. Symbiotic algae are extremely sensitive to changes in the marine environment. As a result of rising sea temperatures, marine pollution, and changes in biological species, these algae cannot function normally and thus release compounds that are toxic to corals. As a result, the coral and the symbiotic algae (the energy source for the coral) would become isolated from each other. If there is no pigment-rich algae, the coral will lose its original color and gradually turn white (see Figure 1). According to a research study, coral bleaching is mainly caused by the use of sunscreens by tourists around the world. Studies have shown that even small amounts of sunscreen used to protect the skin can bleach coral reefs. In fact, oxybenzone, a chemical found in sunscreen and other skincare products, has been found in freshwater and marine recreation areas and can accumulate in

aquatic species and break down into dangerous compounds. Studies in various marine environments show that even small amounts of sunscreen can cause significant amounts of coral mucus to be released within 18 to 48 hours and that corals can be completely bleached within 96 hours (Miao, 2022).



Figure 2. Coral bleaching (Source: Miao, 2022)

Effects of Coral Reef Destruction on the Aquatic Environment and Humans

Recent assessments of the condition and abundance of coral reefs show an alarming decline in coral reefs and their biodiversity (Bryant *et al.*, 1998; Wilkinson, 2000). A recent investigation by Wilkinson, (2008) and Saroj *et al.*, (2016) found that human involvement has threatened about 60% of coral populations in Southeast Asia, and about 80% of the population is classified as endangered. Studies estimate that if the ratio of climate change and human influence remains the same, 90% of the world's coral reefs could be destroyed by 2030 and could be extinct by 2050 (Kleypas *et al.*, 2006; Burke *et al.*, 2011). The world's coral reef populations are rapidly disappearing as a result of multiple human pressures on marine resources, such as over-exploitation, tourism growth, trade in coral reef products, coastal expansion, etc. The increasing destruction of coral reefs has many harmful effects on aquatic animals as well as humans and the environment.

Table 1. Consequences of the destruction of coral reef ecosystems on the environment and mankind

Consequences	Description	References
1. Depletion of food, shelter, and breeding grounds	Coral reefs provide vital food, shelter, and breeding grounds for aquatic organisms. Millions of fishes, turtles, and numerous other organisms would become extinct if their natural habitats disappeared.	Mohale <i>et al.</i> (2023); Reef-World, 2021
2. Depletion of human economic generation	According to the United Nations, around one billion people worldwide depend on coral reefs for their nutrition and livelihood. Their extinction would be catastrophic, depriving hundreds of millions of populations around the world of their basic source of food and income.	United Nations, (2023)
3. Declining coastline tourism industry	Coral reefs fascinate tourists concerning over 100 countries and territories across the world. A 2017 study concluded that coral reef tourism generated \$36 billion in revenue annually. Tourist numbers would plummet if the coral reef will decline and the impact would be devastating to local businesses	Spalding <i>et al.</i> (2017)
4. Shoreline erosion	Coral reefs also show their wonders on land. Unsurprisingly, they play a vital role in preserving coasts by acting as a natural barrier against huge waves and harsh weather conditions. Without them, shorelines would be at risk of erosion, and sea level rise would force communities living along the coast to relocate from their homes.	Reef-World, 2021; Shafiqayusof & Radzi, (2022)
5. Damage to the drug store of the sea	Coral reefs are commonly referred to as "the drug stores of the sea". Reef-dwelling plants and animals may hold the key to developing novel treatments for a variety of diseases and elements. Coral reef possesses anti-inflammatory properties,	Cooper <i>et al.</i> (2014)

	anticancer properties, bone repair, and neurological benefits. This goes to show that the health of our coral reefs is closely related to our own. To put it another way, losing them all is a terrible idea.	
6. Hypoxia	The oceans produce 50-80% of the oxygen on our planet. Plankton and other photosynthetic bacteria produce most of this oxygen. This oxygen is used by marine life and humans through the air we breathe. As a result, a healthy climate requires a healthy ocean, and a healthy ocean requires healthy coral reefs.	Reef-World, (2021)

Methods for Monitoring Coral Health

Some coral reef observing programs do not focus on coral bleaching and disease assessment due to the expense and time-consuming nature of coral health surveys (Page *et al.*, 2009, 2017; Ruiz-Moreno *et al.*, 2012). Monitoring initiatives instead focus on population zoning and distribution, which can often be obtained remotely through time-lapse satellite photography covering wide areas. Biological (percentage cover of corals, species composition and distribution), physical (Temperature, color), and socio-economic parameters (marine protected areas, fishing communities), as well as the percentage of coral cover and species composition and distribution, can all be taken into account when examining coral reef (Hill and Wilkinson, 2004).




Figure 3. Examples of some of the techniques used to determine coral 'health' (Source: Teague *et al.*, (2014))

1. **Manta Tow Method:** The percentage estimation of live hard and soft coral compared to dead hard coral is determined by the manta tow method. Typically this method involves towing a snorkeling diver (observer) behind a boat at a constant speed. The observer holds a manta board (a bouncy boat with handles) attached to the boat by a length of rope. During each brief pass of the manta tow, the observer makes a visual assessment of particular factors and logs this information on a data sheet (Hill and Wilkinson, 2004).
2. **Rugosity:** A chain-based instrument is used by biologists for the coral reef measurement of roughness and irregularity of a surface (Magno and Villanoy, 2006). This measurement can be used to locate reef areas of high turbidity, which provide additional protection for reef fish from predators and attachment sites for sessile animals including invertebrates, algae, and corals (Mumby, 2006; Fuad, 2010). A chain laid across the surface of the rock can be used to measure the roughness; The ruggedness index, C , can be calculated as: $C=1-D/L$, where D is the length of the fully extended chain and L is the horizontal distance the chain covers following the contours of the reef (Fuad, 2010).

3. **Color charts/ wheels:** Divers often use color charts in their surveying methods to rapidly determine coral health. A diver can use this comprehensive color chart to visualize and differentiate coral colors by eye (Teague *et al.*, 2014).
4. **Satellites:** Remote sensing satellites in low Earth orbit may be able to detect optical signals caused by the loss of the coral pigment zooxanthellae during major bleaching events. With the latest multi-spectral bands and panchromatic bands with a spatial resolution of 15-30 m, the satellite system enables the survey to cover large areas quickly. The amount of data that can be collected from the satellite is limited by depth, with it being able to generate accurate data only up to a depth of about 25 meters of water (Teague *et al.*, 2014).
5. **Aerial-based survey:** Another remote method for surveying coral reefs is an aerial survey, which uses a light airplane or helicopter flying at an altitude of about 150 m. Light aircraft can fly below the cloud base and scan expanses of vast coral reefs with higher resolution than satellites (Teague *et al.*, 2014).
6. **Underwater unmanned vehicles (UUV's):** The underwater human surveys can be replaced with underwater robotics, which reduces cost and danger as well as increases repeatability. Additionally, a UUV can travel longer distances in less time while carrying accurate global position data. For example, it may take two scuba divers up to 2.5 hours to cover a 120-m² area, giving them an average coverage of 0.13 m²/s, but a low-cost remote-operated vehicle (ROV) can cover the same area at a top speed of 1 m²/s (BluROV2).
7. **Underwater spectrometry:** It is also used with a waterproof spectrometer comparable to the PAM, to obtain spectrum data, and to record brightness reflectance measurements. Similar to PAM, these spectrometers should be placed up to 10 mm away from the sample (Leiper *et al.*, 2009). To describe solar irradiance and generate relative spectral measurements, a reference measurement that uses a Lambertian reflectance standard target is required (often referred to as a spectrolon). Data is often limited by the spectral range and spatial resolution of the spectrometer.

Coral Reef Conservation and Management Strategies

Coral reefs are protected under the Wildlife Protection Act of 1972 and the Environment Protection Act of 1986 as well as the Coastal Regulation Zone Notification of 1991. However, no separate legal support was offered for the protection of coral. Coral reef conservation in India

is now the responsibility of State Forest Departments, Fisheries Departments, and more recently State Coastal Management Authorities (Saroj *et al.*, 2016). As already mentioned above that corals are the most important resource for humans, yet most coral species are currently being exploited to an unsustainable level. Therefore, it has become necessary to establish important and sustainable strategies for the management and conservation of coral reefs. I have mentioned some important measures to conserve and protect coral reef ecology below:

1. Recycle and appropriately dispose of trash
2. Reduces the use of fertilizers
3. Use eco-friendly ways of transportation
4. Reduce stormwater runoff
5. Refrain from buying live coral
6. Explore coral reefs knowledge and educate your community
7. Avoid colliding or touching a coral reef
8. Use caution when snorkeling and scuba diving
9. Avoid near-shore development and construction
10. Act against global warming

Conclusion

Coral reefs are vital to both animal and human survival, so it is important to protect them. The past several decades have seen an imminent threat to coral ecosystems on every continent of the world due to global warming and other influencing factors. There is an urgent need to review current management strategies in light of the global decline of coral reefs. Many researchers have concluded that coral reefs need protection, and they need it without delay. Thereafter, natural processes are difficult to regulate effectively, requiring more research to recover coral reefs. A long-term, more effective strategy would involve coral reefs, which are rapidly disappearing and are currently out of balance. Research studies for the coral ecosystem and its conservation receive significant attention from global environmental protection initiatives. According to a recent study from the University of Queensland in Australia, dead coral reefs are just as important as living reefs, as they can support more life than living corals.

References

1. Abdullah, A.L., Anscelly, A.A., Mohamed, J. & Yasin, Z. 2016. Conservation of Pulau Payar Marine Park and optical remote sensing models. *KEMANUSIAAN: The Asian Journal of Humanities*, 23(1): 79–107. <https://doi.org/10.21315/kajh2016.23.2.1>
2. Achituv, Y. and Dubinsky, Z. 1990. Evolution and Zoogeography of Coral Reefs Ecosystems of the World. Vol. 25:1–8.
3. Brown BE (1986) Human induced damage to coral reefs. *UNESCO Reports in Marine Science*, 40, 179p
4. Brown BE, Dunne RP (1988) The environmental impact of coral mining on coral reefs in the Maldives. *Environment and Conservation*, 15, 159-166
5. Bryant, D., Burke, L., McManus, J., and Spalding, M. 1998. Reefs at risk: A map-based indicator of threats to the world's coral reefs. WRI/ICLARM/WCMC/UNEP. World Resources Institute, Washington, DC, 56 p.
6. Burke, L., Reytar, K., Spalding, M., and Perry, A. (2011). *Reefs at Risk Revisited*. Washington, DC: World Resources Institute.
7. Chou LM, Yamazato K (1990) Community structure of coral reefs within the vicinity of Mobutu and Sesoko, Okinawa, and the effects of human and natural influences. *Galaxea*, 9, 9-75.
8. Cooper, E.L., Hirabayashi, K., Strychar, K.B. and Sammarco, P.W., 2014. Corals and their potential applications to integrative medicine. *Evidence-based complementary and alternative medicine*, 2014.
9. Dadhich, A. P., Nadaoka, K., Motomura, Y., and Watanabe, A. (2017). Potential impacts of land use change dynamics and submarine groundwater discharge on fringing reefs of Kuroshima Island, Japan. *J. Coast. Conserv.* 21, 245–254. doi: 10.1007/s11852-017-0495-7
10. Dalzell P, Debaio A (1994) Coastal Fisheries Production on Nauru. South Pacific Commission, Inshore Fisheries Research Project Country Assignment Report, Noumea, New Caledonia, 19 pp.
11. de Vries DJ, Hall MR (1994) Marine biodiversity as a source of chemical diversity. *Drug Development Research*, 33, 161-17
12. Done TJ (1992) Phase shifts in coral reef communities and their ecological significance. *Hydrobiologia*, 247, 121-132.
13. Fuad, M. A. Z. (2010) 'Coral reef rugosity and coral biodiversity', Bunaken National Park-North Sulawesi, Indonesia. *Tourism*, 60.
14. Gan, S.H., Waheed, Z., Chung, F.C., Spiji, D.A., Sikim, L., Saleh, E. & Tan, C.H. 2021. In situ observations of coral spawning and spawn slick at Lankayan Island, Sabah, Malaysia. *Marine Biodiversity*, 51(1): 1-7. <https://doi.org/10.1007/s12526-020-01158-5>
15. Gomez ED, Alcalá AC (1988) Giant clams in the Philippines. In: *Giant Clams in Asia and the Pacific* (eds Copland JW, Lucas JS), Australian Centre for International Agricultural Research Monograph No.9, Canberra, 51-53

16. Govan H, Nichols PV, Taiea H (1988) Giant clam resource investigations in Solomon Islands. In: Giant Clams in Asia and the Pacific (eds Copeland JW, Lucas JS), Australian Centre for International Agricultural Research Monograph no. 9, Canberra, 274 pp.
17. Hill, J. and Wilkinson, C. (2004) Methods for Ecological Monitoring of Coral Reefs, Australia Institute Of Marine Science. doi: 10.1017/CBO9781107415324.004.
18. Kenchington RA (1990) Managing Marine Environments. Taylor and Francis, New York, 248pp.
19. Kleypas, J.A., Feely, R.A., Fabry, V.J., Langdon, C., Sabine, C.L. and Robbins, L.L. 2006. Impacts of Ocean Acidification on Coral Reefs and Other Marine Calcifiers: A Guide for Future Research, Report of a workshop held 18–20 April 2005, St. Petersburg, FL, sponsored by NSF, NOAA, and the U.S. Geological Survey, 88 pp.
20. Kroon, F. J., Schaffelke, B., and Bartley, R. (2014). Informing policy to protect coastal coral reefs: insight from a global review of reducing agricultural pollution to coastal ecosystems. *Mar. Pollut. Bull.* 85, 33–41. doi: 10.1016/j.marpolbul.2014.06.003
21. Lee, Jeong-Hyun; Chen, Jitao; Chough, Sung Kwun (1 June 2015). "The middle–late Cambrian reef transition and related geological events: A review and new view". *Earth-Science Reviews*. **145**: 66–84.
22. Leiper, I. A. et al. (2009) ‘Coral health monitoring: Linking coral colour and remote sensing techniques’, Canadian Journal of Remote Sensing. doi: 10.5589/m09-016.
23. Loh, I.H., Chong, J.L. & Baird, M.H. 2018. The conservation of coral reefs through mangrove management. *Biodiversity*, 19(1-2): 95-100. <https://doi.org/10.1080/14888386.2018.1473168>
24. Magno, M. and Villanoy, C. (2006) ‘Quantifying the complexity of Philippine coastlines for estimating entrainment potential’, in Proceedings 10th International Coral Reef Symposium, pp. 1471–1476.
25. McGlalahan TR, Obura D (1995) Status of Kenyan coral reefs. *Coastal Management*, 23, 57-76.
26. Miao, Z., 2022. Damage of Oxybenzone in Sunscreen to Coral Reefs. *International Journal of Biology and Life Sciences*, 1(1), pp.17-19.
27. Mohale, Hari & Desai, A & Temkar, G. (2023). CORAL REEF: THEIR IMPORTANCE, THREATS AND CONSERVATION STRATEGIES. 13. 65-68.
28. Mulhall, M., 2008. Saving the rainforests of the sea: an analysis of international efforts to conserve coral reefs. *Duke Environmental Law & Policy Forum* 19, 321e351. Spring 2009.
29. Mumby, P. J. (2006) ‘The impact of exploiting grazers (Scaridae) on the dynamics of Caribbean coral reefs’, *Ecological Applications*. doi: 10.1890/1051-0761(2006)016[0747:TIOEGS]2.0.CO;2.
30. Page, C. A. et al. (2009) ‘Influence of marine reserves on coral disease prevalence’, in *Diseases of Aquatic Organisms*. doi: 10.3354/dao02112.

31. Page, C. A. et al. (2017) 'Assessing coral health and disease from digital photographs and in situ surveys', *Environmental Monitoring and Assessment*. doi: 10.1007/s10661-016-5743-z.
32. Pernetta JG, Sestini G (1989) The Maldives and the impact of Expected Climatic Changes. *UNEP Regional Seas Reports and Studies*, 104.
33. Rajasuriya, A., Zahir, H., Muley, E. V., Subramanian, B. R., Venkataraman, K., Wafar, M. V. M., Khan, S. M. M. H. and Whittingham, E. M. M. A. 2002. Status of coral reefs in South Asia: Bangladesh, India, Maldives, Sri Lanka. In: *Proceedings of the Ninth International Coral Reef Symposium*, Bali, 23-27 October 2000, 2: 841-845.
34. Reef-World, 2021. There were no coral reefs. Retrieved from <https://reef-world.org/blog/no-coral-reefs>
35. Ruiz-Moreno, D. et al. (2012) 'Global coral disease prevalence associated with sea temperature anomalies and local factors', *Diseases of Aquatic Organisms*. doi: 10.3354/dao02488.
36. Saroj, J., Gautam, R. K., Joshi, A. and Tehseen, P. 2016. Review of coral reefs of India: Distribution, Status, Research and Management, *International Journal of Science, Environment and Technology* 5(5): 3088–3098.
37. Shafiq-yusof, N.U.R.U.L. and Radzi, N.S.M., 2022. Symbiodinium in coral reefs and its adaptation responses toward coral bleaching events: a review. *Malaysian applied biology*, 51(3), pp.1-15.
38. Spalding, M., Burke, L., Wood, S.A., Ashpole, J., Hutchison, J. and Zu Ermgassen, P., 2017. Mapping the global value and distribution of coral reef tourism. *Marine Policy*, 82, pp.104-113.
39. Teague, J., Allen, M.J., Day, J.C. and Scott, T.B., 2020. A review of current coral monitoring tools/diagnostic methods & introducing a new tool to the coral health toolkit. *A Review of Current Coral Monitoring Tools/Diagnostic Methods & Introducing a New Tool to the Coral Health Toolkit*.
40. Toloa F, Gillett R (1989) Aspects of traditional marine conservation in Tokelau. In: *Proceedings of the Fourth South Pacific Conference on Nature Conservation and Protected Areas (Port Vila, Vanuatu, 4-12 Sept 1989)*, Vol. 777; Papers-Themes and Case Studies, pp. 76-79. South Pacific Regional Environment Programme, Apia, Western Samoa.
41. Tuwo, Ambo & Tresnati, Joeharnani. (2021). Coral Reef Ecosystem. *Advances in Biological Sciences and Biotechnology* (pp.75-104). Publisher: Integrated Publications, New Delhi
42. UNEP/IUGN (1988) *Coral Reefs of the World*, Volumes 1-3 (eds Wells SM, Shoppard D, Jenkins MD). UNEP Regional Seas Directories and Bibliographies. IUGN Publication Services, Gland and Cambridge. UNEP, Nairobi.
43. United Nation, 2023. The splendor of the reefs. Retrieved from <https://www.un.org/en/observances/oceans-day/360diving>

44. Venkataraman, K. 2011. Coral reefs of India. In: Encyclopedia of Modern Coral Reefs. Springer, Dordrecht, pp. 267-275.
45. Wilkinson, C. 2008. Status of Coral Reefs of the World: Executive Summary. Global Coral Reef Monitoring Network. pp. 5-19.
46. Wilkinson, C., ed. 2000. Status of Coral Reefs of the World: 2000. Australian Institute of Marine Science, Townsville, Australia. Web version: <http://www.reefbase.org/Summaries/GCRMN2000.htm>.
47. Wolanski, E., Richmond, R. H., and McCook, L. (2004). A model of the effects of land-based, human activities on the health of coral reefs in the Great Barrier Reef and in Fouha Bay, Guam, Micronesia. *J. Mar. Syst.* 46, 133–144. doi: 10.1016/j.jmarsys.2003.11.018

UNDER PEER REVIEW