

**Case-based learning in pharmacy practice:  
Observations from an Indian pharmacy college**

1 **ABSTRACT**

2

Today, it's getting harder to learn a career in pharmacy. In addition to self-guided individual learning, pharmaceutical educators are required to find and adopt ways that support higher-level thinking, collaborative learning, and student motivation. One strategy to achieve these aims is to develop and use case-based learning as an addition to traditional teaching techniques. They support learner-centered, small-group, interactive learning experiences as opposed to large-group, teacher-centered, didactic instruction. A cross-over study between two groups equally exposed to both didactic lectures and case-based pedagogy musculoskeletal system diseases and drug therapy; which involves assessment of perception and small group responses towards case-based learning. The outcome of which is further investigated by administering an objective structured clinical examination. The vast majority of the students reported satisfaction with case-based learning sessions and highly appreciated this method of teaching pharmacotherapy of musculoskeletal system diseases. In our study, more than 93.22% of the students opined that they enjoyed sessions and it held their interest and motivated them to learn better. The 't-test between post-test 1 and post-test 2 scores was statistically significant with a P value of 0.0001. This suggests that CBL is effective in students' learning, and reinforces important concepts, strengthening information retention and long-term memory. In conclusion, the perception of pharmacy practice students towards case-based learning is highly contented and encountered a very positive impact on understanding and retention of knowledge in musculoskeletal system diseases and drug therapies.

3

4 *Keywords: Cross over, didactic lectures, perception, post-test, pharmacy practice.*

5

**1. INTRODUCTION**

6

Clinical and technology breakthroughs are occurring at a record pace challenging existing models of education and training of millennial graduates, urging a robust shift of pharmacy and pharmaceutical sciences education to that of a continuum of professional development. Students to be successful out of the academic path need to acquire four core competency sets: knowledge, skills, attitude, and values; pharmaceutical educators are encouraged to find and implement ways to promote higher order thinking, and collaborative learning and to increase students' motivation. Complementing traditional instruction with case-based learning (CBL), problem-based learning (PBL), or simulation-based training (SBT), supported in real-world contexts, is one strategy for achieving these goals.

7

8

9

10

11

12

13

14

It is incumbent upon academic programs to move students from learning the material to applying that knowledge in a meaningful way [1]. Many health professions programs, including medicine, pharmacy, dentistry, nursing, and optometry are currently experimenting with variations of case-based learning to address this problem and to prepare the learner for the unexpected [2-6]. Furthermore, case-based learning allows the learner to go beyond

20 knowledge acquisition in the pedagogical process and proceed to the point of knowledge  
21 application.

22 CBL allows students to develop a collaborative, team-based approach to their education [7],  
23 and promote authentic learning [8]. The implementation and assessment of CBL is well  
24 documented in various levels of biomedical sciences such as Medicine [9] Geriatrics [10],  
25 Nursing [11], Therapeutics and Medicinal Chemistry [12], Pharmaceuticals [13], Obstetrics and  
26 Gynecology [14], and Allied Health [15]. In our observation, literature is very dwarf in the  
27 incorporation of case-based learning in pharmacy education and practice in developing and  
28 industrialized countries like India, which mandated a transformed teaching-learning process  
29 for better rational practices with expanded patient care responsibilities. It is our goal with this  
30 text to share our experience in the design and implementation of a case-based approach to  
31 pharmacotherapeutics in musculoskeletal system diseases

## 32 **2. MATERIAL AND METHODS**

33 The current prospective observational exploratory study of six months duration (October  
34 2021 - March 2022) approved by the institutional review board (RIPER/IRB/PP/2021/008)  
35 was performed in a self-financing, private, unaided, pharmacy institute of south India among  
36 students pursuing pharmacy practice program, which aimed to implement and evaluate a  
37 model of small group CBL to assess (a) the perception of students towards case-based  
38 learning, and (b) the effectiveness of case-based learning in understanding and retention of  
39 knowledge in musculoskeletal system disease of pharmacotherapeutics course (rheumatoid  
40 arthritis, osteoarthritis, and gout).

41 The cross-over study between two groups of students equally exposed to both didactic  
42 lectures and case-based pedagogy in musculoskeletal system diseases and drug therapy;  
43 included assessment of perception and small group responses towards case-based learning.  
44 The outcome of which is further investigated by administering an objective structured clinical  
45 examination.

### 46 **Study Procedure**

47 The study was carried out on PharmD (3<sup>rd</sup> and 4<sup>th</sup> Year) students, after obtaining prior  
48 permission from the Research and Development Cell and Institutional Review Board of the  
49 institute, through a structured framework involving the following steps: (i) Six clinical cases  
50 were prepared for the case-based learning sessions, in consultation with the faculty of  
51 department of pharmacy practice RIPER Autonomous. (ii) The topics covered in the clinical  
52 cases were rheumatoid arthritis (RA), osteoarthritis (OA), and gout. (iii). CBL session  
53 questions will be validated and finalized based on faculty member inputs. (iv). During the  
54 CBL session, the students will be divided into subgroups. (v). Each subgroup will be  
55 provided with handouts of the clinical case scenario a week before the session, and will be  
56 asked to study the case. (vi). Group A will have three CBL sessions (each on Rheumatoid  
57 Arthritis, Osteoarthritis, and Gout) whereas Group B will have three DLs (didactic lectures)  
58 on the same topics. (vii). The students exposed to CBL will be administered with a feedback  
59 form, and the same group will be administered with another set of three cases for small  
60 group discussion and interactions and their experiences and responses will be documented.  
61 (viii). After three sessions, the cross-over of groups will be performed. (ix). Group A will have  
62 three (DLs) didactic lectures (each on rheumatoid arthritis, osteoarthritis, and gout) whereas  
63 Group B will have three CBL sessions on the same topics. The students exposed to CBL will  
64 be administered with a feedback form, and the same group will be administered with another  
65 set of three cases for small group discussion and interactions and their experiences and  
66 responses will be documented. (x). CBL sessions and didactic lectures will be conducted in

67 the lecture hall and each lasted for a minimum of 60 to 90 minutes. (xi). Feedback  
 68 questionnaires for students were designed, validated, and pretested with colleagues and  
 69 students from the previous batch. The students' feedback form had two parts: (a) The first  
 70 part: to assess perception towards CBL (5-point Likert Scale), and (b) The second part: to  
 71 assess the small group experiences towards CBL case studies discussion (Close-ended  
 72 questions). (xii). Post-test was conducted for the entire group of students immediately after  
 73 the three CBL and DL sessions were completed, and then a repeat test was taken after 6  
 74 weeks duration from the first post-test. (The post-test was in an objective structured clinical  
 75 examination - OSCE format).

### 76 3. RESULTS AND DISCUSSION

#### 77 3.1 Characteristics of study participants

78 In our study out of 59 student participants, 27.12% were male and 72.88% were female, in  
 79 which 61.02% belonged to PharmD 3<sup>rd</sup> year and the rest 38.98% were PharmD 4<sup>th</sup> students  
 80 respectively, results of which are presented in Table 1.

81 **Table 1. Characteristics of study participants**

Program and Year	Gender distribution		Total (n%)
	Male (n%)	Female (n%)	
PharmD IIIYear	9(25)	27(75)	36(61.02)
PharmDIVYear	7(43.75)	16(56.25)	23(38.98)
Total	16(27.12)	43(72.88)	59

#### 82 3.2 Student perception towards case-based learning

83 The study participants experienced case-based learning in musculoskeletal system disease  
 84 (rheumatoid arthritis, osteoarthritis, and gout) and pharmacotherapy, facilitated by the  
 85 researcher followed by which feedback form designed with 5-point Likert scale was  
 86 administered to assess the study participant's perception of sessions.

87 The vast majority of students expressed satisfaction with CBL sessions and great  
 88 appreciation for this approach to teaching musculoskeletal system illnesses and drug  
 89 therapy. CBL sessions were liked by more than 93.22% of students because it kept their  
 90 attention and motivated them to learn more. Many students (52.54 %) felt that the cases  
 91 taught in CBL sessions posed many challenging questions that helped them prepare for and  
 92 improve clinical problem-solving. Students also opined that CBL improved their ability in  
 93 terms of physical examination/drug monitoring skills/laboratory investigations interpretation.  
 94 About (72.88%) of the students agreed that the case presented was relevant to the program  
 95 and course curriculum. The majority of the students (93.22%) were in favor of CBL sessions  
 96 in terms of benefits for knowledge retention and long-lasting memory. However, only  
 97 (47.46%) stated that the cases facilitated active discussion, the responses of which are  
 98 presented in Table 2.

99

100

101

102

**Table 2. Student perception towards case-based learning**

S. No	Inventories	5PointLikertScale				
		Strongly Agree	Agree	Neutral	Class Mean	SD
1	The cases were engaging and includes multiple disciplines	93.22	6.78	0	1.07	0.254
2	The case presented were pertinent to curriculum and program	72.88	27.12	0	1.27	0.448
3	The presentation/course was well-structured	76.27	22.03	1.7	1.25	0.477
4	The cases prompted lively debate	47.46	52.54	0	1.53	0.504
5	Case-based learning is beneficial to traditional teaching and learning methods	54.24	45.76	0	1.46	0.502
6	CBL enhanced laboratory investigation interpretation, drug monitoring, and physical examination skills	76.27	23.73	0	1.24	0.429
7	CBL enhanced my capacity to formulate therapeutic plans	62.71	37.29	0	1.37	0.488
8	CBL trained us for solving clinical problems	52.54	40.68	6.78	1.49	0.569
9	CBL promoted communication between the facilitator and the students	52.54	45.76	1.7	1.49	0.537
10	CBL teaching and learning process was enjoyable	71.19	27.12	1.7	1.31	0.5

### 104 3.3 Small group case-based learning response

105 In our study, pharmacy practice students of Group A and Group B after experiencing the  
 106 CBL sessions were sub-grouped as small groups, and administered with another set of three  
 107 cases. The observations of discussion, interactions, and experiences towards small group  
 108 case-based learning established that female student responded more positively to tasks  
 109 undertaken in the initial discussion sessions, responses of which are presented in Table 3.

110 **Table 3. Small group case-based learning response**

S. No	Inventories	Yes		No	
		Male	Female	Male	Female
1	The session had a clear goal and purpose	16	43	0	0
2	Have you engaged in the small group discussion	16	38	0	5
3	Have you become more adept at analyzing the evidence and the case's background	16	36	0	7
4	Have you developed the capacity to make predictions and suggestions	15	40	1	3
5	Have you become more competent at presenting the point clearly	16	39	0	4
6	Sessions were beneficial for learning new skills	16	35	0	8
7	The concept map for each case study was helpful	16	42	0	1
8	Small group formulated learning objectives	15	42	1	1
9	Session emphasized teamwork	16	42	0	1
10	Facilitator would have fostered the conversation	9	40	7	3

better

111 **3.4 Response towards objective structured clinical examination (OSCE) post-test 1**  
112 **versus post-test 2**

113 The outcome of case-based pedagogy towards musculoskeletal system disease and  
114 pharmacotherapy among pharmacy practice students was evaluated through objective  
115 structured clinical examinations with 20 inventories administered twice to the students, as  
116 post-test 1 (for investigating the understanding), and the post-test 2 (for investigating the  
117 retention) with a time-interval difference of 6 weeks. The completed response sheets were  
118 collected and statistically analyzed to compute the results using Microsoft Excel and SPSS  
119 version 26. Qualitative data were expressed in the form of percentages and the quantitative  
120 data were expressed in the form of mean  $\pm$  standard deviation. Student's "t" test was used to  
121 compare post-test 1 and post-test 2 scores and expressed in terms of "p" value. The value of  
122  $p < 0.0001$  was considered statistically significant, the results of which are presented in Table  
123 4.

124 **Table 4. Response towards objective structured clinical examination (OSCE) post-test**  
125 **1 versus post-test 2**

Inven tories	Post-test 1			Post-test 2		
	Male (n =16)	Female (n =43)	Total (n =59)	Male (n =16)	Female (n =43)	Total (n =59)
Q1	14	36	50	15	38	53
Q2	8	28	36	10	33	43
Q3	14	36	50	15	39	54
Q4	12	29	41	13	33	46
Q5	7	27	34	10	34	44
Q6	14	25	39	15	32	47
Q7	14	24	38	15	30	45
Q8	14	28	42	15	33	48
Q9	14	28	42	15	35	50
Q10	14	28	42	15	34	49
Q11	11	16	27	13	28	41
Q12	11	37	48	13	39	52
Q13	10	29	39	12	35	47
Q14	12	34	46	13	38	51
Q15	14	37	51	15	39	54
Q16	13	32	45	14	37	51
Q17	13	33	46	14	36	50
Q18	14	28	42	15	32	47
Q19	14	35	49	15	37	52
Q20	14	23	37	15	31	46
Pvalue		0.0001*			0.0001*	

126 **3.5 Comparison of the students score in the post-test 1 and post-test 2**

127 In our study, the post-test 2 scores after 6 weeks of CBL sessions were significantly better  
128 than post-test 1 scores. The 't' test between post-test 1 and post-test 2 scores was  
129 statistically significant with a P value of 0.0001, which suggests that CBL is effective in  
130 students' learning, and reinforced important concepts, and thereby strengthens information  
131 retention and long-term memory, results of which are presented in Table 5.

**Table 5. Comparison of the students score in the pre-test and post-test**

Post-test	Mean $\pm$ SD		P value
1	12.55 $\pm$ 2.139	13.85 $\pm$ 1.631	0.0001
2	29.65 $\pm$ 5.422	34.65 $\pm$ 3.200	0.0001
Total	42.2 $\pm$ 7.561	48.5 $\pm$ 4.831	0.0001

#### 133 4. DISCUSSION

134 Case-based learning involves guided inquiry and is grounded in constructivism whereby  
 135 students form new meanings by interacting with their knowledge and the environment [16].  
 136 In Medical [17-25], dentistry [26-30], nursing [31,32], occupational and physical therapy [33]  
 137 or pre-health students, case-based learning demonstrates the use of clinical reasoning,  
 138 suggests pertinent testing, develops a differential diagnosis, and therapeutic plan. CBL is an  
 139 effective method of teaching-learning and the prospects of incorporating the same within the  
 140 curriculum to make the learning more simplified and authentic has been explored by medical  
 141 colleges in India [34,35]. The worldwide literature on case-based learning in pharmacy and  
 142 pharmaceutical sciences available is minuscule. To the best of our knowledge, this study is  
 143 the first of its kind performed to evaluate the perception, and effectiveness of case-based  
 144 learning in terms of understanding and retention of knowledge among pharmacy practice  
 145 students in India.

146 In our study, the basic characteristics of study participants showed nearly three-fourth of  
 147 female (72.88%) students in comparison to male (27.12%), similar observations have been  
 148 reported by Crawford et al, 2012 [36]. The perception of pharmacy practice students of our  
 149 study towards case-based learning facilitated self-directed learning and team building  
 150 capacity, in addition interest and inclination for enhancement of critical analysis and decision  
 151 making in musculoskeletal system disease and pharmacotherapy, observation of which were  
 152 consistent with other similar studies, but in the field of medical education [37,39].

153 Small-group case-based learning is an effective strategy for facilitating interprofessional  
 154 learning, with interaction factors influencing student interest, learning, and satisfaction [40].  
 155 In our study, female student responded more positively to tasks undertaken in the initial  
 156 discussion sessions, similar observation has been reported by Peplow et al, 1998 [41].

157 The current cross over study between two groups of pharmacy practice students equally  
 158 exposed to both didactic lectures and case-based pedagogy in musculoskeletal system  
 159 diseases and drug therapy revealed significantly higher learning, observations of which are  
 160 similar to CBL studies performed in medical students [42-45].

161 In our study, the post-test 2 scores after 6 weeks of CBL sessions were significantly better  
 162 than post-test 1 scores; which showcases retention of knowledge was well facilitated through  
 163 case-based learning in pharmacy practice students. Ciraj et al, 2010 [46] observed the same  
 164 in medical microbiology course.

#### 165 5. CONCLUSION

166 In conclusion, the perception of pharmacy practice students towards case-based learning  
 167 was highly contented, which encountered a significant outcome in terms of understanding  
 168 and retention of knowledge in musculo-skeletal system diseases and drug therapies. The  
 169 Indian professional pharmacy curriculum should facilitate integration of case-based learning  
 170 into the students' daily instruction across all facets in order to adapt to the changing  
 171 demands of the profession.

172 **CONSENT**

173 It is not applicable.

174 **ETHICAL APPROVAL**

175 The institutional review board of the institute approved our study protocol with approval  
176 number (RIPER/IRB/PP/2021/008).

177 **REFERENCES**

- 178 1. Yolton DP, Yolton RL, Laukkanen HR. Implications of problem-based education for  
179 the future of optometric practice. *Optometry*. 2000;71(2):104-10.  
180 2. Marinho VC, Richards D, Niederman R. Variation, certainty, evidence, and change  
181 in dental education: employing evidence-based dentistry in dental education. *J Dent*  
182 *Educ*. 2001;65(5):449-55.  
183 3. Demarco R, Hayward L, Lynch M. Nursing students' experiences with and strategic  
184 approaches to case-based instruction: a replication and comparison study between  
185 two disciplines. *J Nurs Educ*. 2002;41(4):165-74.  
186 4. Pungente MD, Wasan KM, Moffett C. Using Learning Styles to Evaluate First-Year  
187 Pharmacy Students' Preferences Toward Different Activities Associated with the  
188 Problem-Based Learning Approach. *Am J Pharm Educ*. 2003 Summer;66:119-124.  
189 5. Tärnvik A. Advantages of using the multiple case method at the clinical stage of  
190 medical education. *Med Teach*. 2002;24(4):396-401.  
191 6. Williams B. Case based learning--a review of the literature: is there scope for this  
192 educational paradigm in prehospital education? *Emerg Med J*. 2005;22(8):577-81.  
193 7. Schmidt HG. Assumptions underlying self-directed learning may be false. *Med Educ*.  
194 2000;34(4):243-5.  
195 8. Jesus A, Gomes MJ, and Cruz A. A B-learning strategy for Therapeutics at the  
196 Bachelor Level. 2012. Presented at the FIP World Centennial Congress of  
197 Pharmacy and Pharmaceutical Sciences, Amsterdam: International Pharmaceutical  
198 Federation.  
199 9. Jamkar AV, Burdick W, Morahan P, Yemul VY, Sarmukadam, Singh G. Proposed  
200 model of case based learning for training undergraduate medical student in surgery.  
201 *Indian J Surg*. 2007;69(5):176-83.  
202 10. Struck BD, Teasdale TA. Development and evaluation of a longitudinal Case Based  
203 Learning (CBL) experience for a geriatric medicine rotation. *GerontolGeriatr Educ*.  
204 2008;28(3):105-14.  
205 11. Yoo MS, Park JH, Lee SR. [The effects of case-based learning using video on  
206 clinical decision making and learning motivation in undergraduate nursing students].  
207 *J Korean AcadNurs*. 2010;40(6):863-71.  
208 12. Ives TJ, Deloatch KH, Ishaq KS. Integration of medicinal chemistry and  
209 pharmacotherapeutics courses: a case-based, learner-centered approach. *Am J*  
210 *Pharm Educ*. 1998;62(4):406-411.  
211 13. Romero, R, Erikson S, and Haworth I. A decade of teaching pharmaceuticals using  
212 case studies and problem-based learning. *Am J Pharm Educ*. 2004;68(2):1-10.  
213 14. Massonetto JC, Marcellini C, Assis PS, de Toledo SF. Student responses to the  
214 introduction of case-based learning and practical activities into a theoretical  
215 obstetrics and gynaecology teaching programme. *BMC Med Educ*. 2004;4(1):26.  
216 15. White P, Mckay J. Case-based learning introduced into an allied health programme.  
217 2003. Paper presented at International Literacy and Education Research Network  
218 Conference on Learning.

- 219 16. Lee, Virginia Snowden. "What is inquiry-guided learning?" *New Directions for*  
220 *Teaching and Learning* 2012 (2012): 5-14.
- 221 17. Ward R. Active, collaborative and case-based learning with computer-based case  
222 scenarios. *Computers Education*. 1998;30(1-2):103-10.
- 223 18. Eisenstein A, Vaisman L, Johnston-Cox H, Gallan A, Shaffer K, Vaughan D, O'Hara  
224 C, Joseph L. Integration of basic science and clinical medicine: the innovative  
225 approach of the cadaver biopsy project at the Boston University School of Medicine.  
226 *Acad Med*. 2014;89(1):50-3.
- 227 19. Srinivasan M, Wilkes M, Stevenson F, Nguyen T, Slavin S. Comparing problem-  
228 based learning with case-based learning: effects of a major curricular shift at two  
229 institutions. *Acad Med*. 2007;82(1):74-82.
- 230 20. Guarner J, Amukele T, Mehari M, Gemechu T, Woldeamanuel Y, Winkler AM, Asrat  
231 D, Wilson ML, del Rio C. Building capacity in laboratory medicine in Africa by  
232 increasing physician involvement: a laboratory medicine course for clinicians. *Am J*  
233 *Clin Pathol*. 2015;143(3):405-11.
- 234 21. Frengley RW, Weller JM, Torrie J, Dzendrowskyj P, Yee B, Paul AM, Shulruf B,  
235 Henderson KM. The effect of a simulation-based training intervention on the  
236 performance of established critical care unit teams. *Crit Care Med*.  
237 2011;39(12):2605-11.
- 238 22. Li S, Yu B, Yue J. Case-oriented self-learning and review in pharmacology teaching.  
239 *Am J Med Sci*. 2014;348(1):52-6.
- 240 23. Begley KJ, Coover KL, Tilleman JA, Haddad AM, Augustine SC. Medication therapy  
241 management training using case studies and the MirixaPro platform. *Am J Pharm*  
242 *Educ*. 2011;75(3):49.
- 243 24. Marshall LL, Nykamp D. Active-learning assignments to integrate basic science and  
244 clinical course material. *Am J Pharm Educ*. 2010;74(7):119.
- 245 25. Dupuis RE, Persky AM. Use of case-based learning in a clinical pharmacokinetics  
246 course. *Am J Pharm Educ*. 2008;72(2):29.
- 247 26. Ilgüy M, Ilgüy D, Fişekçioğlu E, Oktay I. Comparison of case-based and lecture-  
248 based learning in dental education using the SOLO taxonomy. *J Dent Educ*.  
249 2014;78(11):1521-7.
- 250 27. Du GF, Li CZ, Shang SH, Xu XY, Chen HZ, Zhou G. Practising case-based learning  
251 in oral medicine for dental students in China. *Eur J Dent Educ*. 2013;17(4):225-8.
- 252 28. Keeve PL, Gerhards U, Arnold WA, Zimmer S, Zöllner A. Job requirements  
253 compared to dental school education: impact of a case-based learning curriculum.  
254 *GMS Z Med Ausbild*. 2012;29(4):Doc54.
- 255 29. Woelber JP, Hilbert TS, Ratka-Krüger P. Can easy-to-use software deliver effective  
256 e-learning in dental education? A randomised controlled study. *Eur J Dent Educ*.  
257 2012;16(3):187-92.
- 258 30. Alcota M, Muñoz A, González FE. Diverse and participative learning methodologies:  
259 a remedial teaching intervention for low marks dental students in Chile. *J Dent Educ*.  
260 2011;75(10):1390-5.
- 261 31. Giddens JF. The Neighborhood: a Web-based platform to support conceptual  
262 teaching and learning. *Nurs Educ Perspect*. 2007;28(5):251-6.
- 263 32. Pearson D, Pandya H. Shared learning in primary care: participants' views of the  
264 benefits of this approach. *J Interprof Care*. 2006;20(3):302-13.
- 265 33. Parmar SK, Rathinam BA. Introduction of vertical integration and case-based  
266 learning in anatomy for undergraduate physical therapy and occupational therapy  
267 students. *Anat Sci Educ*. 2011;4(3):170-3.
- 268 34. Kapoor N. Teaching pathology of breast cancer to medical undergraduates by case  
269 based learning method. *Indian J Cancer*. 2015;52(2):215-6.
- 270 35. Singhal A. Case-based Learning in Microbiology: Observations from a North West  
271 Indian Medical College. *Int J Appl Basic Med Res*. 2017;7(Suppl 1):S47-S51.

- 272 36. Crawford SY, Alhreish SK, Popovich NG. Comparison of learning styles of pharmacy  
273 students and faculty members. *Am J Pharm Educ.* 2012;76(10):192.  
274 37. Chamberlain NR, Stuart MK, Singh VK, Sargentini NJ. Utilization of case  
275 presentations in medical microbiology to enhance relevance of basic science for  
276 medical students. *Med Educ Online.* 2012;17.  
277 38. Dulloo, P., and Pathare, N.A. Case-based methodology: a method to enhance the  
278 learning of physiological basis of a cardiovascular and respiratory system to  
279 undergraduate medical students. *American Journal of Educational Research.*  
280 2013;1(10):425-29.  
281 39. Vora MB, Shah CJ. Case-based learning in pharmacology: Moving from teaching to  
282 learning. *Int J Appl Basic Med Res.* 2015;5(Suppl 1):S21-3.  
283 40. Curran VR, Sharpe D, Forristall J, Flynn K. Student satisfaction and perceptions of  
284 small group process in case-based interprofessional learning. *Med Teach.*  
285 2008;30(4):431-3.  
286 41. Peplow P. Attitudes and examination performance of female and male medical  
287 students in an active, case-based learning programme in anatomy. *Med Teach.*  
288 1998;20(4):349-55.  
289 42. Rustagi, S.M., Prakash, S.H., Dave, V., Dhuria, R., & Gorla, S. Case Based learning  
290 in Neuroanatomy in Small Groups for First MBBS Students. *Indian J*  
291 *Anat.* 2020;9(1):55-60.  
292 43. Nair S.K, and Rai N. Comparing the Effectiveness of Case Based Learning with  
293 Conventional Teaching in Anatomy. *Academia Anatomica International.*  
294 2019;5(2):34-36.  
295 44. Blewett EL, Kisamore JL. Evaluation of an interactive, case-based review session in  
296 teaching medical microbiology. *BMC Med Educ.* 2009;27;9:56.  
297 45. Tathe, S.S., and Singh, A.L. Case based lectures versus conventional lectures for  
298 teaching medical microbiology to undergraduate students. *Int J Cur Res Rev.*  
299 2014;6(4):35-41.  
300 46. Ciraj AM, Vinod P, Ramnarayan K. Enhancing active learning in microbiology  
301 through case based learning: experiences from an Indian medical school. *Indian J*  
302 *PatholMicrobiol.* 2010;53(4):729-33.

### 303 **ABBREVIATIONS**

304 CBL:Case-based learning; PBL:Problem-based learning; SBT:Simulation-based training;  
305 IRB:Institutional Review Board; PP:Pharmacy Practice; PharmD:Doctor of Pharmacy;  
306 RA:Rheumatoid Arthritis; OA:Osteoarthritis; DL:Didactic Lectures; OSCE:Objective  
307 Structured Clinical Examination; SPSS:Statistical Package for Social Sciences.