

# **Preserving for the Future: The Critical Role of Germplasm Conservation in Fruit Crop Resilience**

## **Abstract**

Germplasm conservation in fruit crops is indispensable for securing global food systems and safeguarding agricultural biodiversity. The conservation of genetic diversity within fruit crops is paramount, given the escalating threats posed by climate change, emerging diseases, and habitat loss. This review encapsulates the multifaceted challenges and innovative strategies in fruit crop germplasm conservation, emphasizing the integration of traditional knowledge and cutting-edge technologies. The proactive preservation of diverse varieties through in situ and ex situ methods is essential for developing resilient, adaptive fruit crops. Global collaboration and heightened public awareness play pivotal roles in overcoming financial constraints and ethical considerations. The future of germplasm conservation in fruit crops hinges on a holistic approach, incorporating community engagement, advanced technologies, and international cooperation to ensure sustainable agriculture and the resilience of these crops in the face of dynamic environmental challenges.

**Keywords:** germplasm conservation, global, fruit, community, traditional

## **Introduction**

Fruit crops are not only integral to human diets but also play a significant role in global agriculture and economies[1]. The genetic diversity within these crops is the foundation for breeding programs that aim to develop varieties resilient to changing environmental conditions and pests. However, this diversity is increasingly under threat, necessitating effective germplasm conservation strategies [2].

Fruit crops stand at the nexus of global agriculture, serving not only as fundamental components of human diets but also as linchpins in the economic tapestry of nations. These crops, with their diverse flavors, textures, and nutritional profiles, contribute substantially to the world's food security and culinary richness[59]. However, the very essence of these fruit-bearing plants, their genetic diversity, faces an unprecedented and multifaceted threat. The 21st century presents fruit crops with challenges of unparalleled scale: a changing climate, emerging pathogens, habitat degradation, and the encroachment of monoculture[60]. In the face of these challenges, the preservation of genetic diversity through germplasm conservation emerges as an imperative for ensuring the sustainability, adaptability, and resilience of fruit crops. The genetic diversity within fruit crops is a treasure trove of traits that have been selectively shaped by nature and human cultivation over millennia[3]. This diversity is not merely an aesthetic or gustatory consideration; it is the bedrock upon which agricultural resilience is built. Diseases evolve, climates shift, and pests adapt; it is in the genetic diversity of fruit crops that we find the raw materials for developing varieties that can withstand and overcome these challenges[4]. Whether it be the resistance of apples to fungal pathogens, the drought tolerance of certain grape varieties, or the nutritional richness found in diverse types of berries, the genetic diversity within fruit crops is the reservoir from which we draw to enhance agricultural productivity and sustainability. The urgency of germplasm conservation is underscored by the accelerating pace of environmental change[5]. As temperatures rise, precipitation patterns shift, and extreme weather events become more frequent, the adaptability of fruit crops becomes paramount. Preserving a broad genetic base provides insurance against the uncertainties of an unpredictable climate, allowing for the development of varieties that can thrive under diverse conditions. Moreover, as the global population burgeons, so too does the demand for nutritious and diverse food sources[9]. Germplasm conservation ensures that future generations have access to the genetic resources necessary to breed crops that meet evolving nutritional needs.

Germplasm conservation, also known as genetic resource preservation, is a systematic and intentional effort to maintain and safeguard the genetic diversity present within the seeds, tissues, or reproductive cells of plants and animals[11,13]. The term "germplasm" refers to the living genetic material that has the potential to reproduce and transmit specific traits to subsequent generations. This conservation process aims to ensure the preservation of

valuable genetic resources for future use in agriculture, horticulture, and animal husbandry. By collecting, characterizing, and storing this diverse genetic material, scientists and conservationists seek to protect against the loss of critical traits that contribute to the adaptability, resilience, and productivity of crops and livestock[11, 10]. Germplasm conservation involves a combination of in situ and ex situ methods, with in situ conservation occurring in the natural habitats of the organisms and ex situ conservation involving the storage of seeds, tissues, or embryos in controlled environments such as gene banks, botanical gardens, or cryopreservation facilities[12]. The overarching goal is to maintain the biological foundation of our food supply and ecosystem health, allowing for sustained agricultural productivity and the ability to address emerging challenges such as climate change, pests, and diseases[13].

Germplasm conservation in fruit crops is a specialized branch of genetic resource preservation focused on maintaining and protecting the diverse genetic material inherent in fruit-bearing plants. This process involves the systematic collection, characterization, and storage of seeds, tissues, or reproductive cells from various fruit species[14, 15]. The term "germplasm" encompasses the heritable components of these crops that determine their unique characteristics, including flavor, nutritional content, resistance to diseases, and adaptability to environmental conditions. Germplasm conservation in fruit crops is critical due to the increasing threats posed by climate change, emerging diseases, and the expanding global demand for diverse and nutritious fruits[22]. Conservation efforts aim to secure the genetic diversity of fruit crops to ensure their resilience in the face of evolving environmental challenges. In practice, this may involve maintaining living collections in orchards, establishing gene banks for long-term storage, and employing advanced technologies such as cryopreservation to safeguard the genetic integrity of these essential crops[16]. The overarching objective is to sustain agricultural productivity, enhance food security, and facilitate ongoing breeding programs that can develop new fruit varieties with improved traits and adaptability.

### **Importance of Germplasm Conservation**

The importance of germplasm conservation in fruit crops cannot be overstated, as it serves as a cornerstone for sustainable agriculture, food security, and biodiversity. Fruit crops are not only vital components of global diets but also contribute significantly to economic systems[18]. The genetic diversity within these crops represents a reservoir of valuable traits that determine characteristics such as flavor, nutritional content, resistance to diseases, and adaptability to diverse environmental conditions[19]. Germplasm conservation acts as a safeguard against the loss of this genetic diversity, ensuring that the raw materials for crop improvement and adaptation are preserved for future generations[20]. As fruit crops face escalating challenges from climate change, emerging diseases, and habitat degradation, the conservation of their germplasm becomes crucial for developing varieties that can withstand these pressures[21]. Moreover, the genetic diversity within fruit crops is the basis for continuous innovation in agriculture, allowing for the creation of new cultivars with improved qualities. Beyond its agricultural significance, germplasm conservation in fruit crops contributes to the broader preservation of biodiversity, as these crops often serve as habitats and food sources for various organisms[22]. Ultimately, investing in the conservation of germplasm in fruit crops is an investment in the resilience and sustainability of agriculture, ensuring a diverse and nutritious food supply for present and future generations.

### **Germplasm Conservation Methods**

Germplasm conservation involves a variety of methods aimed at preserving the genetic diversity of plants, including fruit crops. These methods can be broadly categorized into in situ conservation, on-farm conservation, and ex situ conservation.

**In Situ Conservation:** In situ conservation of fruit crops involves the protection and preservation of these plants in their natural habitats [38]. This method aims to maintain the genetic diversity of fruit crops by safeguarding the ecosystems where they naturally thrive. Wild relatives of cultivated fruit varieties often exist in these habitats, offering a rich source of genetic material with unique traits [45]. In situ conservation ensures the perpetuation of adaptive characteristics developed over time, contributing to the resilience of fruit crops against environmental

changes. This approach promotes the conservation of biodiversity, supporting the sustainable coexistence of fruit crops within their native ecosystems.

- **Natural Habitats:** In situ conservation via natural habitat preservation stands as a pivotal strategy for the germplasm conservation of fruit crops. This method involves the protection and maintenance of the natural ecosystems where wild relatives and diverse varieties of fruit crops thrive[7]. By safeguarding these habitats, in situ conservation allows for the perpetuation of evolutionary processes and the preservation of adaptive traits that have developed over time. In the context of fruit crops, wild relatives often serve as genetic reservoirs containing traits such as disease resistance, tolerance to environmental stressors, and unique flavor profiles. Preserving these natural habitats not only ensures the survival of indigenous fruit crop varieties but also maintains the intricate web of interactions between the crops and their environment. In these ecosystems, fruit crops coexist with a myriad of other organisms, contributing to the overall biodiversity of the region[26]. The natural habitat serves as a dynamic and evolving gene pool, allowing fruit crops to adapt to changing environmental conditions. This method of in situ conservation recognizes the interconnectedness of plant genetic resources with their environment, emphasizing the importance of preserving not only the crops themselves but also the ecosystems in which they have naturally evolved. It is a holistic approach that harmonizes agricultural sustainability with broader ecological conservation goals, ensuring that the genetic diversity of fruit crops endures within the context of their natural homes[39].
- **Protected Areas:** In situ conservation through the establishment of protected areas plays a crucial role in safeguarding the genetic diversity of fruit crops. Protected areas, such as national parks, wildlife sanctuaries, or designated reserves, serve as havens for both cultivated and wild varieties of fruit crops[43]. These areas provide a controlled and secure environment where the natural habitat and ecosystems supporting fruit crops can thrive without the immediate pressures of agricultural activities or urban development. By designating specific regions for the conservation of fruit crop genetic resources, we ensure the preservation of unique traits and adaptations that have evolved over generations. Wild relatives of cultivated fruit crops often inhabit these protected areas, offering a rich repository of genetic material that can contribute to the resilience and adaptability of cultivated varieties. Beyond the immediate benefits to fruit crops, these protected areas contribute to broader conservation goals by preserving the overall biodiversity of the ecosystems. The intricate relationships between fruit crops and other flora and fauna are maintained, fostering a balanced and sustainable ecological system. In situ conservation via protected areas recognizes the importance of maintaining the natural dynamics and evolutionary processes that have shaped the genetic diversity of fruit crops. It represents a strategic approach that aligns agricultural preservation with broader ecological stewardship, ensuring the continued existence of diverse fruit crop varieties and the ecosystems that support them.

### **On-Farm Conservation**

- **Traditional Farming Practices:** On-farm conservation through traditional farming practices emerges as a fundamental strategy for preserving the genetic diversity of fruit crops[47]. Many farmers, particularly those engaged in subsistence and small-scale agriculture, unknowingly become custodians of invaluable germplasm through the continued cultivation of traditional and heirloom fruit varieties[55]. These varieties, often adapted to specific local conditions, harbor a wealth of genetic traits such as resistance to pests, diseases, and climatic stressors. Traditional farming practices, including the selection, saving, and exchange of seeds, contribute to the perpetuation of diverse fruit crop genotypes[8]. The intimate connection between farmers and their crops allows for a dynamic conservation process where local knowledge is passed down through generations[46]. Additionally, on-farm conservation serves as a living laboratory where farmers observe and select varieties based on performance, taste, and resilience in real-world conditions[40]. The practice not only maintains genetic diversity but also fosters a sense of cultural identity and resilience in farming communities. Recognizing the importance of on-farm conservation in the

context of fruit crops underscores the dynamic interplay between traditional agricultural practices and the preservation of genetic resources essential for sustainable and resilient agriculture[41]. Efforts to support and enhance these practices can contribute significantly to the broader goal of germplasm conservation in fruit crops.

- **Participatory Plant Breeding:** On-farm conservation through participatory plant breeding represents an innovative and inclusive approach to preserving the genetic diversity of fruit crops. This strategy involves active collaboration between farmers, scientists, and local communities in the breeding process[42]. Farmers, considered key stakeholders and custodians of agricultural biodiversity, actively participate in selecting, testing, and adapting fruit crop varieties on their own farms. Participatory plant breeding not only ensures the conservation of traditional and locally adapted varieties but also engages farmers in the decision-making process regarding which traits are desirable for their specific needs and environmental conditions[49]. In the context of fruit crops, this approach is particularly valuable as it enables the identification and propagation of varieties with unique flavors, nutritional profiles, and adaptability to local climates. The participatory element fosters a sense of ownership and empowerment among farmers, reinforcing the idea that they are active contributors to the conservation and improvement of fruit crop germplasm[61]. This method recognizes the intrinsic knowledge held by farming communities and integrates it with scientific expertise to develop varieties that are not only genetically diverse but also culturally relevant and economically viable. In doing so, on-farm conservation via participatory plant breeding not only contributes to the resilience of fruit crops but also strengthens the social fabric of agricultural communities, creating a sustainable and collaborative model for germplasm conservation.

**Ex Situ Conservation:** Ex situ conservation of fruit crops involves preserving their genetic diversity outside their natural habitats. This method typically includes storing seeds, tissues, or living collections in controlled environments such as gene banks, botanical gardens, or orchards [24]. These repositories serve as invaluable reservoirs, protecting diverse fruit varieties from potential threats, including climate change, diseases, or habitat loss. Ex situ conservation facilitates research, breeding programs, and public awareness by providing accessible collections of fruit crops [56]. Orchestrating a strategic blend of seed banks, living collections, and advanced technologies, ex situ conservation acts as a vital insurance policy, ensuring the continued existence and utilization of diverse and resilient fruit crop genetic resources.

- **Seed Banks:** Ex situ conservation through seed banks is a pivotal strategy in safeguarding the genetic diversity of fruit crops. Seed banks, as repositories for storing seeds under controlled conditions, play a critical role in preserving the genetic material of various plant species, including fruits[29]. In the context of fruit crops, seeds encapsulate the genetic information necessary for the growth and development of the next generation, representing a compact and resilient form of genetic storage[30]. Seed banks carefully curate collections of fruit crop seeds, maintaining a diverse array of varieties that might be endangered or rare[59]. By storing seeds at low temperatures, often in sub-zero conditions, seed banks slow down metabolic processes, extending the longevity of the seeds and ensuring the preservation of their genetic integrity[63]. This method allows for long-term storage, providing a backup against unforeseen events such as natural disasters, diseases, or climate-related challenges[23]. Furthermore, seed banks often serve as repositories for wild relatives of fruit crops, enriching the genetic diversity available for future breeding programs. The systematic organization and cataloging of seeds in seed banks facilitate research and the development of new varieties, contributing to the resilience and adaptability of fruit crops in the face of evolving agricultural challenges[25, 58]. Ex situ conservation via seed banks thus acts as a biological insurance policy, safeguarding the genetic resources that underpin the future sustainability and productivity of fruit crops[28].
- **Field Genebanks:** Ex situ conservation through field genebanks emerges as a dynamic and living strategy for preserving the genetic diversity of fruit crops[6]. Unlike traditional seed banks, field genebanks maintain living collections of fruit crops, often organized in orchards, botanical gardens, or

designated agricultural fields[53]. These genebanks house a wide array of fruit varieties, including both cultivated and wild relatives, allowing for the maintenance of genetic diversity in an environment that mirrors real-world conditions[52]. By cultivating fruit crops in these controlled settings, field genebanks provide a more dynamic approach to germplasm conservation, allowing for the observation of plant characteristics, growth patterns, and interactions with the environment[54]. This living collection serves as a valuable resource for researchers, breeders, and farmers seeking to understand and utilize the genetic potential of diverse fruit varieties. Field genebanks also play a role in public awareness and education, providing a tangible and accessible display of the richness of fruit crop biodiversity[46]. Through the cultivation and study of these living collections, field genebanks contribute to the identification of traits crucial for enhancing the resilience, adaptability, and sustainability of fruit crops in changing agricultural landscapes. In this way, ex situ conservation via field genebanks bridges the gap between in situ preservation and traditional seed banks, offering a holistic and interactive approach to maintaining the genetic resources essential for the future of fruit crop agriculture[65].

- **Cryopreservation:** Ex situ conservation through cryopreservation represents a cutting-edge and highly effective method for safeguarding the genetic diversity of fruit crops. Cryopreservation involves preserving plant genetic material, such as seeds, embryos, or tissues, at extremely low temperatures, usually in liquid nitrogen. In the context of fruit crops, this technique offers several advantages[37]. By arresting metabolic activity and slowing cellular processes to a near halt, cryopreservation allows for the long-term storage of genetic material without the risk of deterioration[34]. This is particularly crucial for preserving the viability and integrity of seeds and tissues of fruit crops over extended periods[36]. Cryopreservation also minimizes the risk of genetic changes or mutations, ensuring that the stored germplasm remains true to its original genetic composition [27]. The method is especially valuable for conserving recalcitrant seeds, which are susceptible to damage during traditional storage methods. Moreover, cryopreservation facilitates the storage of a diverse range of fruit crop varieties, including those that are rare, endangered, or difficult to maintain through other conservation methods. It has saved over ten thousand species[33]. As an advanced and versatile technique, cryopreservation stands at the forefront of ex situ conservation efforts, offering a sophisticated means of preserving the genetic resources critical for the continued resilience and adaptability of fruit crops in the face of evolving environmental challenges[35].
- **Tissue Culture:** Ex situ conservation through tissue culture stands as a sophisticated and precise method for preserving the genetic diversity of fruit crops. Tissue culture involves the in vitro cultivation of plant cells, tissues, or organs under controlled conditions[32]. In the context of fruit crops, this technique offers unique advantages for germplasm conservation. By carefully selecting and culturing specific plant tissues, such as shoot tips, embryos, or meristems, tissue culture enables the regeneration of entire plants while maintaining their genetic integrity[31]. This method is particularly beneficial for fruit crops with recalcitrant seeds or those prone to genetic variations during traditional seed storage. Tissue culture also allows for the rapid multiplication of disease-free and genetically uniform plant material, ensuring the efficient propagation of valuable and often rare fruit varieties. The controlled environment of tissue culture facilities minimizes the risk of contamination and provides optimal conditions for the growth of plant cells[34]. This precision in maintaining genetic characteristics is crucial for preserving the unique traits, such as flavor profiles, nutritional content, and disease resistance, that are inherent in diverse fruit crop varieties. Ex situ conservation via tissue culture thus offers a powerful and versatile tool for maintaining the genetic resources essential for the sustainable cultivation and breeding of fruit crops in the face of environmental challenges and emerging agricultural needs.

### **Challenges in Germplasm Conservation**

Germplasm conservation in fruit crops encounters unique challenges that demand focused attention to ensure the preservation of genetic diversity crucial for sustainable agriculture[64]. Financial constraints stand out as a

significant hurdle, as establishing and maintaining germplasm conservation facilities for fruit crops require substantial funding. The cost of specialized infrastructure, skilled personnel, and ongoing maintenance often exceeds available budgets, limiting the comprehensive implementation of conservation programs. Moreover, the awareness gap among farmers and policymakers regarding the importance of preserving genetic diversity in fruit crops poses a substantial challenge[44]. Lack of understanding can hinder the adoption of conservation practices, potentially leading to the neglect of traditional or locally adapted fruit varieties that contribute to genetic resilience. Ethical considerations, including issues related to access and benefit-sharing, can complicate collaborative efforts, especially when germplasm from indigenous or local communities is involved[48]. The rapid expansion of monoculture and the encroachment of urbanization further exacerbate the risk of losing traditional fruit varieties and their unique genetic traits. Climate change introduces an additional layer of complexity, as shifting environmental conditions necessitate the conservation of genetic resources that confer resilience to new challenges[51]. Furthermore, legal frameworks for germplasm exchange and biodiversity conservation differ across regions, impeding international collaboration. Overcoming these challenges requires concerted efforts, increased public awareness, strategic financial investments, and the development of inclusive, community-driven conservation strategies tailored to the specific needs of fruit crops. Only through addressing these challenges can we secure the genetic foundation essential for the continued growth, adaptation, and diversity of fruit crops in the face of a changing agricultural landscape[50].

### **Future Perspectives**

The future of germplasm conservation in fruit crops holds great promise as researchers, scientists, and conservationists navigate the complexities of a rapidly changing agricultural landscape[17]. One key aspect of future perspectives is the integration of traditional knowledge with cutting-edge technologies. Incorporating the wisdom of local communities, often the stewards of diverse fruit varieties, enhances the effectiveness and sustainability of conservation efforts[60]. Additionally, advancements in molecular biology, genomics, and biotechnology offer unprecedented tools for characterizing and utilizing genetic resources. The utilization of high-throughput sequencing, gene editing technologies, and bioinformatics can revolutionize the precision and efficiency of germplasm conservation in fruit crops. Educational initiatives and public awareness campaigns will play a pivotal role in shaping the future of germplasm conservation[59, 57]. By fostering an understanding of the importance of genetic diversity and its impact on food security, policymakers, farmers, and the general public can become active participants in conservation efforts. Furthermore, the emphasis on participatory approaches, where local communities are engaged in decision-making processes, ensures that conservation strategies align with the needs and values of diverse stakeholders[62]. Looking ahead, collaborative international efforts will be essential. Sharing germplasm resources, knowledge, and technologies on a global scale can enhance the resilience of fruit crops against emerging threats and contribute to the development of more robust and adaptable varieties. The future of germplasm conservation in fruit crops lies in a holistic, inclusive, and technologically informed approach, which not only preserves genetic diversity but also paves the way for sustainable and resilient fruit crop agriculture in the face of evolving challenges[52].

### **Conclusion**

In conclusion, germplasm conservation in fruit crops emerges as an indispensable endeavor for ensuring the sustainability, adaptability, and resilience of global agriculture. The significance of preserving the genetic diversity within fruit crops lies in its role as the foundation for breeding programs, offering a reservoir of traits essential for crop improvement. Despite the challenges, from financial constraints to ethical considerations, the imperative to conserve germplasm in fruit crops is underscored by the increasing threats of climate change, emerging diseases, and habitat loss. In navigating these challenges, a multifaceted approach that integrates in situ and ex situ conservation methods, engages local communities, and leverages advanced technologies is paramount. The future of germplasm conservation in fruit crops holds promise through the convergence of traditional knowledge and cutting-edge technologies. Educational initiatives and global collaboration will be pivotal in enhancing public awareness and

sharing resources for the sustained preservation of genetic diversity. As we chart the course forward, it is clear that germplasm conservation is not merely a scientific endeavor but a shared responsibility that shapes the future of agriculture, food security, and the rich tapestry of fruit crop biodiversity for generations to come.

## **References**

1. Wilkes, G. In Situ Conservation of Agricultural Systems. In Biodiversity; Culture, Conservation and Eco Development; Oldfield, M., Alcorn, J., Eds.; West View Press: Boulder, CO, USA, 1991; pp. 86–101.
2. Rao, N.K. Plant genetic resources: Advancing conservation and use through biotechnology. *Afr. J. Biotechnol.* 2004, 3, 136–145.
3. Baute, G.J.; Dempewolf, H.; Rieseberg, L.H. Using genomic approaches to unlock the potential of CWR for crop adaptation to climate change. In *Crop Wild Relatives and Climate Change*; Redden, R., Yadav, S.S., Maxted, N., Dulloo, M.E., Guarino, L., Smith, P., Eds.; Wiley Blackwell: Hoboken, NJ, USA, 2017.
4. Kell, S.; Marino, M.; Maxted, N. Bottlenecks in the PGRFA use system: Stakeholders' perspectives. *Euphytica* 2017, 213, 170.
5. Fao/Ipgr/Onu. Genebank standards for Plant Genetic Resources for Food and Agriculture, Rev. ed.; FAO: Rome, Italy, 2014; p. 182. ISBN 9290432365.
6. Wright, B.D. Crop genetic resource policy: The role of ex situ gene banks. *Aust. J. Agric. Resour. Econ.* 1997, 41, 81–115.
7. Debouck, D.G. Managing Plant Genetic Diversity. *Crop Sci.* 2003, 43, 749–750.
8. Zhukovsky, P.M. Main gene centres of cultivated plants and their wild relatives within the territory of the U.S.S.R. *Euphytica* 1965, 14, 177–188.
9. Harlan, J.R.; De Wet, J.M.J. Toward a Rational Classification of Cultivated Plants. *Taxon* 1971, 20, 509–517.
10. IUCN RED LIST 2019-20. Source-IUCN Official Website. Available online: <https://www.iucnredlist.org/> (accessed on 15 March 2021).
11. Offord, C.A. Germplasm Conservation. In *Encyclopedia of Applied Plant Science*, 2nd ed.; Thomas, B., Murray, B.G., Murphy, D.J., Eds.; Academic Press: Cambridge, MA, USA, 2017; Volume 2, pp. 281–288. ISBN 9780123948083.
12. Crop Trust. *Securing Crop Diversity for Sustainable Development*; Global Crop Diversity Trust: Bonn, Germany, 2015.
13. Offord, C.; Makinson, R. Options and major considerations for plant germplasm conservation. In *Guidelines for Germplasm Conservation in Australia: Strategies and Guidelines for Developing, Managing and Utilizing Ex Situ Conservation Collections*; Offord, C.A., Meagher, P.F., Eds.; Australian Network for Plant Conservation: Canberra, Australia, 2009; pp. 11–34.
14. Malhotra, N.; Panatu, S.; Singh, B.; Negi, N.; Singh, D.; Singh, M.; Chandora, R. *Genetic Resources: Collection, Conservation, Characterization and Maintenance*; Elsevier Inc.: Amsterdam, The Netherlands, 2018; ISBN 9780128135228.
15. Harlan, H.V. The Origin of Hooded Barley. *J. Hered.* 1931, 22, 265–272.
16. Ross-Ibarra, J.; Morrell, P.L.; Gaut, B.S. Plant domestication, a unique opportunity to identify the genetic basis of adaptation. *Proc. Acad. Natl. Sci. USA* 2007, 104 (Suppl. 1), 8641–8648.
17. Upadhyaya, H.D.; Gowda, C.L.L. *Managing and Enhancing the Use of Germplasm—Strategies and Methodologies*; Technical Manual No. 10; ICRISAT: Patancheru, India, 2009.
18. Priyanka, V., Kumar, R., Dhaliwal, I., & Kaushik, P. (2021). Germplasm conservation: Instrumental in agricultural biodiversity—A review. *Sustainability*, 13(12), 6743.
19. Secretariat of the Convention on Biological Diversity. *The Convention on Biological Diversity Plant Conservation Report: A Review of Progress in Implementing the Global Strategy of Plant Conservation (GSPC)*; Secretariat of the Convention on Biological Diversity: Montreal, QC, Canada, 2009.

20. Engels, J.; Visser, L. A Guide to Effective Management of Germplasm Collections; Bioersivity International: Maccaresse-Stazione, Italy, 2003; Volume 59, ISBN 9290435828.
21. Frankel, O.; Brown, A. Current Plant Genetic Resources: A Critical Appraisal; Oxford & IBH Publ. Co.: New Delhi, India, 1984.
22. Ifeanyi, N.; Okorie, N.; Marshall, U.E. Germplasm Preservation and Propagation; The Foundation of Agricultural Development—A Review. *IOSR J. Pharm. Biol. Sci.* 2016, 11, 70–73.
23. Roberts, E.H. Predicting the storage life of seeds. *Proceedings* 1973, 1, 499–514.
24. Hawkes, J.G.; Maxted, N.; Ford-Lloyd, B.V. The Ex Situ Conservation of Plant Genetic Resources; Kluwer Academic Publishers: Dordrecht, The Netherlands, 2000.
25. Harrington, J.F. Thumb Rules of Drying Seed. *Crops Soils* 1960, 13, 16–17.
26. Merritt, D.; Dixon, K. Restoration Seed Banks—A Matter of Scale. *Science* 2011, 332, 424–425.
27. Horna, D.; Smale, M. Evaluating Cost-Effectiveness of Collection Management: A Methodological Framework. 2010. Available online: [http://cropgenebank.sgrp.cgiar.org/images/file/management/DST/framework\\_dst.pdf](http://cropgenebank.sgrp.cgiar.org/images/file/management/DST/framework_dst.pdf) (accessed on 14 April 2021).
28. Hay, F.R.; Probert, R.J. Advances in seed conservation of wild plant species: A review of recent research. *Conserv. Physiol.* 2013, 1, cot030.
29. Xia, K.; Daws, M.I.; Hay, F.R.; Chen, W.Y.; Zhou, Z.K.; Pritchard, H.W. A comparative study of desiccation responses of seeds of Asian Evergreen Oaks, *Quercus* subgenus *Cyclobalanopsis* and *Quercus* subgenus *Quercus*. *S. Afr. J. Bot.* 2012, 78, 47–54.
30. Han, C.Y.; Sun, W.B. Seed storage behaviour of *Magnolia odoratissima*. *Seed Sci. Technol.* 2013, 41, 143–147.
31. Henshaw, G.G. Technical aspects of tissue culture storage for genetic conservation. In *Crop Genetic Resources for Today and Tomorrow*; Cambridge University Press: Cambridge, UK, 1975; pp. 349–358.
32. Morel, G. Meristem culture techniques for the long-term storage of cultivated plants. In *Crop Genetic Resources for Today and Tomorrow*; Frankel, O.H., Hawkes, J.G., Eds.; Cambridge University Press: Cambridge, UK, 1975; pp. 327–332.
33. El-DougDoug, K.A.; El-Shamy, M.M. Plant Tissue Culture: Current Status and Opportunities. *Afr. J. Microbiol.* 2011.
34. Kaviani, B. Conservation of plant genetic resources by cryopreservation. *Aust. J. Crop Sci.* 2011, 5, 778–800.
35. Jenderek, M.M.; Reed, B.M. Cryopreserved storage of clonal germplasm in the USDA National Plant Germplasm System. *In Vitro Cell. Dev. Biol. Plant* 2017, 53, 299–308.
36. Normah, M.N.; Sulong, N.; Reed, B.M. Cryopreservation of shoot tips of recalcitrant and tropical species: Advances and strategies. *Cryobiology* 2019, 87, 1–14.
37. Dulloo, M.E.; Hunter, D.; Borelli, T. Ex situ and in situ conservation of agricultural biodiversity: Major advances and research needs. *Not. Bot. Horti Agrobot. Cluj Napoca* 2010, 38, 123–135.
38. Berjak, P.; Pammenter, N.W. Implications of the lack of desiccation tolerance in recalcitrant seeds. *Front. Plant Sci.* 2013, 4, 478.
39. De, M. Field Gene Banks: The Living Repositories of Plant Genetic Resources. *Harvest* 2017, 2, 21.
40. O'Donnell, K.; Sharrock, S. Botanic gardens complement agricultural gene bank in collecting and conserving plant genetic diversity. *Biopreserv. Biobank.* 2018, 16, 384–390.
41. Cruz-Cruz, C.A.; Gonzalez-Arno, M.T.; Engelman, F. Biotechnology and conservation of plant biodiversity. *Resources* 2013, 2, 73–95.
42. Hoyt, E. *Conserving the Wild Relatives of Crops*; International Board for Plant Genetic Resources: Rome, Italy, 1988.
43. IBPGR. *Ecogeographical Surveying and In Situ Conservation of Crop Relatives*; International Board for Plant Genetic Resources: Rome, Italy, 1985.

44. Plucknett, D.L.; Smith, N.J.H. *Gene Banks and The World's Food*; Princeton University Press: Princeton, NJ, USA, 2014; ISBN 1400858119.
45. Kaya, Z.; Kün, E.; Güner, A. *National Plan for In Situ Conservation of Plant Genetic Diversity in Turkey*; Ministry of Environment, Ministry of Agriculture and Rural Affairs and Ministry of Forestry: Ankara, Turkey, 1998; pp. 98–113. Available online: <https://agris.fao.org/agris-search/search.do?recordID=XF2015046805> (accessed on 25 March 2021).
46. Maxted, N.; Guarino, L.; Myer, L.; Chiwona, E.A. Towards a methodology for on-farm conservation of plant genetic resources. *Genet. Resour. Crop Evol.* 2002, 49, 31–46.
47. Swaminathan, M.S. The past, present and future contributions of farmers to the conservation and development of genetic diversity. In *Managing Plant Genetic Diversity, Proceedings of an International Conference, Kuala Lumpur, Malaysia, 12–16 June 2000*; CABI: Wallingford, UK; pp. 23–31.
48. FAO. *WIEWS: World Information and Early Warning System on Plant Genetic Resources for Food and Agriculture*; FAO: Rome, Italy, 2019; Available online: <http://www.fao.org/wiews> (accessed on 10 April 2021).
49. Byrne, P.F.; Volk, G.M.; Gardner, C.; Gore, M.A.; Simon, P.W.; Smith, S. Sustaining the Future of Plant Breeding: The Critical Role of the USDA-ARS National Plant Germplasm System. *Crop Sci.* 2018, 468, 451–468.
50. National Fruit Collection in the United Kingdom. Available online: <http://www.nationalfruitcollection.org.uk/> (accessed on 20 March 2021).
51. N.I. Vavilov All-Russian Science Research Institute of Plant Industry's Fruit Collection. Available online: <http://www.vir.nw.ru/unu-kolleksiya-vir/> (accessed on 15 March 2021).
52. CGIAR Genebank Platform. 2019 Genebank Platform Annual Report; Global Crop Diversity Trust: Bonn, Germany, 2020.
53. Miller, A.J.; Novy, A.; Glover, J.; Kellogg, E.A.; Maul, J.E.; Raven, P.; Jackson, P.W. Expanding the role of botanical gardens in the future of food. *Nat. Plants.* 2015, 1, 15078.
54. Cibrian-Jaramillo, A.; Hird, A.; Oleas, N.; Ma, H.; Meerow, A.W.; Francisco-Ortega, J.; Griffith, M.P. What is the conservation value of a plant in a botanic garden. Using indicators to improve management of ex Situ collections. *Bot. Rev.* 2013, 79, 559–577.
55. Jackson, P.W.; Kennedy, K. The global strategy for plant conservation: A challenge and opportunity for the international community. *Trends Plant Sci.* 2009, 14, 578–580.
56. Hanson, J.; Ellis, R.H. Progress and challenges in ex situ conservation of forage germplasm: Grasses, herbaceous legumes and fodder trees. *Plants* 2020, 9, 446.
57. CIAT-International Centre for Tropical Agriculture. Available online: <https://www.genebanks.org/genebanks/ciat/> (accessed on 9 April 2021).
58. CIP-International Potato Centre. Available online: <https://www.genebanks.org/genebanks/international-potato-centre/> (accessed on 9 April 2021).
59. Bioversity International. Available online: <https://www.genebanks.org/genebanks/biodiversity-international/> (accessed on 9 April 2021).
60. National Bureau of Plant Genetic Resources (NBPGR). Available online: [http://www.nbpgr.ernet.in/Research\\_Projects/Base\\_Collection\\_in\\_NGB.aspx](http://www.nbpgr.ernet.in/Research_Projects/Base_Collection_in_NGB.aspx) (accessed on 13 April 2021).
61. Acuna, C.A.; Martínez, E.J.; Zilli, A.L.; Brugnoli, E.A.; Espinoza, F.; Marcon, F.; Urbani, M.H.; Quarín, C.L. Reproductive Systems in Paspalum: Relevance for Germplasm Collection and Conservation, Breeding Techniques, and Adoption of Released Cultivars. *Front. Plant Sci.* 2019, 10, 1377.
62. Nass, L.L.; Sigrist, M.S.; Ribeiro, C.S.C.; Reifschneider, F.J.B. Genetic resources: The basis for sustainable and competitive plant breeding. *Crop Breed. Appl. Biotechnol.* 2012, 12, 75–86.
63. Ferreira, F.R.; Pinto, A.C.Q. Germplasm Conservation and Use of Genebanks for Research Purposes of Tropical and Subtropical Fruits in Brazil. *Acta Hort.* 2010, 864, 21–28.

64. Halewood, M.; Chiurugwi, T.; Sackville Hamilton, R.; Kurtz, B.; Marden, E.; Welch, E.; Michiels, F.; Mozafari, J.; Sabran, M.; Patron, N.; et al. Plant genetic resources for food and agriculture: Opportunities and challenges emerging from the science and information technology revolution. *New Phytol.* 2018, 217, 1407–1419.
65. Smale, M.; Jamora, N. Valuing genebanks. *Food Sec.* 2020, 12, 905–918.