

Review Article

Safety and Proven Risk Assessment on the Release of Wolbachia-Inserted *Aedes aegypti*: Lesson Learned from the Partial Resistance of Some Public Figure and the Community

ABSTRACT

Aims: to describe the basis of partial rejection from the community regarding the government's plan to expand the range of releases of *Aedes aegypti* mosquitoes which have been inserted with the bacterial endosymbiont *Wolbachia* spp. to reduce the incidence of dengue hemorrhagic fever and offers a more rational approach based on community based medicine to educate massively first before expecting community participation

Discussion: *Aedes aegypti* which laboratorily inserted with *Wolbachia*, an endosymbiont bacterium, naturally occurring in insects is actually a great success story in several countries, e.g., Brazil. In Jogjakarta, Indonesia this success story also repeated even though unfortunately when the government tries to expand the programme, some part of the community reject it. Lack of sufficient community education perhaps become the main reason of rejection from those who do not understand yet regarding the benefit.

Future direction: Tackling social determinants of Health is necessary in order to make a national programme can be implemented and receive support from the community

Keywords: mosquitoes, vector control, social determinants, health education, promotion, safety, Indonesia

1. INTRODUCTION

Dengue hemorrhagic fever (DHF) is a vector-borne disease transmitted by the blood-feeding arthropods (mosquitoes) named *Aedes* spp. There are two species responsible for DHF named *Aedes aegypti* and *Ae. albopictus* [1]. According to Zeng et al [2], globally, the total number of dengue cases increased enormously. In 2019, according to the region in the world, the Oceania area had the highest age-standardized incidence rates per 100,000 populations (3173.48 (95% UI 762.33–6161.18)), followed by the South Asia region (1740.79 (95% UI 660.93–4287.12)), and then the Southeast Asia region (1153.57 (95% UI 1049.49–1281.59)) [3].

Following incubation period that usually persist 3-7 days, there is an instantaneous commencement of clinical symptoms - mainly high fever, retro-orbital headache and body pain. Typically, DHF's clinical course follows three phases - febrile, critical and recovery [4]. Without proper management, DHF can develop into severe dengue (SD) which is life threatening [5].

As dengue cases increase globally, vector control combined with community engagement are focus to prevent spread of the disease [7]. Many effort has been made in order to eliminate DHF, one of them was via entomologically vector control approach; one of the most advanced techniques currently is population replacement in mosquitoes via the release of *Ae. Aegypti* inserted with endosymbiont *Wolbachia* to the environment. It is expected to slowly replace or at least influence the

potentially dangerous wild type *Ae. aegypti* with the sterile one [8]. Success story regarding this method came from all over the world, e.g., Australia [9], Bangladesh [10], Brazil [11], Malaysia [12], Vietnam [13] and also from Jogjakarta, Indonesia [14].

Regarding its safety, several studies has been widely reported. Data revealed by Lee et al [15] showed that transient introgression of *Wolbachia* into *Ae. aegypti* populations being released in the environment actually does not elicit an antibody response to *Wolbachia* Surface Protein among community members. That statement suggest that humans are not exposed to the major *Wolbachia* surface antigen, WSP, or in a simpler sentence human does not affected. The results of study regarding risk assessment on the release of *Wolbachia*-infected *Ae. aegypti* in Yogyakarta, Indonesia conducted by Buchori et al [16] showed that the release of *Wolbachia*-infected *Ae. aegypti* led to negligible risk.

Unfortunately, although there are many success stories related to this approach, when the Indonesian government intended to expand coverage to other endemic areas, it was met with some resistance from the community, e.g., It is known that 1650 people in Bali, Indonesia that signed a petition against the release of the mosquito because there was an issue circulating that the virus from the *Wolbachia* mosquito would create a new pandemic in the future [17]. This partial resistance forced the government to postpone its release in Bali.

The aim of this review is to analyze factors that contribute to the partial resistance from the community medicine perspective and suggestions to overcome this obstacle.

2. REASONS WHY PUBLIC RESISTANCE EMERGED

The paradox of why some public health programs do not achieve their potential impact, while other programs succeed in improving health outcomes drastically [18]. Restricted and unreliable funding, lack of automatic means to track and improve performance, workforce limitations, and insufficient political commitment can all cause public health programs to fail [19]. Implementation can succeed and be sustained if organizations and coalitions effectively address important key areas in order to avoid failure and resistance.

Public health policies often face resistance due to various factors. These include concerns about personal freedoms and autonomy, misinformation, distrust in government or healthcare institutions, economic interests, and cultural or ideological differences. People may also fear potential unintended consequences of policies.

2.1 Concern regarding personal freedoms and autonomy

Policies are often cynically described as unfairly restricting freedom and displacing personal responsibility [20]. The causes of ill health are complex and multifactorial, yet the answers offered mostly by mainstream global culture are strikingly precarious: “bad personal choices are the primary cause of the condition of ill or health, and more personal responsibility is the ultimate solution”. Constant exposure to certain narrative *adagium*, especially in the era of social media use, may actually be harming health and well-being [20]. Now is the era of infodemics and misinformation that easily affect people’s negative health behaviors [21].

Rather than intelligibly reinforcing people to choose better options/choices in the context of substantial practical, social, and physical/material barriers, it is frequently more effective to direct upstream factors- upstream healthcare is any approach to disrupt these structural barriers and to transform a person's quality of life and health outcomes- [22]; e.g., to modify the environment in ways that facilitate healthy behaviors and making unhealthy behaviors become more difficult to do. Examples of such policies include Covid vaccine incentive [23] prohibitions on smoking in public area [24], reductions in the sodium content of foods [25], or taxes on tobacco, alcohol, and sugary beverages [26]. Such policies are recommended by major health organizations and have been effective—and popularly accepted—in other countries.

Positive ideas like free choice and personal responsibility unfortunately may harm health and well-being [27]. Certainly, such statements can be positive and empowering [28]. Individual choice combined with responsibility can provide strong motivation and encouragement to take action regarding improvement of their health, even for those who are already in illness or disorders [29]. Unfortunately, too focus on choice and personal responsibility only partially paints an incomplete picture of the drivers of health [20]. It diverts focus from the role of social and environmental items in tailoring health condition, e.g., items that each individual commonly cannot affect alone by himself/herself, such as public safety, pollution, inequality, occupational hazards, and affordability of healthy foods and quality health care [30].

2.2 Misinformation

The present-day communication situation is characterized by the dynamic and promptly evolving technologies in routine daily life, including health [31,32]. Communication in any form has evolved and now includes popular social media such as Facebook, Twitter, and Instagram to disseminate massively facts and ideas via content exposure [33]. Communicating

and consuming information has shifted from the more traditional methods to the better forms which marked by connectivity, interactivity and real time [34] as part of this communication evolution [31].

The increasing caress of social media platforms by its users with a health agenda and within the health-policy or health-care condition transmits the intended message unlimitedly [35]. Social media nowadays already become an important tool for disseminating and consuming information (which unfortunately is not only always good information, but also bad information with bad intentions from the spreader- the latter usually called misinformation) [36]. In a positive way, social media commonly used to promote public awareness and influencing policy making about health [31].

The spread of misinformation in social media has become a severe threat to public interests [36]. For example, several incidents of public health concerns arose out of social media misinformation during the COVID-19 pandemic [37] and now it is happening again through several videos on social media by public figures in the context of rejection due to the release of *Ae. aegypti* mosquitoes containing endosymbiont bacteria *Wolbachia* (here are some content that can be found in YouTube™

<https://www.youtube.com/watch?v=LM0SmV-zzIQ>, <https://www.youtube.com/watch?v=xqINFXQJluQ&t=2183s>, <https://www.youtube.com/watch?v=zKnJIWBhBKc>). What many social media users or viewers are rarely informing of is that platforms reserve every right to police user-generated content through a clause in their Terms of Service, usually by incorporating their Community Guidelines by reference [38].

Due to that condition, content moderation is needed, because it is an active and continuous process of reviewing and monitoring user-generated content on online platforms to ensure that it meets certain standards and guidelines [38]. This includes withdrawing inappropriate or offensive content and enforcing community engagement guidelines and as well as conditions that, even though they have not yet occurred, have been regulated in the terms of service [38,39]. Content moderation is the process of reviewing and monitoring user-generated content on online platforms to ensure that it meets certain standards and guidelines. This includes removing inappropriate or offensive content and enforcing community guidelines and terms of service [39]. Content moderation is used in a variety of contexts as a 'governance mechanism' to structure community participation in order to facilitate cooperation combined with civility; or in other words balancing independence with responsibility [40].

On social media, content moderation is ordinarily an automated process based on machinery learning and computational algorithms delineated by bounded human interaction [41]. From this potentially reckless freedom, awareness begins to emerge regarding the importance to examines how activists leverage the technical properties of social media to develop a joint narrative and a collective identity [42]. In the beginning, social media provider has refused the act of arbitrating in public discourse, perceiving of their service to their users/readers as nonpartisan channels for conversations rather than guardians of content [41,43,44]. In recent years, social media providers have been blamed for not accepting their responsibilities on public discourse seriously enough with regard to sensitive topics such as hate-speech [45], injustice with discrimination [46], antisocial aggressive behavior expresses in violence [47], and even to imbalance political interference [48]. Once again, while the platform providers legally bear no responsibility for the content its users generate, many people believe that it is the failure of social media provide to control fake content [49].

In the context of partially rejection in Bali, the array of misinformation is very wide. Some accuse these mosquitoes are harmful due to its genetic engineering properties with various negative potentials related to changes in strains and mutations. There are also fears among community members that *Wolbachia* can infect the human body. Some even believe *Wolbachia* bacteria can play a part in spreading homosexual activity in people who get bitten by the mosquito, citing a study reporting that a *Wolbachia* strain can induce the feminization of genetic males.

2.3 Distrust

Over the last decades, health systems worldwide have encountered a sharp decline in public trust due to several reasons [50-52]. For those unfortunate and marginalized minority populations, who commonly suffer from inequity, poverty and political exclusion, the roots of this tendency terribly sink, chartering a state of two-ways distrust between these poor people and health provider [53]. Paradoxically, in a much smaller scope compared to trust, distrust does hinder health initiatives, such as effective health care [54]. Wherever distrust reigns, even trust building actions, e.g., prioritizing "the greater good of common interests", outlining rights and obligations, and expanding transparency capacity, are vulnerable to collapse.

Lesson learned from similar rejection in Puerto (USA) is that lack of trust on strangers was an important challenge due to criminal activity involving violence and drug use in some community areas [55].

2.4 Social and economy Interests

There was widespread controversy and rejection in society. There are various reasons, including that this method is accused of being full of business interests. The Wolbachia mosquito is suspected of being able to induce the disease Japanese encephalitis with the consequence of having to buy and use a vaccine to treat it. Some speculate that these mosquitoes were created to spread other diseases to reduce the human population [56].

Bali is one area that rejects this method. Some residents in Bali opposed a pilot project on the release of 200 million eggs of mosquitoes carrying Wolbachia in Buleleng and Denpasar to reduce the impact of dengue on communities there. The possibility of Wolbachia bacteria being transferred to other insects and the potential impacts of such a host shift on the tourism related economy and shifted in the micro-fauna composition which is feared will change the environment; these two are among the biggest concerns behind the resistance. Therefore, the spread of millions of Wolbachia mosquito eggs in several areas in Bali has been postponed [56].

3. SUGGESTIONS TO OVERCOME THIS OBSTACLE

Formerly, the initiative, involving *Ae. aegypti* mosquitoes carrying the Wolbachia bacteria, was set to launch in mid-November in Bali. However, Indonesia's Ministry of Health has decided to indefinitely postpone the program and currently discussing with the Bali Provincial Government to temporarily delay the release of *Aedes* containing Wolbachia mosquitoes and conduct further public dissemination until the community is prepared.

Effective communication [57], transparency [58], and involving the community engagement initiatives [59] in policy development can help mitigate resistance against innovative change [60]. Equilibrating public health policy goals with individual rights [61] and managing people's concerns [62] are prerequisite for prospering policy implementation.

Main element in the introduction of technological innovations for *Ae. aegypti* management is to break with experience of community based health education, e.g., specifically regarding *Aedes* life cycle [63,64] and information campaigns, e.g., mosquito awareness week in the Caribbean [65] and social participation schemes that have encouraged changes [66] (whether it is effective or not) up to the level of individual or community practices [67] in order to eliminate, protect, or control the variety of vector breeding sites found in the domestic and surrounding environment [68,69].

The effort to convince constituents of the community regarding how virtuous and advance releasing *Aedes* mosquitoes that contain endosymbiont Wolbachia to replace wild type *Ae. aegypti* when some of them have antecedently incorporated the opposite view, clearly requires an exceptional step, starting with (1) community awareness-arousing [70] and (2) intense bi-direction communication to turn initially opposite community members into participants and even partners [71]. The information and awareness campaign should explain the features of the innovations [72], including strengths [73] and its weaknesses [74,75], the release procedures (areas, dates, etc.) which intended to suppress or to replace initial mosquito population [76], the potential risks [16] and, especially, the activities in which the community should intervene or participate [66,71].

This community awareness-arousing campaign must start with teaching and deconditioning potential numerous actors at diverse levels, e.g., national or federal, state or provincial, municipal and local) and the health spokesmen/women in charge of reassembling the strategy and the documents of specific educational subjects that must be to accommodate all the beneficiary effects of the new vector control approach [67]. This is a fundamental step, especially if the innovations are introduced as interventions for *Ae. aegypti* control strategies intended to complement the activities of traditional vector control programs (initially restricted only to chemical based fumigation and elimination). It is also a mandatory that the population should always be given spaces to boost concerns and at the same time allowing them to achieve good and fast responses. This approach basically is a fundamental step in avoiding the spread of hoax and misinformation. [21, 36, 41, 77]

4. FUTURE DIRECTION

In the days of state of the art in health technology and also in information technology, every stakeholder need to continue to be an open mind to every new positive initiative. While at the same time, every stakeholder also has the right to have concerns about the consequences of health policy and must willing to take any responsibilities, whenever necessary, especially regarding to social media usage.

Specifically, the government should not hesitate to take firm action against misinformation and fake news regarding the new technology to fight dengue, simply because they only spread confusion, and even fear among society that in the end will produce distrust to the authority and predictable become resistant to any health programs that actually they need the most.

REFERENCES

References

1. Dalpadado R, Amarasinghe D, Gunathilaka N, Ariyaratna N. Bionomic aspects of dengue vectors *Aedes aegypti* and *Aedes albopictus* at domestic settings in urban, suburban and rural areas in Gampaha District, Western Province of Sri Lanka. *Parasit Vectors*. 2022 Apr 27;15(1):148. <https://doi.org/10.1186/s13071-022-05261-3>.
2. Zeng Z, Zhan J, Chen L, Chen H, Cheng S. Global, regional, and national dengue burden from 1990 to 2017: A systematic analysis based on the global burden of disease study 2017. *EClinicalMedicine*. 2021 Jan 6;32:100712. <https://doi.org/10.1016/j.eclinm.2020.100712>
3. Tian N, Zheng J-X, Guo Z-Y, Li L-H, Xia S, Lv S, Zhou X-N. Dengue Incidence Trends and Its Burden in Major Endemic Regions from 1990 to 2019. *Tropical Medicine and Infectious Disease*. 2022; 7(8):180. <https://doi.org/10.3390/tropicalmed7080180>
4. Kularatne SA, Dalugama C. Dengue infection: Global importance, immunopathology and management. *Clin Med (Lond)*. 2022 Jan;22(1):9-13. <https://doi.org/10.7861/clinmed.2021-0791>.
5. Yuan K, Chen Y, Zhong M, Lin Y, Liu L. Risk and predictive factors for severe dengue infection: A systematic review and meta-analysis. *PLoS One*. 2022 Apr 15;17(4):e0267186. <https://doi.org/10.1371/journal.pone.0267186>.
6. Sulistyawati S, Yuliansyah H, Sukesni TW, Khusna AN, Mulasari SA, Tentama F, Sudarsono B, Ghazali FA. Rapid Appraisals of the Transformation Strategy Required to Sustain Dengue Vector Control During and After the COVID-19 Pandemic in Indonesia. *Risk Manag Healthc Policy*. 2023;16:93-100. <https://doi.org/10.2147/RMHP.S391933>
7. Gopalan RB, Babu BV, Sugunan AP, Murali A, Ma MS, Balasubramanian R, Philip S. Community engagement to control dengue and other vector-borne diseases in Alappuzha municipality, Kerala, India. *Pathog Glob Health*. 2021 Jun;115(4):258-66. <https://doi.org/10.1080/20477724.2021.1890886>.
8. Ant TH, Mancini MV, McNamara CJ, Rainey SM, Sinkins SP. (2023) Wolbachia-Virus interactions and arbovirus control through population replacement in mosquitoes, *Pathogens and Global Health*, 2023;117 (3): 245-58. <https://doi.org/10.1080/20477724.2022.2117939>
9. Ryan PA, Turley AP, Wilson G, Hurst TP, Retzki K, Brown-Kenyon J, et al. Establishment of wMel Wolbachia in *Aedes aegypti* mosquitoes and reduction of local dengue transmission in Cairns and surrounding locations in northern Queensland, Australia. *Gates Open Res*. 2020 Apr 8;3:1547. <https://doi.org/10.12688/gatesopenres.13061.2>.
10. Al Noman A, Das D, Nesa Z, Tariquzzaman Md, Sharzana F, Hasan Md, et al. Importance of Wolbachia-mediated biocontrol to reduce dengue in Bangladesh and other dengue-endemic developing countries- *Science-X. Biosafety and Health*. 2023;5. <https://doi.org/10.1016/j.bsheal.2023.03.003>.
11. Durovni B, Saraceni V, Eppinghaus A, Riback TIS, Moreira LA, Jewell NP, et al. The impact of large-scale deployment of Wolbachia mosquitoes on dengue and other *Aedes*-borne diseases in Rio de Janeiro and Niterói, Brazil: study protocol for a controlled interrupted time series analysis using routine disease surveillance data. *F1000Res*. 2019 Aug 1;8:1328. <https://doi.org/10.12688/f1000research.19859.2>.
12. Nazni WA, Hoffmann AA, NoorAfizah A, Cheong YL, Mancini MV, Golding N, et al. Establishment of Wolbachia Strain wAlbB in Malaysian Populations of *Aedes aegypti* for Dengue Control. *Curr Biol*. 2019 Dec 16;29(24):4241-4248.e5. <https://doi.org/10.1016/j.cub.2019.11.007>.

13. Carrington LB, Tran BCN, Le NTH, Luong TTH, Nguyen TT, Nguyen PT, et al. Field- and clinically derived estimates of Wolbachia-mediated blocking of dengue virus transmission potential in *Aedes aegypti* mosquitoes. *Proc Natl Acad Sci U S A*. 2018 Jan 9;115(2):361-366. doi: <https://doi.org/10.1073/pnas.1715788115>.
14. Indriani C, Tantowijoyo W, Rancès E, Andari B, Prabowo E, Yusdi D, et al. Reduced dengue incidence following deployments of Wolbachia-infected *Aedes aegypti* in Yogyakarta, Indonesia: a quasi-experimental trial using controlled interrupted time series analysis. *Gates Open Res*. 2020 May 11;4:50. <https://doi.org/10.12688/gatesopenres.13122.1>.
15. Lee E, Hien Nguyen T, Yen Nguyen T, Nam Vu S, Duong Tran N, Trung Nghia L, et al. Transient Introgression of Wolbachia into *Aedes aegypti* Populations Does Not Elicit an Antibody Response to Wolbachia Surface Protein in Community Members. *Pathogens*. 2022 May 3;11(5):535. <https://doi.org/10.3390/pathogens11050535>.
16. Buchori D, Mawan A, Nurhayati I, Aryati A, Kusnanto H, Hadi UK. Risk Assessment on the Release of Wolbachia-Infected *Aedes aegypti* in Yogyakarta, Indonesia. *Insects*. 2022 Oct 12;13(10):924. <https://doi.org/10.3390/insects13100924>.
17. Editorial team. VIDEO: Wolbachia Mosquito Egg Spread Program In Bali Postponed Due To Community Restlessness. Downloaded from <https://voi.id/en/news/332874>
18. Guttman N, Kegler M, Mcleroy K. Health promotion paradoxes, antinomies and conundrums. *Health Education Research*. 1996; 11(1):1. <https://doi.org/11.10.1093/her/11.1.1>.
19. Frieden TR. Six components necessary for effective public health program implementation. *Am J Public Health*. 2014 Jan;104(1):17-22. <https://doi.org/10.2105/AJPH.2013.301608>.
20. Hook CJ, Rose Markus H. Health in the United States: Are Appeals to Choice and Personal Responsibility Making Americans Sick? *Perspectives on Psychological Science*, 2020; 15(3): 643-64. <https://doi.org/10.1177/1745691619896252>
21. Borges do Nascimento IJ, Pizarro AB, Almeida JM, Azzopardi-Muscat N, Gonçalves MA, Björklund M, Novillo-Ortiz D. Infodemics and health misinformation: a systematic review of reviews. *Bull World Health Organ*. 2022 Sep 1;100(9):544-61. <https://doi.org/10.2471/BLT.21.287654>.
22. Bharmal N, Derose KP, Felician M, Weden MM. Understanding the Upstream Social Determinants of Health. 2015;1-18. California: RAND.
23. Savulescu J, Pugh J, Wilkinson D. Balancing incentives and disincentives for vaccination in a pandemic. *Nat Med*, 2021; 27: 1500–3. <https://doi.org/10.1038/s41591-021-01466-8>
24. Institute of Medicine (US) Committee on Secondhand Smoke Exposure and Acute Coronary Events. *Secondhand Smoke Exposure and Cardiovascular Effects: Making Sense of the Evidence*. Washington (DC): National Academies Press (US); 2010. 5, The Background of Smoking Bans. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK219563/>
25. Jachimowicz-Rogowska K, Winiarska-Mieczan A. Initiatives to Reduce the Content of Sodium in Food Products and Meals and Improve the Population's Health. *Nutrients*. 2023; 15(10):2393. <https://doi.org/10.3390/nu15102393>
26. Blecher E. Taxes on tobacco, alcohol and sugar sweetened beverages: Linkages and lessons learned. *Soc Sci Med*. 2015 Jul;136-137:175-9. <https://doi.org/10.1016/j.socscimed.2015.05.022>.
27. Björk J, Stenfors T, Juth N, Gunnarsson AB. Personal responsibility for health? A phenomenographic analysis of general practitioners' conceptions. *Scand J Prim Health Care*. 2021 Sep;39(3):322-331. <https://doi.org/10.1080/02813432.2021.1935048>.
28. Sheldon KM, Gordeeva T, Leontiev D, Lynch MF, Osin E, Rasskazova E, et al. Freedom and responsibility go together: Personality, experimental, and cultural demonstrations. *Journal of Research in Personality*, 2018;73: 63–74. <https://doi.org/10.1016/j.jrp.2017.11.007>

29. Enhancing Motivation for Change in Substance Use Disorder Treatment: Updated 2019 [Internet]. Rockville (MD): Substance Abuse and Mental Health Services Administration (US); 2019. (Treatment Improvement Protocol (TIP) Series, No. 35.) Chapter 5—From Contemplation to Preparation: Increasing Commitment. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK571064/>
30. National Research Council (US); Institute of Medicine (US); Woolf SH, Aron L, editors. U.S. Health in International Perspective: Shorter Lives, Poorer Health. Washington (DC): National Academies Press (US); 2013. 7, Physical and Social Environmental Factors. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK154491/>
31. Charalambous A. Social Media and Health Policy. *Asia Pac J Oncol Nurs*. 2019 Jan-Mar;6(1):24-27. doi: https://doi.org/10.4103/apjon.apjon_60_18.
32. Shao M, Fan J, Huang Z, Chen M. The Impact of Information and Communication Technologies (ICTs) on Health Outcomes: A Mediating Effect Analysis Based on Cross-National Panel Data. *J Environ Public Health*. 2022 Aug 10;2022:2225723. <https://doi.org/10.1155/2022/2225723>.
33. Stasi ML, Maria Luisa. Social media platforms and content exposure: How to restore users' control. *Competition and Regulation in Network Industries*. 2019; 20: 86-110. <https://doi.org/10.1177/1783591719847545>.
34. Liu X, Zheng B, Liu H. Understanding the social media interactivity paradox: the effects of social media interactivity on communication quality, work interruptions and job performance. *Information Technology & People*. ahead-of-print. 2021. <https://doi.org/10.1108/ITP-12-2020-0845>.
35. Srauy S. The Limits of Social Media: What Social Media Can Be, and What We Should Hope They Never Become. *Social Media + Society*. 2015. <https://doi.org/10.1177/2056305115578676>.
36. Muhammed T S, Mathew SK. The disaster of misinformation: a review of research in social media. *Int J Data Sci Anal*. 2022;13(4):271-285. <https://doi.org/10.1007/s41060-022-00311-6>.
37. Daroedono E, Kurniaty K, Cing JM, Siagian FE, Sunarti LS. Health Communication in the New Age: The Role of Social Media on the Behavior and Choices of Self-medication for Covid-19". *Acta Scientific Clinical Case Reports*. 2022; 3(1): 46-52 <https://actascientific.com/ASCR/ASCR-03-0233.php>
38. Arsht A, Etcovitch D. The Human Cost of Online Content Moderation. March 2, 2018. <https://jolt.law.harvard.edu/digest/the-human-cost-of-online-content-moderation>
39. Hubley H. Bad Speech, Good Evidence: Content Moderation in the Context of Open-Source Investigations. *International Criminal Law Review* 2022; 22(5-6): 989-1015. <https://doi.org/10.1163/15718123-bja10124Web>.
40. De Gregorio G. Democratising online content moderation: A constitutional framework. *Computer Law & Security Review*. 2019; 36. <https://doi.org/10.1016/j.clsr.2019.105374>.
41. Baker SA, Wade M, Walsh MJ. The challenges of responding to misinformation during a pandemic: content moderation and the limitations of the concept of harm. *Media International Australia*. 2020 Nov;177(1):103–7. <https://doi.org/10.1177/1329878X20951301>.
42. Milan S. When Algorithms Shape Collective Action: Social Media and the Dynamics of Cloud Protesting. *Social Media + Society*, 205; 1(2). <https://doi.org/10.1177/2056305115622481>
43. Bayer J. Between Anarchy and Censorship Public discourse and the duties of social media. CEPS Paper in Liberty and Security in Europe No. 2019-03, May 2019 downloaded from https://aei.pitt.edu/98662/1/LSE2019-03_Between-Anarchy-and-Censorship.pdf
44. McGuinty D. How public discourse is harmed by social media mobbing. *Ottawa Citizen*. 2018 March 8. Downloaded from <https://ottawacitizen.com/opinion/columnists/mcguinty-how-public-discourse-is-harmed-by-social-media-mobbing>

45. Tazamal M. Facebook'S Failure to Tackle Hate Speech Online Has Real World Consequences. 2020 Aug 31. Downloaded from <https://bridge.georgetown.edu/research/facebooks-failure-to-tackle-hate-speech-online-has-real-world-consequences/>
46. Allen NDC. The misappropriation of "woke": discriminatory social media practices, contributory injustice and context collapse. *Synthese*, 2023; 202, 84. <https://doi.org/10.1007/s11229-023-04249-5>
47. Hameed, I, Irfan, BZ. Social Media Self-Control Failure leading to antisocial aggressive behavior. *Hum Behav & Emerg Tech*. 2021; 3: 296–303. <https://doi.org/10.1002/hbe2.226>
48. Louis M. Why politicians should be banned from social media: Examining the politics of content moderation: Content moderation practices need to change especially for political content. *Innovation mindset*. Fall 2022, downloaded from https://www.cmu.edu/iii/about/news/2023/images/masters-essay_monicalouis.pdf
49. Napoli PM, Caplan R. Why media companies insist they're not media companies, why they're wrong, and why it matters. *First Monday*, 2017; 22 (5). <http://dx.doi.org/10.5210/fm.v22i15.7051>
50. Blendon RJ, Benson JM. Trust in Medicine, the Health System & Public Health. *Daedalus* 2022; 151 (4): 67–82. doi: https://doi.org/10.1162/daed_a_01944
51. Pollard MS, Davis LM. Decline in Trust in the Centers for Disease Control and Prevention During the COVID-19 Pandemic. *Rand Health Q*. 2022 Jun 30;9(3):23.
52. Huang EC, Pu C, Chou YJ, Huang N. Public Trust in Physicians-Health Care Commodification as a Possible Deteriorating Factor: Cross-sectional Analysis of 23 Countries. *Inquiry*. 2018 Jan-Dec;55:46958018759174. <https://doi.org/10.1177/0046958018759174>.
53. Hermesh B, Rosenthal A, Davidovitch N. The cycle of distrust in health policy and behavior: Lessons learned from the Negev Bedouin. *PLoS One*. 2020 Aug 20;15(8):e0237734. doi: <https://doi.org/10.1371/journal.pone.0237734>.
54. Woskie LR, Fallah MP. Overcoming distrust to deliver universal health coverage: lessons from Ebola. *BMJ*. 2019 Sep 23;366:l5482. <https://doi.org/10.1136/bmj.l5482>.
55. Pérez-Guerra CL, Rosado-Santiago C, Ramos SA, Marrero KM, González-Zeno G, Miranda-Bermúdez J, Ortiz-Ortiz M, Rivera-Amill V, Waterman S, Paz-Bailey G, Sánchez-González L. Community perceptions on challenges and solutions to implement an *Aedes aegypti* control project in Ponce, Puerto Rico (USA). *PLoS One*. 2023 Apr 17;18(4):e0284430. <https://doi.org/10.1371/journal.pone.0284430>.
56. Editorial Board. Wolbachia misinformation. *The Jakarta Post*. 2023 Dec 2. Downloaded from <https://www.thejakartapost.com/opinion/2023/12/02/wolbachia-misinformation.html>
57. White SJ, Condon B, Ditton-Phare P, Dodd N, Gilroy J, Hersh D, Kerr D, Lambert K, McPherson ZE, Mullan J, Saad S, Stubbe M, Warren-James M, Weir KR, Gilligan C. Enhancing effective healthcare communication in Australia and Aotearoa New Zealand: Considerations for research, teaching, policy, and practice. *PEC Innov*. 2023 Sep 26;3:100221. <https://doi.org/10.1016/j.pecinn.2023.100221>.
58. Ford N, Thomas R, Grove J. Transparency: A central principle underpinning trustworthy guidelines. *J Clin Epidemiol*. 2022 Feb;142:246-248. <https://doi.org/10.1016/j.jclinepi.2021.11.025>.
59. Erku D, Khatri R, Endalamaw A, Wolka E, Nigatu F, Zewdie A, Assefa Y. Community engagement initiatives in primary health care to achieve universal health coverage: A realist synthesis of scoping review. *PLoS One*. 2023 May 3;18(5):e0285222. <https://doi.org/10.1371/journal.pone.0285222>.
60. Drejeris R, Drejeriene E. Novel Approach to the Actions for Causes Elimination of Staff Resistance to Innovative Change. *J Multidiscip Healthc*. 2022 May 6;15:1011-1022. <https://doi.org/10.2147/JMDH.S354329>.
61. Toebes B. Mediating tensions between public health and individual rights, *European Journal of Public Health*, 2020;30(S5): ckaa165.044, <https://doi.org/10.1093/eurpub/ckaa165.044>

62. Trein P, Fuino M, Wagner J. Public opinion on health care and public health. *Prev Med Rep.* 2021 Jul 3;23:101460. <https://doi.org/10.1016/j.pmedr.2021.101460>.
63. Kusuma YS, Burman D, Kumari R, Lamkang AS, Babu BV. Impact of health education based intervention on community's awareness of dengue and its prevention in Delhi, India. *Global Health Promotion.* 2019;26(1):50-59. <https://doi.org/10.1177/1757975916686912>
64. Manjarres-Suarez A, Olivero-Verbel J. Chemical control of *Aedes aegypti*: a historical perspective. *Revista Costarricense de Salud Pública,* 2013; 22(1): 68-75. Downloaded from http://www.scielo.sa.cr/scielo.php?script=sci_arttext&pid=S1409-14292013000100012&lng=en&tlng=en.
65. Pan American Health Organization. Mosquito Awareness Week: Calling all citizens to the frontlines of mosquito control, 2018 May 10. Downloaded from <https://www.paho.org/en/news/10-5-2018-mosquito-awareness-week-calling-all-citizens-frontlines-mosquito-control>
66. Allen T, Crouch A, Russell TL, Topp SM. Factors influencing the community participation approaches used in *Aedes* mosquito management in the Torres Strait, Australia. *BMC Public Health.* 2023 Oct 12;23(1):1993. <https://doi.org/10.1186/s12889-023-16942-8>.
67. Trickett EJ, Beehler S, Deutsch C, Green LW, Hawe P, McLeroy K, et al. Advancing the science of community-level interventions. *Am J Public Health.* 2011 Aug;101(8):1410-9. <https://doi.org/10.2105/AJPH.2010.300113>.
68. Elsinga J, van der Veen HT, Gerstenbluth I, Burgerhof JGM, Dijkstra A, Grobusch MP, Tami A, Bailey A. Community participation in mosquito breeding site control: an interdisciplinary mixed methods study in Curaçao. *Parasit Vectors.* 2017 Sep 19;10(1):434. <https://doi.org/10.1186/s13071-017-2371-6>.
69. Montenegro C, Louis V, Horstick O, Velayudhan R, Dambach P, Runge-Ranzinger S. Interventions against *Aedes*/dengue at the household level: a systematic review and meta-analysis. *EBioMedicine.* 2023; 93. <https://doi.org/10.1016/j.ebiom.2023.104660>.
70. Liew C, Soh LT, Chen I, Ng LC. Public sentiments towards the use of Wolbachia-*Aedes* technology in Singapore. *BMC Public Health.* 2021 Jul 18;21(1):1417. <https://doi.org/10.1186/s12889-021-11380-w>.
71. Lwin MO, Ong Z, Panchapakesan C, Sheldenkar A, Soh LT, Chen I, Li X, Niah W, Vasquez K, Sim S, Ng LC. Influence of public hesitancy and receptivity on reactive behaviors towards releases of male Wolbachia-*Aedes* mosquitoes for dengue control. *PLoS Negl Trop Dis.* 2022 Nov 11;16(11):e0010910. <https://doi.org/10.1371/journal.pntd.0010910>.
72. Fox T, Sguassero Y, Chaplin M, Rose W, Doum D, Arevalo-Rodriguez I, Villanueva G. Wolbachia-carrying *Aedes* mosquitoes for preventing dengue infection. *Cochrane Database Syst Rev.* 2023 Mar 3;2023(3):CD015636. <https://doi.org/10.1002/14651858.CD015636>.
73. Bian G, Xu Y, Lu P, Xie Y, Xi Z. The endosymbiotic bacterium Wolbachia induces resistance to dengue virus in *Aedes aegypti*. *PLoS Pathog.* 2010 Apr 1;6(4):e1000833. <https://doi.org/10.1371/journal.ppat.1000833>.
74. Garcia GA, Hoffmann AA, Maciel-de-Freitas R. *Aedes aegypti* insecticide resistance underlies the success (and failure) of Wolbachia population replacement. *Sci Rep* 10, 63 (2020). <https://doi.org/10.1038/s41598-019-56766-4>
75. Pavan MG, Garcia GA, David MR, Maciel-de-Freitas R. The double-edged sword effect of expanding Wolbachia deployment in dengue endemic settings. *Lancet Reg Health Am.* 2023 Oct 2;27:100610. <https://doi.org/10.1016/j.lana.2023.100610>.
76. Ross PA. Designing effective Wolbachia release programs for mosquito and arbovirus control. *Acta Trop.* 2021 Oct;222:106045. <https://doi.org/10.1016/j.actatropica.2021.106045>.
77. Pan American Health Organization. Evaluation of Innovative Strategies for *Aedes aegypti* Control: Challenges for their Introduction and Impact Assessment. Washington, D.C.: PAHO; 2019. Downloaded from https://iris.paho.org/bitstream/handle/10665.2/51375/9789275120965_eng.pdf?sequence=1&isAllowed=y

UNDER PEER REVIEW