

# EVALUATION OF THE PERFORMANCE OF AUTOREGRESSIVE INTEGRATED MOVING AVERAGE (ARIMA) AND ARTIFICIAL NEURAL NETWORKS (ANNS) MODELS: APPLICATION TO CONFIRMED CASES OF COVID-19 IN NIGERIA

## Abstract

In this study, the performance of Autoregressive Integrated Moving Average (ARIMA) and Artificial Neural Networks (ANNs) models was investigated and evaluated using daily confirmed cases of COVID-19 in Nigeria. The stationarity status of the data collected was established using Augmented Dickey Fuller unit root test. The residual normality test was also carried out with the residual plots indicating adequacy of the fitted ARIMA model. The results of neural networks were analyzed using back-propagation for multilayer feed-forward powered by sigmoid function. Utilizing backpropagation method based on three factors expressed in terms of the learning rate, the distance between the actual output and predicted output and the activation function, the network weights were generated. The performance indices for ARIMA and ANNs models were evaluated using Mean Square Error (MSE), Root Mean Square Error (RMSE) and Mean Absolute Error (MAE) and the results revealed that the ARIMA model performed better than the ANN model considering the minimum prediction error and forecasting ability. The ARIMA (2, 1, 1) model appeared to be the best fitted model over the ANN model for the daily confirmed covid-19 cases considered.

**Keywords:** Coronavirus, Performance Evaluation, Stationarity Test, ARIMA Models, Artificial Neural Networks,

## 1. Introduction

Several research studies on COVID-19 predictions have been conducted with various proposed solution techniques. The techniques fall into two broad areas, namely, statistical techniques such as exponential smoothing, autoregressive integrated moving average (ARIMA), Generalized Autoregressive Conditional Heteroskedasticity (GARCH) model and soft computing technique akin to Artificial Neural Network [22].

The ARIMA models, also known as the Box-Jenkins models are mathematical models of persistence or autocorrelation in time series. They do not only uncover the hidden patterns in the given data but also generate forecasts and predict a variable's future values from its past values [13], [3]. The use of ARIMA for forecasting time series is essential with uncertainty as it does not assume knowledge of any underlying model or relationships as in some other methods. ARIMA essentially relies on past values of the series as well as previous error terms for forecasting [20].

The parameters of ARIMA models are usually estimated by using Ordinary Least Squares (OLS) approach or maximum likelihood method. However, OLS approach imposes strict underlined assumptions on the model specification in the course of estimating the parameters for the purpose of achieving significant results. This is traceable to the fact that most data series or relations are usually non-linear in the parameter and can also be non-stationary.

An Alternative model that can be used to handle the problem of non-linearity and non-stationarity is Artificial Neural Network (ANN). ANN as a soft computing technique has been used extensively as a forecasting model in many areas of human endeavors [11]. An Artificial Neural Network consists of an interconnected group of artificial neurons that are physical cellular systems capable of obtaining, storing information and using experiential knowledge. It can also be regarded as a massively parallel combination of simple processing units which can acquire knowledge from an environment through a learning process and store the knowledge in its connections.

Nigeria recorded its first case of Covid-19 on the 27<sup>th</sup> February, 2020 with an index case of an Italian citizen who arrived Nigeria from Italy. The second case of Covid-19 was reported on the 9<sup>th</sup> March, 2020 in Nigeria as a contact of the index case. The disease spread through droplets which remain in the air for some period of time and also occurs through human interactions and contaminated fomites. The inhabitants from countries like United Kingdom, Germany, Italy Spain, USA, etc were considered as people with high risk factors [15], [17].

For the treatment of COVID 19, there exists not any available therapeutic product which is effective for the cure of the disease. The virus could only be managed by a number of discovered medicines [1].

The Federal Government of Nigeria announced a lockdown in March 2020 across Lagos, Ogun states and the Federal Capital Territory (FCT) with effect from March 30 2020. In addition to the lockdown, social distancing rule was enforced by cancelling mass gatherings, closing businesses except for providers of essential goods and services.

This study therefore intends to contribute to a better understanding of the problem related to the covid-19 daily cases prediction. In order to achieve this, ARIMA is compared with (ANNs) to establish if the forecast power improves from one technique to other.

## **2.0 Literature Review on ARIMA and ANNs Models**

### **2.1 On ARIMA Models**

The time series ARMA model was used by [18] to model projection of COVID 19 prevalence cases in East African countries such as Sudan, Ethiopia, Djibouti and Somalia. The research results indicated that progression in the frequency of cases in area of study

ARIMA model and transfer function were used by [8] to model and forecast students' study achievement. The results indicated significant stability and accuracy by ARIMA model, but the transfer function showed better accuracy to predict students' academic performance.

The epidemiological trend of COVID 19 occurrence in European was modeled by [5] and it was observed that ARIMA had the lowest mean absolute percentage error values.

Applying ARIMA model in Turkey on the day 150 of COVID 19 disease, [21] predicted that the number of confirmed cases will not cut to zero level until 6 August 2021.

ARIMA model was fitted to predict the number of confirmed cases in India by [9] in both worst and optimistic scenarios. The worst cases scenario was predicted to have nearly about 700,000 cases by the end of April, 2020.

### **2.2 On Artificial Neural Networks**

The prediction ability of ARIMA and ANNs models was examined by [19] and the empirical results indicated that the ANN model gave better predictions values over the ARIMA model.

Artificial Neural Networks model was proposed by [14] to estimate and forecast the number of confirmed and recovered cases of COVID 19. The proposed model was based on the training data published in Saudi Arabia COVID-19 demography using multilayer perception neural network. The results revealed that the number of recoveries could be between 2000 and 4000 per day.

Classification of COVID-19 patients from chest CT images was investigated by [6] using multi-objective differential evolution-based convolution neural networks. An extensive analysis showed that the model could classify the chest CT images at a good accuracy rate.

Stochastic time effective neural networks were used by [12], [17] in predicting China global index and their study showed that the mentioned model outperformed the regression model.

Hybrid models with neural networks and time series models were introduced by [10] to forecast the volatility of stock price index in two vision points: deviation and direction. The results showed that ANN time series models can increase the predictive power for the perspective of deviation and direction accuracy.

## **3.0 Methodology**

### **3.1 Data Source**

The data used for this study were obtained from publications of the World Health Organization (WHO). The observations were series of Nigeria's daily confirmed cases of Covid-19 from February 28, 2020 to November 30, 2021.

## 3.2 Method of Data Analysis

### 3.2.1 Stationarity Test

In this study, The Dickey-Fuller test is employed to carry out the stationarity status of the data collected.

The ARIMA and Artificial Neural Networks models are the two forecasting techniques deployed in this study to predict the daily confirmed cases of covid-19 data in Nigeria. The R software is also used for the data analysis.

### 3.2.2 ARIMA model

The ARIMA (p, d, q) is represented by the form

$$\theta_p(A)(1 - A)^d z_t = \phi_q(A)b_t, \quad (1)$$

where  $p$  is the Autoregressive (AR) lag order,  $d$  is the differencing order and  $q$  is the Moving Average (MA) lag order.

Thus,

$$\theta_p(A) = (1 - \theta_1 A - \theta_2 A^2 - \dots - \theta_p A^p) \quad (2)$$

$$\phi_q(A) = (1 - \phi_1 A - \phi_2 A^2 - \dots - \phi_q A^q) \quad (3)$$

The seasonal pattern of the general form of ARIMA is given as

$$\theta_p(A)\theta_p(A^s)(1 - A)^d(1 - A^s)^d z_t = \phi_q(A)\phi_q(A^s)b_t, \quad (4)$$

where  $s$  is the seasonal period

### 3.2.3 ARIMA Modeling Procedure

The Box and Jenkins' modeling procedure consists of three iterative stages which are specification of the model, parameter estimation and diagnostic checking. The process is repeated many times up to when an acceptable model is obtained. The selected values can then be used to predict the future value of the data [4].

- Specification of the model: This stage ensures that the time series variables are made stationary through the process of differencing. The graphs of autocorrelation function and that of partial autocorrelation functions are plotted to decide AR and MA components for further analysis.
- Parameter estimation: This is simply the process of estimating the parameters of the model using adopted computational algorithm.
- Diagnostic checking: This is the process of testing whether or not the estimated model adequately specifies a stationary univariate process.

### 3.3.4 Methods of Model Identification

Akaike Information Criterion (AIC): This is a single member score that can be used to determine which of the multiple models is most likely to be the best model.

$$AIC(p) = n \ln\left(\frac{\hat{\sigma}_t^2}{n}\right) + 2p \quad (5)$$

Bayesian Information Criterion (BIC): This measures the efficiency of parametrized model in terms of predicting the data.

$$BIC(p) = n \ln\left(\frac{\hat{\sigma}_t^2}{n}\right) + p + p \ln(n), \quad (6)$$

where  $n$  is the number of observations sampled for model fitting,  $p$  is the total number of parameters used by the model is the sum of sample variance. The Smaller the values of AIC and BIC, the better the model

### 3.3.5 Evaluation of Forecasting Methods

The forecasting results of the models are evaluated using Mean Square Error (MSE), Root Mean Square Error (RMSE) and Mean Absolute Error (MAE). The model with the least error is chosen as the best [2]:

$$MSE = \frac{1}{n} \sum_{t=1}^n (y_t - \hat{y}_t)^2 \quad (7)$$

$$RMSE = (n^{-1} \sum_{t=1}^n (y_t - \hat{y}_t)^2)^{\frac{1}{2}} \quad (8)$$

$$MAE = n^{-1} \sum_{t=1}^n |y_t - \hat{y}_t| \quad (9)$$

### 3.3.6 Backpropagation for Multilayer Feedforward

Backpropagation method is based on three factors: the learning rate, the distance between the actual output and predicted output, and the activation function. The learning rate controls the size of change in weights in each step. If it is too small, the ideal point of convergence may be small. But in the case if the learning rate is too large, the algorithm might not converge at all. The learning rate should fall in the range  $0 \leq a \leq 1$ .

Let the error function be denoted by  $E_f$  and the rate of change in  $E_f$  with respect to the weight,  $\beta$  be written as

$$\Delta E_f(\beta) = \frac{\partial E_f}{\delta \beta_p}, \quad (10)$$

where  $\beta_p$  is the vector of all weights of the network at  $p^{\text{th}}$  iteration.

The network weights are determined by

$$\beta_{p+1} = \beta_p + \Delta(\beta)_p, \quad (11)$$

where  $\beta_p$  are weights of the  $p^{\text{th}}$  iteration,  $\beta_{p+1}$  are the parameters of  $(p+1)^{\text{th}}$  iteration and  $\Delta(\beta)_p$  is the learning process which can be expressed as

$$\Delta(\beta)_p = -a \nabla E_f(\beta), \quad (12)$$

where a referred to as learning rate is a positive constant.

Let  $E_f = \frac{1}{2} \sum_{p=1}^n (T_p - Y_p)^2$  be a network objective function so that

$$Y_p = f(\sum_{j=1}^m \sum_{i=1}^n X_i v_{ji}) = f(X_p \beta_p) \quad (13)$$

From equation 15, the previous equation (12) can be rewritten as

$$\Delta E_f(\beta) = \frac{\partial E_f}{\partial \beta_p} = \frac{\partial E_f}{\partial v_{ji}} \quad (14)$$

Using sigmoid function as the activation function in output layer, we generate

$$f(u) = \frac{1}{1+e^{-u}}, \quad (15)$$

where

$$u = \sum_{j=1}^m \sum_{i=1}^n X_i v_{ji} \quad (16)$$

The gradient  $\frac{\partial E_f}{\partial v_{ji}}$  can be expressed as

$$\frac{\partial E_f}{\partial v_{ji}} = \frac{\partial E_f}{\partial f(u)} \cdot \frac{\partial f(u)}{\partial u} \cdot \frac{\partial E_f}{\partial v_{ji}} = f(u)(1 - f_p(u))(T_p - f_p) \quad (17)$$

From equation (18), we derive

$$\frac{\partial u}{\partial v_{ji}} = X_i \quad (18)$$

In order to analyze the residual, the value of  $\frac{\partial E_f}{\partial f(u)} \frac{\partial f(u)}{\partial u}$  needs to be determined as follows:

$$\frac{\partial E_f}{\partial f(u)} = \frac{\partial (T_p - f_p(u))^2}{\partial f(u)} = (T_p - f_p(u)) \frac{\partial (T_p - f_p(u))}{\partial f(u)} = -(T_p - f_p(u)) \quad (19)$$

Therefore,

$$\frac{\partial f(u)}{\partial u} = -f_p(u) (1 - f_p(u)) \quad (20)$$

Substituting equations (20), (21) and (22) into equation (19), we have

$$\frac{\partial E_f}{\partial v_{ji}} = \frac{\partial E_f}{\partial f(u)} \cdot \frac{\partial f(u)}{\partial u} \cdot \frac{\partial u}{\partial v_{ji}} = -f_p (1 - f_p(u)) (T_p - f_p(u)) X_i \quad (21)$$

Equation (19) is rewritten as:

$$\Delta E_f(\beta) = \frac{\partial E_f}{\partial \beta_p} = \frac{\partial E_f}{\partial v_{ji}} = -X_i f_p(u) (1 - f_p(u)) (T_p - f_p(u)) \quad (22)$$

Substituting (24) into (16) and subsequently into (15), we generate the frequency of the iterations and  $\Delta(\beta)_p$  of the learning process as

$$\begin{aligned} \beta_{p+1} &= \beta_p + a X_i f_p(u) (1 - f_p(u)) (T_p - f_p(u)) \\ &= \beta_p + a X_i f_p(u) (X_p, \beta_p) (1 - f_p(X_p, \beta_p)) (T_p - f_p(X_p, \beta_p)), \end{aligned} \quad (23)$$

where  $a$  is the learning rate,  $(T_p - f_p(X_p, \beta_p))$  is the distance between the actual output and the predicted output and  $f_p(u)(X_p, \beta_p)$  is the activation function.

#### 4. Empirical Results

Table 1: Descriptive Statistics

	Statistic	Std. Error
Mean	333.67	15.00
95% Confidence Interval for Mean	Lower Bound	304.22
	Upper Bound	363.12
5% Trimmed Mean	284.71	
Median	188.50	
Variance	144370.72	
Std. Deviation	379.96	
Minimum	.00	
Maximum	2464.00	
Range	2464.00	
Interquartile Range	411.00	
Skewness	2.003	.096
Kurtosis	4.67	.193

Table 2: Outlier Test

		Case Number	Value	
new_cases	Maximum	1	331	2464.00
		2	329	1964.00
		3	338	1883.00
		4	323	1867.00
		5	335	1861.00
	Minimum	1	638	.00
		2	636	.00
		3	634	.00
		4	628	.00
		5	595	.00 <sup>a</sup>

Table 3: Tests of Normality of Series

	Statistic	df	Sig.	Statistic	df	Sig.
new_cases	.190	642	.000	.782	642	.000




Figure 1: Series Plot on Daily Basis




Figure 2: Series Plot of Weekly Basis




Figure 3: Series Plot on Monthly Basis




Figure 4: Series Plot of Monthly Moving Average




Figure 5: Series Plot of Yearly Moving Average

Table 4 : Dickey-Fuller Test at  $\alpha$  Level

```
Results of Dickey-Fuller Test:
Test Statistic      -2.955419
p-value             0.039273
#Lags Used          18.000000
Number of Observations Used  623.000000
Critical Value (1%) -3.440890
Critical Value (5%) -2.866190
Critical Value (10%) -2.569247
dtype: float64
```

Data is non-stationary

```
Results of Dickey-Fuller Test:
Test Statistic      -4.816889
p-value             0.000050
#Lags Used          15.000000
Number of Observations Used  626.000000
Critical Value (1%) -3.440839
Critical Value (5%) -2.866168
Critical Value (10%) -2.569235
dtype: float64
```

Data is stationary

Table 5: ARIMA Candidate Models

Performing stepwise search to minimize aic

```

ARIMA(2,1,2)(0,0,0)[0] intercept : AIC=8439.895, Time=0.95 sec
ARIMA(0,1,0)(0,0,0)[0] intercept : AIC=8761.770, Time=0.03 sec
ARIMA(1,1,0)(0,0,0)[0] intercept : AIC=8610.302, Time=0.06 sec
ARIMA(0,1,1)(0,0,0)[0] intercept : AIC=8448.350, Time=0.26 sec
ARIMA(0,1,0)(0,0,0)[0] intercept : AIC=8759.772, Time=0.01 sec
ARIMA(1,1,2)(0,0,0)[0] intercept : AIC=8451.611, Time=0.38 sec
ARIMA(2,1,1)(0,0,0)[0] intercept : AIC=8438.181, Time=0.48 sec
ARIMA(1,1,1)(0,0,0)[0] intercept : AIC=8448.454, Time=0.26 sec
ARIMA(2,1,0)(0,0,0)[0] intercept : AIC=8496.888, Time=0.08 sec
ARIMA(3,1,1)(0,0,0)[0] intercept : AIC=8440.007, Time=0.64 sec
ARIMA(3,1,0)(0,0,0)[0] intercept : AIC=8473.101, Time=0.10 sec
ARIMA(3,1,2)(0,0,0)[0] intercept : AIC=8441.895, Time=0.94 sec
ARIMA(2,1,1)(0,0,0)[0] intercept : AIC=8436.187, Time=0.21 sec
ARIMA(1,1,1)(0,0,0)[0] intercept : AIC=8446.460, Time=0.12 sec
ARIMA(2,1,0)(0,0,0)[0] intercept : AIC=8494.890, Time=0.04 sec
ARIMA(3,1,1)(0,0,0)[0] intercept : AIC=8438.012, Time=0.27 sec
ARIMA(2,1,2)(0,0,0)[0] intercept : AIC=8437.963, Time=0.30 sec
ARIMA(1,1,0)(0,0,0)[0] intercept : AIC=8608.303, Time=0.03 sec
ARIMA(1,1,2)(0,0,0)[0] intercept : AIC=8449.614, Time=0.24 sec
ARIMA(3,1,0)(0,0,0)[0] intercept : AIC=8471.103, Time=0.05 sec
ARIMA(3,1,2)(0,0,0)[0] intercept : AIC=8439.900, Time=0.39 sec
    
```

Best model: ARIMA(2,1,1)(0,0,0)[0]  
 Total fit time: 5.876 seconds

Table 6: Summary of ARIMA Model Results

ARIMA Model Results						
Dep. Variable:	D.y	No. Observations:	611			
Model:	ARIMA(2, 1, 1)	Log Likelihood	742.058			
Method:	css-mle	S.D. of innovations	0.072			
Date:	Wed, 01 Dec 2021	AIC	-1474.117			
Time:	22:50:17	BIC	-1452.041			
Sample:	1	HQIC	-1465.530			
-----						
	coef	std err	z	P> z	[0.025	0.975]
-----	-----	-----	-----	-----	-----	-----
const	9.337e-05	0.001	0.125	0.900	-0.001	0.002
ar.L1.D.y	-0.1387	0.053	-2.598	0.009	-0.243	-0.034
ar.L2.D.y	-0.1660	0.047	-3.499	0.000	-0.259	-0.073
ma.L1.D.y	-0.6660	0.040	-16.842	0.000	-0.744	-0.588
-----						
Roots						
	Real	Imaginary	Modulus	Frequency		
-----	-----	-----	-----	-----	-----	-----
AR.1	-0.4178	-2.4183j	2.4541	-0.2772		
AR.2	-0.4178	+2.4183j	2.4541	0.2772		
MA.1	1.5015	+0.0000j	1.5015	0.0000		
-----						




Figure 6: ANN Prediction Plot




Figure 7: Models Prediction Plots for ARIMA, ANN and Real Values

Table 7: Prediction Table for ARIMA and ANN Model

Date	Confirmed Cases	ARIMA Prediction	ANN Prediction
1/11/2021	90	158	163
2/11/2021	99	136	165
3/11/2021	209	120	166
4/11/2021	87	133	165
5/11/2021	65	117	163
6/11/2021	116	123	159
7/11/2021	86	117	154
8/11/2021	52	103	148
9/11/2021	64	96	141
10/11/2021	65	89	134
11/11/2021	53	79	126
12/11/2021	129	72	117
13/11/2021	51	83	109
14/11/2021	20	70	101
15/11/2021	30	71	93
16/11/2021	0	61	85

17/11/2021	226	43	77
18/11/2021	61	78	71
19/11/2021	23	58	64
20/11/2021	45	79	59
21/11/2021	57	71	54
22/11/2021	0	61	51
23/11/2021	88	47	48
24/11/2021	0	58	45
25/11/2021	206	36	43
26/11/2021	0	79	41
27/11/2021	41	47	40
28/11/2021	58	74	39
29/11/2021	131	59	39
30/11/2021	105	71	39

Table 8: ARIMA and ANN Models Evaluation Techniques

Finite Model Properties	MSE	RMSE	MAE
ARIMA	4123.910982	64.21768434	50.83978733
ANN	5066.314303	71.1780465	60.56677167

## 5.0 Discussion of Results

From Table 1, the mean, median and the standard error of the time series are 333.6729, 188.5000 and 379.96147 respectively. However, the standard error is observed to be higher than the mean, suggesting a very high volatility in the series.

From Table 2, the series have at least 5 highest and lowest values which implies that presence of outliers in series. This is however not good for the application of the modeling techniques and thus may lead to non-robust modeling performance

From Table 3, the normality tests are significant since their respective p-values are less than the level of significance..This shows that the series is not normally distributed at 5% level of significant. The series are also not stationary and therefore, the logarithm of the series will have to be transformed.

From Table 8, the RMSE value of ARIMA model, 64.217 is less than the RMSE value of ANN model, 71.178. This pattern of differences is consistent with the MSE and MAE, where the ARIMA model is observed to have returned the least values in all cases. Therefore, the smaller the finite model property, the better is the model.

## 6.0 Conclusion

In this study, evaluation of performance of ARIMA and ANNs has been conducted with application to the daily confirmed cases of COVID 19 in Nigeria. The evaluation criteria for ARIMA and ANNs were compared and the results revealed that the ARIMA model outperformed ANNs considering their minimum prediction errors and forecasting abilities. The ANNs model used forward propagation algorithm with three units in the hidden layer, and two lags. The ARIMA (2,1,1) is found to be the best fitted model for the daily confirmed COVID-19 cases in Nigeria among other Box Jenkins models.

## References

- [1] Adhikari, S.P., Meng, S., Wu, Y.J., Mao, Y.P., Ye, R.X., Wang, Q. Z., Sun, C., Sulvia, S., Rozelle, S. and Raat, H. (2020). Epidemiology, Causes, Clinical Manifestation and Diagnosis , Prevention and Control of Coronavirus Disease During the early Outbreak Period: A Scoping Review, Infect. Dis. Poverty, 9, 29.

- [2] Ajao, I.O. , Awogbemi, C.A. and Ilugbusi, A.O. (2020). Vector Autoregressive Models for Multivariate Time Series Analysis on COVID-19 Pandemics in Nigeria. *Journal of Biology and Medical Research*, 3(2), pp 171-181.
- [3] Akeyede, H.R., Bakari, H.R. and Muhammad, R.R. (2022). Robustness of ARIMA and ACP Models to Over Dispersion in Analysis of Count Data. *Journal of the Nigerian Statistical Association*, 34, pp 11- 21
- [4] Box, G.E., Jenkins, G. M., Reinsel, G. C. (1994). *Time series analysis: Forecasting and Control*, 3<sup>rd</sup> ed., New Jersey: Prentice Hall.
- [5] Ceylan, Z. (2020). Estimation of CoVID-19 Prevalence in Italy, Spain and France. *Science of Environment*, 729, 1388.
- [6] Dilbag, S., Kamar, V. and Manjit, K. (2020). Classification of COVID-19 Patients from Chest CT Images using Multi-objective Differential Evolution Based Convolutional Neural Networks. *European Journal of Clinical Microbiology and Infectious Diseases*, 39, pp 1379 -1389.
- [7] Fang, P.H. and Berlin, B.W. (2014). Using the Transfer Function Mode in Analyzing and Forecasting Students Study Achievement. *Journal of Business and Economics*, 5(1), pp 2052- 2056.
- [8] Gupta, R. and Pal, S.K. (2020). Trend Analysis and Forecasting of COVID-19 Outbreak in India. *Med Rx*, pp 1-19.
- [9] Hyup, R. (2007). Forecasting Volatility of Price Index. *Expert Systems with Applications*, 33(4), pp 916-922.
- [10] Khashei, S., Bijari, M. and Adali, G.A.R. (2009). Improvement of Autoregressive Integrated Moving Average Models using Fuzzy Logic and Artificial Neural Networks. *Neuro Computing*, 4(72), pp 956- 967.
- [11] Liao, Z. and Wang, J. (2010). Forecasting Model of Global Stock Index by Stochastic Time Effective Neural Network. *Expert Systems with Applications*, 37(1), pp 834-841.
- [12] Mamoud, K.O., Assem, A.Y. (2013). Comparison between ARIMA Models and Artificial Neural Networks in Forecasting Al-Quds Indices of Palestine Stock Exchange Market. *The 25<sup>th</sup> International Conference on Statistics and Modeling in Human and Social Sciences*, Department of Statistics, Faculty of Economics and Political Sciences, Cairo University, 25, pp 1-24.
- [13] Nawaf, N.H., Wagar, A.K., Wagar, A. Samer, H.A., Hyas, K. and Banvar, N.H. (2021). Artificial Neural Networks for Prediction of COVID-19 in Saudi Arabia. *Computers, Materials and Continua*, Tech Science Press, 16(3), pp 2787- 2796.
- [14] Nwafor, G.O., Iwu, H.C., Anyasodo, U.N. (2022). Transfer Function Modelling of COVID-19 Pandemic in Nigeria *Journal of the Nigerian Statistical Association*, 34, pp 74-87.
- [15] Pullano, G., Pinotti, F, Valdona, E., Boelle, P.Y, Polletto, C. and Colizza, V. (2020). Novel Corona Virus (2019-nCov) Early State Importation Risk to Europe. *Euro Surveillanc*, 25(4), pp 1560- 7917.
- [16] Rediat, T. (2020). Stochastic for Predicting COVID-19 Prevalence in East African Countries. *Infectious Disease Modeling*, 5, pp 598 -607.
- [17] Samsuddeen, S. and Muhammad, S. (2020). Application of ARIMA and Artificial Neural Networks Models for Daily Cumulative Confirmed COVID-19 Prediction in Nigeria. *Equity Journal of Science and Technology*, 7(2), pp 83-90.
- [18] Tabachnick, B.G., Fidell, L.S. (2001). *Using Multivariate Statistics* Pearson Education, 4<sup>th</sup> ed., Upper Saddle River , NJ, USA.
- [19] Unvan, Y.A. and Demirel. O. (2020). Diseases, Forecasting the number of Cases and Deaths in Turkey. *Medical Science and Discovery*, 7(61), pp 535- 543.

[20] Wang, J.J., Wang, J.Z., Zhang, Z.G., Guo, S.P. (2012). Stock Index Forecasting Based on a Hybrid Model, *Omega*, 40(6), pp 758 – 766.

[21] WHO (2020). Coronavirus disease 2019. *World Health Organization*; <https://doi.org/10.1001/jama.2020.2633>.

UNDER PEER REVIEW