

# Mental and Physical Well Being in Prisoners

---

## Abstract:

Despite being younger than the general population, the jail population is often in worse health. Many have considerable health needs as a result of coming from backgrounds of social and economic poverty. Since most ~~prisoners~~prisoners smoke and more than half ~~depend on~~are dependent on alcohol or drugs, many of these demands are tied to ~~dangerous lifestyles~~bad lifestyles. Prior contact with health services ~~has, has~~therefore, therefore typically been very limited. There are certain mental disorders and infectious diseases which are prevalent in inmate prisoners and should be addressed. Many convicts who have serious, debilitating physical conditions go untreated while they are incarcerated. When they were arrested, ~~most~~the majority of mentally ill convicts were not receiving therapy. If crime and incarceration are to be decreased, it is necessary to upgrade both inmate medical treatment and community mental health services. This review covers some most common health issues and their management for inmates.

## 1. Introduction:

~~An~~A increasing body of literature outlines the negative effects of incarceration on mental health in response to rising (but recently stable) incarceration rates [1, 2]. The study of the connection between incarceration and mental health is motivated by theories that outline the detrimental effects of stress on one's health, as well as the idea that being imprisoned is a-stressful, isolating, and stigmatizing life ~~event~~event[3-6]. Early scholars described how the confinement and regimentation of incarceration lead to offenders having greater rates of mental health illnesses than they could have had if they had remained in the community, highlighting the psychological costs of incarceration [3, 7-9]. More recent research on the psychological costs of incarceration considers whether these effects extend outside the walls of the jail or prison, building on these

insights and other research suggesting that incarceration is negatively associated with people's finances [10], family ties [11], and physical health [12]. According to studies, those with a history of incarceration are substantially more likely to have serious depression, life dissatisfaction, and mood disorders such as as dysthymia than people without a history of incarceration [13-16]. Therefore, the effects of incarceration on mental health are both immediate for individuals who are incarcerated today and long-lasting for those who have been detained in the past [17].

The deinstitutionalization of mental health facilities across the United States (U.S.) over the past fifty years has increased~~resulted in an increase in~~ the number of people with mental illnesses incarcerated in U.S. prisons, with research indicating that there are ten times as many people with mental illnesses in prison or jail as there are in mental hospitals. In addition to this considerable increase in mental illnesses among those who are incarcerated, co-occurring disorder rates are startling [18-21]. According to research in in the field of corrections, inmates with co-occurring illnesses are more prone to engage in misconduct and violence as well as be the targets of such aggressiveness [22-28]. When a person has both a mental disorder and a substance use disorder, researchers often refer to that person as having a co-occurring disorder. However, even though~~despite the fact that~~ those in jail have worse physical health than those who are not institutionalized, no research has looked at how having a mental disorder along with a physical ailment affects prison behavior [28-30].

Prison inmates tend to have astonishingly bad health profiles [31], including higher than average rates of mental illness [32], drug abuse [33], both communicable [34] and non-communicable diseases [35], and intellectual handicap [35-37]. These numerous, co-occurring health issues are frequently accompanied by ingrained socioeconomic deprivation and frequently interact synergistically. People who frequently experience significant barriers to getting health care in the community can typically find low-threshold~~low threshold~~ access to health services while incarcerated. However, the majority of those who are imprisoned stay there for only a brief period before being released back into society, making prisoner health a matter of public health. The amount of people that pass through jails each year around the world makes it crucial for global health to improve this population's health [38-40].

## 2. Medical issues in inmate prisoners:

Correctional facilities frequently lack the necessary resources to care for the medically underserved, and inmates there have disease rates that are much greater than those of the general community. This population typically has higher rates of infectious disease, psychological issues, and drug use and addiction. Environmental elements like violence or crowding may also ~~hurthave a negative impact on~~ a person's health. Inmates and former inmates assess their general health poorly, have several chronic medical conditions, and have limited access to medical care. Over 50% of the 1200 prisoners in the Massachusetts prison system who participated in a study about their health indicated that it was good, fair, or bad[41]. Compared to the general population, inmates are more likely to report having chronic medical conditions such as arthritis, asthma, hypertension, cervical cancer, and hepatitis [42]. It is prohibited to deny ~~inmatesinmate's~~ access to medical care while they are incarcerated since doing so constitutes "cruel and unusual punishment," according to the 1976 Texas ruling in the Estelle v. Gamble case. However, both before and after being released from prison, inmates are less likely to have access to the right medical treatment. Acute care use ~~beforeprior tothe~~ arrest was recorded by 52% of older prisoners, and emergency department use after release was anticipated by 47% of them. However, those having a primary care physician used the emergency room less frequently than those who were no longer homeless. Inmates who had just been released from prison were more likely to go to the emergency room for mental health issues than the general population. Substance use disorders and illnesses that require ambulatory care [43-46].

### 2.1. Infectious Diseases:

Compared to the normal community, jailed populations have higher rates of infectious illness. People who reside in correctional facilities are around three times more likely to have HIV or AIDS compared to the general population, and they are also more likely to have hepatitis C and TB. However, many prisoners may not always have access to HIV testing and evidence-based therapy. Along with chlamydia, ~~gonorrhheagonorrhoea~~, and syphilis, rates of other STIs including chlamydia are also higher among the prison population. STI rates are higher for women than for men in prisons. Additionally, those who are imprisoned or housed in detention

facilities might not get the required immunizations, which could cause an outbreak of contagious illnesses like the flu and COVID-19[47].




Figure 1 Infectious diseases[48, 49]

## 2.2. Mental Health:

The Diagnostic and Statistical Manual (DSM)-IV criteria for alcohol or other substance dependency or misuse are thought to be met by more than 65% of those who are jailed. Unfortunately, only 11% of those who are incarcerated obtain drug treatment for their substance use issue. For this reason, people with chronic addictions are more likely to experience withdrawal symptoms while in detention and then overdose when they are released back into society[50, 51].

The number of drug overdose deaths in the United States has climbed 137% since 2000, with an increase of 200% involving opioids[51]. Opioids, particularly heroin and prescription painkillers, are to blame for the majority of drug overdoses in the United States. Although these deaths were primarily linked to prescription opioids, starting in 2016, illegal opioids (such as heroin and fentanyl) took over as the primary cause of overdose deaths. The number of people incarcerated with opioid use disorders may rise along with the use of illicit drugs. Treatment for substance use

disorders that is supported by evidence enhances health outcomes and slows the spread of infectious illnesses. Additionally, it has been demonstrated that treating inmates' substance use issues lowers mortality and recidivism.

### **2.3. Violence and suicides:**

Corrections officers, inmates, and staff members at facilities for correctional administration frequently sustain intentional and unintentional injuries. In one survey, almost 32% [52] of inmates at state prisons said they had been hurt since being admitted. From 2000 to 2014, suicide accounted for approximately one-third of all deaths in local jails, making it the most common cause of death there [52].

### **2.4. Reproductive health issues:**

The majority of jailed women in 2017 were under the age of, making up 17% of adults in jails and 7% of adults in prisons, showing a group with particular needs for reproductive health care. Women of color are overrepresented in the jail population within this group. Between 6 and 10% of women who are detained are expecting at any given time. According to one research, 43% of pregnant women entering Rhode Island's prison had given birth within a year of being released from a previous jail sentence. 14 percent of those women had given birth within 90 days of a previous discharge [53].

Another study indicated that in 2004, 4% of women were pregnant when they were first imprisoned, but that only slightly more than half received prenatal care. The quantity of jail prenatal care visits seems to be favorably correlated with infant birth weight among pregnant women who enter prison in the first trimester and give birth at term. When caring for pregnant women, the majority of state prison healthcare providers, however, do not follow established guidelines and best practices [54].

Despite the existence of healthcare standards from the National Commission for Correctional Health Care, which include nondirective options counseling including abortion, adoptive services, or continuing the pregnancy, incarcerated women and other detained individuals are at higher risk of reproductive injustice and have inconsistent access to comprehensive reproductive health care. Data on abortions, stillbirths, miscarriages, ectopic pregnancies, and neonatal and

pregnancy-related deaths are not routinely or consistently gathered in prisons, despite studies studying reproductive health outcomes in small cohorts of inmates[14, 55-57].




Figure 2 Mental Disorders Among Prisoners[49]

### 3. A continuous cycle of Cons:

The research on the link between parental incarceration and children's health and [well-being](#) was examined by Wildeman et al. [58] They only included higher-quality research in their review to enable [the](#) assessment of causal effects. They discovered data demonstrating a link between parental incarceration and poor physical health outcomes (pregnancy, self-reported health, obesity, and mortality), poor mental health, behavioral issues, school disengagement and out-of-home care, risky behavior, and contact with the criminal justice system. The authors also noted a few significant modifiers of this link, such as domestic violence, a conviction for a violent crime, and a parent's likelihood to go to jail. They postulated that these features could be indicators of domestic violence or abuse, and that locking up a parent who exhibits these traits would be good for the health and [well-being](#) of their children. Further research on the effects of maternal incarceration is urgently needed since they discovered that the evidence supporting a bad link between maternal incarceration and child outcomes is conflicting. Regardless of the causes and discussions surrounding their relationship to health

disparities in children, mass incarceration seems to be a significant factor, at least in the United States [59-61]. Research has revealed that the demographic, health, and criminal features of female prisoners differ from those of male convicts in the majority of jails around the world. We examine some specialized fields of jail study in this section. For female convicts, some trauma-focused therapies have been created. The majority, however, has reported [that](#) non-significant results are small, which may indicate insufficient power. A trauma-focused CBT strategy called "Seeking Safety" has not been shown to produce better results than standard care (i.e., 180-240 hours of individual and group treatment) [62]. Another RCT contrasting supportive group therapy for trauma affect regulation found no differences in recovery between the groups. Larger trials are required to thoroughly assess the efficacy of trauma-focused therapy notwithstanding the dismal outcomes to yet (see Research Recommendations). RCTs for alternative therapies, such as CBT, mindfulness, and DBT, among female convicts, are lacking [63]

#### **4. Infectious Diseases and management in Prisoners :**

Blood-borne viruses (BBVs), such as HIV, hepatitis B, and hepatitis C (HCV), are disproportionately common in inmates who often change institutions. One explanation for this is the increased likelihood of risky behaviors for these illnesses among those who are incarcerated, such as drug injection, unprotected intercourse, and improvised tattoos and body piercing. What is known regarding the prevalence of these BBV risk behaviors among convicts internationally was taken into account by Moazen et al. [64] in their review. They discovered a significant frequency of BBV risk behaviors in jail across 53 nations, with estimates showing notable heterogeneity that is only partially accounted for by regional variations. These findings have strong public health ramifications because prisons are crucial locations for diagnosing and treating BBVs as well as for preventing the spread of infection by putting in place evidence-based infection-control strategies. A significant portion of inmates [has](#) a history of injecting drugs. Because most prisons lack access to clean injecting equipment, some persons cease injecting while they are in detention, but others continue to do so, often at a lesser frequency, making each session of injection high risk [65, 66]. Lazarus et al. [67] conducted a review of the information available regarding the effects of prison needle and syringe [programs](#) (PNSPs) on the health outcomes of program participants [67]. Despite persistent and extensive support for PNSPs, they only found 5 studies that qualified and evaluated the strength of the

evidence as weak, ~~even though despite the fact that~~ it was suggestive of advantages for the prevention of HIV and HCV. Importantly, the authors emphasized that while there is little evidence about staff safety, there have been no reports of needles being used as a weapon against staff in prisons that employ a PNSP. The authors urged a broader adoption of PSNPs in light of the compelling evidence supporting the advantages of needle and syringe ~~programs programmes~~ in the community [68-70]. A significant chance to detect infectious diseases and begin treatment is provided by incarceration. The ability to accurately identify persons who are infected is necessary to seize this significant public health opportunity [71]. Tavoichi et al. [72] found evidence that both ~~testing testing~~ at prison reception and provider-initiated testing in jail were related ~~to with~~ better uptake of testing in their assessment of active case detection for infectious illnesses in prisons. However, the percentage of inmates who underwent testing varied significantly between research, and the methodological quality of the majority of the studies that were included was judged as being very low [72]. Effective case discovery is essential for enabling treatment scale-up, particularly for the highly effective and well-tolerated direct-acting antiviral therapies for HCV infection. The results of this research emphasize the necessity of thorough assessment studies to guide the application of efficient, moral, and ~~economically economical~~ active ~~case-finding case finding~~ techniques in prison settings [73, 74]. A complex understanding of the risk factors, treatment hurdles, and structural variables that adversely affect the health of important populations ~~are is~~ necessary for effective, suggested preventive. In their assessment of the epidemiology of infectious illnesses among incarcerated transgender people, Poteat et al. [75] summarized the current knowledge. They discovered that only ~~a few~~ studies had estimates of the prevalence of transgender people in jail, and that the majority of these studies had small samples and frequently relied on self-reported infection, which is known to significantly underestimate infection in prison. A complex understanding of the risk factors, treatment hurdles, and structural variables that adversely affect the health of important populations ~~are is~~ necessary for effective, suggested preventive [76]. The prevalence estimates in the studies that were considered were high, but none of them made a comparison between them and their non-transgender counterparts. The authors also discovered that those who are sent to prisons that are sex-specific based on birth sex rather than gender identity appear to be at an elevated risk of being violently victimized. They, therefore, advocated for the routine

collection of data on both assigned sex at birth and gender identity as well as a human rights-informed strategy for the treatment of transgender people in the criminal justice system.

## 5. Mental Health and management to cope with it:

The significance of providing proper assistance and specialized interventions is further emphasized ~~because by the fact that~~ mental illness in prisons is one of the most pervasive and difficult current challenges and is intimately linked to high rates of suicide and self-harm in detention. Those with mental health issues may find the jail atmosphere especially challenging. ~~To In order to~~ make prisons a place of rehabilitative help, prison governors are urged to invest in creating an environment that is good for mental health. Since prisoners' risk of suicide is likely to rise significantly if they are isolated in their ~~cellseell~~ for extended ~~periodsperiods-of-time~~ with little to occupy their minds, it is argued that all prisoners should spend the working day outside of their cells engaging in healthy, beneficial, and meaningful activities[77].

Smoking tobacco is a significant contributor to illness and mortality among those who are jailed. In an analysis of studies from 50 different nations Spaulding et al [78] discovered that the prevalence of tobacco use in jail is between 1.04 and 62.6 times greater than in the general population [79]. They calculated that about 15 million smokers pass through jails worldwide each year based on a conservative estimate of a 2-fold higher prevalence of smoking in prisoners. Their estimate, however, was based on a very shaky prediction of global jail throughput, highlighting the significance of precise global prison throughput predictions. However, they called for the adoption of evidence-based smoking cessation interventions in prison and, crucially, after ~~releasingrelease~~ from prison, noting that many prisoners expressed a desire to stop smoking and that prison smoking bans alone have a negligible impact on smoking after release from prison [79-82]

Prison populations "show considerable indications of health inequities and social exclusion," according to ~~a Department of Health research~~ [Department of Health research](#). This is an excellent chance to determine and address the diverse health needs of a population that is vulnerable and socially marginalized. Even while ~~it seems obvious that~~ prisons ~~can have the ability to~~ improve the mental health and ~~well-beingwellbeing~~ of some of the most disadvantaged members of society, interventions in this area are frequently physical rather than mental, with an emphasis on

stopping the spread of disease. It has been stated that health promotion ideas like empowerment are incompatible with prison cultures, which prioritize deterrence, punishment, and reform. This reflects a reductionist rather than holistic perspective[83-87].

If prison suicide rates are to decline, institutions must become safer and healthier settings. The WHO initially introduced the idea of a health-promoting prison in 1995 [88], and [the](#) H.M. Inspectorate of Prisons later embraced it as one of their inspection standards. The strategy Health Promoting Prisons: a Shared Approach set out an aspiration of prisons as healthy settings with the potential for health improvement, rehabilitation, and reform and enhancing the life chances of all who live and work there, while also acknowledging the unique challenges involved in promoting health within the prison context [89, 90].

Therefore, a health-promoting prison is more than just a jail with a medical unit; it's a facility where the entire system is designed to improve the physical, mental, and social health and [well-beingwellbeing](#) of both inmates and staff. It should, to the greatest extent possible, mimic the environment and services of the community while still being a secure location[91, 92].

## **6. Climate effect on prisoners well being:**

The social, emotional, [organizationalorganisational](#), and physical features of a correctional institution as perceived by convicts and employees are referred to as the prison atmosphere (Ross, Diamond, Liebling, & Saylor, 2008, p. 447). The following elements make up the prison atmosphere, according to a thorough analysis of the international literature and measuring tools: autonomy, safety and order, meaningful activities, staff-prisoner relationships, communication with the outside world, and facilities. According to earlier studies, a [favorablefavourable](#) jail environment leads to better conduct, treatment motivation and therapeutic change, and well-being results [39, 93-96]. Through [several-a-number-of](#) processes, the prison environment can impact inmates' [well-beingwellbeing](#). First, the parameters within which social life is shaped are provided by the [organizationalorganisational](#) and physical features of the institution. Although incarceration is inevitably accompanied [bywith](#) deprivations, the level to which these deprivations are represented varies across institutions and regimes within institutions. People who spend the majority of their time outside of their cell, are allowed to roam about the jail

freely, or are permitted to work outside the prison throughout the day may feel the loss of liberty and autonomy less strongly, for instance [97-101].

Even being able to self-cater and prepare one's ~~own~~ meals might lessen the loss of autonomy and improve ~~well-being~~wellbeing. The availability of facilities for contact with the outside world varies as well. For example, certain nations, like the Netherlands, permit conjugal visits. This may somewhat lessen the lack of closeness. Higher security jails typically impose more restrictions and hardships, which is linked to decreased ~~well-being~~wellbeing. Therefore, according to the deprivation perspective, adjustment is impacted by the challenges faced while incarcerated[102-106].

## Conclusions:

Many prisoners who suffer from severe chronic physical illnesses don't receive care while they're behind bars. The majority of mentally ill prisoners were not receiving therapy when they were arrested. Correctional healthcare and community mental health services both need to be improved if crime and incarceration are to be reduced. Many of these demands are related to unhealthy lifestyles because the majority of prisoners smoke and more than half are dependent on alcohol or drugs. Therefore, prior interaction with health care has often been quite minimal. Certain infectious infections and mental disorders that are common in jail inmates need to be treated.

## References:

---

1. Glaze, L.E. and E. Parks, *Correctional populations in the United States, 2011*. Population, 2011. **6**(7): p. 8.
2. Care, N.C.o.C.H., *The health status of soon-to-be-released inmates: A report to Congress*. Chicago: Author, 2002.
3. Goffman, E., *Asylums: Essays on the social situation of mental patients and other inmates*. 1961: AldineTransaction.
4. Massoglia, M. and W.A. Pridemore, *Incarceration and health*. Annual review of sociology, 2015. **41**: p. 291.
5. Schnittker, J., M. Massoglia, and C. Uggen, *Out and down: Incarceration and psychiatric disorders*. Journal of Health and Social Behavior, 2012. **53**(4): p. 448-464.

6. Thoits, P.A., *Stress, coping, and social support processes: Where are we? What next?* Journal of health and social behavior, 1995: p. 53-79.
7. Clemmer, D., *The prison community*. 1940.
8. Guy, E., et al., *Mental health status of prisoners in an urban jail*. Criminal Justice and Behavior, 1985. **12**(1): p. 29-53.
9. Sykes, G.M., *The society of captives: A study of a maximum security prison*. 2007: Princeton University Press.
10. Pager, D., *The mark of a criminal record*. American journal of sociology, 2003. **108**(5): p. 937-975.
11. Lopoo, L.M. and B. Western, *Incarceration and the formation and stability of marital unions*. Journal of Marriage and Family, 2005. **67**(3): p. 721-734.
12. Turney, K., *Hopelessly devoted? Relationship quality during and after incarceration*. Journal of Marriage and Family, 2015. **77**(2): p. 480-495.
13. Dumont, D.M., et al., *Public health and the epidemic of incarceration*. Annual review of public health, 2012. **33**: p. 325.
14. Macalino, G.E., et al., *Prevalence and incidence of HIV, hepatitis B virus, and hepatitis C virus infections among males in Rhode Island prisons*. American journal of public health, 2004. **94**(7): p. 1218-1223.
15. Massoglia, M., *Incarceration as exposure: the prison, infectious disease, and other stress-related illnesses*. Journal of health and social behavior, 2008. **49**(1): p. 56-71.
16. Wang, E.A., et al., *Incarceration, incident hypertension, and access to health care: findings from the coronary artery risk development in young adults (CARDIA) study*. Archives of internal medicine, 2009. **169**(7): p. 687-693.
17. Turney, K., C. Wildeman, and J. Schnittker, *As fathers and felons: Explaining the effects of current and recent incarceration on major depression*. Journal of health and social behavior, 2012. **53**(4): p. 465-481.
18. Primeau, A., et al., *Deinstitutionalization of the mentally ill: Evidence for transinstitutionalization from psychiatric hospitals to penal institutions*. Comprehensive Psychology, 2013. **2**: p. 16.02. 13. CP. 2.2.
19. Torrey, E.F., et al., *The treatment of persons with mental illness in prisons and jails: A state survey*. Treatment Advocacy Center, 2014: p. 1-116.
20. Haney, C., *"Madness" and penal confinement: Some observations on mental illness and prison pain*. Punishment & Society, 2017. **19**(3): p. 310-326.
21. Abram, K.M. and L.A. Teplin, *Co-occurring disorders among mentally ill jail detainees: implications for public policy*. American psychologist, 1991. **46**(10): p. 1036.
22. Friedmann, P.D., et al., *Violent and disruptive behavior among drug-involved prisoners: Relationship with psychiatric symptoms*. Behavioral Sciences & the Law, 2008. **26**(4): p. 389-401.
23. Houser, K.A., S. Belenko, and P.K. Brennan, *The effects of mental health and substance abuse disorders on institutional misconduct among female inmates*. Justice Quarterly, 2012. **29**(6): p. 799-828.
24. Houser, K.A. and W. Welsh, *Examining the association between co-occurring disorders and seriousness of misconduct by female prison inmates*. Criminal Justice and Behavior, 2014. **41**(5): p. 650-666.
25. Wood, S.R., *Dual severe mental and substance use disorders as predictors of federal inmate assaults*. The Prison Journal, 2013. **93**(1): p. 34-56.
26. Wood, S.R., *State prisoner misconduct: Contribution of dual psychiatric and substance use disorders*. International Journal of Forensic Mental Health, 2014. **13**(4): p. 279-294.

27. Wood, S.R. and A. Buttarro Jr, *Co-occurring severe mental illnesses and substance abuse disorders as predictors of state prison inmate assaults*. *Crime & Delinquency*, 2013. **59**(4): p. 510-535.
28. Aday, R.H., *Aging prisoners: Crisis in American corrections*. 2003.
29. Loeb, S.J., D. Steffensmeier, and F. Lawrence, *Comparing incarcerated and community-dwelling older men's health*. *West J Nurs Res*, 2008. **30**(2): p. 234-49; discussion 250-8.
30. Williams, B. and R. Abraldes, *Public Health Behind Bars*. 2007, Springer New York, NY:.
31. Fazel, S. and J. Danesh, *Serious mental disorder in 23 000 prisoners: a systematic review of 62 surveys*. *The Lancet*, 2002. **359**(9306): p. 545-550.
32. Fazel, S. and J. Baillargeon, *The health of prisoners*. *The Lancet*, 2011. **377**(9769): p. 956-965.
33. Fazel, S., P. Bains, and H. Doll, *Substance abuse and dependence in prisoners: a systematic review*. *Addiction*, 2006. **101**(2): p. 181-191.
34. Dolan, K., et al., *Global burden of HIV, viral hepatitis, and tuberculosis in prisoners and detainees*. *The Lancet*, 2016. **388**(10049): p. 1089-1102.
35. Herbert, K., et al., *Prevalence of risk factors for non-communicable diseases in prison populations worldwide: a systematic review*. *The Lancet*, 2012. **379**(9830): p. 1975-1982.
36. Fazel, S., K. Xenitidis, and J. Powell, *The prevalence of intellectual disabilities among 12 000 prisoners—A systematic review*. *International journal of law and psychiatry*, 2008. **31**(4): p. 369-373.
37. Culbert, G.J., et al., *Confronting the HIV, tuberculosis, addiction, and incarceration syndemic in Southeast Asia: lessons learned from Malaysia*. *Journal of Neuroimmune Pharmacology*, 2016. **11**(3): p. 446-455.
38. Pettit, B. and B. Western, *Mass imprisonment and the life course: Race and class inequality in US incarceration*. *American sociological review*, 2004. **69**(2): p. 151-169.
39. Dumont, D.M., et al., *Public health and the epidemic of incarceration*. *Annu Rev Public Health*, 2012. **33**: p. 325-39.
40. Aldridge, R.W., et al., *Morbidity and mortality in homeless individuals, prisoners, sex workers, and individuals with substance use disorders in high-income countries: a systematic review and meta-analysis*. *Lancet*, 2018. **391**(10117): p. 241-250.
41. Conklin, T.J., T. Lincoln, and R.W. Tuthill, *Self-reported health and prior health behaviors of newly admitted correctional inmates*. *Am J Public Health*, 2000. **90**(12): p. 1939-41.
42. Binswanger, I.A., P.M. Krueger, and J.F. Steiner, *Prevalence of chronic medical conditions among jail and prison inmates in the USA compared with the general population*. *J Epidemiol Community Health*, 2009. **63**(11): p. 912-9.
43. Chodos, A.H., et al., *Older jail inmates and community acute care use*. *Am J Public Health*, 2014. **104**(9): p. 1728-33.
44. Frank, J.W., et al., *Emergency department utilization among recently released prisoners: a retrospective cohort study*. *BMC Emerg Med*, 2013. **13**: p. 16.
45. Wakeman, S.E., M.E. McKinney, and J.D. Rich, *Filling the gap: the importance of Medicaid continuity for former inmates*. *J Gen Intern Med*, 2009. **24**(7): p. 860-2.
46. Wang, E.A., et al., *Engaging individuals recently released from prison into primary care: a randomized trial*. *Am J Public Health*, 2012. **102**(9): p. e22-9.
47. <Trends-in-US-Corrections.pdf>.
48. <Prisoners in 2013.pdf>.
49. <MMF\_CoordinatingAccess-FINAL-1.pdf>.
50. <dofp12.pdf>.
51. <usmentalhealthprevalence06(3).pdf>.
52. <The revolving door\_ mental illness, incarceration, inadequate care, and inadequate evidence \_ Urban Institute.pdf>.

53. Clemmitt, M., *Prison health care*. 2007: CQ Press.
54. Lindquist, C.H. and C.A. Lindquist, *Health behind bars: Utilization and evaluation of medical care among jail inmates*. Journal of Community Health, 1999. **24**(4): p. 285-303.
55. Freudenberg, N., *Jails, prisons, and the health of urban populations: a review of the impact of the correctional system on community health*. Journal of Urban Health, 2001. **78**(2): p. 214-235.
56. Wilper, A.P., et al., *The health and health care of US prisoners: results of a nationwide survey*. American journal of public health, 2009. **99**(4): p. 666-672.
57. Klein, R.J., *Age adjustment using the 2000 projected US population*. 2001: Department of Health & Human Services, Centers for Disease Control and ....
58. Wildeman, C., A.W. Goldman, and K. Turney, *Parental Incarceration and Child Health in the United States*. Epidemiol Rev, 2018. **40**(1): p. 146-156.
59. Psick, Z., et al., *Older and incarcerated: policy implications of aging prison populations*. Int J Prison Health, 2017. **13**(1): p. 57-63.
60. Porter, L.C., et al., *HOW THE U.S. PRISON BOOM HAS CHANGED THE AGE DISTRIBUTION OF THE PRISON POPULATION*. Criminology, 2016. **54**(1): p. 30-55.
61. Skarupski, K.A., et al., *The Health of America's Aging Prison Population*. Epidemiol Rev, 2018. **40**(1): p. 157-165.
62. Zlotnick, C., J. Johnson, and L.M. Najavits, *Randomized controlled pilot study of cognitive-behavioral therapy in a sample of incarcerated women with substance use disorder and PTSD*. Behav Ther, 2009. **40**(4): p. 325-36.
63. Ford, J.D., et al., *Randomized clinical trial comparing affect regulation and supportive group therapies for victimization-related PTSD with incarcerated women*. Behav Ther, 2013. **44**(2): p. 262-76.
64. Moazen, B., et al., *Prevalence of Drug Injection, Sexual Activity, Tattooing, and Piercing Among Prison Inmates*. Epidemiol Rev, 2018. **40**(1): p. 58-69.
65. Michel, L., et al., *Insufficient access to harm reduction measures in prisons in 5 countries (PRIDE Europe): a shared European public health concern*. BMC Public Health, 2015. **15**: p. 1093.
66. Lazarus, J.V., et al., *Health Outcomes for Clients of Needle and Syringe Programs in Prisons*. Epidemiol Rev, 2018. **40**(1): p. 96-104.
67. Michel, L., et al., *Self-reported injection practices among people who use drugs in French prisons: Public health implications (ANRS-Coquelicot survey 2011-2013)*. Drug Alcohol Rev, 2018. **37 Suppl 1**: p. S268-s276.
68. Jürgens, R., A. Ball, and A. Verster, *Interventions to reduce HIV transmission related to injecting drug use in prison*. Lancet Infect Dis, 2009. **9**(1): p. 57-66.
69. Gibson, D.R., N.M. Flynn, and D. Perales, *Effectiveness of syringe exchange programs in reducing HIV risk behavior and HIV seroconversion among injecting drug users*. Aids, 2001. **15**(11): p. 1329-41.
70. Sawangjit, R., T.M. Khan, and N. Chaiyakunapruk, *Effectiveness of pharmacy-based needle/syringe exchange programme for people who inject drugs: a systematic review and meta-analysis*. Addiction, 2017. **112**(2): p. 236-247.
71. Dolan, K., et al., *Global burden of HIV, viral hepatitis, and tuberculosis in prisoners and detainees*. Lancet, 2016. **388**(10049): p. 1089-1102.
72. Tavošchi, L., et al., *Active Case Finding for Communicable Diseases in Prison Settings: Increasing Testing Coverage and Uptake Among the Prison Population in the European Union/European Economic Area*. Epidemiol Rev, 2018. **40**(1): p. 105-120.
73. Martin, N.K., et al., *Hepatitis C virus treatment for prevention among people who inject drugs: Modeling treatment scale-up in the age of direct-acting antivirals*. Hepatology, 2013. **58**(5): p. 1598-609.

74. Asselah, T., et al., *Direct-acting antivirals for the treatment of hepatitis C virus infection: optimizing current IFN-free treatment and future perspectives*. *Liver Int*, 2016. **36 Suppl 1**: p. 47-57.
75. Poteat, T.C., M. Malik, and C. Beyrer, *Epidemiology of HIV, Sexually Transmitted Infections, Viral Hepatitis, and Tuberculosis Among Incarcerated Transgender People: A Case of Limited Data*. *Epidemiol Rev*, 2018. **40**(1): p. 27-39.
76. Snow, K.J., A.H. Richards, and S.A. Kinner, *Use of multiple data sources to estimate hepatitis C seroprevalence among prisoners: A retrospective cohort study*. *PLoS One*, 2017. **12**(7): p. e0180646.
77. Farrier, A., M. Baybutt, and M. Dooris, *Mental health and wellbeing benefits from a prisons horticultural programme*. *Int J Prison Health*, 2019. **15**(1): p. 91-104.
78. Spaulding, A.C., et al., *Smoking in Correctional Settings Worldwide: Prevalence, Bans, and Interventions*. *Epidemiol Rev*, 2018. **40**(1): p. 82-95.
79. de Andrade, D. and S.A. Kinner, *Systematic review of health and behavioural outcomes of smoking cessation interventions in prisons*. *Tob Control*, 2016. **26**(5): p. 495-501.
80. Baranyi, G., et al., *Prevalence of Posttraumatic Stress Disorder in Prisoners*. *Epidemiol Rev*, 2018. **40**(1): p. 134-145.
81. Prins, S.J., *Prevalence of mental illnesses in US State prisons: a systematic review*. *Psychiatr Serv*, 2014. **65**(7): p. 862-72.
82. Heffernan, E., et al., *PTSD Among Aboriginal and Torres Strait Islander People in Custody in Australia: Prevalence and Correlates*. *J Trauma Stress*, 2015. **28**(6): p. 523-30.
83. Blodgett, J.M., et al., *What Works to Improve Wellbeing? A Rapid Systematic Review of 223 Interventions Evaluated with the Warwick-Edinburgh Mental Well-Being Scales*. *Int J Environ Res Public Health*, 2022. **19**(23).
84. Li, H., et al., *Can Viewing Nature Through Windows Improve Isolated Living? A Pathway Analysis on Chinese Male Prisoners During the COVID-19 Epidemic*. *Front Psychiatry*, 2021. **12**: p. 720722.
85. Dzhambov, A.M., et al., *Does greenery experienced indoors and outdoors provide an escape and support mental health during the COVID-19 quarantine?* *Environ Res*, 2021. **196**: p. 110420.
86. Howarth, M., et al., *What is the evidence for the impact of gardens and gardening on health and well-being: a scoping review and evidence-based logic model to guide healthcare strategy decision making on the use of gardening approaches as a social prescription*. *BMJ Open*, 2020. **10**(7): p. e036923.
87. Welland, S., L.J. Duffy, and B. Baluch, *Rugby as a rehabilitation program in a United Kingdom Male Young Offenders' Institution: key findings and implications from mixed methods research*. *J Exerc Rehabil*, 2020. **16**(1): p. 78-87.
88. Battaglia, C., et al., *Benefits of selected physical exercise programs in detention: a randomized controlled study*. *Int J Environ Res Public Health*, 2013. **10**(11): p. 5683-96.
89. Vaz, R.G., S. Gloyd, and R. Trindade, *The effects of peer education on STD and AIDS knowledge among prisoners in Mozambique*. *Int J STD AIDS*, 1996. **7**(1): p. 51-4.
90. Bryan, A., et al., *Effectiveness of an HIV prevention intervention in prison among African Americans, Hispanics, and Caucasians*. *Health Educ Behav*, 2006. **33**(2): p. 154-77.
91. Butler, T., et al., *Condoms for prisoners: no evidence that they increase sex in prison, but they increase safe sex*. *Sex Transm Infect*, 2013. **89**(5): p. 377-9.
92. St Lawrence, J., et al., *HIV risk reduction for incarcerated women: a comparison of brief interventions based on two theoretical models*. *J Consult Clin Psychol*, 1997. **65**(3): p. 504-9.
93. Courtney, K.E. and J. Polich, *Binge drinking in young adults: Data, definitions, and determinants*. *Psychol Bull*, 2009. **135**(1): p. 142-56.

94. Allen, S.A., et al., *Physicians in US Prisons in the Era of Mass Incarceration*. Int J Prison Health, 2010. **6**(3): p. 100-106.
95. Geller, A., et al., *Beyond absenteeism: father incarceration and child development*. Demography, 2012. **49**(1): p. 49-76.
96. Grant, B.F., et al., *Prevalence and co-occurrence of substance use disorders and independent mood and anxiety disorders: results from the National Epidemiologic Survey on Alcohol and Related Conditions*. Arch Gen Psychiatry, 2004. **61**(8): p. 807-16.
97. Haskins, A.R., *Unintended Consequences: Effects of Paternal Incarceration on Child School Readiness and Later Special Education Placement*. Sociol Sci, 2014. **1**: p. 141-158.
98. Macalino, G.E., et al., *Prevalence and incidence of HIV, hepatitis B virus, and hepatitis C virus infections among males in Rhode Island prisons*. Am J Public Health, 2004. **94**(7): p. 1218-23.
99. Massoglia, M., *Incarceration as exposure: the prison, infectious disease, and other stress-related illnesses*. J Health Soc Behav, 2008. **49**(1): p. 56-71.
100. Massoglia, M. and W.A. Pridemore, *Incarceration and Health*. Annu Rev Sociol, 2015. **41**: p. 291-310.
101. Naimi, T.S., et al., *Binge drinking among US adults*. Jama, 2003. **289**(1): p. 70-5.
102. Shalev, N., et al., *Characterizing medical providers for jail inmates in New York State*. Am J Public Health, 2011. **101**(4): p. 693-8.
103. Steadman, H.J., et al., *Prevalence of serious mental illness among jail inmates*. Psychiatr Serv, 2009. **60**(6): p. 761-5.
104. Thoits, P.A., *Stress, coping, and social support processes: where are we? What next?* J Health Soc Behav, 1995. **Spec No**: p. 53-79.
105. Turney, K., *Stress proliferation across generations? Examining the relationship between parental incarceration and childhood health*. J Health Soc Behav, 2014. **55**(3): p. 302-19.
106. Turney, K., C. Wildeman, and J. Schnittker, *As fathers and felons: explaining the effects of current and recent incarceration on major depression*. J Health Soc Behav, 2012. **53**(4): p. 465-81.