

## **Short Research Article**

### **Measures Against Infection in Facilities Using Air Catalysts**

#### **ABSTRACT**

We have described infection control measures using air catalysts, which is a new antiviral and antibacterial technology being employed at our facility. We used a product called Health Bright® and this liquid substance was sprayed to coat every part of the facility. After that, we measured the amount of adenosine triphosphate (ATP) in coated places, including the waiting room, examination room and endoscopy room. The amount of ATP decreased the day after the treatment in each room, and of note is that the amount of ATP was still low after 6 months and 12 months. Our current data showed the possible efficacy against bacteria and virus in the facility setup.

**Keywords:** Air, Catalyst, Bacteria, Virus, COVID-19

## 1. INTRODUCTION

The global outbreak of COVID-19, which began in early 2020 [1, 2, 3], has affected the operations of our health checkup facilities in various ways. In Japan, the declaration of a state of emergency issued in April of the same year urged temporary self-restraint from conducting health checkup services. Our facility also suspended operations for about a month and a half, and after reopening, we have been conducting medical care while taking measures such as limiting the number of patients seen, taking temperature measurements and disinfecting with alcohol when entering a room, installing ventilation and acrylic boards, and implementation of COVID-19 antibody tests for our staff over time [4, 5].

The above are essential measures now that the COVID-19 crisis continues, and are now being carried out at every facility. This time, in addition to these measures, our corporation has taken its own infection control measures. That is an air catalyst [6] which is a chemical reaction that exerts antibacterial, antiviral, and antifungal effects, and is a technology developed in our country. Here, we will explain about these efforts.

## **2. MATERIALS AND METHODS**

### **2.1 Air catalyst reaction**

The substance used for the air catalyst is a colorless and transparent liquid of 100% natural minerals. Most of the components (99.95%) are water, including a small amount of iron (Fe), aluminum (Al), potassium (K)-40, and titanium (Ti) [6]. When the coated Fe, Al, K40, and Ti come into contact with air, they react with water and oxygen in the air, causing a catalytic reaction that converts them into hydroxyl radicals and superoxide anions [6]. Their oxidizing potential contributes to decomposition reactions of bacteria, viruses, formaldehyde, etc. The process of reaction by air catalyst is shown in Fig. 1.

### **2.2 Substance used for air catalysts**

At our facility, we used a product called Health Bright® [6] from Comany Inc., and this liquid substance was sprayed to coat every part of the facility that people came into contact with (Fig. 2ab).

### **2.3 Adenosine triphosphate measurement**

We measured the amount of adenosine triphosphate (ATP) in the coated area using a device called Lumitester. We measured the amount of ATP in various places, including the waiting room, examination room and endoscopy room in the facility. Measurements were taken four times in total, the day before Health Bright® coating was applied, the day after application, 6 months, and 12 months later respectively. All measurements were taken during the same time of the day (16:00).

### **3. RESULTS AND DISCUSSION**

As shown in Fig. 3, the amount of ATP decreased the day after the treatment in every room, and of note is that the amount of ATP was still low after 6 months and 12 months.

As a result of experiments conducted by the Japan Food Research Laboratories on the antiviral effect of the air catalyst by Median tissue culture infectious dose (TCID<sub>50</sub>/ml), it was announced that the influenza virus could be inactivated in about 5 minutes (the Japan Food Research Laboratories Experimental No. 0501623001-001). On the other hand, a

demonstration experiment conducted by the Nara Medical University as contract research on the antiviral effect of the air catalyst on the SARS-CoV-2 (TCID<sub>50</sub>/ml), 97% of the SARS-CoV-2 was inactivated in 1 hour and 99% of it was inactivated in 2 hours [7], while joint experiments conducted by the Gifu University and Gunma University similarly showed that infectivity titer of SARS-CoV-2 decreased by approx. 89% after 1 hour and 95% after 2 hours [8].

However, these are all laboratory data, and it is unclear whether they are actually effective in the facility setup. Therefore, on this occasion, we introduced this air catalyst for the first time at a health checkup facility in Japan and verified its effect. We measured the amount of ATP in the coated area using a device by Lumitester. Although this machine does not directly measure the amount of viruses and bacteria, it is used by public health centers in Japan as an indicator of microbial contamination. In this study, we demonstrated that lower amount of ATP was maintained at least 12 months in our facility. According to the company selling the air catalyst, its effect lasts for a long time after coating. In fact, it seems that it is still effective in the Osaka subway car to which it was introduced eight years ago [6]. In

addition, it has already been introduced in many hospitals, public facilities, universities, offices, airports, etc., including JR West and Hotel Monterey Group [6]. It has also been introduced at our facility in May 2021, and it has been displayed as such within the facility [9]. As a result, this led to a sense of security for the patients who consulted our facility and the staff of our facility.

One important point is that air catalysts are effective against contact infections mainly at the coated site, but not against droplet or airborne infections. Therefore, it is still important to take measures such as masks and face shields to prevent droplet infection.

In general, photocatalysts are catalysts that are known in Japan [10]. With those catalysts, a catalytic reaction takes place as light hits titanium oxide ( $\text{TiO}_2$ ). Universities and research institutes have been studying photocatalysts for about 50 years, and products applying this technology have already been developed in many fields. On the other hand, there have been few scientific reports on air catalysts so far, and their effects are still unknown. Here, we measured the ATP levels before and after coating with the air catalyst and presented the results, and we would like to emphasize

that no clusters of COVID-19 have occurred in our facility since the introduction of the air catalyst.

The facility plans to continue to verify the effects over time, and we would like to wait for the results of future research at other research institutions.

#### **4. CONCLUSION**

We have described infection control measures using air catalysts, which is a new antiviral and antibacterial technology being employed at our facility.

Since this infection situation is likely to continue for some time, we plan to continue to verify the effects over time.

## REFERENCES

1. Anante LF, Afonso JTO, Skrupskelyte G. Dentistry and the COVID-19 outbreak. *Int Dent J*. 2021; 71 (5): 358-368.
2. Wu Z, McGoogan JM. Characteristics of and important lessons from the coronavirus disease 2019 (COVID-19) outbreak in China: Summary of a report of 72314 cases from the Chinese center for disease control and prevention. *JAMA*. 2020; 323 (13): 1239-1242.
3. Wu D, Wu T, Yang Z. The SARS-CoV-2 outbreak: What we know. *Int J Infect Dis*. 2020; 94: 44-48.
4. Kasuga I, Gamo S, Yokoe Y, Sugiyama T, Tokura M, Noguchi M, et al. Antibody levels over time against the novel coronavirus and incidence of adverse reaction after vaccination. *Health Evaluation and Promotion*. 2022; 49(4): 462-469.
5. Kasuga I, Yokoe Y, Ishii Y, Ohtsubo O. Monthly fluctuation of spike protein-specific IgG antibody level against COVID-19 after COVID-19 vaccination and booster shot. *Integr J Nurs Med*. 2022 3(2): 1-4.
6. Health Bright: About health Bright [Internet]. <https://www.hbe.company.co.jp> (in Japanese) (accessed November 29,

2022)

7. Nara Medical University: [Internet].  
<https://www.naramed-u.ac.jp/university/kenkyu-sangakukan/oshirase/mbtsars-cov-2-page2.htm> (in Japanese) (accessed November 29, 2022)
8. Health Bright: Effect of Health Bright against SARS-CoV-2 [Internet].  
<https://www.healthbright.jp/wp-content/uploads/2021/11/pressrelease20211117.pdf> (in Japanese) (accessed November 29, 2022)
9. Kasuga I, Ohtsubo O. Our approach in COVID-19 measures. Health Evaluation and Promotion. 2022; 49 (6): 645-649. (in Japanese).
10. Fujishima A, Honda K. Electrochemical photolysis of water at a semiconductor electrode. Nature. 1972; 238 (5358), 37-38.

### Figure legends

**Figure 1** Reaction process by air catalyst

**Figure 2ab** Coating work of the inside of facility with Health Bright®

**Figure 3** Amount of ATP measurements inside the facility

UNDER PEER REVIEW

Figure 1






Figure 2a


UNDER PEEL

Figure 2b



Figure 3

UNDER REVIEW



RLU: Relative Light Unit

UNDER PEER REVIEW