

EFFECT OF DIFFERENT DRYING TECHNIQUES OF FLOWERS AND FOLIAGES AND ITS VALUE ADDITION

Abstract

Fresh flowers and foliages are delightful and visually striking, it can be arduous to sustain their charm and pristine appearance over an extended duration, However this obstacle can be overcome by drying the flowers and foliages, enabling them to retain their allure. The present investigation the effect of different drying techniques of flowers and foliages and its value addition was carried out at the post harvest laboratory of Department of Horticulture, Sam Higginbottom University of Agriculture, Technology and Sciences, Prayagraj (UP) during 2022-23. The experiment was laid out in Completely Randomized Design comprising of two different methods of flower drying i.e. microwave oven drying with silica gel and microwave oven drying with sand and replicated three times containing six flowers per replication for six different flowers and foliage i.e. Rose, Gerbera, Jatropha, Dracaena, Fern and Thuja. The aim of this investigation was to evaluate the drying techniques of Rose, Gerbera, Jatropha, Thuja, Fern and Dracaena. Maximum moisture loss was obtained in (T3) Jatropha embedded in silica gel and dried in microwave oven (77.13%). Best score in sensory evaluation in terms of colour, shape and texture was found highest in (T5) Dracaena embedded in silica gel and dried in microwave oven (scores- 4.18, 4.38, 4.03). So, the best drying technique considered was microwave oven drying with silica gel as an embedding medium.

Key words: drying, flowers and foliages, microwave oven, silica gel

INTRODUCTION

Flowers and foliage have long held a special place in the hearts and minds of humanity. Throughout history, these botanical wonders have been cherished for their beauty, admired for their resilience, and utilized for their practicality.

From the delicate petals to the lush green leaves, flowers and foliage have played a significant role in shaping our environments, cultures, and daily lives.

The dry flower industry was brought to India by British and is almost five decades old. In India, dried flower industries are mostly concentrated in Tamil Nadu, West Bengal, Andhra Pradesh and Karnataka. Exporting companies in Kolkata in West Bengal, Thoothukudi in Tamil Nadu, Mumbai in Maharashtra and Hyderabad in Andhra is earning 10-15 times higher returns than domestic markets. (Verma *et al.*, 2012).

Dry flowers and foliage offer a unique and captivating way to preserve the beauty of nature long after the blooms have faded. These delicate treasures, carefully dried and preserved, retain their original form, providing a lasting reminder of the natural world's splendor. Whether used in floral arrangements, crafts, or home decor, dry flowers and foliage lend an enchanting touch to any setting.

Dry flower market has grown exponentially as consumers become “eco-conscious” and choose dried flowers as the environment friendly and biodegradable alternative to fresh flowers. Dried flowers are exported either as assortments or value added items. Dried flowers are commonly known as “everlasting flowers” or “dehydrated flowers”. They are nature's treasures, beautiful and ever lasting and make a perfect gift, which can be treasured over the years. (Datta, 2016)

Numerous methods are practised for dehydration of different flowers or its plant parts. In these methods, removal of moisture is done artificially either by using desiccants or controlled temperature, humidity and airflow. The principle involved in all the techniques is that the plant material is exposed to a vapour pressure deficit, which induces water vapour to move by transpiration or evaporation from the plant material (source) into the surrounding environment (sink). The techniques are Air drying , Water drying , Sun drying , Press drying , Hot air Oven drying , Microwave drying , Embedding , Freeze Drying and Glycerine drying.(Kumar *et al.*, 2021). This experiment aimed to evaluate the drying techniques of Rose, Gerbera, Jatropha, Thuja, Fern and Dracaena.

Materials and methods

Study on “Effect of different drying techniques of flowers and foliage and its value addition” was carried out at the Department of Horticulture, Sam Higginbottom University of Agriculture, Technology and Sciences, Prayagraj.

The experiment was laid out in Completely Randomized Design(CRD) which has twelve different treatments and was replicated thrice, number of flowers per treatment were six.

Drying method which was used for drying of flowers and foliages was microwave oven drying with two different embedding media i.e, sand and silica gel. The observations were recorded on basis of physiological and quality parameter. For physiological parameter flowers and foliages were dried and weighed and moisture content was calculated and for quality parameter sensory evaluation was done.

Table 1. Treatment details:

Treatment Symbol	Treatment Combinations
T₁	Rose + Silica gel
T₂	Gerbera + Silica gel
T₃	Jatropha + Silica gel
T₄	Fern + Silica gel
T₅	Dracaena + Silica gel
T₆	Thuja + Silica gel
T₇	Rose + Sand
T₈	Gerbera + Sand
T₉	Jatropha + Sand
T₁₀	Fern + Sand
T₁₁	Dracaena + Sand
T₁₂	Thuja + Sand

Results and Discussion

Data revealed that microwave oven drying with silica gel as a drying media noted maximum percent of moisture loss (77.13%) recorded in Jatropha (T3). Similar results were observed by Acharrya *et al.*,(2012), Hemant *et al.*,(2016), Malakar *et al.*,(2016), Kumari *et al.*,(2017) and Jagadeeswari *et al.*,(2021). Silica gel has a higher absorption capacity than sand. It can efficiently extract moisture from the flowers and foliage, helping them dry faster and more effectively. Its porous structure allows it to absorb and retain moisture at a much higher rate than sand.

Utmost score for colour (4.18), shape (4.38) and texture (4.03) was found in microwave drying with silica gel in dracaena (T5). So on basis of qualitative character which includes colour, shape and texture of flowers and foliages similar results were observed by Aravinda *et al.*,(2012), Sharma *et al.*, (2016), Renuka *et al.*, (2017), Sharma *et al.*, (2017) and Joshi *et al.*, (2020) .

Silica gel has a fine texture, which makes it easier to handle and work with compared to sand. Its small particles can be easily distributed around delicate flowers and foliage without causing damage or leaving residues. Silica gel helps retain the original shape and color of the flowers and foliage during the drying process. Its gentle drying action minimizes shrinkage and distortion, preserving the natural form and appearance of the plant material.

Table 2. Moisture loss of flowers and foliages in different embedding media

Treatments		Moisture loss of flowers and foliage (%)
T1	Rose + Silica gel	35.25
T2	Gerbera + Silica gel	45.71
T3	Jatropha + Silica gel	77.13
T4	Fern + Silica gel	56.38
T5	Dracaena + Silica gel	61.66
T6	Thuja + Silica gel	48.97
T7	Rose + Sand	21.49
T8	Gerbera + Sand	26.08
T9	Jatropha + Sand	57.61
T10	Fern + Sand	41.22
T11	Dracaena + Sand	39.70
T12	Thuja + Sand	34.53
F test		S
SE(d)		6.064
C.D.		12.591
C.V.	● Maximum ● Minimum	16.331

Table 3. Score for colour of flowers and foliages in different embedding media:

Treatments		Score for colour of flowers and foliages
T1	Rose + Silica gel	3.68
T2	Gerbera + Silica gel	3.90
T3	Jatropha + Silica gel	3.93
T4	Fern + Silica gel	4.10
T5	Dracaena + Silica gel	4.18
T6	Thuja + Silica gel	3.70
T7	Rose + Sand	3.38
T8	Gerbera + Sand	3.45
T9	Jatropha + Sand	3.28
T10	Fern + Sand	3.36
T11	Dracaena + Sand	3.30
T12	Thuja + Sand	2.88
F test		S
SE(d)		0.088

● Maximum

Table 4. Score for shape of flowers and foliages in different embedding media:

Treatments		Score for shape of flowers and foliages
T1	Rose + Silica gel	3.78
T2	Gerbera + Silica gel	4.13
T3	Jatropha + Silica gel	4.16
T4	Fern + Silica gel	4.15
T5	Dracaena + Silica gel	4.38
T6	Thuja + Silica gel	4.23
T7	Rose + Sand	3.53
T8	Gerbera + Sand	3.61
T9	Jatropha + Sand	3.58
T10	Fern + Sand	3.31
T11	Dracaena + Sand	3.36
T12	Thuja + Sand	3.45
F test		S
SE(d)		0.071
C.D.		0.147
C.V.		2.283

● Maximum

● Minimum

Table 5. Score for texture of flowers and foliages in different embedding media:

Treatments		Score for texture of flowers and foliages
T1	Rose + Silica gel	3.78
T2	Gerbera + Silica gel	3.95
T3	Jatropha + Silica gel	3.86
T4	Fern + Silica gel	3.88
T5	Dracaena + Silica gel	4.03
T6	Thuja + Silica gel	2.53
T7	Rose + Sand	3.45
T8	Gerbera + Sand	3.63
T9	Jatropha + Sand	3.13
T10	Fern + Sand	3.18
T11	Dracaena + Sand	3.26
T12	Thuja + Sand	2.18
F test		S
SE(d)		0.084
C.D.		0.174
C.V.		3.004

● Maximum ● Minimum



Fig 1: Before and after drying photos of rose in silica gel embedding media dried in microwave oven



Fig 2: Before and after drying photos of thuja in silica gel embedding media dried in microwave oven



Fig 3: Before and after drying photos of jatropha in silica gel embedding media dried in microwave oven



Fig 4: Before and after drying photos of gerbera in silica gel embedding media dried in microwave oven




Fig 5: Before and after drying photos of fern in silica gel embedding media dried in microwave oven




Fig 6: Before and after drying photos of dracaena in silica gel embedding media dried in microwave oven

CONCLUSION

From this investigation it was concluded that silica gel was better desiccant compared to sand in terms of higher moisture loss and in retaining colour, shape and texture of flowers and foliages.

REFERENCE

- Acharyya P. ,Biswas S. , Saha S., Chakraborty L. (2012) Studies on methods of dehydration of rose buds 'gold medal' and 'minu parle' International Society for Horticultural Science
- Aravinda K, Jayanthi R (2012) Standardization of drying techniques for chrysanthemum (*Dendranthema grandiflora* Tzvelev cv. Button type Local) flowers *Journal of Ornamental Horticulture* Year : 2004, Volume : 7, Issue : 3and4First page : (370) Last page : (375)
- Datta S. K (2016) Dehydration of flowers and foliage and floral craft *Everyman's Science* Vol. LI No. 4 Pno. 224 -228
- Hemant Ugale, Singh Alka, Ahlawat Timur (2016) Standardization of dehydration technique for greenhouse cut rose var. Shakira. *Indian Journal of Horticulture* 2016 Vol.73 No.1 pp.99-103 ref.13
- Jagadeeswari VV , Suseela T, Vani Sudha V, Suneetha Salomi DR and Sujatha RV (2021) Effect of embedding media, microwave power and duration on drying quality of gerbera cv. Dana Ellen in microwave oven drying *The Pharma Innovation Journal* 2021; 10(10): 572-577
- Joshi Sanjana N and Jadhav Veena S (2020)A study on dehydration of dutch rose and value added products *Journal of Pharmacognosy and Phytochemistry* 2020; 9(3): 1217-1220
- Kumar Sushil, Malik Arvind and Hooda Vikash (2021) Drying of flowers: A money-spinning aspect of floriculture industry *Journal of Pharmacognosy and Phytochemistry* 2021; Sp 10(1): 27-31
- Kumari Sangeeta , Bharati Kashyap and Y.C. Gupta (2017)Studies on microwave oven drying of *Gomphrena globosa* L. 'Magenta' and 'White' *Indian Journal of Horticulture* 74(1), March 2017: 146-149
- Malakar Moumita, Acharyya Pinaki and Biswas Sukanta (2016) Standardization of dehydration techniques of some ornamental foliages *International Journal of Agriculture, Environment and Biotechnology* Paper No. 476
- Renuka ,Moond SK ,Chandra Subash ,Choudhary Ashok ,Kumar Manoj Rolaniya and Koodi Sunita (2017) Effect of drying techniques and embedding media on pigment content and shape of rose (*Rosa chinensis* Jacq.) and water lily (*Nymphaea alba* L.) *International Journal of Chemical Studies* 2017; 5(4): 751-753
- Sharma Gitam, Kashyap Bharati, Gupta YC, Sharma BP, Gupta Rakesh, Thakur Priyanka (2017) Studies on the effect of drying media, microwave time and setting duration on drying of chinchinchee (*Ornithogalum thyrsoides* Jacq) in microwave oven *International Journal of Farm Sciences* Year : 2017, Volume : 7, Issue : 4 First page : (58) Last page : (63)
- Sharma Gitam, Kashyap Bharati, Sharma BP, Gupta YC, Gupta Rakesh (2016) Studies on hot air oven drying of chinchinchee (*Ornithogalum thyrsoides* Jacq.) *Journal of Hill Agriculture* Year : 2016, Volume : 7, Issue : 1 First page : (52) Last page : (55)
- Verma AK, Dhiman MR, Kumar D, Gupta A.(2012) "Preserving flowers and plant parts. "Post-harvest technology for commercial floriculture. *New India Publishing Agency.* 2012, 143-171