

## Review Article

# The use of Geographical Information System (GIS) and Remote Sensing (RS) technologies in generation of information used to mitigate risks from landslide disasters: A Theoretical Perspective

**Comment [i1]:** It is a very valuable title and subject, but the content is very inadequate.

### Abstract

Landslides, whether induced by nature, or human activities, are one of the most prominent disasters which are of great concern in the world. They cause a lot of havoc to the environment hence a necessity to avoid them whenever possible. This literature review is basically aimed at finding out how Geographical Information System (GIS) and Remote Sensing (RS) technologies are used in avoiding landslides and risks associated with them at different levels; Challenges encountered while using GIS and RS techniques for landslide disaster risk reduction are identified; and therefore, dealing with them requires the involvement of developed countries who have the capacity to provide the necessary equipment to the developing countries that are faced with disasters. This study discusses the use of GIS and RS in mitigation of risks from landslides, and mainly points out how these techniques are applied to avoid disaster risks. Secondary data was reviewed from journal articles, institutional reports, and online publications from similar studies. GIS and RS tools are important in predicting, monitoring and managing landslide disasters. It was concluded that GIS and RS tools provide cheaper, reliable, and faster techniques of accessing spatial data in a given area, therefore regarded as essential technologies that may be necessary for predicting landslide occurrences, these technologies need to be considered in communities which are prone to landslides.

**Keywords:** Geographical Information System, landslides, landslide disaster risk reduction, spatial data, Remote sensing.

### 1. Introduction

Landslides are a major concern to most countries and are the most prominent natural hazards in the world (Fathani *et al.*, 2016; Ratemo & Bamutaze, 2017). Each region that is susceptible to disasters has features, such as high population, deforestation, frequency of high rainfall, which expose the land to risks of natural hazards (Van, 2000). The number of people settling on the slopes of the hills has increased, hence putting a lot of pressure on the environment, weakening it and making it prone to landslides (Nor *et al.*, 2021; Mei, *et al.*, 2019). Human activities and natural factors have led to a number of geological disasters, which are a danger, not only to the lives of people, but also to their property (Fathani *et al.*, 2014; Riegel *et al.*, 2020; Van 2000; Cheung 2021).

Globally, 3,876 landslides that occurred in the last 20 years led to the death of 163,658 people, and 11,689 injuries (Haque *et al.*, 2019). Similar studies that were conducted by Sarwar, (2008) also found out that Landslides that occurred in Bangladesh, most especially, the Southern part of the country in Chittagong in the year 2000, left more than 300 people dead, while property, worth millions of dollars was destroyed. From the 476 Landslides that occurred in mountainous areas of Europe 1,370 deaths were recorded, while 784 people were left with injuries (Haque *et al.*, 2016). Within a period 115 years, that is, 1861-2015, a total

**Comment [i2]:** Not semicolon ;

**Comment [i3]:** Dot and comma .,

**Comment [i4]:** Comma ,

**Comment [i5]:** Comma ,

**Comment [i6]:** Please use dot instead of comma in numeric expressions.

**Comment [i7]:** Please use dot instead of comma in numeric expressions.

of 1,017 landslides erupted in 958 places all over Italy leaving 5,571 people dead, while others were injured, and a lot of property was damaged (Rossi *et al.*, 2019).

Studies conducted in Africa, indicated that landslides that occurred in Democratic Republic of Congo in 2017 killed over 500 people, leaving more than 2000 people homeless (Igwe, 2018). Similarly, the Landslides that arose as a result of heavy rains from 2000-2010, left over 108 people dead, over a thousand people were left homeless, and a lot of infrastructure, like roads and bridges were destroyed (Bizimana *et al.*, 2015). On 14<sup>th</sup> August 2017, the landslide that hit Sierra Leone had killed 499 people by 20<sup>th</sup> August, and more than 600 people were declared missing (Leone, 2017).

Landslides have consistently occurred, not only in East Africa, but also in other parts of the world (Thiebes *et al.*, 2014). Mount Elgon Sub - Region in Eastern Uganda has been declared a landslide prone area in Uganda and in East Africa at large (Osuret *et al.*, 2011; Broeckx *et al.*, 2019; Osuret *et al.*, 2016). Further studies that were conducted by Atuyambe *et al.* (2011) revealed that a major landslide that occurred in 2010 in Bududa District, in Uganda, left 400 people dead, while over 5000 residents were displaced and relocated to the neighbouring villages.

Focusing on the havoc landslides leave behind after their occurrences, some technological advancements have been developed mainly with an intention of reducing risks encountered and also for providing effective communication on when, how, where landslides are likely to occur, for better planning (UNDRR, 2012). In order to overcome risks from natural disasters like landslides, it is necessary to obtain multiple spatial data so as to understand factors that influence man and his environment. Geographical Information System (GIS) combined with Remote Sensing (RS) were put forth and they aimed at giving frameworks that can be used to avoid disasters in different phases of disaster risk reduction, that is, preparedness, response, and recovery (Van, 2000). GIS and RS can record data for a large area in a shortest time possible, and hence, they have been identified to be fit for disaster management (Van, 2000; Twumasi *et al.*, 2019). GIS and RS, have been applied so as to help give early warnings, predict, prepare, prevent, and evacuate the vulnerable community in time and avoid risks (Van, 2000; Twumasi *et al.*, 2019). The statements are in agreement with the results from a study conducted by Twumasi *et al.* (2019), who postulated that GIS and RS, have for several years been used in management of several disasters; that is, Landslides, earth quakes, floods, tsunamis, and droughts, and their use have resulted into disaster risk reduction. This study therefore, aims at documenting how GIS and RS can be used to generate information that can be used to mitigate risks from landslides.

## 2. How Geographical Information System and Remote Sensing technologies are used to generate information for risks reduction from landslides disasters.

**2.1 Detect Warning Signs:** GIS and RS are vital in giving Early Warnings (EWs) because they enable planners to detect warning signs for landslides from a distance, and be able to monitor changes that could arise on the planet earth, and hence give timely warning to the vulnerable communities (Tulsi & Aneri 2007; Vyas & Desai 2007). Similar studies that were conducted by Tanavud *et al.* (2010); Vyas & Desai (2007) found out that quick information can be obtained faster with GIS and RS than observations done on ground, and covers a very big area in the smallest time possible, and gives ideas of what is most likely to happen. These results were in agreement with those of Vyas & Desai (2007) who stated that GIS and RS help to guide policy makers and planners to identify escape routes as soon as they receive EWs, hence prepare response actions, to avoid risks from disasters like landslides (Vyas & Desai 2007). In Nepal, the state of landslides was managed because GIS and RS were used by the government to address the risks that could arise from landslides (Meena *et al.*, 2021).

**Comment [i8]:** leave no gap

**Comment [i9]:** Sub-Region

**Comment [i10]:** remove comma

**Comment [i11]:** remove comma

**Comment [i12]:** remove comma

**Comment [i13]:** 2.1.  
2.2.  
2.3.  
add dot after 1, 2, 3...

**Comment [i14]:** remove comma

**2.2 Reliable information:** GIS and RS also consist of Aerial Remote Sensing which enables the recording of information, like photographs taken from aircrafts, that is, aerial photographs (Vyas & Desai, 2007). The information likely to be recorded is in form of photographs and images from sensor on aircrafts and satellite remote sensing, which can be used to integrate natural hazard assessments into development planning studies (Tulsi & Aneri, 2007). The remote sensing systems include, among others, Land sat, SPOT Satellite, Satellite Radar System (Tulsi & Aneri, 2007; Vyas & Desai, 2007) among others. Images extracted from remote sensing systems are very important because they are accurate, reliable, and have good resolution and hence clearer (Singhroy, 2009).

Comment [i15]: add comma

Comment [i16]: Why didn't you use the images about remote sensing??? Please add some images

Comment [i17]: add comma

Comment [i18]: add parentheses (Singhroy, 2009).

**2.3 Disaster Identification:** GIS and RS are a strong tool in managing and analyzing spatial data. They have been applied to reduce risks from landslides and it has in most instances been a success (Merrett & Chen, 2013). It is well understood that GIS and RS are good at hazard identification and land management which help in the reducing the risks of landslide natural disasters (Merrett & Chen, 2013).

**2.4 Risk analysis:** GIS together with RS technologies have the power to analyze risks from landslides that occurred for a long period of time, and on a large scale and information for prediction may easily be availed. The information generated may help to identify landslide prone areas, and predict when another event is most likely to occur (Merrett & Chen, 2013). Similar studies done by Arnous (2011) in Wadi Watier area, South Sinai, in Egypt where he used GIS and RS technologies to assess landslide disasters prone areas, and they used thematic layers like rocks, land-use, topography, geography of the area, derived variables that predicted landslides, so as to avoid risks like human and property destruction. Views from Tulsi & Aneri (2007); Omieno & Khabamba (2012); Bhavika *et al.* (2009) showed that GIS and RS technologies are used to uplift the nature of analysis for landslide assessment, enhance development activities, guide development planning, and help policy makers to find appropriate responses and preparedness to mitigate risks that could arise from landslide disasters.

Comment [i19]: Remove comma

**2.4 Identify vulnerable areas:** GIS and RS technologies can be used to identify the exact areas where landslide occurred and the extent at which it caused harm. A study conducted in the Balik Pulau area in Penang Island, in Malaysia indicated that landslide prone areas were easily identified by interpreting aerial photographs, reports from earlier landslides, satellite images, and subject area (Pradhan *et al.*, 2011). This was accomplished by collecting and processing data on topographic, geologic, soil and satellite images using GIS and image processing tools, which gave a clear location for the landslide prone areas (Pradhan *et al.*, 2011). Landslide threat maps produced as a result of GIS and RS technologies help the meteorological departments to better the nature of the landslide warning services and disseminate prompt and accurate information about the likely risk to the people in the vulnerable community (Tulsi & Aneri, 2007).

Comment [i20]: Add comma

Comment [i21]: landslide

### 3. Challenges of using GIS and RS techniques for landslide disaster risk reduction

GIS and RS technologies when used appropriately may provide data that may reduce or prevent the degree at which disasters cause havoc. However, using them consumes a lot of time since they require a lot of data inputs (Ram *et al.*, 2020). GIS technology is a software that is too expensive for some developing countries to afford. Equipment such as GPS, and ways to access data are very expensive ventures (Bello & Aina, 2014; Ram *et al.*, 2020).

On the other hand, after a study that was conducted in Cameroon by Bello & Aina (2014), it was revealed that some governments don't have the human resource potential to use GIS and RS technologies. To be able to handle and manage the mentioned technologies, some scholars like Bang (2013); Bello & Aina (2014) suggest that developing countries need support from developed countries if they are to succeed.

#### 4. Summary and Conclusion

Using GIS and RS technologies, although they pose some challenges, have made it easier to manage disasters that may be induced by man and natural factors. GIS and RS have the ability to detect warning signs, give reliable information, identify disasters, analyze risks, monitor land, and map vulnerable communities, which gives people early warnings to be able to prepare, respond, and mitigate risks from disasters. GIS and RS tools provide cheaper, reliable, and faster techniques of accessing spatial data in a given area, therefore the need to be embraced by communities which are prone to disasters like landslides.

#### REFERENCES

- Arnous, M. O. (2011). Integrated remote sensing and GIS techniques for landslide hazard zonation: a case study Wadi Watier area, South Sinai, Egypt. *Journal of Coastal Conservation*, 15(4), 477-497.
- Atuyambe, L. M., Ediau, M., Orach, C. G., Musenero, M., & Bazeyo, W. (2011). Land slide disaster in eastern Uganda: rapid assessment of water, sanitation and hygiene situation in Bulucheke camp, Bududa district. *Environmental health*, 10(1), 1-13.
- Bang, H. N. (2013). Governance of disaster risk reduction in Cameroon: The need to empower local government. *Jambá: Journal of Disaster Risk Studies*, 5(2), 1-10.
- Bello, O. M., & Aina, Y. A. (2014). Satellite remote sensing as a tool in disaster management and sustainable development: towards a synergistic approach. *Procedia-Social and Behavioral Sciences*, 120, 365-373.
- Bello, O. M., & Aina, Y. A. (2014). Satellite remote sensing as a tool in disaster management and sustainable development: towards a synergistic approach. *Procedia-Social and Behavioral Sciences*, 120, 365-373.
- Bhavika Varma, Jeetendra Pande and V.K.Joshi. Use of IT for Disaster Management and Mitigation. *Proceedings of the 3rd National Conference; INDIACOM-2009.*
- Bizimana, H., & Sönmez, O. (2015). Landslide occurrences in the hilly areas of Rwanda, their causes and protection measures. *Disaster Science and Engineering*, 1(1), 1-7.
- Broeckx, J., Maertens, M., Isabirye, M., Vanmaercke, M., Namazzi, B., Deckers, J., ... & Poesen, J. (2019). Landslide susceptibility and mobilization rates in the Mount Elgon region, Uganda. *Landslides*, 16(3), 571-584.
- Fathani, T. F., Karnawati, D., & Wilopo, W. (2014). An adaptive and sustained landslide monitoring and early warning system. In *Landslide science for a safer geoenvironment* (pp. 563-567). Springer, Cham.
- Fathani, T. F., Karnawati, D., & Wilopo, W. (2016). An integrated methodology to develop a standard for landslide early warning systems. *Natural Hazards and Earth System Sciences*, 16(9), 2123-2135.
- Haque, U., Blum, P., Da Silva, P. F., Andersen, P., Pilz, J., Chalov, S. R., & Keellings, D. (2016). Fatal landslides in Europe. *Landslides*, 13(6), 1545-1554.

**Comment [i22]:** Review again according to APA7.

- Haque, U., Da Silva, P. F., Devoli, G., Pilz, J., Zhao, B., Khaloua, A., & Glass, G. E. (2019). The human cost of global warming: Deadly landslides and their triggers (1995–2014). *Science of the Total Environment*, 682, 673-684.
- Igwe, O. (2018). The characteristics and mechanisms of the recent catastrophic landslides in Africa under IPL and WCoE projects. *Landsli*
- Leone, S. (2017). Deadly landslide an avoidable tragedy. *Green Left Weekly*, (1150), 15.
- Meena, S. R., Albrecht, F., Hölbling, D., Ghorbanzadeh, O., and Blaschke, T.: Nepalese landslide information system (NELIS): a conceptual framework for a web-based geographical information system for enhanced landslide risk management in Nepal, *Nat. Hazards Earth Syst. Sci.*, 21, 301–316, <https://doi.org/10.5194/nhess-21-301-2021>, 2021.
- Mei, G., Xu, N., Qin, J., Wang, B., & Qi, P. (2019). A survey of Internet of Things (IoT) for geohazard prevention: Applications, technologies, and challenges. *IEEE Internet of Things Journal*, 7(5), 4371-4386.
- Merrett, H. C., & Chen, W. W. (2013). Applications of geographical information systems and remote sensing in natural disaster hazard assessment and mitigation in Taiwan. *Geomatics, Natural Hazards and Risk*, 4(2), 145-163.
- Merrett, H. C., & Chen, W. W. (2013). Applications of geographical information systems and remote sensing in natural disaster hazard assessment and mitigation in Taiwan. *Geomatics, Natural Hazards and Risk*, 4(2), 145-163.
- Nor Diana, M. I., Muhamad, N., Taha, M. R., Osman, A., & Alam, M. (2021). Social vulnerability assessment for landslide hazards in Malaysia: A systematic review study. *Land*, 10(3), 315.
- Omiemo K. Kelvin and Khabamba Innocent (2012) ICT in Disaster Risk Reduction: The Kenyan Experience *International Journal of Disaster Management and Risk Reduction*. Volume 4 Issue 2, November 2012 ISSN: 1992-2744.
- Osuret, J., Atuyambe, L. M., Mayega, R. W., Ssentongo, J., Tumuhameye, N., Bua, G. M., ... & Bazeyo, W. (2016). Coping strategies for landslide and flood disasters: a qualitative study of Mt. Elgon Region, Uganda. *PLoS currents*, 8.
- Pradhan, B., Mansor, S., Pirasteh, S., & Buchroithner, M. F. (2011). Landslide hazard and risk analyses at a landslide prone catchment area using statistical based geospatial model. *International Journal of Remote Sensing*, 32(14), 4075-4087.
- Ram L. Ray, Maurizio Lazzari and Tolulope Olutimehin (2020), Remote Sensing Approaches and Related Techniques to Map and Study Landslides. DOI: 10.5772/intechopen.93681
- Ratemo, S., & Bamutaze, Y. (2017). Spatial analysis of elements at risk and household vulnerability to landslide hazards on Mt. Elgon, Uganda. *African Journal of Environmental Science and Technology*, 11(8), 438-447.
- Riegel, R. P., Alves, D. D., Schmidt, B. C., de Oliveira, G. G., Haetinger, C., Osório, D. M. M., ... & de Quevedo, D. M. (2020). Assessment of susceptibility to landslides through geographic information systems and the logistic regression model. *Natural Hazards*, 103(1), 497-511.

- Sarwar, G. M. (2008, November). Landslide tragedy of Bangladesh. In *The first world landslide forum* (Vol. 11).
- Singhroy, V. (2009). Satellite remote sensing applications for landslide detection and monitoring. In *Landslides–disaster risk reduction* (pp. 143-158). Springer, Berlin, Heidelberg.
- Tanavud, C., Yongchalermchai, C., Bennui, A., & Navanugraha, C. (2000). Application of GIS and remote sensing for landslide disaster management in southern Thailand. *Journal of Natural Disaster Science*, 22(2), 67-74.
- Thiebes, B., Bell, R., Glade, T., Jäger, S., Mayer, J., Anderson, M., & Holcombe, L. (2014). Integration of a limit-equilibrium model into a landslide early warning system. *Landslides*, 11(5), 859-875.
- Tulsi Vyas, & Aneri Desai, (2007). Information Technology for Disaster Management.
- Twumasi, N. Y. D., Shao, Z., & Orhan, A. (2019). Remote sensing and GIS methods in urban disaster monitoring and management—an overview. *International Journal of Trend in Scientific Research and Development*, 3(4), 918-926.
- United Nations Office for Disaster Risk Reduction (UNDRR) 24 April 2012. Using GIS for Disaster Risk Reduction.
- Van Westen, C. J. (2000). Remote sensing for natural disaster management. *International archives of photogrammetry and remote sensing*, 33(B7/4; PART 7), 1609-1617.
- Van Westen, C. J. (2000). Remote sensing for natural disaster management. *International archives of photogrammetry and remote sensing*, 33(B7/4; PART 7), 1609-1617.
- Van Westen, C. J. (2000). The modelling of landslide hazards using GIS. *Surveys in Geophysics*, 21(2), 241-255.
- Vyas, T., & Desai, A. (2007, February). Information technology for disaster management. In *Proceedings of National Conference INDIACom*.
- Vyas, T., & Desai, A. (2007, February). Information technology for disaster management. In *Proceedings of National Conference INDIACom*.