

Review Article

Reservoir characterization review in sedimentary basins

ABSTRACT

Evaluating the subsurface characteristics of reservoirs is an important part of gas storage, hydrocarbon exploration, and production in sedimentary basins. This process combines geological, geophysical, and engineering data to understand the subsurface geology, and fluid distribution, determine reserves and predict the fluid movement in the reservoir. And in the case of empty reservoir, the storage capacity, sealing strength is analysed. The primary goal of reservoir characterization is to create a precise and dependable reservoir model to maximize the production procedure and reduce the associated risks of hydrocarbon exploration and production. This review examines different approaches used for reservoir characterization in sedimentary basins, including geological, geophysical, and engineering methods. Each method's advantages and disadvantages are discussed, alongside their uses in different reservoir contexts. The importance of combining multiple lines of evidence to enhance the accuracy of the reservoir models is also examined.

Keywords: Reservoir, Porosity, Permeability, Production data, Well logs, Seismic data

1. INTRODUCTION

Energy research comprises renewable energy, energy efficiency, and energy storage. Both the creation of new energy technology and our comprehension of the intricate mechanisms underlying energy generation and consumption have made tremendous strides in recent years. Energy storage requires the presence or the availability of reservoirs which is the subject of this review.

Renewable energy such as geothermal, solar, and other sources have grown significantly in recent years. By 2025, the International Energy Agency (IEA) projects that over 30% of the world's electricity will come from renewable sources (IEA, 2020). Technology advancements in renewable energy have lowered costs, increased efficiency, and increased reliability, making it a more appealing alternative for nations trying to lower their carbon impact. To effectively reduce gas emissions and address climate change, energy efficiency must be improved. This is why studying reservoir characterization to better understand reservoir capability and storage strength is important for effectively storing ozone layer-depleting gases. Current studies have concentrated on creating more energy-efficient technology, including smart thermostats and LED lighting, and on comprehending the social and economic variables that affect how much energy is utilized. The IEA estimates that increasing energy efficiency may cut the world's energy demand by 40% by 2040. (IEA, 2019).

On the other hand, energy storage is a crucial part of the switch to renewable energy. Current energy storage technology advancements have concentrated on creating more effective and affordable batteries and investigating alternate storage technologies like hydrogen fuel cells (IEA, 2020).

While efforts are made to introduce the effective and wide use of renewable energy, the search for oil and gas for economic sustenance remains intact. Thus, it is critical for successful hydrocarbon exploration and production in sedimentary basins to understand reservoir characteristics (Al-Lawati, 2014; Li and Li, 2016; Alzayer and Al-Dhamin, 2019; Li et al., 2021; Oguadinma et al., 2021a). This includes information on porosity, permeability, fluid saturation, rock types, and the environmental conditions of deposition. This is required to realize the potential of hydrocarbon reservoirs (Oguadinma et al., 2016) and devise effective strategies for drilling, completion, and production. Not only is it necessary to detect reservoirs, but their characterization is important for managing the associated risks and uncertainties (Kelechi et al., 2023; Oguadinma et al., 2023a). By combining seismic, well log, and core data, engineers can construct more accurate geological models and make intelligent choices regarding reservoir development, such as well spacing, artificial lift, and water injection.

2. TYPES OF RESERVOIR ROCKS

The origin, composition, and depositional environment all affect the features and attributes of the many reservoir rocks (Selley, 2014; Kharaka and Rigby, 2016). The following are a few of the most typical kinds of reservoir rocks: sandstone and carbonate.

Sandstone is a sedimentary rock comprising grains of sand-sized rocks, minerals, or organic substances. It is one of the most prevalent varieties of reservoir rocks, and due to its high porosity and permeability, it may store significant amounts of hydrocarbons (Ehrenberg, 2017). Sandstone reservoirs are typically found in fluvial and shallow marine environments, and the features of these reservoirs can change based on the grain size, sorting, and cementation.

Carbonates: Sedimentary rocks mostly made of calcium carbonate (CaCO_3) or magnesium carbonate are called carbonates (MgCO_3). They can develop in various situations, including evaporite, shallow marine, and reef conditions. Because of their intricate pore networks and significant variability, carbonate reservoirs are notorious for being challenging to explore and produce. They can, however, also have high porosity and permeability, which attracts oil and gas exploration as a target (Tiab and Donaldson, 2012).

3. IMPORTANCE OF RESERVOIR CHARACTERIZATION

It is critical for successful hydrocarbon exploration and production in sedimentary basins to understand reservoir characteristics (Al-Lawati, 2014; Li and Li, 2016; Alzayer and Al-Dhamin, 2019; Li et al., 2021; Oguadinma et al., 2021). This includes information on porosity, permeability, fluid saturation, rock types, and the environmental conditions of deposition. This is required to realize the potential of hydrocarbon reservoirs (Oguadinma et al., 2016) and devise effective strategies for drilling, completion, and production. Not only is it necessary to detect reservoirs, but their characterization is important for managing the associated risks and uncertainties (Ibekwe et al., 2023; Oguadinma et al., 2023;). Combining seismic, well-log, and core data makes it possible to construct more accurate geological models and make intelligent choices regarding reservoir development, such as well spacing, artificial lift, and water injection.




Figure 1. A sedimentary basin showing the five elements of a petroleum system, which includes a reservoir (Craig and Quagliaroli, 2020)

4. METHODS OF RESERVOIR CHARACTERIZATION

Analyzing reservoirs is an intricate task that necessitates the combination of numerous kinds of information and practices (Fig. 2). Some of the most widely-used approaches for characterization include geological methods, which involve interpreting data that is located on the surface and underneath it to recognize the stratigraphic and structural arrangement of the sedimentary basin (Ozkan and Raghavan, 2014; Luo et al., 2018; Jammes and Bellahsen, 2019; DeGroot and Laubach, 2019; Zhang, 2021; Oguadinma et al., 2023b). One such technique is mapping the surface, which entails identifying and plotting geological components such as outcrops, faults, and folds to grasp the structural makeup of the sedimentary basin (Oguadinma et al., 2014). The information collected from surface mapping can be used to modify subsurface models and advance the accuracy of the reservoir assessment. The methods for reservoir characterization are the ones listed below.

4.1 Geological methods

4.1.1 Well logging

Using geological methodologies, it is possible to comprehend the sedimentary basin's structural and stratigraphic framework by interpreting surface and subsurface data (Corbett and Davidson 1993). These techniques consist of the following:

4.1.2 Surface mapping

It entails locating and mapping geological features, including outcrops, faults, and folds, to understand the sedimentary basin's structural architecture (Oguadinma et al., 2014; Okoro et al., 2020). Surface mapping data can be used to limit subsurface models and increase the precision of reservoir characterization.

4.1.3 Core analysis

This step is focused on extracting rock samples from the subsurface during the drilling procedure. It is essential for validating the well-log data and constructing precise geological and reservoir models (Amaefule et al., 1993). This stage also provides knowledge about the properties of the reservoir rocks, such as porosity, permeability, grain size, and mineralogy (Amaefule et al., 1993).

4.1.4 Fluid samples analysis

Samples of fluids can be acquired from wells and cores, which gives insight into the nature, composition, and characteristics of the hydrocarbons (oil or gas) and other liquids (water) held within the reservoir.




Figure 2. Integrated multidisciplinary illustration of reservoir characterization approach (Yu et al., 2011)

4.1.5 Numeric modelling

Numerical models simulate the flow pattern of hydrocarbons and other fluids in the reservoir. These models use geological and petrophysical information to anticipate the reservoir output under various circumstances (such as primary production, secondary recovery, enhanced oil recovery and reservoir management).

4.2. Geophysical methods

The physical properties of **subsurface layers** are evaluated and interpreted using remote sensing techniques known as geophysical methods (Corbett and Davidson 1993). These methods include:




Figure 3. Process of subsurface data collection from seismic acquisition to subsurface image (Craig and Quagliaroli, 2020). I don t understand what you want to say here. What does it mean? Do you want to describe the different steps of seismic acquisition to seismic data for interpretation? For the acquisition and processing steps to have this last picture? Please explain this figure well.




Figure. 4: Time map interpreted from subsurface seismic data. It shows hydrocarbon (HC) and some structural configuration (Kelechi et al., 2023)

4.2.1 Seismic survey

To picture the subsurface geology, seismic surveys generate and detect sound waves (Craig and Quagliaroli, 2020; Fig. 3). Seismic data can be used to evaluate reserves, forecast fluid

flow behaviour in the reservoir, and offer precise information about the structural and stratigraphic framework of the sedimentary basin.

The essential instrument for subsurface imaging is seismic data analysis, which offers details **about** the lithology, fluid distribution, and subsurface structures (Aniwetalu et al., 2018; Kelechi et al., 2023; Fig. 4). To determine the position and shape of hydrocarbon reservoirs, it is utilized to create 3D models of the subsurface.

4.2.2 Gravity and magnetic surveys

Gravity and magnetic surveys measure changes in the Earth's gravitational and magnetic fields to map the subsurface geology. These techniques can be used to locate structures and lithologies that are not evident in seismic data as well as to learn about the thickness, density, and magnetic susceptibility of the rocks (Barest et al., 2004; Wang and Hsieh, 2019).

4.3.Engineering methods

To calculate reserves and forecast fluid flow behaviour, engineering methods measure and evaluate production data from the reservoir (Ribeiro and Ximenes, 2016). These techniques consist of...you have to list all these techniques here before explaining each above primarily.

4.3.1 Production data analysis

To assess reserves and forecast fluid flow behaviour, production data analysis entails the interpretation of production rates and pressure data from the reservoir (Joshua et al., 2022; Fig. 5). This technique can be used to optimize the production strategy and can provide information about the reservoir performance, including well productivity, drainage area, and fluid characteristics (Ribeiro and Ximenes, 2016).




Figure 5. Pore pressure prediction from Eaton modelling based on Δt sonic method (Joshua et al., 2022)

4.3.2 Well testing

To calculate the capacity of the reserves and forecast fluid flow behaviour, well testing measures pressure and flow rate data from the reservoir. It can be used to optimize the completion and stimulation approach by providing extensive information about the reservoir's attributes, such as permeability, skin factor, and wellbore storage (Amaefule et al., 1993).

5. RESERVOIR CHARACTERIZATION CHALLENGES

Because sedimentary basins are complicated and diverse (structure, form, dimension, depth, etc.), the characterization of reservoirs is difficult (Ozkan and Raghavan, 2014; Luo et al., 2018; Zhang, 2021). Even with the enormous advancements achieved in this area, engineers still have a lot of difficulties adequately describing reservoirs (Luo et al., 2018; Zhang, 2021). Some difficulties include data quality, heterogeneity, non-uniqueness, and sedimentary basin reservoir characterization uncertainty.

5.1. Data quality

The location, accessibility, and depth of the reservoir all impact the type and amount of data that can be used to characterize the reservoir. The data is frequently lacking or imperfect, which can cause uncertainty and mistakes in the geological models. It's also possible that the data is of poor quality, which makes it challenging to comprehend or combine with other data types. For instance, low signal-to-noise ratios or resolution in seismic data may make it challenging to detect underlying features or distinguish between various rock types. The rocks' petrophysical characteristics may be unknown due to artifacts or well-log gaps. Additionally, it can be challenging to create reliable geological models since data from many sources may be inaccurate or conflicting.

5.2. Heterogeneity

Sedimentary basins are incredibly heterogeneous, with various fluid distributions, complicated geological formations, and distinct rock characteristics. It may be challenging to create precise geological models and forecast fluid flow behaviour in the reservoir due to this heterogeneity. The reservoir rocks' porosities, permeabilities, and lithologies may vary significantly depending on depth, location, margins, platforms, and basins. Fluid characteristics, saturation, and motility changes can also complicate fluid distribution. It can be challenging to create representative models for the entire reservoir and to extrapolate data from one location to another due to heterogeneity.

5.3. Non-uniqueness

Reservoir characterization is frequently impacted by non-uniqueness, which refers to the ability of different geological models to fit the same data. This might happen due to the sedimentary basin's complexity and heterogeneity, as well as the scarcity of data. Non-uniqueness can cause predictions of reservoir behaviour to be imprecise since different models may yield inconsistent results. To validate their projections, reservoir engineers must carefully assess the model's underlying assumptions and unknowns.

5.4. Uncertainty

An obstacle to reservoir characterization is uncertainty, which can compromise the models' dependability and accuracy. Several factors, such as data quality, facies heterogeneity, non-uniqueness, and modelling assumptions, can cause uncertainty. For instance, the uncertainty in the petrophysical characteristics of the rocks may affect the fluid distribution and flow behaviour predictions. The boundary conditions, well performance, and production history are only a few examples of the parameters and assumptions employed in numerical

models that can introduce uncertainty. Reservoir engineers must carefully consider the sources of uncertainty, and their effects on forecasts of reservoir behaviour must be quantified.

6. CONCLUSION

Characterizing reservoirs is crucial in discovering and extracting hydrocarbons in sedimentary basins. Techniques from geology, geophysics, and engineering are utilized to characterize reservoirs. These techniques offer supplementary data on the underlying geology and fluid distribution dynamics, and they can be used to calculate reserves and forecast how fluids will flow in a reservoir. It can be challenging to create precise geological models and predict the flow behaviour of fluids in the reservoir due to issues with data quality, heterogeneity, non-uniqueness, and uncertainty. To develop accurate models, reservoir engineers must carefully assess the data and incorporate various supporting evidence. They must quantify the uncertainties and conduct sensitivity studies to evaluate the effects of different assumptions and parameters.

By combining various data sources and employing cutting-edge technology and methodology, such as high-resolution seismic imaging, advanced well logging techniques, and machine learning algorithms, increasing the accuracy of reservoir models, characterize reservoirs more accurately, and mitigate challenges in future hydrocarbons prospecting.

COMPETING INTERESTS DISCLAIMER:

Authors have declared that they have no known competing financial interests OR non-financial interests.

REFERENCES

- Aksel Hiorth, Espen Jettestuen, Petter Osmundsen et al. A physics-based reservoir model for analyzing a large amount of reservoir production data, December 14 2022, PREPRINT (Version 1) available at Research Square <https://doi.org/10.21203/rs.3.rs-2357207/v1>
- Al-Lawati, A. (2014). Reservoir characterization of sedimentary basins in Oman: A review. *Journal of Petroleum Geology*, 37(1), 1-26.
- Alzayer, A. S., & Al-Dhamin, A. (2019). Reservoir characterization in carbonate reservoirs: A review. *Journal of Petroleum Exploration and Production Technology*, 9(4), 3359-3379.
- Amaefule et al., (1993). Enhanced Reservoir Description: Using Core and Log Data to Identify Hydraulic (Flow) Units and Predict Permeability in Uncored Intervals/Wells. Society of Petroleum Engineers. doi: 10.2118/26474-PA
- Aniwetalu, et al, (2018). Spectral analysis of Rayleigh waves in the Southeastern part of Niger delta, Nigeria. *International Journal and Advance Geosciences*, vol. 6, p. 51- 56. <http://dx.doi.org/10.14419/ijag.v6i1.8776>
- Asquith, G., & Krygowski, D. (2004). Basic well-log analysis for geologists. AAPG Continuing Education Course Note Series, 39.
- Bérest, et al., (2004). Quantitative interpretation of gravity and magnetic data for hydrocarbon exploration in sedimentary basins: A review. *Journal of Applied Geophysics*, 55(1-2), 59-75. doi: 10.1016/j.jappgeo.2003.09.005
- Cao, M., Zheng, S., Elliott, B. et al. A Novel Integrated DFN-Fracturing-Reservoir Model: A Case Study. *Rock Mech Rock Eng* (2023). <https://doi.org/10.1007/s00603-023-03231-4>

- Chen, et al., (2019). Reservoir characterization of a carbonate oil reservoir in the Middle East: A case study. *Marine and Petroleum Geology*, 108, 64-82.
- Corbett, P.W.M. and Davidson, M.J. (1993). The Integration of Geological and Geophysical Data in Reservoir Modelling. Geological Society, London, Special Publications, 71(1), 57-73. doi: [10.1144/GSL.SP.1993.071.01.05](https://doi.org/10.1144/GSL.SP.1993.071.01.05)
- Craig, J. and Quagliaroli, F., (2020). The oil & gas upstream cycle: Exploration activity. EPJ Web of Conferences 246, 00008. <https://doi.org/10.1051/epjconf/202024600008>
- DeGroot, P., and Laubach, S.E. (2019). Structural Diagenesis in Hydrocarbon Reservoirs. *Journal of Structural Geology*, 125, 42-65. doi: [10.1016/j.jsg.2019.05.008](https://doi.org/10.1016/j.jsg.2019.05.008)
- Ehrenberg, S. N., 2017. Reservoir rock types. Springer, Cham. In *Encyclopedia of Petroleum Geology* (pp. 1-8).
- Gupta, A., & Kumar, A. (2020). Reservoir characterization and modelling of unconventional shale gas reservoirs: A review. *Journal of Natural Gas Science and Engineering*, 75, 103088.
- International Energy Agency. (2019). *Energy Efficiency 2019*. Paris: IEA.
- International Energy Agency. (2020). *Renewables 2020: Analysis and forecast to 2025*. Paris: IEA.
- Jammes, S. and Bellahsen, N. (2019). *Sedimentary Basins: From Passive Margins to Foreland Basins*. Wiley-Blackwell.
- Joshua Pwavodi, Ibekwe N Kelechi, Perekebina Angalabiri, et al. Pore Pressure Prediction in Offshore Niger Delta: Implications on Drilling and Reservoir Quality. *ESS Open Archive* August 23, 2022. DOI: [10.1002/essoar.10512217.1](https://doi.org/10.1002/essoar.10512217.1)
- Kelechi N Ibekwe, Chinazaekpere Arukwe, Chibuzor Ahaneku, et al. Enhanced hydrocarbon recovery using the application of seismic attributes in fault detection and direct hydrocarbon indicator in Tomboy Field, western-Offshore Niger Delta Basin. *Authorea*. January 24, 2023. DOI: [10.22541/essoar.167458067.76297684/v1](https://doi.org/10.22541/essoar.167458067.76297684/v1)
- Kharaka Y. K. and Rigby N. B., (2016). *Unconventional Oil and Gas Resources Handbook: Evaluation and Development* edited by Y. K. Kharaka and N. B. Rigby (2016)
- Li et al., (2021). A new integrated approach for shale reservoir characterization using hydraulic fracturing, well testing, and production data. *Journal of Petroleum Science and Engineering*, 199, 108193. doi: [10.1016/j.petrol.2021.108193](https://doi.org/10.1016/j.petrol.2021.108193)
- Li, X. Y., & Li, G. X. (2016). Application of seismic inversion in reservoir characterization: A review. *Journal of Geophysics and Engineering*, 13(6), R63-R77.
- Luo et al. (2018). Reservoir characterization using machine learning: A review. *Journal of Natural Gas Science and Engineering*, 55, 283-296.
- Mahmood, T., & Vaziri-Moghaddam, H. (2016). Reservoir characterization of tight gas sandstones in the Middle East: Challenges and opportunities. *Marine and Petroleum Geology*, 77, 939-955.
- Nwaezeapu et al. (2018). Hydrocarbon Reservoir Evaluation: a case study of Tymot field at southwestern offshore Niger Delta Oil Province, Nigeria. *Nanoscience and Nanotechnology*, Vol 2, Issue 2, DOI: <http://dx.doi.org/10.18063/nn.v0i0.618>.
- Oguadinma et al., (2014). Lithofacies and Textural Attributes of the Nanka Sandstone (Eocene): Proxies for evaluating the Depositional Environment and Reservoir Quality. *Journal of Earth Sciences and Geotechnical Engineering*, vol. 4, no. 4, 2014, 1-16 ISSN: 1792-9040 (print), 1792-9660. [10.13140/RG.2.2.33124.07042](https://doi.org/10.13140/RG.2.2.33124.07042)
- Oguadinma et al., (2016). An integrated approach to hydrocarbon prospect evaluation of the Vin field, Nova Scotia Basin. SEG Technical Program Expanded Abstracts 2016. [10.1190/segam2016-13843545.1](https://doi.org/10.1190/segam2016-13843545.1)
- Oguadinma et al., (2017). Advanced Study of Seismic and Well Logs in the Hydrocarbon Prospectivity of Siram Field, Niger Delta Basin. *Geological Society of America Abstracts with Programs*. Vol. 49, No. [Doi: 10.1130/abs/2017AM-296312](https://doi.org/10.1130/abs/2017AM-296312)

- Oguadinma et al., (2021). Study of the Pleistocene submarine canyons of the south-eastern Niger delta basin: Tectonostratigraphic evolution and infilling Conference/Reunion des sciences de la Terre, Lyon, France.
- Oguadinma et al., (2021). The art of integration: A basic tool in effective hydrocarbon field appraisal, Med-GU Conference, Istanbul, Turkey.
- Oguadinma O Vivian, Ibekwe N Kelechi, Lanisa Ademola, et al. reservoir and sequence stratigraphic analysis using subsurface data. ESS Open Archive February 09, 2023a.
- Oguadinma O Vivian, Ibekwe N Kelechi, Lanisa Ademola, et al. Submarine canyon: A brief review. ESS Open Archive, February 09, 2023b.
- Okoro, et al., (2020). Sedimentary facies, paleoenvironments and reservoir potential of the Afkpo Sandstone on Macgregor Hill in the Afkpo Sub Basin, southeastern Nigeria. SN Applied Sciences, 2, 1862. <https://doi.org/10.1007/s42452-020-03601-5>
- Ozkan, E., and Raghavan, R. (2014). Reservoir engineering: The Fundamentals, Simulation, and Management of Conventional and Unconventional Recoveries. Cambridge University Press.
- Ribeiro, G. F., & Ximenes, A. (2016). Reservoir characterization by integrating geological, geophysical and production data: A case study from a Brazilian offshore field. Journal of Petroleum Science and Engineering, 139, 42-58.
- Selley, et al., (2014). Elements of petroleum geology. Academic Press.
- Shrivastava, et al., (2019). Reservoir Characterization: An Overview. In Petroleum Geosciences: Indian Contexts
- Tiab, D., & Donaldson, E. C. (2012). Petrophysics: theory and practice of measuring reservoir rock and fluid transport properties. Gulf Professional Publishing.
- Wang, Z., & Hsieh, P. A. (2019). Gravity and magnetic methods for geological studies: principles, practices, and integrated applications. Cambridge University Press.
- Yu et al., (2011). Reservoir characterization and modelling: A look back to see the wayforward, in Y. Z. Ma and P. R. La Pointe, eds., Uncertainty analysis and reservoirmodelling: AAPG Memoir 96, p. 289 –309.
- Zaim, O., & Zouaoui, N. (2016). Petrophysical and geochemical reservoir characterization of the Mesozoic formations in the Timimoun Basin (Algerian Sahara). Journal of African Earth Sciences, 115, 224-238.
- Zhang et al., (2021). Reservoir characterization and evaluation of the Middle Jurassic Shale Gas in the northeastern Sichuan Basin, China. Journal of Natural Gas Science and Engineering, 87, 103595.