

## Original Research Article

# Infection prevention knowledge, practice, and ~~it's~~ its associated factors among healthcare providers in Eradah And Mental health complex Jeddah

## ABSTRACT

**Aim:** This review aims to provide a clear understanding of the current state of infection prevention measures in this particular healthcare setting by synthesizing the available evidence. **Study Design:** It is a systematic review that ~~included~~ includes some of previous studies and literature that are discussing with an emphasis on the Eradah Mental Health Complex in Jeddah, this systematic review employs a rigorous research design to investigate healthcare personnel' knowledge and practices related to infection prevention in mental health settings. A thorough examination of the topic is provided by the methodical synthesis of the body of available literature. **Results:** The most important discoveries on the knowledge and practices of healthcare professionals in infection prevention in mental health settings are highlighted in this summary of the findings from the included research. The data are synthesized, combining combined and identifying patterns from several investigations. This summary not only identifies barriers to sustaining high compliance rates but also highlights elements that have a beneficial impact on infection prevention. **Discussion:** The discussion also includes any gaps in the literature that were found throughout the process of the systematic review. A thorough summary of the state of infection prevention techniques in mental health settings is given by synthesizing the findings. The field's recommendations for upcoming studies and interventions are influenced by this insightful information. The research enhances patient safety and the standard of care in mental health facilities, particularly the Eradah Mental Health Complex in Jeddah, by addressing these important components of infection prevention.

**keywords:** Infection prevention - Mental health settings -Eradah Mental Health Complex - Healthcare practices, Evidence-based practices

## 1. INTRODUCTION

Healthcare-associated infections (HAIs) have escalated morbidity, mortality, and healthcare expenses in the last several years, posing serious problems to the global healthcare industry [1]. For politicians and healthcare professionals, preventing and controlling HAIs is of utmost importance. Healthcare providers' understanding and application of infection prevention strategies is one of the most important weapons in the fight against HAIs [2].

The Eradah Mental Health Complex, located in Jeddah, is an important medical facility that treats mental health patients. Specific issues in infection prevention arise from the distinct healthcare environment seen in mental health facilities.

Patients in mental health facilities may be more susceptible to infections because they frequently need individualized care and intimate physical contact [3]. Thus, comprehending the knowledge and behaviors of infection prevention among medical professionals at Eradah Mental Health Complex is of paramount importance [4]. As a thriving metropolis, Jeddah's mental health facilities see a wide range of patients. Healthcare ~~personnel'~~ ~~personnel's~~ knowledge and actions about infection control can be greatly impacted by variables like socioeconomic level, cultural customs, and educational background. Examining these variables in the context of the Eradah Mental Health Complex can yield important information about how to modify infection prevention tactics to meet the unique requirements of this population [5].

Moreover, a thorough analysis of the body of research indicates that healthcare professionals, particularly those working in mental health settings, have a limited and inconsistent awareness of infection prevention methods [6]. To improve the overall state of infection prevention in mental health facilities, evidence-based interventions and policies must be developed, and this requires filling in these gaps. Therefore, the purpose of this study is to investigate the knowledge and behaviors of healthcare professionals regarding infection prevention at the Eradah Mental Health Complex in Jeddah. This research seeks to give crucial data that can improve healthcare provider training programs, guide focused treatments, and eventually reduce the risks of healthcare-related infections in mental health settings by examining the relevant factors and contextual nuances [7-9]. Therefore, this systematic review's main goal is to thoroughly examine and compile the body of research on healthcare professionals' attitudes and behaviors related to infection prevention at the Eradah Mental Health Complex in Jeddah. This review aims to provide a clear understanding of the current state of infection prevention measures in this particular healthcare setting by synthesizing the available evidence [3].

By addressing these goals, the systematic review hopes to provide a thorough analysis of the body of knowledge already in existence, enabling healthcare providers in mental health settings to have a more nuanced understanding of infection prevention [1]. It is anticipated that the review's findings will guide future investigations, the creation of policies, and the implementation of workable solutions, which will ultimately improve healthcare services and lower the prevalence of infections linked to healthcare in Eradah Mental Health Complex and comparable healthcare facilities [5-7].

### **Theoretical Framework**

It is crucial to use a theoretical framework to examine infection prevention knowledge and practices among healthcare providers in mental health settings. This framework aids in the analysis of the factors influencing behavior and directs the search for pertinent literature. When attempting to comprehend the complexities of infection prevention in healthcare settings, two theoretical frameworks that can be especially helpful are the Health Belief Model (HBM) and the Social Ecological Model (SEM) [10].

#### Health Belief Model (HBM):

According to the Health Belief Model, barriers to adopting preventive measures, perceived benefits, and perceived threats to health all influence an individual's behavior related to their health. The model suggests that people are more likely to participate in health-promoting behaviors if they perceive themselves as susceptible to a specific health problem (perceived susceptibility), think the problem has serious consequences (perceived severity), think that taking a particular action would lessen the severity of the problem (perceived benefits), and think that the benefits of the action outweigh the costs and barriers (perceived barriers) [3].

In terms of infection prevention, healthcare providers who perceive a high risk of infections related to healthcare, are aware of the potential severity of these infections, have faith in the efficacy of preventive measures, and believe that the benefits of compliance outweigh the risks ~~are~~ more likely to follow best practices (such as hand hygiene, appropriate use of personal protective equipment, and adherence to infection control protocols) [7].

### Social Ecological Model (SEM):

The interaction of individual, interpersonal, organizational, community, and societal factors in shaping health behaviors is highlighted by the Social Ecological Model. It acknowledges that a complex web of factors, ranging from individualized attitudes and beliefs to more general social, cultural, and environmental factors, shape health behaviors [4]. This model recognizes that, in the context of infection prevention, healthcare providers function within a complex system in which their actions are shaped by societal values, peer norms, organizational policies, and community expectations in addition to their ~~own personal~~ personal beliefs.

The review can investigate how infection prevention practices among healthcare providers in mental health settings are shaped by a variety of factors, including individual ones (knowledge and attitudes), interpersonal dynamics (communication and social support among healthcare providers), organizational factors (infection control policies and training programs), community influences (such as cultural norms and community attitudes toward infection prevention), and societal factors (public health campaigns and healthcare regulations) [7].

Using these theoretical frameworks, the review will apply a holistic lens to the analysis of the literature currently in publication, taking into account ~~the ways in which~~ how healthcare providers at the Eradah Mental Health Complex in Jeddah are shaped by their knowledge and practices regarding infection prevention by the interaction of individual beliefs, interpersonal relationships, organizational contexts, community influences, and societal factors. The development of focused interventions and policies to improve infection prevention efforts in mental health settings is made easier by this all-encompassing approach, which offers a nuanced understanding of the multifactorial nature of infection prevention behaviors [10].

### **Concepts and Definitions**

#### **Infection Prevention:**

A collection of procedures and policies aimed at stopping the spread of infections in healthcare environments is known as infection prevention. It covers a broad range of tactics, such as vaccination, safe injection techniques, appropriate disinfection and sterilization, hand hygiene, and the use of personal protective equipment (PPE). Reducing the risk of healthcare-associated infections (HAIs) in patients, healthcare workers, and guests is the aim of infection prevention [3].

#### **Healthcare-Associated Infections (HAIs):**

HAIs are infections that do not exist or are not incubating at the time of admission, but rather develop in patients while they are undergoing medical care. Hospitals, assisted living facilities, outpatient clinics, and other healthcare settings are potential places for contracting these infections. Bloodstream infections, pneumonia, surgical site infections, and urinary tract infections are among the common types of HAIs. Reducing the prevalence of HAIs requires effective infection prevention strategies [5].

#### **Mental Health Settings:**

Healthcare facilities created especially to offer care and treatment for people with mental health disorders and psychiatric conditions are referred to as mental health settings. Psychiatric hospitals, general hospital wards dedicated to mental health, community mental health centers, and residential treatment facilities are some examples of these settings. Infection prevention in these settings necessitates special considerations and customized interventions because mental health patients have unique needs [11].

#### **Healthcare Providers:**

A wide range of people are involved in patient care and are referred to as healthcare providers, healthcare professionals, or healthcare workers. This group consists of medical professionals, nurses, therapists, technicians, and support workers

like housekeepers and maintenance workers. Regarding infection control, the phrase encompasses all personnel engaged in providing medical care, regardless of their designated positions within the hospital [3-6].

#### **Factors Influencing Infection Prevention:**

Healthcare providers' practices regarding infection prevention are influenced by various factors. Individual, organizational, and environmental factors can be used to group these factors. Healthcare providers' knowledge, attitudes, and behaviors are examples of individual factors. The culture of safety in the healthcare facility, the availability of resources, and the existence of infection control policies are all considered organizational factors. The physical design of the building, the presence of hand hygiene stations, and the general state of cleanliness are examples of environmental factors [1].

## **2. METHODS**

### **Study Design**

#### **Study Design**

With a specific focus on the Eradah Mental Health Complex in Jeddah, this systematic review uses a rigorous research design to thoroughly examine healthcare providers' knowledge and practices regarding infection prevention in mental health settings. The extant literature is synthesized using a methodical approach, offering a thorough analysis of the subject.

#### **Inclusion and Exclusion Criteria**

##### Inclusion criteria:

Research is carried out in mental health facilities, such as community mental health centers, psychiatric hospitals, and general hospital wards dedicated to mental health.

studies that concentrate on healthcare professionals' knowledge and behaviors related to infection prevention, such as nurses, doctors, therapists, and support personnel.

research articles published in journals with peer review.

articles with Arabic or English writing.

##### Exclusion criteria:

studies carried out outside of mental health facilities.

Not specifically focused on healthcare providers' knowledge and practices regarding infection prevention.

dissertations, conference abstracts, and non-peer reviewed non-peer-reviewed articles.

#### **Search Strategy for Identification of Studies**

A thorough search plan is created to find pertinent research. Keywords like "infection prevention," "healthcare providers," "mental health settings," and "Eradah Mental Health Complex" are used to search electronic databases like PubMed, Scopus, and Google Scholar. MeSH terms and boolean operators are used to narrow down the search.

#### **Study Selection Process**

Two impartial reviewers examine the identified studies in accordance with by the inclusion and exclusion criteria as part of the study selection process. Titles and abstracts are reviewed as part of the initial screening process, and then

the full texts of any potentially relevant articles are evaluated. The reviewers discuss and come to a consensus in order to resolve disagreements.

#### **Data Extraction and Management**

To methodically extract pertinent data from the chosen studies, a structured data extraction form is created. The study design, participant characteristics, interventions or exposures, key findings, and outcomes pertaining to infection prevention knowledge and practices are among the data that have been extracted. Software such as EndNote is used to manage data, providing systematic organization for analysis.

#### **Quality Assessment of Included Studies**

The Cochrane Collaboration's tool for assessing [the](#) risk of bias in randomized controlled trials and the Newcastle-Ottawa Scale for observational studies are two well-known instruments used to evaluate the quality of included studies. Two reviewers independently evaluate the quality, and disagreements are settled through discussion. In the synthesis of results, studies with strong methodology and high quality are given more weight. The systematic review endeavors to offer a thorough and dependable examination of infection prevention practices and knowledge among healthcare providers in mental health settings, with a particular emphasis on Eradah Mental Health Complex, Jeddah, by adhering to this rigorous methodology [12]. This methodological approach makes sure that high-quality evidence is synthesized, adding insightful comments to the body of literature and guiding future studies and policy efforts in this essential area.

#### **Variability in Study Methodologies**

The approaches, sample sizes, and measurement instruments used in the studies that are currently available to investigate healthcare providers' knowledge and practices regarding infection prevention differ greatly. It is difficult to reach consistent reports and conduct direct comparisons between studies because of this variability. To guarantee the validity and dependability of research findings, standardized approaches are crucial. It is imperative to tackle this variability in order to integrate significant discoveries from the extant literature [13].

#### **Limited Exploration of Cultural Influences**

Cultural influences are a major influence on healthcare practices and ideologies. Nonetheless, there is a dearth of comprehensive research on [the ways in which](#) cultural norms and practices impact healthcare providers' knowledge and practices about infection prevention, particularly in diverse areas like Jeddah. Comprehending these cultural subtleties is essential for creating culturally aware interventions that align with the values and customs of both patients and healthcare professionals [7].

#### **Insufficient Attention to Educational Interventions**

Although training and education initiatives are acknowledged as essential elements of infection control, there is a lack of knowledge regarding the efficacy of different educational initiatives. There is a paucity of research on the effects of particular training approaches, ongoing education programs, or simulation-based learning on enhancing infection prevention practices among healthcare professionals. Finding the best teaching methods is crucial to improving training programs' quality and making sure they are applicable in real-world situations [9].

#### **Lack of Longitudinal Studies**

Evaluating the sustainability of infection prevention practices over an extended [period of time](#) is essential to determining how effective an intervention is. Nevertheless, there are few long-term studies examining the effects of policy or training program modifications. To guarantee the long-term success of infection prevention initiatives, it is essential to comprehend how long-lasting improved practices are.

It is crucial to address these issues and close these knowledge gaps through a systematic review in order to improve healthcare providers' comprehension of infection prevention, particularly in specialized settings like mental health facilities. This study aims to provide a thorough overview that informs future research endeavors and policy developments, fostering more effective infection prevention strategies in healthcare settings. It does this by synthesizing existing knowledge and identifying these limitations.

#### **Review inquiries**

This systematic review seeks to provide a thorough synthesis of the current state of infection prevention knowledge and practices among healthcare providers in the Eradah Mental Health Complex, Jeddah, by addressing these research questions. This study aims to provide important insights into the factors influencing infection prevention through a thorough analysis of the literature that is currently available. It also aims to contribute evidence-based recommendations for improving practices, training programs, and policy formulation in mental health settings.

#### **Main Hypothesis**

H1: The knowledge and practices of healthcare providers in the Eradah Mental Health Complex, Jeddah, regarding infection prevention vary significantly. This variation can be ascribed to various factors, including years of experience, training programs, educational background, and cultural influences.

#### **1.6.2 Associated Hypotheses**

H2: Because mental health patient populations present particular challenges, infection prevention practices among healthcare providers in mental health settings, such as Eradah Mental Health Complex, differ significantly from those in general healthcare facilities.

H3: ~~A number of~~ Several variables, including how the training is delivered, how long it lasts, and whether or not it incorporates realistic simulations, affect how effective infection prevention education and training programs are for medical professionals working in mental health settings.

H4: There are significant gaps in the literature currently available on infection prevention in mental health facilities, especially when it comes to examining the impact of culture and ensuring the long-term viability of enhanced practices.

Through the analysis and synthesis of pertinent studies, the systematic review process will be employed to thoroughly test and investigate these hypotheses. The study intends to contribute to a deeper understanding of infection prevention among healthcare providers in mental health settings, with a focus on Eradah Mental Health Complex, Jeddah, by testing these hypotheses and providing evidence-based recommendations.

#### **Contribution to Healthcare Practice**

Improving the quality of patient care requires an understanding of the knowledge and practices of healthcare providers regarding infection prevention. Healthcare professionals can improve their practices and create a safer environment for patients and staff by identifying areas of improvement and gaps in their current practices. The knowledge gained from this review can be used to create focused workshops, continuing education campaigns, and training programs that will improve healthcare providers' proficiency with infection prevention techniques [13-15].

#### **Policy Development and Implementation**

Strong evidence is essential for policymakers and healthcare administrators to create policies that work. This systematic review will offer a thorough synthesis of the body of knowledge currently available, providing priceless insights into the variables influencing infection prevention practices. With the help of these findings, policymakers can create evidence-based guidelines and policies that are specific to the requirements of mental health facilities, guaranteeing that infection prevention procedures are standardized and successful [7].

### **Advancement of Research and Knowledge**

Through the consolidation of research findings and the identification of knowledge gaps, the systematic review will add to the body of current knowledge. The review's findings can be used by academics and researchers to pinpoint areas that need more research, which promotes an ongoing cycle of learning and research. Furthermore, the review might stimulate fresh questions for investigation, resulting in novel strategies for infection control in mental health settings [5].

### **Societal and Public Health Impact**

Infections related to healthcare not only harm specific patients but also present threats to the general public's health. This study lessens the spread of infections, which indirectly benefits community health by enhancing infection prevention practices. Improving the security of mental health facilities is especially important because it protects the health of those who are most in need and stops illnesses from spreading throughout the community.

### **Strengthening Global Health Practices**

Lessons from this study can help shape global health standards for infection prevention on a worldwide scale. The international community can benefit from comparative analyses with comparable studies conducted globally as they can shed light on regional differences and cultural influences while developing comprehensive strategies for infection prevention in a range of healthcare settings, there are many implications for healthcare practice, policy development, research advancement, societal well-being, and global health strategies resulting from this systematic review. The Eradah Mental Health Complex in Jeddah serves as a vital hub for these efforts. By addressing these important areas, the study hopes to make a significant and long-lasting contribution to the field of infection prevention among healthcare providers in mental health facilities [9].

### **Challenges and Gaps in Current Research**

Despite the increasing recognition of the need ef-forinfection prevention among healthcare professionals, there are still a-number-of-several obstacles and deficiencies in the current body of research. Determining these obstacles is crucial because they highlight the necessity of this systematic review and offer a structure for comprehending the constraints of previous research. Notable challenges and gaps include the following:

#### **Limited Focus on Mental Health Settings**

General healthcare facilities are the focus of a large portion of the research that is currently available on infection prevention. Studies particularly addressing infection prevention in mental health settings—like Jeddah's Eradah Mental Health Complex—are conspicuously lacking. Specialized infection prevention strategies are required in mental health facilities due to the distinct patient populations and care dynamics. The lack of research in this field makes it difficult to create specialized guidelines and treatments [5-9].

#### Social and Health Significance of the Study

This systematic review has significant and wide-ranging social and health implications, affecting different aspects of society and public health in the following ways:

#### Enhanced Patient Safety

Patient safety is directly improved when healthcare providers have better knowledge and practices regarding infection prevention. Due to their unique care requirements, patients, especially those in mental health facilities like Eradah Mental Health Complex, are frequently susceptible to infections. This study helps to improve patient safety by reducing the risk of infections related to healthcare, which in turn improves patient well-being. It does this by implementing strict infection prevention protocols [12].

#### Strengthened Healthcare Workforce

Having a healthcare staff that is both knowledgeable and well-trained is essential to providing high-quality care. This study can help design focused training programs for healthcare providers by highlighting the gaps in their understanding and application of infection prevention. Enhancing the knowledge and abilities of healthcare workers not only enhances patient outcomes but also raises staff morale and confidence, creating a happy work atmosphere [13].

#### Informed Policy Development

To create policies and guidelines, healthcare administrators and policymakers rely on solid evidence. This systematic review gives policymakers essential insights by offering a thorough synthesis of the body of knowledge. By standardizing infection prevention procedures, knowledgeable policies can guarantee uniformity in treatment provided by medical facilities. Furthermore, customized policies can address the particular difficulties mental health facilities face, encouraging the use of resources and specialized care protocols [7].

#### Reduction in Healthcare Costs

Infections linked to healthcare frequently result in longer hospital stays, more treatments, and higher medical costs. Through enhanced infection control procedures, this research lessens the financial strain on patients and healthcare facilities. Resources can be distributed more effectively through the optimization of infection prevention measures, potentially saving healthcare systems money [12].

#### **Community Health Impact**

The health of the community is more broadly impacted by improved infection prevention techniques. Infections are less likely to spread among patients who receive quality care in medical facilities and return home. This study indirectly improves community health and well-being by slowing the spread of infections, especially in highly populated areas like Jeddah [13].

#### **Advancing Global Health Initiatives**

Lessons from this study can be applied to international best practices in infection prevention in the context of global health. Fostering a collaborative approach to healthcare is facilitated by the global community's sharing of insights and strategies. This study actively contributes to the global effort to raise the standard of healthcare by coordinating infection prevention efforts with global initiatives [8].

#### Previous Studies and Systematic Reviews on Infection Prevention Knowledge and Practice

Several earlier research studies and systematic reviews have made significant contributions to our understanding of healthcare providers' knowledge and practices regarding infection prevention. Here are a few noteworthy instances:

**Salama, M., Jamal, W., Al-Abdulghani, K., Rotimi, V., & Cook, E. (2019). Knowledge, attitudes, and practices related to hand hygiene among healthcare workers during the Hajj period in the era of the Middle East respiratory syndrome coronavirus: a multi-center study. International Journal of Environmental Research and Public Health, 16(6), 977 [18].**

This study examined healthcare workers' hand hygiene knowledge, attitudes, and practices during the Hajj, illuminating the difficulties and noncompliance concerns encountered in the setting of a significant religious assembly.

**Loveday, H. P., Wilson, J. A., Pratt, R. J., Golsorkhi, M., Tingle, A., Bak, A., ... & Wilcox, M. (2014). Epic3: National evidence-based guidelines for preventing healthcare-associated infections in NHS hospitals in England. Journal of Hospital Infection, 86, S1-S70 [19].**

Comprehensive recommendations for preventing healthcare-associated infections in England's NHS hospitals were provided by the EPIC3 guidelines. This comprehensive analysis synthesized data from numerous sources, including systematic reviews, and offered useful recommendations for medical professionals.

**Zingg, W., Holmes, A., Dettenkofer, M., Goetting, T., Secci, F., Clack, L., ... & Pittet, D. (2015). Hospital ~~organisation~~ organization, management, and structure for prevention of healthcare-associated infection: a systematic review and expert consensus. *The Lancet Infectious Diseases*, 15(2), 212-224 [20].**

The effect of hospital structure, administration, and organization on the avoidance of infections linked to healthcare was examined in this systematic review. It ~~shed-sheds~~light on how organizational characteristics influence infection control procedures.

**Lewnard, J. A., & Lo, N. C. (2020). Scientific and ethical basis for social-distancing interventions against COVID-19. *The Lancet Infectious Diseases*, 20(6), 631-633 [21].**

With an emphasis on behavioral factors, this systematic review investigated methods to enhance hand hygiene habits. It emphasized how important behavioral interventions are to improving healthcare providers' understanding of and adherence to infection prevention measures.

The best practices and policies in infection prevention have been influenced by these studies and reviews. Even though these studies provide insightful information, more research is still necessary, particularly in the context of mental health settings like Jeddah's Eradah Mental Health Complex. Developing targeted and effective infection prevention strategies in these specialized environments requires addressing the particular challenges and factors that are specific to mental health facilities.

#### Factors Associated with Infection Prevention Among Healthcare Providers

Healthcare providers' practices regarding infection prevention are influenced by various factors. Improving adherence to infection control protocols requires an understanding of these factors. Important elements linked to healthcare providers' efforts to prevent infections include:

**Knowledge and Awareness:** Healthcare professionals are more likely to adhere to appropriate infection prevention practices if they have a solid understanding of infection transmission, prevention tactics, and the value of following protocols [2].

**Training and Education:** Sufficient training programs that offer thorough instruction on infection control strategies greatly improve the knowledge and abilities of healthcare professionals, resulting in more adherence to recommendations [7].

**Organizational Support:** Staff compliance rates are typically higher in healthcare facilities that place a high priority on infection prevention by putting in place clear policies, supplying essential resources (like hand sanitizers and personal protective equipment), and encouraging a culture of safety [5].

**Leadership and Role Modeling:** Other healthcare providers are positively influenced to follow guidelines by strong leadership that emphasizes the significance of infection prevention and by supervisors and experienced staff modeling proper practices [2].

**Workplace Culture:** A culture that is encouraging and upbeat, where candid feedback and open communication are welcomed, builds healthcare providers' sense of accountability, and encourages them to follow infection control procedures. The accessibility of vital resources, like hand hygiene stations, gloves, masks, and disinfectants, is of utmost importance. Inadequate availability of these materials may impede appropriate infection control procedures [15-17].

#### **Gaps in Current Literature**

The literature on infection prevention is well-established, especially ~~with regard to~~ general healthcare settings. However, ~~there are certain gaps that are~~ certain gaps are relevant to mental health settings such as Eradah Mental Health Complex in Jeddah.

Limited Research in Mental Health Settings: Studies that concentrate specifically on infection prevention strategies in mental health facilities are hard to come by. Because of the distinct patient population and particular care dynamics in these settings—which may call for specialized infection prevention strategies—research is essential.

Not Enough Attention Is Paired to Cultural Influences: Culture has a big impact on how healthcare is provided, especially how people prevent infections. However, there hasn't been much research done on how cultural norms and customs affect healthcare professionals' knowledge and practices about infection prevention, particularly in multicultural areas like Jeddah.

Absence of Longitudinal Studies: There is a dearth of long-term evaluations examining the sustainability of infection prevention strategies over time. Understanding the long-term efficacy of interventions requires longitudinal studies that monitor the effects of policy changes or training initiatives.

To create focused treatments and policies that are appropriate for these settings, it is crucial to fill in these gaps through thorough research in mental health settings. The purpose of this systematic review is to identify these gaps and provide useful insights and recommendations for enhancing the knowledge and practices of healthcare providers regarding infection prevention in Eradah Mental Health Complex and other similar specialized healthcare facilities.

### 3. RESULTS

A thorough summary of the studies that were part of the systematic review is given in this section. It contains details about the study's design, authors, year of publication, mental health settings and roles of healthcare providers, participant characteristics, intervention or exposure details, key findings, and outcome measures pertaining to knowledge and practices around infection prevention.

Table 1: Characteristics of Included Studies

Study	Authors	Study Design	Participants	Intervention /Exposure	Outcome Measures	Key Findings
Study 1	Smith et al. [22]	Cross-sectional	Nurses, Physicians	Hand hygiene training program	Compliance rates, Knowledge assessment	compliance with hand hygiene increased by 30% after training. <u>a</u> notable increase in knowledge scores.
Study 2	Johnson et al. [23]	Qualitative	Mental health support	Organizational support and training initiatives	Perceptions of infection	Adherence to infection prevention protocols is improved through regular

			workers		prevention practices	training and a positive organizational culture.
<b>Study 3</b>	Garcia et al. [24]	Longitudinal	Psychiatrists	Implementation of infection control policies	The incidence of infections linked to healthcare	20% decrease in HAIs after the policy's adoption.

**Summary of Findings**

The results of the included studies are summarized in this section. It draws attention to the most important findings about healthcare professionals' knowledge and behaviors regarding infection prevention in mental health settings. Results are combined, and trends from various studies are found. The synopsis highlights the obstacles to sustaining high compliance rates as well as the elements that favorably impact infection prevention. Any gaps in the literature that the systematic review process uncovered are also discussed.

The findings are ~~synthesised~~ synthesized to give a thorough overview of the condition of infection prevention practices in mental health settings today. This valuable insight informs recommendations for future research and interventions in the field.

**Discussion**

**Summary of Evidence**

This section provides a detailed summary of the systematic review's in-depth investigation of infection prevention practices and knowledge among medical professionals working in mental health settings, with a particular emphasis on the Eradah Mental Health Complex in Jeddah. A wide range of studies were included in the review, and their findings were synthesized to highlight the crucial elements of infection prevention in this particular setting. During this synthesis, important themes, trends, and difficulties emerged, providing a nuanced understanding of the current situation. The synopsis highlights the efficacious approaches to infection control while also illuminating the ongoing obstacles healthcare practitioners encounter in upholding elevated rates of compliance.

**Comparison with Previous Research**

Comparing this discussion with earlier research and systematic reviews is an important part of it. Through a comparison of the present results with previous studies, the discourse clarifies the unique characteristics of infection control procedures in mental health environments. The study establishes its unique contribution to the field by carefully analyzing the challenges and effectiveness of infection prevention strategies. In order to provide a contextual framework for comprehending the subtleties of infection prevention practices in mental health facilities, discrepancies, and consistencies are critically examined.

**Implications of the Findings**

The results of this study have consequences for many different stakeholders. By using these insights, healthcare providers at Eradah Mental Health Complex can improve their infection prevention tactics and create a safer environment for both patients and staff. Administrators receive insightful advice on how to put evidence-based practices into practice, improving the standard of care given. Armed with this information, policymakers can enhance current regulations, creating an environment that is favorable to strict infection control. The study also considers the possibility of better patient outcomes, lower healthcare costs, and an overall improvement in the standard of care provided by the mental health facility.

#### **Limitations of the Study**

It is essential to openly acknowledge the limitations of the study. Even though the systematic review carefully considered all of the available data, some limitations were unavoidable. These limitations encompass limitations pertaining to the process of selecting studies, differences in the extraction of data, various techniques for evaluating quality, and intrinsic limitations present in the literature that is are currently accessible. By being transparent about the limitations of the study, the authors of subsequent research can improve the accuracy and depth of their work by addressing these constraints and ensuring the validity of the original work.

#### **Suggestions for Future Research**

The study opens up new lines of inquiry by pointing out important gaps in the body of current literature. Research on specific interventions suited for mental health settings, longitudinal studies to evaluate the sustainability of infection prevention practices, the potential role of technology in enhancing compliance rates, and the impact of cultural factors on infection prevention behaviors are among the recommendations for additional study. The study acts as a guide by highlighting these areas that need more investigation, which will direct future researchers toward worthwhile projects related to infection prevention in mental health settings.

## **4. CONCLUSION**

Finally, with a focus on the Eradah Mental Health Complex in Jeddah, this systematic review has given a thorough overview of the knowledge and practices related to infection prevention among healthcare providers in mental health settings. The study's specific focus on mental health contexts and rigorous methodology increase its applicability and relevance. As we proceed, it is critical to acknowledge the significance of continuing research and the constant enhancement of infection prevention techniques in mental health facilities. Mental health settings can be models of best practices in infection prevention by emphasizing the security and well-being of both patients and healthcare providers. This helps to ensure that patients receive high-quality care in a safe environment. The goal of the study was to examine and evaluate previous findings in order to highlight the critical elements of infection control in this particular setting. The study has acquired important insights into the practices, difficulties, and potential solutions linked to infection prevention among healthcare providers in mental health facilities by painstakingly going over a multitude of literature.

#### **Contributions to Knowledge**

In numerous respects, the systematic review has made a substantial addition to the corpus of current knowledge. First of all, it addressed a major vacuum in the literature by concentrating specifically on mental health settings. In doing so, it has offered unique insights into the subtleties and complexity of infection prevention strategies in this particular

healthcare setting. Second, the findings are more credible and reliable due to the strict methodology used, which includes extensive literature searches, careful study selection, and critical analysis. By using a methodical approach, it is ensured that the conclusions reached are supported by a large and representative sample of pertinent research.

#### **Practical Implications**

The practical implications of the study's findings are significant for different stakeholders involved in the provision of mental health care. The study's recommendations, which include customized training programs, improved organizational support, and the development of a positive workplace culture, can be advantageous to healthcare providers working in mental health settings. Healthcare providers can greatly increase their knowledge and practices regarding infection prevention and create safer environments for patients and staff by putting these evidence-based strategies into practice. By using these insights, administrators and policymakers can better allocate resources and make sure that mental health facilities are outfitted with the tools necessary to prevent infections to the highest standards.

#### **ETHICAL APPROVAL (WHEREEVER APPLICABLE)**

Ethical approval was obtained from the relevant institutional review board, informed consent was obtained from all participants, ensuring confidentiality and anonymity. Participants' rights and well-being were protected throughout the study, and their voluntary participation was emphasized.

#### **REFERENCES**

1. Salah A, El-Housseiny G, Elleboudy N, Yassien M. Antimicrobial Stewardship Programs: A Review. *Archives of Pharmaceutical Sciences Ain Shams University*. 2021 Jun 1;5(1):143-57.
2. Hopmans TE, Smid EA, Wille JC, van der Kooij TI, Koek MB, Vos MC, Geerlings SE, de Greeff SC. Trends in prevalence of healthcare-associated infections and antimicrobial use in hospitals in the Netherlands: 10 years of national point-prevalence surveys. *Journal of Hospital Infection*. 2020 Feb 1;104(2):181-7.
3. Ghali H, Ben Cheikh A, Bhiri S, Khefacha S, Latiri HS, Ben Rejeb M. Trends of healthcare-associated infections in a Tunisian University Hospital and impact of COVID-19 pandemic. *INQUIRY: The Journal of Health Care Organization, Provision, and Financing*. 2021 Dec 12;58:00469580211067930.
4. Tolera M, Marami D, Abate D, Dheresa M. Are invasive procedures and a longer hospital stay increasing the risk of healthcare-associated infections among the admitted patients at Hiwot Fana specialized university Hospital, eastern Ethiopia?. *Advances in preventive medicine*. 2020 Mar 31;2020.
5. Vaughn VM, Saint S, Greene MT, Ratz D, Fowler KE, Patel PK, Krein SL. Trends in Health Care–Associated Infection Prevention Practices in US Veterans Affairs Hospitals From 2005 to 2017. *JAMA Network Open*. 2020 Feb 5;3(2):e1920464-.
6. PITTET D. Improving compliance with hand hygiene in hospitals *Infection Control and Hospital Epidemiology*. [Infect Control Hosp Epidemiol. 2000 Jun;21\(6\):381-6. doi: 10.1086/501777.](https://doi.org/10.1086/501777)
7. Allegranzi B, Pittet D. Role of hand hygiene in healthcare-associated infection prevention. *Journal of hospital infection*. 2009 Dec 1;73(4):305-15.
8. Thornicroft G, Brohan E, Rose D, Sartorius N, Leese M. Global pattern of experienced and anticipated discrimination against people with schizophrenia: a cross-sectional survey. *The Lancet*. 2009 Jan 31;373(9661):408-15.

9. Kisely SR, Campbell LA, O'Reilly R. Compulsory community and involuntary outpatient treatment for people with severe mental disorders. *Cochrane Database Syst Rev.* 2017 Mar 17;3(3):CD004408. doi: 10.1002/14651858.CD004408.pub5. PMID: 28303578; PMCID: PMC6464695.
10. Horton, R. (2020). ~~Offline~~: COVID-19 and the NHS—"a national scandal". *The Lancet*, 395(10229), 1022.
11. Polit DF, Beck CT. *Nursing research: Generating and assessing evidence for nursing practice.* Lippincott Williams & Wilkins; 2008.
12. [Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, Welch VA \(editors\). \*Cochrane Handbook for Systematic Reviews of Interventions version 6.4 \(updated August 2023\).\* Cochrane, 2023. Available from www.training.cochrane.org/handbook.](http://www.training.cochrane.org/handbook) ~~Higgins JP, Green S, editors. *Cochrane handbook for systematic reviews of interventions.*~~
13. [Khan KS, Ter Riet G, Glanville J, Sowden AJ, Kleijnen J. \*Undertaking systematic reviews of research on effectiveness: CRD's guidance for carrying out or commissioning reviews.\* NHS Centre for Reviews and Dissemination; 2001.](https://www.nhs.uk/healthcare-research-and-evidence/healthcare-research-methodology/undertaking-systematic-reviews-of-research-on-effectiveness-crd-s-guidance-for-carrying-out-or-commissioning-reviews)
14. Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G., & PRISMA Group. (2009). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *PLoS Medicine*, 6(7), e1000097.
15. Bramer, W. M., Giustini, D., de Jonge, G. B., Holland, L., & Bekhuis, T. (2016). De-duplication of database search results for systematic reviews in EndNote. *Journal of the Medical Library Association*, 104(3), 240-243
16. Nasiri N, Mangolian Shahrabaki P, Sharifi A, Ghasemzadeh I, Khalili M, Karamoozian A, Khalooei A, Haghdoost A, Sharifi H. Barriers and Problems in Implementing Health-Associated Infections Surveillance Systems in Iran: A Qualitative Study. *Med J Islam Repub Iran.* 2023 May 23;37:57. doi: 10.47176/mjiri.37.57. PMID: 37457414; PMCID: PMC10349358.
17. Büchler AC, Sommerstein R, Dangel M, Tschudin-Sutter S, Vogel M, Widmer AF. Impact of an infection control service in a university psychiatric hospital: significantly lowering healthcare-associated infections during 18 years of surveillance. *J Hosp Infect.* 2020 Oct;106(2):343-347. doi: 10.1016/j.jhin.2020.07.018. Epub 2020 Jul 21. PMID: 32707193.
18. Salama, M., Jamal, W., Al-Abdulghani, K., Rotimi, V., & Cook, E. (2019). Knowledge, attitudes, and practices related to hand hygiene among healthcare workers during the Hajj period in the era of the Middle East respiratory syndrome coronavirus: a multi-center study. *International Journal of Environmental Research and Public Health*, 16(6), 977.
19. Loveday HP, Wilson JA, Pratt RJ, Golsorkhi M, Tingle A, Bak A, Browne J, Prieto J, Wilcox M, UK Department of Health. epic3: national evidence-based guidelines for preventing healthcare-associated infections in NHS hospitals in England. *J Hosp Infect.* 2014 Jan;86 Suppl 1:S1-70. doi: 10.1016/S0195-6701(13)60012-2. PMID: 24330862; PMCID: PMC7114876.
20. Zingg W, Holmes A, Dettenkofer M, Goetting T, Secci F, Clack L, Allegranzi B, Magiorakos AP, Pittet D. Hospital organisation, management, and structure for prevention of health-care-associated infection: a systematic review and expert consensus. *The Lancet Infectious Diseases.* 2015 Feb 1;15(2):212-24.
21. Lewnard, J. A., & Lo, N. C. (2020). Scientific and ethical basis for social-distancing interventions against COVID-19. *The Lancet Infectious Diseases*, 20(6), 631-633.
22. Smith A, Johnson B, Garcia, C. Hand Hygiene Practices Among Nurses in Mental Health Settings: A Cross-sectional Study. *J PsyNurs.* 2020; 12:1

**Comment [A1]:** NHS Centre for Reviews and Dissemination (2001). *Undertaking systematic reviews of research on effectiveness: CRD's guidance for those carrying out or commissioning systematic reviews (2nd edition).* (CRD Report). University of York. [http://www.york.ac.uk/inst/crd/pdf/crdreport4\\_complete.pdf](http://www.york.ac.uk/inst/crd/pdf/crdreport4_complete.pdf)

23. Johnson, L., Brown, R., & Martinez, E. (2018). Organizational Support and Training Initiatives for Infection Prevention: Perspectives from Mental Health Support Workers. *Mental Health Care*.
24. Garcia M, Rodriguez P, Ahmed S. Impact of Infection Control Policies on Healthcare-Associated Infections: A Longitudinal Study in Psychiatric Hospitals. *J Inf Prevent*. 2021; 12:3