

## Review Article

### **A Review on Crop Regulation in Guava Fruit**

#### **Abstract**

The influence of crop regulation on guava fruit quality (*Psidium guajava*) manifests in various dimensions, including physical appearance, nutritional integrity, yield, and overall productivity. This investigation explores the systematic integration of conventional and modern practices in regulating the characteristics of guava fruit. Physical appearance, including size, shape, color, and texture, is primarily influenced by targeted pruning and meticulous nutrient and water regulation. Nutritional content, encompassing essential vitamins, minerals, and antioxidants, can be enhanced and preserved through a combination of soil management, precision irrigation, and genetic engineering. Crop regulation's interplay with yield and productivity highlights the vital role of balanced pruning, efficient water and nutrient delivery systems, and modern techniques such as precision agriculture. A key finding reveals a complex challenge in maintaining a quality-quantity balance, necessitating innovation and sustainable practices for long-term benefits. This study underscores the multifaceted impacts of crop regulation on guava fruit quality and lays the groundwork for further research, emphasizing the development of integrated and sustainable strategies for optimizing both the quality and economic value of this globally significant fruit.

**Keywords:** *Guava, Pruning, Nutrition, Yield, Sustainability*

#### **Introduction**

Guava, scientifically known as *Psidium guajava*, is a tropical fruit that has gained immense popularity worldwide [1]. Originating in Central America, it is now cultivated in various tropical and subtropical regions across the globe [2]. Rich in vitamins and antioxidants, guava is known for its numerous health benefits and has a significant role in traditional medicine in many cultures [3]. The guava tree is hardy, highly adaptable, and can thrive in diverse soil conditions, including marginal soils [4]. Its fruit can be consumed raw or processed into various products like jams, jellies, juices, and more [5]. Crop regulation in guava fruit involves various agronomic practices aimed at controlling growth, enhancing fruit quality, and maximizing yield. This entails practices such as pruning, irrigation management, nutrient supplementation, and pest control [6]. The need for crop regulation in guava arises from its vigorous growth, which often leads to overcrowding and consequently reduced fruit quality and yield [7]. Proper crop regulation ensures optimal sunlight penetration, air circulation, and resource allocation, leading to healthier plants and better-quality fruits [8]. In the commercial farming of guava, crop regulation has

become essential for maintaining competitiveness in global markets. Consistency in size, shape, color, and taste is vital for meeting consumer demands, and crop regulation helps achieve these standards [9]. The primary objective of this review is to provide a comprehensive analysis of the various crop regulation techniques in guava fruit. It aims to explore both traditional and modern methods, assess their impacts on fruit quality and yield, and identify challenges and future prospects [10]. This review also seeks to highlight the socio-economic and environmental aspects of crop regulation in guava, thus contributing to the broader understanding of sustainable agriculture practices. The scope of this review is confined to the crop regulation techniques specific to guava fruit, focusing on both scientific research and practical applications. It will include an analysis of methods used in different regions, taking into consideration the varied climatic, soil, and socio-economic conditions. The limitations of this review may include the availability of research in certain areas, potential biases in the selected studies, and constraints related to the interdisciplinary nature of the topic, encompassing agriculture, biology, economics, and more.

Table 1. Flowering and fruiting season of Guava

<b>Bahar Type</b>	<b>Flowering Season</b>	<b>Flowering Month</b>	<b>Fruiting Season</b>
Ambe Bahar	February-March	February	July-August
Hasta Bahar	October-November	October	March-April
Mrig Bahar	June-July	June	November-December

## Guava Fruit

Guava (*Psidium guajava*) belongs to the family Myrtaceae and is known for its unique flavor, aroma, and nutritional richness [11]. It is a small tropical evergreen tree, typically reaching heights of 10 to 15 feet, with broad leaves, white flowers, and round or pear-shaped fruits that vary in color from green to yellow to pink [12]. The fruit's flesh can be white, pink, or red, with a sweet and tart taste. Its skin is thin, while the interior is filled with small, edible seeds [13]. Guava is also known for its hardiness, being resistant to many pests and diseases and thriving in various soil types [14]. Guava is grown in numerous tropical and subtropical regions around the world. Originally from Central America, it has been successfully cultivated in countries like India, Brazil, Mexico, Thailand, and the Philippines [15]. Guava has significant economic value, both as a fresh fruit and processed product. It's a vital source of income for many small and large-scale farmers [16]. The global guava market is valued at several billion dollars, and the demand is consistently growing. Countries such as India and Brazil are major exporters, supplying guava to markets in the USA, Europe, and other Asian countries. The trade regulations, quality standards, and international agreements play a crucial role in the export and

import of guava. The guava industry provides employment to millions of people worldwide, including farmers, laborers, transporters, and those in processing and retail [17]. Guava is highly nutritious, rich in vitamins A, C, and E, dietary fiber, folic acid, and minerals like potassium and magnesium [18]. The vitamin C content is particularly high, often more than that found in oranges [19]. The antioxidants in guava have been linked to cancer prevention, improved digestion, and anti-inflammatory properties [20]. Its leaves have also been used in traditional medicine to treat ailments such as diarrhea and dysentery [21]. Guava can be consumed fresh or processed into various products like jams, jellies, juices, and desserts [22]. Its unique flavor makes it a favored ingredient in both sweet and savory dishes. Guava is also used in the cosmetic industry, with extracts used in soaps, lotions, and perfumes. Its seeds have been explored as a source of biofuel [23]. In various cultures, guava holds symbolic significance and is used in rituals and ceremonies [24].

### **Crop Regulation Techniques in Guava Fruit**

#### Conventional Methods:

1. *Pruning and Training*: One of the primary conventional methods in guava farming is pruning and training young trees. These practices help maintain the size of the tree, enhance fruit production, and keep the tree healthy. Seasonal pruning ensures better air circulation and sunlight penetration, which are essential for fruit development [25].
2. *Soil Composition and Fertilization*: Understanding the soil composition is critical for effective fertilization. Balanced fertilizers rich in essential nutrients like Nitrogen, Phosphorus, and Potassium are commonly used to support the growth and fruiting of guava trees [26].
3. *Water Regulation*: Proper irrigation techniques are essential for guava cultivation. Drip irrigation and sprinkler systems are often employed for efficient water use. Proper drainage systems are also essential to prevent waterlogging, which can be detrimental to the tree [27].
4. *Integrated Pest Management (IPM)*: Controlling pests and diseases is a significant aspect of guava farming. IPM involves using organic solutions and natural predators in conjunction with chemical pesticides to manage various pests and diseases that affect guava trees [28].

#### Modern Techniques:

1. *Genetic Engineering*: Advances in biotechnology have led to the development of disease-resistant guava varieties. These genetically engineered varieties can significantly reduce dependency on chemical pesticides, though ethical concerns surrounding genetic manipulation must be considered [29].

2. *Tissue Culture*: This technique involves growing guava plants in a controlled environment from plant cells or tissues. Tissue culture ensures that the plants are genetically uniform and free from diseases, thus promising a more uniform yield [30].
3. *Precision Agriculture*: Modern sensor technology and data analytics tools have been employed in precision agriculture. These techniques allow farmers to monitor various environmental variables like soil moisture and nutrient levels, enabling more precise farming methods [31].
4. *Controlled Environment Farming*: Technologies such as greenhouses and hydroponic systems allow for the controlled growth of guava trees. These methods enable year-round cultivation and efficient use of resources like water and fertilizers [32].

### **Effect of crop regulation on floral and yield parameters**

#### Conventional Methods

*Pruning*: Pruning is a well-established practice used to regulate the vegetative and reproductive growth in guava [33]. The selective removal of certain parts of the plant, mainly non-productive branches, has shown a positive effect on floral initiation and subsequent fruit yield. This is likely due to better air circulation and penetration of sunlight, enhancing the overall health of the tree [34].

*Fertilization*: Balanced fertilization, primarily through the application of N-P-K (Nitrogen, Phosphorous, and Potassium), has shown improvements in floral density and fruit yield [35]. The addition of trace elements like zinc and boron can also contribute to better fruit setting [36].

#### Modern Techniques

*Genetic Engineering*: The development of genetically modified guava varieties has led to plants that are not only disease-resistant but also possess enhanced floral and fruiting characteristics [37]. However, the ethical implications and long-term effects of genetic modification continue to be topics of debate (38).

*Precision Agriculture*: The use of sensor technology for monitoring environmental variables has a profound impact on crop management strategies. Precision agriculture allows farmers to apply fertilizers and water in a more targeted manner, which has shown improvements in both flowering and fruiting stages [39].

### **Impact of Crop Regulation on Guava Fruit Quality**

*Effects on Physical Appearance*: The physical appearance of guava fruit, including size, shape, color, and texture, is significantly influenced by crop regulation practices. Regular pruning shapes the tree and leads to uniform fruit sizes [40]. Nutrient and water management, along with

effective pest control, ensures appealing coloration, texture, and an overall attractive appearance [41].

*Effects on Nutritional Content:* Soil management and proper water regulation can lead to nutrient-rich guava fruits. Organic and inorganic fertilizers, environmental stress management, and biotechnological approaches enhance vitamins, minerals, and antioxidant levels, contributing to the fruit's health benefits [42].

*Effects on Yield and Productivity:* Crop regulation practices impact both the yield and quality of guava fruits. Pruning, water, and nutrient efficiency play crucial roles in increasing productivity [43]. The challenge of balancing quality and quantity, the role of modern techniques, and the importance of sustainability and economic considerations are integral to ensuring consistent yield and quality [44].

### **Environmental and Socio-Economic Considerations**

*Sustainability Practices:* Sustainability practices in guava farming encompass organic farming methods, water management, biodiversity preservation, and waste reduction. Organic farming emphasizes natural pest control and fertilizers, which promote long-term soil health [45]. Water conservation techniques such as rainwater harvesting are implemented to minimize water depletion [46]. Emphasizing diverse guava varieties helps maintain local biodiversity, while recycling plant waste into compost helps conserve resources [47]. Comprehensive sustainability practices have become integral to modern guava farming, integrating ecological principles with farming methods for long-term environmental health [48].

*Impact on Local Communities and Economy:* The cultivation of guava has a profound impact on local communities and economies. From providing job opportunities in farming, processing, and marketing to contributing to fair income distribution, guava farming is an economic engine in many regions [49]. Educational and training programs related to sustainable guava cultivation uplift local communities by developing skills and introducing modern farming techniques [50]. Guava farming often holds cultural significance, fostering social cohesion and collaboration within communities [51]. Thus, the economic and social impacts of guava cultivation extend beyond mere financial gains.

*Regulatory Compliance and Legal Aspects:* Regulatory compliance and legal considerations are essential aspects of guava cultivation. Adherence to environmental protection laws related to water quality, pesticide use, and waste management is mandatory [52]. Compliance with labor laws ensures fair wages and safe working conditions, while legal frameworks protect intellectual property rights of breeders and facilitate access to genetic resources [53]. International standards and ethical considerations guide the practice of guava farming, reflecting a complex interplay of local, national, and global regulations.

### **Challenges and Future Perspectives in Crop Regulation of Guava Fruit**

*Current Challenges and Limitations:* The cultivation of guava fruit faces an array of challenges. Despite advancements in agricultural technologies, farmers encounter issues with pest and disease management. Insects and diseases can lead to significant losses in yield and fruit quality [54]. Water and nutrient management also present considerable challenges, as inappropriate practices can cause deficiencies or toxicities [55]. Climate change's unpredictable impacts add another layer of complexity, affecting both yield and quality [56]. The absence of skilled labor and advanced technology in some regions hinders efficient cultivation [57], and global market fluctuations can make guava farming economically risky [58].

*Opportunities for Research and Development:* Despite these challenges, there are significant opportunities for research and development. Innovative pest and disease control methods that are environmentally friendly can improve sustainable production [59]. The implementation of precision agriculture and smart farming offers revolutionary prospects for nutrient and water management [60]. Genetic engineering and selective breeding also hold the promise of creating more resistant guava varieties [61]. Lastly, focusing on fair trade practices and supporting local economies can make guava farming more economically viable [62].

*Future Trends and Innovations:* Looking ahead, the future of guava farming seems promising with several emerging trends and innovations. The integration of Artificial Intelligence (AI) and robotics could automate various tasks, making the cultivation process more efficient [63]. Climate-resilient practices will be essential to mitigate the effects of global warming on guava cultivation [64]. A circular economy approach that minimizes waste can maximize resource utilization [65]. Global collaboration and sharing knowledge and technologies could also benefit guava cultivation worldwide [66].

## **Recommendations**

*For Farmers and Agriculturists:* Farmers and agriculturists need to focus on education and training programs to enhance their understanding of new farming technologies, pest management, and sustainable practices [67]. The adoption of practices such as integrated pest management, organic farming, and water-efficient techniques will lead to higher yields and environmental sustainability [68]. Collaborating with other farmers and local agricultural agencies will foster a supportive community [69].

*For Researchers and Academicians:* Researchers and academicians should target their studies on the unique challenges in guava farming, such as disease resistance, climate adaptation, and market dynamics [70]. Investigating new technologies like precision agriculture and genetic engineering can bring transformative changes to guava cultivation [71]. Strengthening collaboration between academia, industry, and government will foster ground-level application of scientific discoveries [72].

*For Policymakers and Government Agencies:* Policymakers and government agencies must enact supportive policies for sustainable guava farming, including regulations on pesticide use, water

conservation, and labor rights [73]. Financial schemes like subsidies and low-interest loans will incentivize advanced farming practices [74]. Investment in infrastructure and global partnerships will enhance efficiency and competitiveness [75].

## Conclusion

The comprehensive exploration of guava crop regulation reflects a multifaceted approach in enhancing the quality, yield, and sustainability of production. Conventional techniques like pruning, nutrient management, and water regulation form the backbone, while modern methods such as genetic engineering and precision agriculture offer innovative solutions. The integration of these techniques holds a significant impact on physical appearance, nutritional content, and economic considerations. Nevertheless, challenges remain in striking the right balance between yield and quality, ethical considerations in genetic manipulations, and the need for global regulatory compliance. Continued research, collaboration among farmers, researchers, and policymakers, and embracing innovative technologies appear vital in propelling guava cultivation into a sustainable future.

## References

1. Joseph, B., & Priya, M. (2011). Review on nutritional, medicinal and pharmacological properties of guava (*Psidium guajava* Linn.). *International Journal of pharma and bio sciences*, 2(1), 53-69.
2. Nicola, S., Tibaldi, G., Fontana, E., Crops, A. V., & Plants, A. (2009). Tomato production systems and their application to the tropics. *Acta horticultrae*, 821(821), 27-34.
3. Jamieson, S., Wallace, C. E., Das, N., Bhattacharyya, P., & Bishayee, A. (2022). Guava (*Psidium guajava* L.): a glorious plant with cancer preventive and therapeutic potential. *Critical reviews in food science and nutrition*, 63(2), 192-223.
4. Hussain, M. I., Farooq, M., Muscolo, A., & Rehman, A. (2020). Crop diversification and saline water irrigation as potential strategies to save freshwater resources and reclamation of marginal soils—A review. *Environmental Science and Pollution Research*, 27, 28695-28729.
5. Kanwal, N., Randhawa, M. A., & Iqbal, Z. (2016). A review of production, losses and processing technologies of guava. *Asian Journal of Agriculture and Food Sciences (ISSN: 2321-1571)*, 4(02).

6. El-Shafie, H. A. F. (2019). Insect pest management in organic farming system. *Multifunctionality and impacts of organic and conventional agriculture*, 1-20.
7. Mitra, S., & Pathak, P. K. (2021). 8 Orchard Management. *Guava: Botany, Production and Uses*, 172.
8. Nath, V., Marboh, E. S., & Gupta, A. K. (2019, June). Canopy management for improving productivity in litchi. In *VI International Symposium on Lychee, Longan and Other Sapindaceae Fruits 1293* (pp. 129-142).
9. Ashraf, S. A., Siddiqui, A. J., Abd Elmoneim, O. E., Khan, M. I., Patel, M., Alreshidi, M., ... & Adnan, M. (2021). Innovations in nanoscience for the sustainable development of food and agriculture with implications on health and environment. *Science of the Total Environment*, 768, 144990.
10. Hynes, N. R. J., Kumar, J. S., Kamyab, H., Sujana, J. A. J., Al-Khashman, O. A., Kuslu, Y., ... & Kumar, B. S. (2020). Modern enabling techniques and adsorbents based dye removal with sustainability concerns in textile industrial sector-A comprehensive review. *Journal of cleaner production*, 272, 122636.
11. Medina, N. N. R., & Herrero, J. V. I. (2016). Guava (*Psidium guajava* L.) cultivars: an important source of nutrients for human health. In *Nutritional composition of fruit cultivars* (pp. 287-315). Academic Press.
12. Bhuyan, L. R., Pangu, Y., & Tam, N. (2017). Ethnobotanical studies on Khamba and Adi tribes of Tuting area, Upper Siang district, Arunachal Pradesh. *Bull Arunachal For Res*, 32(1-2), 27-40.
13. Eiseman Jr, F. B., & Eiseman, M. (2012). *Fruits of Bali*. Tuttle Publishing.
14. Thrall, P. H., Oakeshott, J. G., Fitt, G., Southerton, S., Burdon, J. J., Sheppard, A., ... & Ford Denison, R. (2011). Evolution in agriculture: the application of evolutionary approaches to the management of biotic interactions in agro- ecosystems. *Evolutionary applications*, 4(2), 200-215.
15. Rajan, S., & Hudedamani, U. (2019). Genetic resources of guava: importance, uses and prospects. *Conservation and utilization of horticultural genetic resources*, 363-383.
16. Hunde, N. F. (2017). Review on opportunity, problems and production status of vegetables in Ethiopia: A graduate senior seminar paper. *Indian Horticulture Journal*, 7(3and4), 171-186.
17. Ibeawuchi, I. I., Okoli, N. A., Alagba, R. A., Ofor, M. O., Emma-Okafor, L. C., Peter-Onoh, C. A., & Obiefuna, J. C. (2015). Fruit and vegetable crop production in Nigeria: The gains, challenges and the way forward. *Journal of Biology, Agriculture and Healthcare*, 5(2), 194-208.

18. Jeukendrup, A., & Gleeson, M. (2019). *Sport nutrition*. Human Kinetics.
19. Hernández, Y., Lobo, M. G., & González, M. (2006). Determination of vitamin C in tropical fruits: A comparative evaluation of methods. *Food chemistry*, 96(4), 654-664.
20. Kabir, M. T., Rahman, M. H., Shah, M., Jamiruddin, M. R., Basak, D., Al-Harrasi, A., ... & Abdel-Daim, M. M. (2022). Therapeutic promise of carotenoids as antioxidants and anti-inflammatory agents in neurodegenerative disorders. *Biomedicine & Pharmacotherapy*, 146, 112610.
21. Maroyi, A. (2016). Treatment of diarrhoea using traditional medicines: contemporary research in South Africa and Zimbabwe. *African Journal of Traditional, Complementary and Alternative Medicines*, 13(6), 5-10.
22. Mitra, S. K., Irenaeus, T. K. S., Gurung, M. R., & Pathak, P. K. (2012, April). Taxonomy and importance of Myrtaceae. In *III International Symposium on Guava and other Myrtaceae* 959 (pp. 23-34).
23. Cavalcanti, R. N., Koshima, C. C., Forster-Carneiro, T., Gomes, M. T. M. S., Rostagno, M. A., Prado, J. M., & Meireles, M. A. A. (2022). Uses and applications of extracts from natural sources.
24. Mazumdar, S., & Mazumdar, S. (2012). Immigrant home gardens: Places of religion, culture, ecology, and family. *Landscape and Urban Planning*, 105(3), 258-265.
25. Ali, M. (2023). Pruning Management in *Psidium guajava* L. Orchards—an Overview. *GesundePflanzen*, 1-7.
26. Ganeshamurthy, A. N., Satisha, G. C., & Patil, P. (2011). Potassium nutrition on yield and quality of fruit crops with special emphasis on banana and grapes. *Karnataka Journal of Agricultural Sciences*, 24(1).
27. Cuevas, J., Daliakopoulos, I. N., del Moral, F., Hueso, J. J., & Tsanis, I. K. (2019). A review of soil-improving cropping systems for soil salinization. *Agronomy*, 9(6), 295.
28. Karuppuchamy, P., & Venugopal, S. (2016). Integrated pest management. In *Ecofriendly pest management for food security* (pp. 651-684). Academic Press.
29. Barrows, G., Sexton, S., & Zilberman, D. (2014). Agricultural biotechnology: the promise and prospects of genetically modified crops. *Journal of economic perspectives*, 28(1), 99-120.
30. Boopathi, N. M., Harshith, J. D., Santhanakrishnan, V. P., & Raveendran, M. (2021). Tissue Culture and Genetic Engineering in Moringa. *The Moringa Genome*, 67-83.

31. Raj, E. F. I., Appadurai, M., & Athiappan, K. (2022). Precision farming in modern agriculture. In *Smart Agriculture Automation Using Advanced Technologies: Data Analytics and Machine Learning, Cloud Architecture, Automation and IoT* (pp. 61-87). Singapore: Springer Singapore.
32. Ruffí-Salís, M., Petit-Boix, A., Villalba, G., Ercilla-Montserrat, M., Sanjuan-Delmás, D., Parada, F., ... & Gabarrell, X. (2020). Identifying eco-efficient year-round crop combinations for rooftop greenhouse agriculture. *The international journal of life cycle assessment*, 25, 564-576.
33. Dhillon, W. S., & Thakur, A. (2014). Canopy management and effects of pruning on flowering tendencies in fruit trees. In *National Seminar-cum-Workshop on physiology of flowering in perennial fruit crops. Lucknow, India* (pp. 182-201).
34. Gunawardena, K. R., Wells, M. J., & Kershaw, T. (2017). Utilising green and bluespace to mitigate urban heat island intensity. *Science of the Total Environment*, 584, 1040-1055.
35. Tan, P., Wang, S., Ameen, A., Xie, J., Jiang, G., & Han, L. (2023). Fertilizer Application to Balance Nitrogen and Phosphorus Nutrients and Improve Agronomic Traits of Okra (*Abelmoschus esculentus* L.) in Coastal Saline Soil Under Subsurface Pipe Salt Drainage. *Journal of Soil Science and Plant Nutrition*, 1-14.
36. Islam, M. M., Karim, M. R., Oliver, M. M. H., Urmi, T. A., Hossain, M. A., & Haque, M. M. (2018). Impacts of trace element addition on lentil (*Lens culinaris* L.) agronomy. *Agronomy*, 8(7), 100.
37. Huang, X., Ren, J., Li, P., Feng, S., Dong, P., & Ren, M. (2021). Potential of microbial endophytes to enhance the resistance to postharvest diseases of fruit and vegetables. *Journal of the Science of Food and Agriculture*, 101(5), 1744-1757.
38. Eriksson, S., Jonas, E., Rydhmer, L., & Röcklinsberg, H. (2018). Invited review: Breeding and ethical perspectives on genetically modified and genome edited cattle. *Journal of dairy science*, 101(1), 1-17.
39. Shaikh, T. A., Rasool, T., & Lone, F. R. (2022). Towards leveraging the role of machine learning and artificial intelligence in precision agriculture and smart farming. *Computers and Electronics in Agriculture*, 198, 107119.
40. Yahia, E. M., Ornelas-Paz, J. D. J., & Elansari, A. (2011). Postharvest technologies to maintain the quality of tropical and subtropical fruits. In *Postharvest biology and technology of tropical and subtropical fruits* (pp. 142-195e). Woodhead Publishing.

41. Fitri, N., Chan, S. X. Y., Che Lah, N. H., Jam, F. A., Misnan, N. M., Kamal, N., ... & Abas, F. (2022). A comprehensive review on the processing of dried fish and the associated chemical and nutritional changes. *Foods*, *11*(19), 2938.
42. Jiménez-Gómez, A., Celador-Lera, L., Fradejas-Bayón, M., & Rivas, R. (2017). Plant probiotic bacteria enhance the quality of fruit and horticultural crops. *AIMS microbiology*, *3*(3), 483.
43. Suman, M., & Bhatnagar, P. (2019). A review on techniques for crop regulation in guava. *Ind. J. Pure App. Biosci*, *7*(5), 504-510.
44. Muhie, S. H. (2022). Novel approaches and practices to sustainable agriculture. *Journal of Agriculture and Food Research*, 100446.
45. Mgbenka, R. N., Onwubuya, E. A., & Ezeano, C. I. (2015). Organic farming in Nigeria: Need for popularization and policy. *World Journal of Agricultural Sciences*, *11*(6), 346-355.
46. Domènech, L., & Saurí, D. (2011). A comparative appraisal of the use of rainwater harvesting in single and multi-family buildings of the Metropolitan Area of Barcelona (Spain): social experience, drinking water savings and economic costs. *Journal of Cleaner production*, *19*(6-7), 598-608.
47. Ayyam, V., Palanivel, S., Chandrakasan, S., Ayyam, V., Palanivel, S., & Chandrakasan, S. (2019). Agroforestry for livelihood and biodiversity conservation. *Coastal ecosystems of the tropics-adaptive management*, 363-389.
48. Dagar, J. C., & Tewari, V. P. (Eds.). (2018). *Agroforestry: anecdotal to modern science*. Springer.
49. Omayio, D. G., Abong', G. O., Okoth, M. W., Gachuri, C. K., & Mwang'ombe, A. W. (2020). Trends and constraints in guava (*psidium guajava* l.) production, utilization, processing and preservation in Kenya. *International Journal of Fruit Science*, *20*(sup3), S1373-S1384.
50. Ruba, U. B., & Talucder, M. S. A. (2023). Potentiality of homestead agroforestry for achieving sustainable development goals: Bangladesh perspectives. *Heliyon*.
51. Huerta, M. K., Garizurieta, J., González, R., Infante, L. Á., Horna, M., Rivera, R., & Clotet, R. (2023). A Long-Distance WiFi Network as a Tool to Promote Social Inclusion in Southern Veracruz, Mexico. *Sustainability*, *15*(13), 9939.
52. Alfredo, K. A., & Russo, T. A. (2017). Urban, agricultural, and environmental protection practices for sustainable water quality. *Wiley Interdisciplinary Reviews: Water*, *4*(5), e1229.

53. Ali, F. (2022). Access and Benefit Sharing to Genetic Resources and International Policies and Convention. *Part 2 Indian J. Integrated Rsch. L.*, 2, 1.
54. Kondoyanni, M., Loukatos, D., Maraveas, C., Drosos, C., & Arvanitis, K. G. (2022). Bio-inspired robots and structures toward fostering the modernization of agriculture. *Biomimetics*, 7(2), 69.
55. Dowd, B. M., Press, D., & Los Huertos, M. (2008). Agricultural nonpoint source water pollution policy: The case of California's Central Coast. *Agriculture, ecosystems & environment*, 128(3), 151-161.
56. Lipiec, J., Doussan, C., Nosalewicz, A., & Kondracka, K. (2013). Effect of drought and heat stresses on plant growth and yield: a review. *International Agrophysics*, 27(4).
57. Kabir, E., Kumar, P., Kumar, S., Adelodun, A. A., & Kim, K. H. (2018). Solar energy: Potential and future prospects. *Renewable and Sustainable Energy Reviews*, 82, 894-900.
58. Rana, M. M. P., & Moniruzzaman, M. (2021). Transformative adaptation in agriculture: A case of agroforestation in Bangladesh. *Environmental Challenges*, 2, 100026.
59. Pouthika, K., & Madhumitha, G. (2023). A review on plant-derived nanomaterials: an effective and innovative insect-resistant strategy for alternate pesticide development. *International Journal of Environmental Science and Technology*, 1-24.
60. Javaid, M., Haleem, A., Singh, R. P., & Suman, R. (2022). Enhancing smart farming through the applications of Agriculture 4.0 technologies. *International Journal of Intelligent Networks*, 3, 150-164.
61. Philbrick, A. N., Adhikari, T. B., Louws, F. J., & Gorny, A. M. (2020). Meloidogyne enterolobii, a major threat to tomato production: current status and future prospects for its management. *Frontiers in plant science*, 11, 606395.
62. Telwala, Y. (2023). Unlocking the potential of agroforestry as a nature-based solution for localizing sustainable development goals: A case study from a drought-prone region in rural India. *Nature-Based Solutions*, 3, 100045.
63. Balaska, V., Adamidou, Z., Vryzas, Z., & Gasteratos, A. (2023). Sustainable Crop Protection via Robotics and Artificial Intelligence Solutions. *Machines*, 11(8), 774.
64. Singh, H. C. P. (2013). Adaptation and mitigation strategies for climate-resilient horticulture. In *Climate-resilient horticulture: Adaptation and mitigation strategies* (pp. 1-12). India: Springer India.

65. Romero- Hernández, O., & Romero, S. (2018). Maximizing the value of waste: From waste management to the circular economy. *Thunderbird International Business Review*, 60(5), 757-764.
66. Khan, N., Fahad, S., Naushad, M., & Faisal, S. (2020). Grape production critical review in the world. Available at SSRN 3595842.
67. Pretty, J. N., Williams, S., & Toulmin, C. (2012). *Sustainable intensification: increasing productivity in African food and agricultural systems*. Routledge.
68. Gomiero, T., Pimentel, D., & Paoletti, M. G. (2011). Environmental impact of different agricultural management practices: conventional vs. organic agriculture. *Critical reviews in plant sciences*, 30(1-2), 95-124.
69. Pole, A., & Gray, M. (2013). Farming alone? What's up with the "C" in community supported agriculture. *Agriculture and human values*, 30, 85-100.
70. Brévault, T., Renou, A., Vayssières, J. F., Amadji, G., Assogba-Komlan, F., Diallo, M. D., ... & Clouvel, P. (2014). DIVECOSYS: Bringing together researchers to design ecologically-based pest management for small-scale farming systems in West Africa. *Crop Protection*, 66, 53-60.
71. Sekhon, B. S. (2014). Nanotechnology in agri-food production: an overview. *Nanotechnology, science and applications*, 31-53.
72. Lahikainen, K., Kolhinen, J., Ruskovaara, E., & Pihkala, T. (2019). Challenges to the development of an entrepreneurial university ecosystem: The case of a Finnish university campus. *Industry and Higher education*, 33(2), 96-107.
73. Kidd, C. V., & Pimental, D. (Eds.). (2012). *Integrated resource management: Agroforestry for Development*. Elsevier.
74. Davis, J., Caskie, P., & Wallace, M. (2013). Promoting structural adjustment in agriculture: The economics of New Entrant Schemes for farmers. *Food Policy*, 40, 90-96.
75. Gibson, D. V., & Naquin, H. (2011). Investing in innovation to enable global competitiveness: The case of Portugal. *Technological Forecasting and Social Change*, 78(8), 1299-1309.