

Original Research Article

Response of inorganic fertilizers, organic manure and biofertilizer on soil physical parameters in chickpea (*Cicer arietinum*L.) cv. Aruna

Comment [EP1]: The current title of article is confusing and linguistically incorrect. I suggest a title for example: The influence of inorganic fertilizers, organic manure and biofertilizer on the physical parameters of the soil under the cultivation of chickpea (*Cicer arietinum* L.) cv. Arun

ABSTRACT

The use of inorganic fertilizer, biofertilizer and organic manure in combination with soil can have various effects on the physical parameters of soil, such as soil structure, porosity, water holding capacity, bulk density. The designed lay out 48 total soil samples were taken from different depths 0-15 cm and 15-30 cm. The optimal combination of these inputs depends on the type of soil, crop and climate. Generally, the application of organic manure can improve the soil structure and porosity, while the addition of biofertilizer can enhance the soil fertility and microbial activity. The use of inorganic fertilizer can provide essential nutrients for plant growth, but it should be applied in appropriate amounts and forms to avoid negative impacts on the soil quality and environment. The conjunctive use of NPK and different vermicompost and rhizobium the treatment T₁₆- [RDF @ 100 % + VC @ 100 % + Rhizobium @ 100 %] gave the best results physical properties of soil.

Comment [EP2]: Application of inorganic fertilizer, biofertilizer and organic manure to the soil can have various effects on the physical parameters of soil, such as soil structure, porosity, water holding capacity, bulk density.

Key words: Vermicompost, rhizobium, soil health parameters, soil bulk density, soil water holding capacity, soil porosity, soil particle density etc.

Comment [EP3]: I think it is at least debatable to state that the treatment/variant T 16 gave the best result. For example (at least) from point of view Soil bulk density and soil particle density.

Comment [EP4]: Soil physical parameters.

What does it mean "soil health parameters" ? These parameters were evaluate in trial ?

1. Introduction

Soil is a complex mixture of minerals, organic matter, water, air and micro-organisms that serves as a foundation for plant growth as well as a variety of ecosystem services. It is an essential natural resource that supports human livelihoods biodiversity and a variety of ecosystem services such as carbon sequestration, nutrient cycling and water regulation. Achieving sustainable farming practices, reducing climate change and preserving global food security depend on managing and conserving soil health (Lal, 2009). The health of the soil and the services it offers are seriously threatened by soil degradation, which is caused by problems including erosion, pollution and misuse. Using techniques like crop rotation, conservation tillage and organic farming, which enhance soil health and reduce the adverse effects of agricultural activities on soil quality is essential for maintaining the long-term health and sustainability of soils (Pimentel et al., 2005). Soil plays a crucial role in the

Comment [EP5]: Not listed in References!

All cited sources/authors must be listed in references!

Comment [EP6]: Not listed in References!

All cited sources/authors must be listed in references!

growth and development of chickpeas, which are a type of legume that is commonly grown for its nutritious seeds. Chickpeas require well-drained soils with good structure, a neutral pH, and adequate levels of nutrients, particularly nitrogen, phosphorus, and potassium (Thakur *et al.*, 2019). Physical properties play an important role in determining soil's suitability for agricultural, environmental and engineering uses. The supporting capability; movement, retention and availability of water and nutrients to plants; ease in penetration of roots, and flow of heat and air are directly associated with physical properties of the soil. Physical properties also influence the chemical and biological properties. The most pertinent physical properties of soil relevant to its use as a medium for plant growth (Hillel 2015). Vermicompost is a nutrient-rich organic fertilizer produced by the breakdown of organic matter by earthworms. Vermicompost contains beneficial microorganisms that help to improve soil health by increasing soil fertility, water-holding capacity and nutrient availability. Studies have shown that the application of vermicompost can significantly improve soil health in chickpea fields (Singh *et al.*, 2019; and Sharma *et al.*, 2020). A judicious use of organic manures and biofertilizers may be effective not only sustaining crop productivity and in soil health, but also in supplementing chemical fertilizers of crop (Jaipal *et al.*, 2011).

Comment [EP7]: Not listed in References!

All cited sources/authors must be listed in references!

Comment [EP8]: Not listed in References!

In References is listed Hillel, 1971.

Comment [EP9]: Not listed in References!

All cited sources/authors must be listed in references!

Comment [EP10]: Not listed in References!

In References is listed Sharma, 2004.

Comment [EP11]: Not listed in References!

All cited sources/authors must be listed in references!

Comment [EP12]: I recommend to state climatic data (temperature, precipitation) from the period of the experiment.

Comment [EP13]: Information about variants is completely missing in the part Material and methods.

What (specific) type of inorganic fertilizer was used in trial?

Note: Rhizobium is biofertilizer or microbial preparation? In my opinion, Rhizobium is a microbial preparation.

Comment [EP14]: There is a complete lack of information about soil properties at the experimental site in the part Material and methods.

What was the area size of the individual treatments (variants)?

What was the date of seed sowing and plant care/plant treatment?

Comment [EP15]: In Results are mentioned data obtained in period 2020-21 and 2021-22!

2. Material and Methods

Site details

The field experiment was carried out at the research farm of Soil Science and Agricultural Chemistry, Sam Higginbottom University of Agriculture, Technology and Sciences, Prayagraj during in *rabi* season 2021-22. The maximum temperature of the location ranges between 46.0-48°C and seldom falls below 4°C-5°C. The relative humidity ranges between 20-94%. The average rainfall of this area is around 1100 mm annually. The experiment was laid out in randomized block design (RBD) with 16 treatments. The treatments have been replicated three times. The different treatments were employed randomly in each replication.

Soil Sampling and laboratory testing

Soil sampling was done with the standard sampling tools from two depths 0-15cm and 15-30 cm. Analysis of the soil samples was under the methods, the physical parameters include bulk density, particle density, pore space, water holding capacity.

Table 1. Soil physical parameters

S. No.	Particulars	Scientist Name	Methods	Unit
Physical Properties				
1.	Bulk density	Black (1965)	Pycnometer	Mg m ⁻³
2.	Particle density	Black (1965)	Pycnometer	Mg m ⁻³
3.	Pore space	Black (1965)	-	(%)
4.	Waterholding capacity	Muthuvalet al. (1992)	Graduated measuring cylinder	(%)

Comment [EP16]: Not listed in References!

Comment [EP17]: Not listed in References!

3. Results and Discussions

As presented in table 2., the maximum bulk density Mg m⁻³ was found in 2020-21 and 2021-22 at different depths at 0-15 cm and 15-30 cm were in T₁₆ were 1.32 Mg m⁻³ and 1.36 Mg m⁻³ found to be non-significant followed by in T₁₅ i.e., 1.31 Mg m⁻³ and 1.35 Mg m⁻³, minimum was found T₁ i.e., 1.12 and 1.22 Mg M⁻³. The maximum bulk density in the year 2021-22 were found in T₁₆ were 1.33 Mg m⁻³ and 1.37 Mg m⁻³ found to be non-significant followed by in T₁₅ i.e., 1.13 Mg m⁻³ and 1.23 Mg m⁻³, minimum was found T₁ i.e., 1.13 and 1.23 Mg m⁻³ respectively. Higher bulk density may be due to more organic matter in T₁₆. Similar results were reported by (Goyal et al., 2019).

Comment [EP18]: ?

The field experiment was carried out ... during in rabi season 2021-22.

Comment [EP19]: Not listed in References!

The maximum particle density of soil were found in treatment T₁₆ i.e., the particle density was 2.67 Mg m⁻³ at 0-15 cm depth and 2.74 Mg m⁻³ at 15-30 cm depth during 2020-21 while in 2021-22, it was 2.68 Mg m⁻³ at 0-15 cm depth and 2.75 Mg m⁻³ at 15-30 cm depth of soil, in comparison with T₁ where minimum values of the result were found i.e. 2.50 Mg m⁻³ at 0-15 cm depth and 2.61 Mg m⁻³ at 15-30 cm depth of soil during 2021 while in 2022 it was 2.51 Mg m⁻³ and 2.62 Mg m⁻³ at both 0-15 cm and 15-30 cm depth of soil, respectively. Higher particle density was found due to proper incorporation of NPK, vermicompost and rhizobium parallel results were reported by (Goyal et al., 2019).

Comment [EP20]: Not listed in References!

The maximum pore space (%) of soil in treatment T₁₆ i.e., 50.74 and 47.01 % at 0-15 and 15-30 cm of soil depth during 2021 and for 2022 it was 51.23 and 48.42 % at soil depth 0-15 and 15-30 cm, respectively. The minimum values of the result were found be significant in treatment T₁, which was 44.50 and 43.30 % at 0-15 and 15-30 cm of soil depth during 2020-21 while during year 2021-22 it was 44.67 and 43.61 % at soil depth 0-15 and 15-30 cm respectively. There is almost a linear increase in porosity with increase in doses of vermicompost and rhizobium. Correspondent results were reported by (Das et al., 2016).

Comment [EP21]: ?

Comment [EP22]: Not listed in References!
In References is listed Das et al., 2018 (not 2016).

The maximum water holding capacity (%) of soil found in treatment T₁₆ i.e., which was 45.25% at 0-15 cm depth and 46.60% at 15-30 cm soil depth during 2021 while during 2022 it is observed as 46.36 % at 0-15 cm and 47.57 % at 15-30 cm soil depth. Similarly the minimum values of the result were found in treatment T₁ which was 34.32% at 0-15 cm and 34.76% at 15-30 cm soil depth during 2020-21 similarly, 35.42% and 35.77% at 0-15 and 15-30 cm soil depth during 2021-22, respectively. There is increase in water holding capacity with increase in doses of vermicompost and rhizobium. comparable results were reported by (Singh *et al.*, 2018).

Comment [EP23]: Not listed in References!

4. Conclusion

It revealed from the trial that application of NPK, vermicompost and rhizobium bio-fertilizers in treatment T₁₆ was found the best, since the results are based on one season physical properties. The T₁ shows the poor physical condition where NPK, vermicompost and rhizobium bio-fertilizers were applied in least amount. This concludes that use of vermicompost and rhizobium bio-fertilizer has improved the physical health of soil which leads to overall better health of soil.

Comment [EP24]: ?
physical properties of soil

Or

... use of vermicompost and rhizobium affects the physical properties of the soil

References

Brady, N.C. and Weil, R.R. (2004) *The Nature and Properties of Soils*, 13th edition, Pearson Education (Singapore) Pvt. Ltd., New Delhi, India.

Das, A., David, A.A., Swaroop, N., Thomas, T., Rao, S. and Hasan, A. (2018) Assessment of Physico-chemical properties of river bank soil of Yamuna in Allahabad city, Uttar Pradesh. *International Journal of chemical studies* 6(3): 2412-2417.

Deshmukh, M.S., Kachave, T.R. and Kanase, P.M. (2020) Evaluation of macro and micronutrient status of pomegranate orchards from Maharashtra region by soil and leaf analysis, *Journal of Pharmacognosy and Phytochemistry*, 9(1): 1378- 1382.

Gajbhiye, K.S., Gaikwad, S. T., Challa, O., Hazare, T. N. and Deshmukh, S. N. (2018) Evaluation of optimum range of soil moisture stress for establishment of wheat crop in Vertisols. *Journal of Indian Society of Soil Science* 38 (1): 139–141.

Hillel, D. (1971) *Soil and Water - Physical Principles and Process*, Academic Press, Inc. New York.

Comment [EP25]: Editors advise a 15-20 key references for Short Research Articles. Authors cited 10 sources/authors.

Not all references are cited in manuscript/article and not all cited (mentioned) authors/sources are listed in References. All References must be cited in article and all cited authors/sources must be listed in References. This problem must be solved!

Check and unification of reference format is needed (see instructions for authors <https://journalipss.com/index.php/IJPS/about/submissions#authorGuidelines>).

Comment [EP26]: These authors are not mentioned in article/manuscript!

Comment [EP27]: These authors are not mentioned in article/manuscript!

Comment [EP28]: These authors are not mentioned in article/manuscript!

Comment [EP29]: This author is not mentioned in article!

Mustafa, A.A., Singh, M., Sahoo, R.N., Ahmed, N., Khanna. M., Sarangi, A. and Mishra, A.K. (2011 a) *Land suitability analysis for different crops: A multi criteria decision making approach using remote sensing and GIS* <http://www.sciencepub.net/researcher>3:61-84.

Comment [EP30]: These authors are not mentioned in article/manuscript!

Mustafa, A.A., Singh, M., Sahoo, R.N., Ahmed, N., Khanna. M., Sarangi, A. and Mishra, A.K. (2011 b) Characterization and classification of soils of Kheragaragh, Agra and their productivity potential. *Journal of Water Management* 19: 1-19.

Comment [EP31]: These authors are not mentioned in article/manuscript!

Six, J., Elliott, E.T. and Paustian, K. (2000) Soil structure and soil organic matter: II. A normalised stability index and the effect of mineralogy. *Soil Science Society of America Journal*,64: 1042-1049.

Comment [EP32]: These authors are not mentioned in article/manuscript!

Sharma, P.K. (2004) Emerging technologies of remote sensing and GIS for the development of spatial data structure. *Journal of the Indian Society of Soil Science*52: 384-406.

Comment [EP33]: This author (year of publication 2004) is not mentioned in article/manuscript! In article is mentioned Sharma et al., 2020.

Velayutham, M., Mandal, D.K., Mandal, C. and Sehgal, J. (1999) Agro-ecological Subregion of India for Planning and Development, *NBSS Publication* 35, NBSS&LUP, Nagpur, pp. 1-372.

Comment [EP34]: These authors are not mentioned in article/manuscript!

UNDER PEER REVIEW

Table 2. Treatment combination of Chickpeavar. Aruna2021-22

Treatments	Treatment Combination
T ₁	Absolute control
T ₂	[RDF @ 0 % + VC @ 25 % + Rhizobium @ 25 %]
T ₃	[RDF @ 0 % + VC @ 50 % + Rhizobium @ 50 %]
T ₄	[RDF @ 0 % + VC @ 100 % + Rhizobium @ 100 %]
T ₅	[RDF @ 25 % + VC @ 0 % + Rhizobium @ 0 %]
T ₆	[RDF @ 25 % + VC @ 25 % + Rhizobium @ 25 %]
T ₇	[RDF @ 25 % + VC @ 50 % + Rhizobium @ 50 %]
T ₈	[RDF @ 25 % + VC @ 100 % + Rhizobium @ 100 %]
T ₉	[RDF @ 50 % + VC @ 0 % + Rhizobium @ 0 %]
T ₁₀	[RDF @ 50 % + VC @ 25 % + Rhizobium @ 25 %]
T ₁₁	[RDF @ 50 % + VC @ 50 % + Rhizobium @ 50 %]
T ₁₂	[RDF @ 50 % + VC @ 100 % + Rhizobium @ 100 %]
T ₁₃	[RDF @ 100 % + VC @ 0% + Rhizobium @ 0 %]
T ₁₄	[RDF @ 100 % + VC @ 25 % + Rhizobium @ 25 %]
T ₁₅	[RDF @ 100 % + VC @ 50 % + Rhizobium @ 50 %]
T ₁₆	[RDF @ 100 % + VC @ 100 % + Rhizobium @ 100 %]

Note: RDF- Recommend dose of fertilizer, Basal dose of Nitrogen (20 kg ha⁻¹), Phosphorus (40 kg ha⁻¹), Potassium (20 kg ha⁻¹), vermicompost and biofertilizer was applied at the start of the experiment.

Comment [EP35]: I recommend to state individual variants in the material and methods section.

Comment [EP36]: What were quantities (doses) of VC and Rhizobium ?

Table 3. Response of inorganic fertilizer, organic manure and biofertilizer on physical soil properties

S. No.	Soil bulk density (Mg m ⁻³)				Soil particle density (Mg m ⁻³)				Soil porosity (%)				Soil water holding capacity(%)			
	2020-21		2021-22		2020-21		2021-22		2020-21		2021-22		2020-21		2021-22	
	0-15 cm	15-30 cm	0-15 cm	15-30 cm	0-15 cm	15-30 cm	0-15 cm	15-30 cm	0-15 cm	15-30 cm	0-15 cm	15-30 cm	0-15 cm	15-30 cm	0-15 cm	15-30 cm
T ₁	1.12	1.22	1.13	1.23	2.50	2.61	2.51	2.62	44.5	43.3	44.67	43.61	34.32	34.76	35.42	35.77
T ₂	1.15	1.25	1.15	1.25	2.52	2.62	2.52	2.62	45.51	44.31	45.55	44.51	35.31	35.67	36.13	36.86
T ₃	1.16	1.26	1.17	1.27	2.52	2.63	2.53	2.62	45.51	44.32	45.54	45.63	36.24	36.68	37.33	37.89
T ₄	1.17	1.29	1.17	1.29	2.54	2.64	2.55	2.64	47.52	46.34	47.59	46.94	36.02	36.86	37.23	37.9
T ₅	1.19	1.30	1.20	1.30	2.55	2.64	2.56	2.65	47.53	46.35	48.86	47.56	36.44	37.8	37.75	38.08
T ₆	1.19	1.28	1.20	1.29	2.57	2.66	2.58	2.66	47.54	45.37	47.53	46.24	37.53	37.86	38.36	38.76
T ₇	1.20	1.27	1.21	1.30	2.58	2.67	2.59	2.68	47.56	45.85	47.63	46.46	37.25	38.09	38.95	38.94
T ₈	1.22	1.28	1.23	1.30	2.59	2.68	2.6	2.68	47.59	46.04	48.54	46.45	38.43	38.95	39.46	39.83
T ₉	1.24	1.29	1.25	1.29	2.59	2.69	2.62	2.69	47.59	46.15	47.52	46.24	39.46	39.98	40.45	40.7
T ₁₀	1.25	1.30	1.27	1.31	2.6	2.69	2.62	2.7	47.62	46.34	47.62	46.46	39.23	40.4	41.26	41.74
T ₁₁	1.25	1.30	1.28	1.32	2.61	2.69	2.63	2.7	48.55	45.54	48.96	45.34	40.35	41.54	42.16	41.92
T ₁₂	1.27	1.31	1.31	1.32	2.62	2.7	2.63	2.71	49.52	45.58	49.74	46.47	41.24	41.91	43.25	42.67
T ₁₃	1.30	1.32	1.32	1.33	2.64	2.71	2.65	2.72	50.64	47.4	50.78	47.75	42.46	43.54	44.56	43.65
T ₁₄	1.30	1.33	1.32	1.33	2.64	2.72	2.66	2.73	50.68	47.5	50.94	47.77	42.77	44.70	45.04	45.23
T ₁₅	1.31	1.35	1.32	1.36	2.65	2.72	2.67	2.73	50.71	46.65	50.96	47.91	43.18	44.55	45.53	46.51
T ₁₆	1.32	1.36	1.33	1.37	2.67	2.74	2.68	2.75	50.74	47.01	51.23	48.42	45.25	46.60	46.36	47.57
F- test	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
S. Em. (±)																
C. D. @ 5 %																

Comment [EP39]: In table I recommend using numbers (values) with the same number of decimal places in each column.

Comment [EP40]: What is relation between soil bulk density and soil porosity ?

Comment [EP37]: Missing information/data.

Comment [EP38]: Missing information/data.

UNDER PEER REVIEW

