

Enhancing Gaming Performance A Recommender System for Selecting Optimal Gaming Headsets Based on SAW Method

ABSTRACT

Aims: The objective of this research is to design and develop a gaming headset recommendation system using the Simple Additive Weighting (SAW) algorithm based on a website. Additionally, the goal is to obtain user satisfaction ratings for the gaming headset recommendation system using the SAW algorithm, based on the End-User Computing Satisfaction (EUCS) model

Study design: This study was designed with Simple Additive Weighting method to build a gaming headsets website

Place and Duration of Study: This study's respondents were recruited from the Edu Computer Store on Jl Citra Raya Boulevard, Cikupa, Tangerang, Indonesia. From January to June of 2023, and this study was conducted at Universitas Multimedia Nusantara.

Methodology: In this research, the method designed is the Simple Additive Weighting (SAW) method, which aims to facilitate users in making the right decisions regarding gaming headsets. The SAW method provides a straightforward approach for evaluating and comparing multiple criteria to assist users in their decision-making process.

Results: Based on the conducted test results, there is a user satisfaction rate of 83.35% based on the End User Computing Satisfaction (EUCS) model, indicating that users strongly agree with the system.

Conclusion: The gaming headset recommendation system has been successfully designed and built using the Simple Additive Weighting (SAW) method. This system functions to recommend gaming headsets based on the comparison of six criteria: weight, price, driver size, frequency response, impedance, and sensitivity, according to user preferences. The system is developed on a web platform using the PHP Laravel framework.

Keywords: *Gaming Headset Recommendations, Simple Additive Weighting, enduser computing satisfaction, Decision Support System*

1. INTRODUCTION

In recent years, there has been a notable surge in the popularity of electronic esports, prompting individuals across various age groups, including children, teenagers, and adults, to actively engage in the realm of gaming. When engaging in gaming activities, it is necessary to utilize supplementary gaming accessories that serve the purpose of enhancing performance and providing assistance during gameplay. In addition to the primary components, supplementary peripherals like as gaming headsets, mouse, and keyboards are also available [1], [2].

While individuals who solely engage in gaming may not consider these supplementary accessories essential, they hold significant importance for dedicated gamers [3]. Each accessory offers additional features that enhance gamers' performance and facilitate the maintenance of stable gameplay. **Headset accessories hold significant importance as**

29 supplementary components for individuals engaged in gaming activities [4], [5]. In addition to
30 enhancing gaming performance, gaming headphones provide the capability to automatically
31 generate high-quality sound, thereby facilitating the detection of enemy movements during
32 gameplay and ensuring an optimal listening experience for music enthusiasts [6], [7].
33

34 There exists a range of gaming headset models catering to the preferences of gamers.
35 However, within the gaming community, the specific model of a gaming headset holds
36 relatively less significance compared to the functions it offers. These features are considered
37 crucial when evaluating the quality and suitability of a gaming headset. The Active Noise
38 Canceling (ANC) feature is commonly found in the majority of gaming headsets [8].
39 However, it is important to note that the amount of ANC may vary across different brands
40 and models of gaming headsets. The primary purpose of Active Noise Cancellation (ANC) is
41 to attenuate or eliminate external sounds from penetrating the auditory experience of
42 headset users, hence preventing the perception of sounds or activities occurring outside the
43 headset [9], [10].
44

45 According to the findings derived from interviews conducted with many sources, it has been
46 ascertained that Mr. Willy, the proprietor of the Edu Computer shop, offers a diverse range of
47 gaming equipment for sale. According to the source, purchasers frequently experience a
48 state of perplexity and prolonged decision-making when selecting a gaming headset. This is
49 attributed to the extensive array of gaming headset models, accompanied by factors such as
50 weight, price, and specifications, which all contribute to the complexity of the decision-
51 making process. The key specifications of a gaming headset include the size of the driver,
52 the frequency response, the impedance, and the sensitivity. Given the specified
53 requirements, it is imperative for potential purchasers to utilize a recommendation system in
54 order to ascertain the most suitable gaming headset for their needs. The author evaluates
55 the recommendation for the gaming headset by considering many data gathered from the
56 shop owner and potential buyers. These criteria include weight, price, driver size, frequency
57 response, impedance, and sensitivity. The authors conducted research in order to develop a
58 system that may offer consumers information recommendations on the selection of gaming
59 headsets based on their preferences, such as weight, price, driver size, frequency response,
60 impedance, and sensitivity. The primary objective of this recommendation system is to
61 enhance user decision-making processes pertaining to gaming headsets.
62

63 A recommendation system is defined as a system that facilitates the provision of information
64 suggestions and suggests an item to aid users in making decisions, based on their specific
65 area of interest. The Simple Additive Weighting (SAW) method is a mathematical approach
66 that involves the summation of weighted values [11]–[13]. Next, it is necessary to choose the
67 alternative with the highest weight value for the performance rating across all attributes. The
68 choice matrix normalization procedure is utilized to compare the ratings of all available
69 alternatives [14], [15]. Hence, there exist various alternatives to gaming headsets, including
70 factors such as weight, price, driver size, frequency response, impedance, and sensitivity.
71 The assessment will exhibit enhanced precision and clarity as it is conducted using
72 predetermined criteria and weight values derived from the disseminated questionnaire [16],
73 [17]. This approach ensures that more accurate and optimal outcomes can be obtained for
74 gaming headsets, which will be taken into consideration by users.
75

76 The selection of the Simple Additive Weighting (SAW) technique is motivated by its ability to
77 effectively incorporate all relevant criteria and their respective weights into the decision-
78 making process, hence ensuring the provision of appropriate considerations. [18] The SAW
79 (Simple Additive Weighting) approach offers the benefit of efficiently and accurately
80 evaluating criterion, sub-criteria, and their respective weights, utilizing a straightforward
81 calculation formula that is easily comprehensible [14], [19]. Furthermore, the saw approach

82 offers additional advantages in terms of optimal alternative selection, hence being highly
83 advantageous in the ranking process of the manufacturing of the gaming headset
84 recommendation system [17], [20]. Hence, the researchers employ the SAW (Simple
85 Additive Weighting) method in this study to offer recommendations for gaming headphones
86 and enhance usability for consumers.

87

88 Previous studies have not investigated the utilization of the SAW approach in examining
89 gaming headphones. The objective of this gaming headset recommendation system is to
90 potentially supplant computer stores as a source of recommendations, enabling the general
91 public or users to identify gaming headsets that align with pre-established criteria.

92

93 Given the contextual framework of the issue at hand, it is desirable to address this matter
94 through the development and construction of a recommendation system for gaming
95 headsets. This system will be designed using the website-based simple additive weighting
96 (SAW) method, with the objective of ensuring that users receive optimal quality that aligns
97 precisely with their specific requirements, without any excess or deficiency.

98

99 2. MATERIAL

100

101 The Simple Additive Weighting (SAW) method is a process for finding the weighted sum of
102 performance ratings for each alternative. This method can aid in decision-making in various
103 case studies. However, it only provides the highest value as the selected best alternative
104 during the calculation process. The calculations are based on the method used when the
105 chosen alternative meets the predetermined criteria. The SAW method is considered
106 efficient as it requires less time for calculations, thus providing quicker results [2].

107

108 This method requires the process of normalizing the decision matrix (X) to a comparable
109 scale with all available alternative ratings. Each attribute rating should obtain dimensional
110 independence, meaning that it has passed the previous matrix normalization process [13].
111 The following are the steps to solve the Simple Additive Weighting (SAW) method [4].

112

- 113 1. The identification of the criteria to be employed as a point of reference for decision-
114 making, specifically referred to as C_i , can be ascertained.
- 115 2. Determining the weight values, denoted as W , for each criterion used.
- 116 3. Creating suitability ratings for each alternative and criterion to be used.
- 117 4. Constructing a decision matrix based on the criteria (C_i), then normalizing the matrix
118 using equations adjusted according to the attribute type, whether it is a benefit attribute
119 or a cost attribute, resulting in a normalized matrix R . The following formula represents
120 the normalization step of the SAW method. The formula below utilizes the maximum
121 value when attribute j is a benefit attribute, while the formula utilizing the minimum value
122 is used when attribute j is a cost attribute.

$$r_{ij} = \begin{cases} \frac{X_{ij}}{\text{Max } X_{ij}} \\ \frac{\text{Min } X_{ij}}{X_{ij}} \end{cases} \quad (1)$$

123

Description:

124

a. r_{ij} : Normalized performance rating

125

b. X_{ij} : Attribute value for each criterion

126

c. $\text{Ma}X_{ij}$: Maximum value of the criterion

127

d. $\text{Min}X_{ij}$: Minimum value of the criterion

128

e. Cost : If the lowest value is considered the best

129 f. Benefit: If the highest value is considered the best
 130 5. The final result is obtained from the ranking order, which involves summing and
 131 multiplying the normalized matrix R with the weight vector to obtain the highest value,
 132 which is selected as the best alternative or solution. The following formula represents
 133 the ranking step of the SAW method. The formula below depicts the ranking stage of
 134 the SAW method.

$$Vi = \sum_{j=1}^n Wjrij \quad (2)$$

135 Description:


- 136 a. V_i : Final value of the alternative.
- 137 b. W_j : Weight value for each predetermined criterion.
- 138 c. r_{ij} : Normalized performance rating value.

141 3. METHODOLOGY

142
 143 The research methodology process is carried out through nine steps, which are problem
 144 identification, literature review, data collection, system design, implementation, evaluation,
 145 report writing, revision and improvement, and report writing and consultation.

146
 147 In this process, data flow diagrams (DFD), flowcharts, table relationships, table structures,
 148 and system mockups are created. This step is carried out to facilitate the implementation of
 149 the system and ensure that the research is clear and well-structured.

150
 151 Figure 1 represents the Level 0 Data Flow Diagram (DFD) that provides an overview of how
 152 the available entities interact with the system being built. This diagram illustrates the data
 153 sent by each entity to the system and the incoming/outgoing data returned by the system.
 154 There are two main entities, namely the Admin and User. The roles of these entities can be
 155 further explained in the Level 1 DFD.
 156



157
 158 Figure 1 : DFD Level 0
 159

160 Figure 2 is the Level 1 Data Flow Diagram (DFD) of the Gaming Headset Recommendation
 161 System. The Level 1 DFD consists of 8 processes: registration, login, add item, edit item,
 162 delete item, view item, input criteria, and recommendation. The flow of item data sends the
 163 item data to two entities, namely the admin and user, so that they can view the available
 164 item data. The item data is then directed to the final score database to be used in the Simple
 165 Additive Weighting (SAW) calculation. The input criteria process involves users entering

166 criteria based on their specific needs. The flow of criteria data enters the recommendation
 167 table and is then forwarded to the final score database for use in the SAW calculation. Users
 168 will receive Gaming Headset recommendations based on the calculated data in the final
 169 score database. The recommendations will be displayed to the user in descending order
 170 based on the highest final score calculated using the SAW method.
 171




Figure 2 : DFD Level 1

172
 173
 174
 175
 176
 177
 178

Figure 3 is a flowchart that illustrates the overall flow of the system. It starts with the login page, where users or admins can log in to access their respective main pages. If the user logs in, they will be directed to the user's main page, and if the admin logs in, they will be directed to the admin's main page.




Figure 3 : Main Flowchart

179
 180
 181
 182
 183
 184
 185

Figure 4 is a flowchart that illustrates the initial user interface flow. It begins with the home page and includes sections such as about page, recommendations page, and items page in the website header.




Figure 4 : User Page Flowchart

186
187
188
189
190
191
192
193

Figure 5 is a flowchart that illustrates the interface flow from the admin's perspective. It starts with the admin's main page, which includes a dashboard menu and an add item option. On the dashboard page, the admin can edit or delete item data stored in the database. Additionally, the admin can add a new item on the add item page, and it will be automatically saved in the database.




Figure 5 : Admin Page Flowchart

194
195

196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212

4. RESULT AND DISCUSSION

4.1. System Implementation

In the implementation process of the Gaming Headset Recommendation System, it includes the implementation results of the user interface (UI) that resembles the mockup and the implementation of the Simple Additive Weighting (SAW) method to obtain the best gaming headset.

Figure 6a is the result of the implementation of the register page on the gaming headset recommendation system design, where on this page there is a website name located on the website header, then there is a register form that must be filled in by the user. The function of the register page is to register personal data including username, e-mail, and password. Then there is a register button that functions to save the personal data to the user database, then the user can proceed to the login page.




Figure 6 : Register Page and Login Page

213
214
215
216
217
218
219
220
221
222
223
224
225
226
227

Figure 6b is the result of the implementation of the login page on the design gaming headset recommendation system, where on this page there is the name of the website located on the website header, then there are two text boxes that will be filled in by the user/admin, namely username, and password. which will be filled in by the user / administrator, namely username, and password. Then there is login button that serves to enter the main page / dashboard page of the admin. admin.

Figure 7a is the result of the home page implementation. On this page there is a website name, home, about, recommendations, items, and logout located in the website header. Then there is a Hello greeting along with a username that matches the user's username at the time of the previous login, then there is a recommendation button that will directly move to the recommendation page, and a logout button that functions to exit the home page.



(a) (b)
Figure 8 : Home Page and About Page

228


229
230 Figure 7b is the result of the about page implementation. On this page page aims as a guide
231 for users to understand the important criteria contained in a gaming headset. criteria
232 contained in the gaming headset.

233
234 Figure 8 is the result of the recommendation page implementation. On the recommendation
235 page recommendation page, there are five text boxes that will be filled in by the user
236 according to the criteria that the user wants. criteria that the user wants, then there is a
237 recommendation button that functions to submit and then the results of the gaming headset
238 recommendation will appear. to submit and then the results of the gaming headset
239 recommendations will appear.
240



Figure 8 : Reccommendation Page

241
242
243
244 Figure 9a is the result of the result page implementation. On the result page page will display
245 several items of recommended goods according to the preferences of the user. These items
246 have been sorted according to the highest score to the lowest, then there is a back button
247 that functions to return to the recommendation page. to the lowest, then there is a back
248 button that serves to return to the main page. Figure 9b is the result of the item page
249 implementation. On this item page users can see what items and item details are on the
250 website.
251



(a) (b)

Figure 9 : Result Page and Item Page

252
253
254 Figure 10a is the result of the dashboard page implementation. On this dashboard page the
255 admin can add items to the database, the admin can also edit items and can delete items.
256 Figure 10b is the result of the edit page implementation. On this edit page the admin can
257 change the details of the item selected by the admin, then there is a save button that
258 functions to save the data that has just been changed directly to the database.
259
260
261




Figure 13 : Admin Dashboard Page, Edit Page and Add Item Page

262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281

Figure 10c is the result of the implementation of the add item page. On the page page, the admin can add items according to the list box available, after completing the data available, after completing filling in the data added to the item, there is a save button to save all new data added by the admin and stored in the database.

4.2. System Testing

Testing of this gaming headset recommendation system is divided into three parts parts, namely scenario tests, user satisfaction tests of the gaming headset recommendation system with the end user computing satisfaction (EUCS) method, and evaluation. gaming headset recommendation system with the end user computing satisfaction (EUCS) method, and evaluation.

This scenario test is carried out to validate the calculations produced by the system manually. The alternative gaming headset data used were 10 pieces in the calculation comparison. Table 1 is the selected gaming headset alternative data.

Table 1 : Alternative Data Table

No	Headset Gaming
1	Logitech Pro
2	Logitech G735
3	Arctis Nova 1 White
4	Arctis 5
5	HyperX Cloud II

- 6 Logitech G335
- 7 Arctis 3
- 8 HyperX CloudX
- 9 Razer Kraken V3
- 10 Sades Warden I

282
283
284
285
286
287
288
289
290
291

Table 2 is a decision matrix containing criteria values for gaming headsets. As in the table below, No means the number of gaming headsets selected for comparison calculation, then there are weight criteria, price criteria, driver size criteria, fr means frequency response criteria, impedance criteria, and sensitivity criteria. impedance, and sensitivity criteria. Criteria values are obtained through questionnaires that have been distributed to 28 respondents. Applying a Likert scale to be able to determine the criteria value of the gaming headset.

Table 2 : Decision Matrix Table

No	Weight	Price	Driver Size	Fr	Impedance	Sensitivity
1	259	1499000	50	20000	32	107
2	273	339900	40	20000	38	83
3	272	750000	40	22000	36	93
4	277	898878	40	22000	32	98
5	320	1496725	53	23000	30	98
6	240	899000	40	20000	36	87
7	295	1198500	40	22000	32	98
8	337	897975	53	25000	30	39
9	325	1496725	50	20000	32	96
10	330	1099000	50	20000	26	105

292
293
294
295
296
297
298

Next is to determine the weight value of user preferences for each criterion. Then in this calculation trial, user preferences were carried out using dummy data, where the weight of the weight criteria was very not important, the weight of the price criterion is very important, the weight of the driver size criterion is normal, fr criteria weight is not important, impedance criteria weight is normal, and sensitivity criteria weight is important. sensitivity is important.

$$W = \{[1,5,3,2,3,4]\} = 18 \quad (3)$$

299
300
301
302
303
304

In table 3 is the calculation of the weight of user criteria divided by the total criteria specified by the user. Then from the calculation results Then from the calculation results, if it is totaled, the result must be equal to one.

Table 3 : Criteria Weight Table

Criteria	Criteria Weight
K1	0.06
K2	0.28
K3	0.17

K4	0.11
K5	0.17
K6	0.22

305
306 Table 4 is a table for determining cost and benefit attributes. If the criterion attribute is cost,
307 the value to be taken is the smallest value of the criterion, while the benefit criterion attribute
308 is the largest value of the criteria in the trial data table.

Table 4 : Criteria Attribute Table

K1	K2	K3	K4	K5	K6
240	339900	40	20000	26	107

311
312 The next step is to normalize the decision matrix. This normalization process is carried out
313 according to the type of criteria or formula that depends on the type of criteria in the table
314 above. In this scenario test, the weight, price, driver size, frequency response and
315 impedance criteria use the cost type, which is to find the minimum value of each alternative
316 for each criterion and then divide by the value of the alternative and the criteria. Then for
317 benefit type criteria, sensitivity is by dividing the value of the alternatives and criteria by the
318 greatest or maximum value of the alternatives and criteria. criteria with the largest or
319 maximum value of each alternative for each criterion. each criterion. The following is an
320 example of normalization calculation on the first alternative.

$$weight = \frac{\min(259, 273, 272, 277, 320, 240, 295, 337, 325, 330)}{259} \quad (4)$$

$$= \frac{240}{259} = 0.927$$

$$driver\ size = \frac{\min(50, 40, 40, 40, 53, 40, 40, 53, 50, 50)}{50} = \frac{40}{50} = 0.8 \quad (5)$$

$$impedance = \frac{\min(32, 38, 36, 32, 30, 36, 32, 30, 32, 26)}{32} = \frac{26}{32} = 0.813 \quad (6)$$

$$sensitivity = \frac{107}{\max(107, 83, 93, 98, 98, 87, 98, 39, 96, 105)} = \frac{107}{107} = 1 \quad (7)$$

322
323 After doing the normalization calculation on alternative 1, then calculate the normalization
324 until alternative 10, and the calculation results can be seen as a whole through table 5
325 below.

Table 5 : Decision Matrix Normalization Table

No	Weight	Price	Driver Size	Fr	Impedance	Sensitivity
1	0.927	0.226	0.8	1	0.813	1
2	0.879	1	1	1	0.684	0.776
3	0.882	0.453	1	0.909	0.722	93
4	0.866	0.378	1	0.909	0.813	98
5	0.75	0.227	0.754	0.87	0.867	98
6	1	0.378	1	1	0.722	87
7	0.814	0.283	1	0.9	0.813	98
8	0.712	0.378	0.754	0.8	0.867	39

9	0.738	0.227	0.8	1	0.813	96
10	0.727	0.309	0.8	1	1	105

328
329
330
331
332
333
334
335

The next step is the calculation of SAW by multiplying each criterion data with each criterion weight that has been obtained previously, after completing the calculation, to get the final score, it can be calculated by summing up all the criteria of the alternative. can be calculated by summing up all the criteria of the alternative. Table 6 is the SAW calculation and the final value of all alternative scenario tests.

Table 6 : Final Score Result Table

Merk	Calculation	Final Score
Logitech Pro	$(0.927 \times 0.06) + (0.226 \times 0.28) + (0.8 \times 0.17) + (1 \times 0.11) + (0.813 \times 0.17) + (1 \times 0.22)$	0.717
Logitech G735	$(0.879 \times 0.06) + (1 \times 0.28) + (1 \times 0.17) + (1 \times 0.11) + (0.684 \times 0.17) + (0.776 \times 0.22)$	0.891
Arctis Nova 1 White	$(0.882 \times 0.06) + (0.453 \times 0.28) + (1 \times 0.17) + (0.909 \times 0.11) + (0.722 \times 0.17) + (0.869 \times 0.22)$	0.756
Arctis 5	$(0.866 \times 0.06) + (0.378 \times 0.28) + (1 \times 0.17) + (0.909 \times 0.11) + (0.813 \times 0.17) + (0.916 \times 0.22)$	0.760
HyperX Cloud II	$(0.75 \times 0.06) + (0.227 \times 0.28) + (0.754 \times 0.17) + (0.87 \times 0.11) + (0.867 \times 0.17) + (0.916 \times 0.22)$	0.675
Logitech G335	$(1 \times 0.06) + (0.378 \times 0.28) + (1 \times 0.17) + (1 \times 0.11) + (0.722 \times 0.17) + (0.813 \times 0.22)$	0.739
Arctis 3	$(0.814 \times 0.06) + (0.283 \times 0.28) + (1 \times 0.17) + (0.909 \times 0.11) + (0.813 \times 0.17) + (0.916 \times 0.22)$	0.731
HyperX CloudX	$(0.712 \times 0.06) + (0.378 \times 0.28) + (0.754 \times 0.17) + (0.8 \times 0.11) + (0.867 \times 0.17) + (0.364 \times 0.22)$	0.585
Razer Kraken V3	$(0.738 \times 0.06) + (0.227 \times 0.28) + (0.8 \times 0.17) + (1 \times 0.11) + (0.813 \times 0.17) + (0.897 \times 0.22)$	0.683
Sades Warden I	$(0.727 \times 0.06) + (0.309 \times 0.28) + (0.8 \times 0.17) + (1 \times 0.11) + (1 \times 0.17) + (0.981 \times 0.22)$	0.755

336
337
338
339
340

The last step after calculating and getting the final value is to sort the final value from largest to smallest to find out what is the best alternative, and will be described in table 7.

Table 7 : RankingTable

Ranking	Headset Gaming	Final Score
1	Logitech G735	0.891
2	Arctis 5	0.760
3	Arctis Nova 1 White	0.756
4	Sades Warden I	0.755
5	Logitech G335	0.739
6	Arctis 3	0.731
7	Logitech Pro	0.717
8	Razer Kraken V3	0.683
9	HyperX Cloud II	0.675

341
342
343
344
345
346
347
348
349
350
351
352

1.1. User Satisfaction Test

The user testing process is carried out using the End User Computing Satisfaction (EUCS) model. The questionnaire that has been made and distributed gets as many as 28 respondents. 28 Respondents were obtained including 8 visitors to the edu computer store, and as many as 20 people from the author's closest friends. The questionnaire that was made filled in several questions that referred to 5 assessment components, namely content quality, accuracy, format, ease of use, and timeliness.

Table 8 : EUCS Question List Table

Question	Measurement	Question
P1	Content	Do you think the content of the information on this website matches your needs?
P2		Do you think the content of this website is clear and easy to understand?
P3	Accuracy	Do you think this website displays specific and accurate information?
P4		Do you think this website has displayed the right and correct page?
P5	Format	Do you think the menu structure of this website easy to understand?
P6		Do you think the appearance of the layout structure of this website makes it easy for users?
P7		Do you think this website is easy to use to use?
P8	Ease of Use	Do you think this website is easy to access from anywhere and anytime?
P9	Timeliness	Does this website save time in searching for the gaming headset needed by users?
P10		Does this website always display the latest information?

353
354
355
356
357

The next step is to calculate the percentage score using a Likert scale, which can be seen in table 9.

Table 9 : EUCS Questionnaire Table

Question	Answers				
	STS	TS	N	S	SS
Do you think the content of the information on this website matches your needs?	0	2	4	10	12
Do you think the content of this website is clear and easy to understand?	0	2	1	11	14
Do you think this website displays specific and accurate information?	0	3	7	8	10
Do you think this website has displayed the right and correct page?	0	1	6	6	15
Do you think the menu structure of this website easy to understand?	0	0	4	7	17

Do you think the appearance of the layout structure of this website makes it easy for users?	0	0	7	9	12
Do you think this website is easy to use to use?	0	1	6	8	13
Do you think this website is easy to access from anywhere and anytime?	0	3	6	6	13
Does this website save time in searching for the gaming headset needed by users?	0	0	4	8	16
Does this website always display the latest information?	0	3	10	5	10

358

359

360

361

362

363

364

The quality of the system can be measured on the content component through questions in P1 and P2. in question P1 there are 12 responses strongly agree, 10 responses agree, 4 neutral responses, and 2 disagree. agree, 10 responses agree, 4 neutral responses, and 2 disagree. Percentage calculation The calculation of the percentage score on the first question is as follows.

$$= \frac{(12 * 5) + (10 * 4) + (4 * 3) + (2 * 2) + (0 * 1)}{5 * 28} * 100\% \quad (8)$$

$$= 82,85\%$$

365

366

367

368

369

In question P2, there were 14 strongly agree responses, 11 agree responses, 1 neutral response, and 2 disagree responses. neutral, and 2 responses disagree. Calculation of the percentage score on the second question second question is as follows.

$$= \frac{(14 * 5) + (11 * 4) + (1 * 3) + (2 * 2) + (0 * 1)}{5 * 28} * 100\% \quad (9)$$

$$= 86,42\%$$

370

371

372

373

The final percentage on the content component can be calculated by averaging the two questions P1 and P2 as follows.

$$= \frac{(82,85 + 86,42)}{2} * 100\% = 84.63\% \quad (10)$$

374

375

376

377

378

379

The quality of the system can be measured on the accuracy component through questions in P3 and P4. in question P3 there were 10 responses strongly agreeing, 8 responses agreeing, 7 neutral responses, and 3 responses disagreeing. The calculation of the percentage score on the third question is as follows.

$$= \frac{(10 * 5) + (8 * 4) + (7 * 3) + (3 * 2) + (0 * 1)}{5 * 28} * 100\% \quad (11)$$

$$= 77,85\%$$

380

381

382

383

384

In question P4, there were 15 strongly agree responses, 6 agree responses, 6 neutral responses, and 1 disagree response, neutral, and 1 disagree response. Calculation of the percentage score on the fourth question fourth question is as follows.

$$= \frac{(15 * 5) + (6 * 4) + (6 * 3) + (1 * 2) + (0 * 1)}{5 * 28} * 100\% \quad (12)$$

$$= 85\%$$

385
386
387
388

The final percentage on the accuracy component can be calculated by calculating the average of the two questions P3 and P4 as follows.

$$= \frac{(77,85 + 85)}{2} = 81,42\% \quad (13)$$

389
390
391
392
393
394

The quality of the system can be measured on the form component (format) through questions in P5 and P6. in question P5 there were 17 responses strongly agree, 7 responses agree, 4 neutral responses. Calculation of the percentage score on the third question is as follows.

$$= \frac{(17 * 5) + (7 * 4) + (4 * 3) + (0 * 2) + (0 * 1)}{5 * 28} * 100\% \quad (14)$$
$$= 89,28\%$$

395
396
397
398

In question P6 there were 12 responses strongly agreed, 9 responses agreed, 7 responses were neutral. The calculation of the percentage score on the fourth question is as follows.

$$= \frac{(12 * 5) + (9 * 4) + (7 * 3) + (0 * 2) + (0 * 1)}{5 * 28} * 100\% \quad (15)$$
$$= 83,57\%$$

399
400
401
402

The final percentage on the format component can be calculated by calculating the average of both questions P5 and P6 as follows.

$$= \frac{(89,28 + 83,57)}{2} = 86,42\% \quad (16)$$

403
404
405
406
407
408

System quality can be measured in the ease of use component through questions in P7 and P8. in question P7 there were 13 responses strongly agreeing, 8 responses agreeing, 6 neutral responses, and 1 response disagreeing. The calculation of the percentage score on the third question is as follows.

$$= \frac{(13 * 5) + (8 * 4) + (6 * 3) + (1 * 2) + (0 * 1)}{5 * 28} * 100\% \quad (17)$$
$$= 83,57\%$$

409
410
411
412
413

In question P8 there were 13 responses strongly agreed, 6 responses agreed, 6 responses were neutral, and 3 responses disagreed. neutral, and 3 responses disagree. Calculation of the percentage score on the fourth question fourth question is as follows.

$$= \frac{(13 * 5) + (6 * 4) + (6 * 3) + (3 * 2) + (0 * 1)}{5 * 28} * 100\% \quad (18)$$
$$= 80,71\%$$

414
415
416
417
418

The final percentage on the ease of use component can be calculated by calculating the average of the two questions P7 and P8. by calculating the average of the two questions P7 and P8 as follows.

$$= \frac{(83,57 + 80,71)}{2} = 82,14\% \quad (19)$$

419
420 System quality can be measured in the timeliness component through questions in P9 and
421 P10. through the questions in P9 and P10. in question P9 there were 16 responses strongly
422 agreeing, 8 responses agreeing, and 4 neutral responses. The calculation of the percentage
423 score on the third question is as follows.
424

$$\begin{aligned} &= \frac{(16 * 5) + (8 * 4) + (4 * 3) + (0 * 2) + (0 * 1)}{5 * 28} * 100\% & (20) \\ &= 88,57\% \end{aligned}$$

425
426 In question P10 there were 10 responses strongly agreeing, 5 responses agreeing, 10
427 responses neutral, and 3 responses disagreeing. neutral, and 3 responses disagree.
428 Calculation of the percentage score on the fourth question fourth question is as follows.
429

$$\begin{aligned} &= \frac{(10 * 5) + (5 * 4) + (10 * 3) + (3 * 2) + (0 * 1)}{5 * 28} * 100\% & (21) \\ &= 75,71\% \end{aligned}$$

430
431 The final percentage on the timeliness component can be calculated by averaging the two
432 questions P9 and P10 as follows.
433

$$= \frac{(88,57 + 75,71)}{2} = 82,14\% \quad (22)$$

434 After calculating each component, the percentage of the final score was calculated. The
435 percentage calculation is done by finding the average value of each component. The
436 calculation is as follows
437

$$= \frac{(84,63 + 81,42 + 86,42 + 82,14 + 82,14)}{5} = 83,35\% \quad (23)$$

438
439 The successful completion of the construction of the gaming headset recommendation
440 system using the simple additive weighting (SAW) approach was based on the results of the
441 previous scenario test. This ensured that the calculation results obtained using any manual
442 methodology were consistent.
443

444 The format portion achieved the highest score, obtaining a value of 86.42%. Conversely, the
445 accuracy section had the lowest value, with a score of 81.42%. The user happiness level of
446 the gaming headset suggestion system is determined to be 83.35%. This value indicates a
447 strong agreement between the users and the system, as determined through testing the
448 level of user satisfaction.
449

450 **4. CONCLUSION**

451
452 A recommendation system for gaming headsets has been effectively developed and
453 constructed utilizing the basic additive weighting method. The system possesses the
454 capability to provide recommendations for gaming headsets by evaluating six distinct
455 parameters, namely weight, price, driver size, frequency response, impedance, and
456 sensitivity, based on user preferences. Two experiments have been conducted on this
457 system, specifically scenario experiments and user satisfaction experiments. Experimental
458 trials are conducted in order to validate the accuracy of the calculations executed by the
459 system, ensuring their alignment with manual calculations. In order to ascertain the success
460 of the system development, a user happiness test was conducted through the distribution of

461 questionnaires. The questions posed to the 28 respondents were designed to align with the
462 End-User Computing happiness (EUCS) testing methodology. Based on the findings derived
463 from the administered questionnaire, it is evident that the ultimate percentage obtained was
464 83.35%. Consequently, it can be inferred that the participants exhibit a significant inclination
465 towards endorsing the gaming headset recommendation system.

466

467

ACKNOWLEDGEMENTS

468

469

Thank you to the Universitas Multimedia Nusantara, Indonesia which has become a place
470 for researchers to develop this journal research. Hopefully, this research can make a major
471 contribution to the advancement of technology in Indonesia.

472

473

REFERENCES

474

475

[1] J. W. Kelly, L. A. Cherep, A. F. Lim, T. Doty, and S. B. Gilber, "Who are virtual reality
476 headset owners? A survey and comparison of headset owners and non-owners,"
477 *Proceedings - 2021 IEEE Conference on Virtual Reality and 3D User Interfaces, VR*
478 *2021*, pp. 687–694, 2021, doi: 10.1109/VR50410.2021.00095.

479

[2] A. M. Aizenman, G. A. Koulouris, A. Gibaldi, V. Sehgal, D. M. Levi, and M. S. Banks,
480 "The Statistics of Eye Movements and Binocular Disparities during VR Gaming:
481 Implications for Headset Design," *ACM Transactions on Graphics*, vol. 42, no. 1, 2023,
482 doi: 10.1145/3549529.

483

[3] M. Froehlich and S. Azhar, "Investigating virtual reality headset applications in
484 construction," *52nd Associated Schools of Construction Annual International*
485 *Conference*, pp. 13–16, 2016, [Online]. Available:
486 <http://ascpro0.ascweb.org/archives/cd/2016/paper/CPRT195002016.pdf>

487

[4] T. A. Garner, "Game Sound from Behind the Sofa: An Exploration into the Fear
488 Potential of Sound & Psychophysiological Approaches to Audio-centric , Adaptive
489 Gameplay," 2013, [Online]. Available:
490 [http://forskningbasen.deff.dk/Share.external?sp=Sa691dc47-edf7-47d1-9f41-](http://forskningbasen.deff.dk/Share.external?sp=Sa691dc47-edf7-47d1-9f41-841003cbb7ff&sp=Saau)
491 [841003cbb7ff&sp=Saau](http://forskningbasen.deff.dk/Share.external?sp=Sa691dc47-edf7-47d1-9f41-841003cbb7ff&sp=Saau)

492

[5] I. Kumar, J. Rawat, N. Mohd, and S. Husain, "Opportunities of Artificial Intelligence and
493 Machine Learning in the Food Industry," *Journal of Food Quality*, vol. 2021, 2021, doi:
494 [10.1155/2021/4535567](https://doi.org/10.1155/2021/4535567).

495

[6] P. E. Ngs *et al.*, "Audio Mostly," in *Proceedings of the Audio Mostly Conference*, 2008,
496 p. 137.

497

[7] T. A. Garner and M. N. Grimshaw, "A psychophysiological assessment of fear
498 experience in response to sound during computer video gameplay," *Proceedings of the*
499 *IADIS International Conferences - Interfaces and Human Computer Interaction 2013,*
500 *IHCI 2013 and Game and Entertainment Technologies 2013, GET 2013*, pp. 45–53,
501 2013.

502

[8] E. Omar, "Active Noise Cancellation: The Unwanted Signal and the Hybrid Solution,"
503 *Adaptive Filtering Applications*, 2011, doi: 10.5772/16844.

504

[9] T. R. Bourk, "Noise cancellation headset," *The Journal of the Acoustical Society of*
505 *America*, vol. 94, no. 1, pp. 617–618, 1993, doi: 10.1121/1.406993.

506

[10] S. Liebich, J. Fabry, P. Jax, and P. Vary, "Signal processing challenges for active noise
507 cancellation headphones," *Speech Communication - 13th ITG-Fachtagung*
508 *Sprachkommunikation*, pp. 11–15, 2020.

509

[11] A. Y. C. Tang, M. A. Mahmoud, and M. Othman, "The Application of Decision Support
510 System by Using Fuzzy SAW Method in Determining the Feasibility of Electrical
511 Installations in Customer's House Open Normative Multi-agent Communities View
512 project A STREAMING PROFILER FOR MATCHING ENTRY-LEVEL STUDENTS ,"
513 *Article in International Journal of Pure and Applied Mathematics*, vol. 119, no. 16, pp.

- 514 4277–4286, 2018, [Online]. Available: <http://www.acadpubl.eu/hub/>
- 515 [12] C. FANNY and W. ISTIONO, “Analysis Timeline User Content on Instagram Using
- 516 Simple Additive Weighting Algorithm,” *Journal of Applied Computer Science &*
- 517 *Mathematics*, vol. 16, no. 1, pp. 14–17, 2022, doi: 10.4316/jacsm.202201002.
- 518 [13] N. Vafaei, R. A. Ribeiro, and L. M. Camarinha-Matos, “Assessing Normalization
- 519 Techniques for Simple Additive Weighting Method,” *Procedia Computer Science*, vol.
- 520 199, pp. 1229–1236, 2021, doi: 10.1016/j.procs.2022.01.156.
- 521 [14] N. Dobrovolskienė and A. Pozniak, “Simple Additive Weighting versus Technique for
- 522 Order Preference by Similarity to an Ideal Solution: which method is better suited for
- 523 assessing the sustainability of a real estate project,” *Entrepreneurship and*
- 524 *Sustainability Issues*, vol. 8, no. 4, pp. 180–196, 2021, doi: 10.9770/jesi.2021.8.4(10).
- 525 [15] D. Wira Trise Putra and A. Agustian Punggara, “Comparison Analysis of Simple
- 526 Additive Weighting (SAW) and Weighed Product (WP) in Decision Support Systems,”
- 527 *MATEC Web of Conferences*, vol. 215, pp. 1–5, 2018, doi:
- 528 10.1051/mateconf/201821501003.
- 529 [16] A. Afshari, M. Mojahed, and R. Yusuff, “Simple additive weighting approach to
- 530 personnel selection problem,” *International Journal of Innovation, Management and*
- 531 *Technology*, vol. 1, no. 5, pp. 511–515, 2010, [Online]. Available:
- 532 [http://www.researchgate.net/publication/256031272_Simple_Additive_Weighting_Appro](http://www.researchgate.net/publication/256031272_Simple_Additive_Weighting_Approach_to_Personnel_Selection_Problem/file/e0b49524c34debf7b5.pdf)
- 533 [ach_to_Personnel_Selection_Problem/file/e0b49524c34debf7b5.pdf](http://www.researchgate.net/publication/256031272_Simple_Additive_Weighting_Approach_to_Personnel_Selection_Problem/file/e0b49524c34debf7b5.pdf)
- 534 [17] S. Putra and W. Istiono, “Implementation Simple Additive Weighting in Procedural
- 535 Content Generation Strategy Game,” *International Journal of Multidisciplinary Research*
- 536 *and Publications (IJMRAP)*, vol. 4, no. 12, pp. 9–18, 2022, [Online]. Available:
- 537 <https://ijmrapp.com/volume-4-issue-12/>
- 538 [18] R. Simanaviciene and L. Ustinovichius, “Sensitivity analysis for multiple criteria decision
- 539 making methods: TOPSIS and SAW,” *Procedia - Social and Behavioral Sciences*, vol.
- 540 2, no. 6, pp. 7743–7744, 2010, doi: 10.1016/j.sbspro.2010.05.207.
- 541 [19] S. Wijayanto, D. Napitupulu, K. Adiyarta, and A. P. Windarto, “Decision Support System
- 542 of New Student Admission Using Analytical Hierarchy Process and Simple Additive
- 543 Weighting Methods,” *Journal of Physics: Conference Series*, vol. 1255, no. 1, 2019, doi:
- 544 10.1088/1742-6596/1255/1/012054.
- 545 [20] B. S. Sinaga and F. Riandari, “Implementation of Decision Support System for
- 546 Determination of Employee Contract Extension Method Using SAW,” *Journal Of*
- 547 *Computer Networks, Architecture and High Performance Computing*, vol. 2, no. 2, pp.
- 548 183–186, 2020, doi: 10.47709/cnpsc.v2i2.397.
- 549
- 550