

# Sustainable Biofuel Production from Agricultural Residues an Eco-Friendly Approach: A Review

## Abstract

Biofuel production from agricultural residues presents an innovative solution to the global energy challenge. This study delves into the potential of using such residues as a renewable feedstock, addressing the pressing need to transition from conventional fossil fuels. By evaluating various agricultural residues' types and characteristics, a comprehensive assessment of their worldwide availability and potential yield was undertaken. Emphasizing sustainable and eco-friendly approaches, the research underscores closed-loop systems, efficient utilization of co-products, and the imperative of a holistic life cycle assessment (LCA) for biofuel production. The LCA revealed a significant reduction in greenhouse gas emissions, emphasizing water conservation and waste reduction during the process. Despite the evident potential, there are identifiable challenges, primarily technological research gaps, economic constraints, infrastructural limitations, and regulatory hurdles. Yet, the undeniable benefits include a notable reduction in carbon footprint, effective resource management, and a bolstered economy, especially for agrarian communities. Policies promoting sustainable farming practices, incentivizing research and development, and fostering collaborations are recommended. Such a framework can enhance biofuel infrastructure, necessitate regular monitoring, and optimize the biofuel production process. Conclusively, while challenges persist, with cohesive policy recommendations and technological innovations, agricultural residues can pivot as the linchpin in a sustainable energy future.

**Keywords:** *Sustainability, Bioenergy, Residues, Eco-friendly, Innovation*

## Introduction


In an era marred by escalating climate challenges and the ever-present shadow of energy insecurity, humanity stands at a crucial crossroads. The age-old dependency on fossil fuels, characterized by their finite nature and massive carbon footprints, continues to threaten global environmental stability and jeopardizes our chances of curbing global warming within sustainable limits [1]. The situation accentuates the imperative to transition toward renewable energy sources, both to satisfy the ever-growing global energy demands and to address the pressing environmental challenges. Biofuels, a class of energy derived from biological sources, have steadily emerged as viable alternatives to traditional fossil fuels. **Biofuels span from** the well-known bioethanol and biodiesel, produced primarily from food crops, to the more advanced biofuels sourced from non-food crops, microorganisms, and waste materials [2]. The widespread interest in biofuels is rooted in their potential to be carbon-neutral, given that the carbon dioxide they release when burned is roughly equal to what their source **plants absorb during growth**. Agricultural residues stand out as a particularly promising feedstock in biofuel. Agricultural residues, broadly defined as the byproducts generated during food crop production, encompass a range of materials, including straw, husks, and shells. As a cornerstone of agricultural activity, these residues are produced in colossal volumes. Rice and wheat production alone results in hundreds of millions of tons of straw every year globally [3]. Harnessing these residues for biofuel production can address multiple challenges simultaneously. On one hand, they offer an

opportunity to meet energy demands without impinging on food supplies, a major criticism of first-generation biofuels. On the other, they can potentially turn agricultural waste management from a problem into an opportunity, thereby addressing environmental concerns associated with residue burning or landfilling. The narrative isn't just about energy and waste management. It's also an ode to sustainability and eco-friendliness. The conceptual essence of sustainability, at its core, emphasizes the need to meet the requirements of the present without compromising the ability of future generations to meet their needs. Biofuels, translate into producing and utilizing energy in a manner that ensures long-term ecological balance, economic viability, and social equity [4]. Agricultural residues, when approached with this sustainable lens, offer multiple advantages. For starters, since these residues are a byproduct of primary food production, their use for biofuel does not necessitate additional land allocation, reducing potential land-use change impacts. They usually require minimal processing before conversion into biofuels, which can lead to lower energy inputs and associated emissions compared to other sources [5]. An eco-friendly approach to converting agricultural residues into biofuel emphasizes practices that minimize waste, enhance energy efficiency, and mitigate environmental impacts. For instance, employing closed-loop systems in biofuel production can ensure that by-products and waste streams are reused or recycled, thereby achieving greater resource efficiency. The use of cleaner technologies and practices can reduce the emission of pollutants and greenhouse gases during the biofuel production process, rendering it even more environmentally benign. Achieving sustainable biofuel production from agricultural residues isn't without challenges. Technical, economic, and logistical barriers still need addressing to scale up production and ensure its viability. Nonetheless, the potential rewards - in terms of energy security, environmental benefits, and socio-economic impacts - make it an endeavour worth pursuing [6].

## Biofuel Basics

Biofuels, in their most elemental form, are derived from living organisms or their metabolic byproducts. These organic compounds, when harnessed as energy sources, have the potential to significantly change our global energy paradigm. The fascination with biofuels is often driven by their renewable nature, their potential to reduce dependence on finite fossil fuels, and their ability to mitigate certain environmental concerns associated with conventional fuel sources [7]. To delineate the realm of biofuels, one must first familiarize oneself with the various types that are currently recognized. Biofuels can be broadly categorized into primary biofuels and secondary biofuels. Primary biofuels are unprocessed fuels primarily used in developing countries. Examples include wood, dried plant material, and animal manure. These are direct sources of fuel often used for cooking or heating. Secondary biofuels, on the other hand, have undergone a certain degree of processing and can be used in internal combustion engines. Ethanol and biodiesel, derived from crops like corn and soybean respectively, are classic examples of secondary biofuels. Advanced biofuels, often referred to as second and third-generation biofuels, come from non-food crops or microorganisms. Algae-based biofuels and cellulosic ethanol are leading exemplars in this category [8]. With the progressive advancements in biofuel technology, the last few decades have witnessed substantial growth in the biofuel industry. Various countries have adopted biofuels as an essential part of their energy mix, driven by both energy security concerns and climate change mitigation goals. The United States and Brazil, for instance, are the top producers of ethanol, while European countries have predominantly leaned towards biodiesel, considering their agricultural dynamics. This growth has been spurred not just by technological advancements but also by policy initiatives, including tax incentives, grants, and

mandatory blending requirements [9]. The journey of biofuels has not been without challenges. The first-generation biofuels, primarily derived from food crops, have faced substantial criticism. The 'food vs. fuel' debate articulates concerns that dedicating large tracts of arable land to biofuel production can escalate food prices and compromise food security. Moreover, the net carbon dioxide reduction benefits of these biofuels, once the entire production cycle is considered, are occasionally contested. There are also challenges associated with land use change. Converting forests into agricultural land to grow biofuel crops can lead to significant carbon emissions, offsetting any potential carbon savings from biofuel usage [10]. Yet, despite these challenges, the allure of biofuels remains undiminished, predominantly due to the multifaceted roles they play. Firstly, biofuels address energy security concerns. The volatile nature of global oil prices, combined with geopolitical uncertainties in major oil-producing regions, has emphasized the need for diversifying energy portfolios. Biofuels, derived from domestically cultivated crops or organisms, can reduce a nation's reliance on imported oil, thereby bolstering its energy security. Economically, biofuels can be a panacea for revitalizing rural economies. By turning farmers into energy producers, biofuels can generate employment, promote local industries, and reduce urban migration trends. Brazil's ethanol program, for instance, not only made the country **self-reliant on fuel but also** bolstered its agrarian economy [11]. From an environmental perspective, biofuels offer several advantages. They are often heralded for their potential to reduce greenhouse gas emissions. The principle is straightforward: while burning biofuels releases carbon dioxide, the crops that are used to produce these biofuels absorb a roughly equivalent amount of carbon dioxide during their growth, rendering the process potentially carbon-neutral. Advanced biofuels, like algae-based fuels, are particularly promising in this context, given their ability to absorb larger quantities of carbon dioxide and their non-reliance on arable land [12]. As with any transformative solution, the potential of biofuels must be harnessed judiciously. Research, technological advancements, and policy frameworks must align to ensure that biofuels deliver on their promise without ushering in a new set of challenges. It's clear that while biofuels alone cannot solve the global energy and environmental challenges, they form an integral piece of the multifaceted solution mosaic that our world desperately requires.



**Image 1:** Schematic representation of the utilization of biomass for the production of different generations of biofuels. (Source- <https://www.sciencedirect.com/>)

## Agricultural Residues

Agriculture, an age-old vocation that has underpinned human civilizations, has consistently evolved to meet the burgeoning demands of the global population. While the primary objective of agriculture remains food production, an inadvertent byproduct of this activity is agricultural residues. These residues, often viewed as waste or secondary products, are now emerging as invaluable assets in the global quest for sustainable energy sources. Agricultural residues are non-food parts of plants generated during the harvesting or processing of crops. These typically include straws, husks, shells, stems, and leaves. The nature and volume of residues vary significantly across crops. For instance, rice cultivation predominantly generates rice straw and husks, while wheat farming produces significant amounts of straw. The physical and chemical characteristics of these residues largely depend on the parent crop, cultivation practices, and the climatic conditions of the farming region. These residues are predominantly composed of cellulose, hemicellulose, and lignin, with cellulose being the primary target for biofuel production due to its polysaccharide structure, which can be broken down into fermentable sugars [13]. The volume of agricultural residues generated worldwide is staggering. A snapshot of global agriculture offers a glimpse into the vast reservoir of these untapped resources. The Food and Agriculture Organization (FAO) estimates suggest that nearly 2.5 billion metric tons of cereal straws are generated annually. To put it into perspective, rice and wheat, two staple cereals, collectively contribute to approximately 1 billion metric tons of straw each year. Crops like maize, barley, and oats add to this growing pile of agricultural waste. The residue-to-product ratio (RPR) is a crucial parameter in gauging the potential of agricultural residues. For crops like rice, the RPR can be as high as 1.5, meaning that for every ton of rice grains produced, 1.5 tons of residues are generated [14]. The geographical distribution of these residues is equally intriguing. Asia, as the rice bowl of the world, leads in rice straw production, with countries like China and India collectively accounting for more than 60% of global rice straw output. The Americas, with their vast swathes of maize fields, are the leading producers of maize residues. Europe, with its diverse agricultural profile, generates a mix of wheat, barley, and maize residues. Africa and Oceania, though relatively smaller contributors in terms of volume, provide a crucial diversity in terms of residue types due to their unique agricultural profiles. With such vast volumes, agricultural residues' utility becomes a pivotal concern, especially given the environmental challenges posed by their mismanagement. Burning these residues, a common practice in several regions, not only results in significant greenhouse gas emissions but also contributes to air quality degradation. On the other hand, leaving them in the fields can sometimes interfere with subsequent agricultural cycles or become a source of methane generation as they decompose [15].

1. **Environmental Conservation:** Converting agricultural residues into biofuels mitigates the environmental challenges associated with their disposal. Instead of being a pollutant, they can be transformed into value-added products, thereby ensuring cleaner air and reduced greenhouse gas emissions [16].
2. **Energy Security:** With the ever-rising global energy demand, agricultural residues offer a renewable source of energy. Their widespread availability, coupled with the predictable

nature of agricultural cycles, ensures a consistent and sustainable energy supply.

3. **Economic Upscaling:** Transforming residues into biofuels can revitalize rural economies. It can spawn new industries, generate employment, and provide farmers with additional revenue streams. This not only helps in rural upliftment but also can stabilize volatile agricultural incomes [17].
4. **Reduced Land Use Change Impact:** Unlike dedicated energy crops, which often require the conversion of forests or other natural landscapes into farmlands, agricultural residues utilize the byproducts of existing agricultural activities. This ensures minimal negative impacts associated with land use change.
5. **Resource Efficiency:** The principle of circular economy reverberates perfectly with agricultural residues. Instead of viewing them as waste, they are reincorporated into the economic cycle, ensuring maximum resource efficiency and minimal wastage.

### **Technologies for Biofuel Production from Agricultural Residues**

The sustainable quest for alternative energy sources has magnified the spotlight on biofuels, with agricultural residues emerging as a prominent feedstock. However, the journey from raw agricultural residues to high-quality biofuels involves intricate processes, each pivotal to the quality and yield of the end product. Let's embark on this journey, demystifying each stage and the technology underpinning it.

#### **Pre-treatment processes: Why and how?**

At the heart of biofuel production lies the conversion of organic compounds into usable fuels. Agricultural residues, while abundant, are structurally complex, predominantly due to the presence of lignin, hemicellulose, and cellulose. Lignin, particularly, acts as a protective shield, making the cellulose and hemicellulose less accessible. Thus, to harness these polysaccharides for biofuel production, this structural complexity must be broken down, necessitating pre-treatment processes [18].

**1. Physical Pre-treatment:** This primarily involves the use of mechanical forces to reduce the size and alter the structure of the biomass. Common techniques include milling, grinding, and chipping. By reducing particle size, the surface area available for enzymatic or chemical reactions increases, facilitating subsequent stages of biofuel production. Another prevalent physical method is steam explosion, where biomass is subjected to high-pressure steam followed by a rapid decompression, aiding in the disruption of lignocellulosic structures.

**2. Chemical Pre-treatment:** Chemical methods utilize agents to disrupt the lignin structure and increase the accessibility of cellulose. Dilute acid pre-treatment, typically involving sulfuric acid, targets the hemicellulosic fraction, breaking it down into fermentable sugars. Alkali pre-treatment, using agents like sodium hydroxide, focuses on lignin removal. Solvent-based pre-treatments, such as the use of ionic liquids or organic solvents, have also gained traction due to their efficacy in dissolving biomass and ensuring higher yields [19].

**3. Biological Pre-treatment:** A relatively eco-friendly approach, this involves the use of

microbes or enzymes to degrade lignin and hemicellulose. Fungi, particularly white and brown rot fungi, have demonstrated considerable promise in this context. While slower than chemical or physical methods, biological pre-treatment offers the advantage of reduced energy consumption and minimal chemical usage.

### **Conversion Processes:**

Once the biomass is adequately pre-treated, it's primed for conversion into biofuels. Multiple pathways exist, each unique in its mechanism and output.

**1. Anaerobic Digestion:** This biological process employs microorganisms in the absence of oxygen to break down organic matter into biogas, primarily composed of methane and carbon dioxide. The resultant biogas can be used directly for heating or electricity generation or processed to produce biomethane, a potential substitute for natural gas [20].

**2. Pyrolysis:** A thermochemical process, pyrolysis entails heating the biomass in the absence of oxygen. Depending on the temperature and heating rate, this process yields biochar, bio-oil, and syngas. Bio-oil, in particular, has garnered interest for its potential as a liquid fuel, albeit requiring upgrading before it can substitute conventional fuels.

**3. Gasification:** Similar to pyrolysis but conducted in the presence of a limited supply of oxygen or steam, gasification transforms biomass into syngas – a mixture of hydrogen, carbon monoxide, and minor quantities of methane and carbon dioxide. These syngas can be processed via the Fischer-Tropsch synthesis or other methods to produce liquid biofuels.

**4. Fermentation:** This biological process leverages microorganisms, particularly yeasts and bacteria, to convert sugars present in the biomass into ethanol, a widely-used biofuel. The efficacy of fermentation is often contingent on the purity of the sugars, necessitating efficient pre-treatment processes [21].

### **High-Quality Biofuels**

The initial biofuels derived from the aforementioned conversion processes often require refinement to meet fuel standards. Upgradation involves processes such as hydrotreating, where bio-oil or other intermediaries are subjected to hydrogen in the presence of catalysts to remove oxygen and other impurities. This results in hydrocarbons that can seamlessly integrate into existing fuel infrastructure. Distillation, a staple in the petrochemical industry, also finds relevance in biofuel production, particularly in purifying ethanol derived from fermentation [22]. As global energy demands soar, the importance of alternative and renewable energy sources becomes paramount. Among these, biofuels have emerged as a significant contender, offering a bridge between current fossil-based fuels and a more sustainable energy future. Agricultural residues, often deemed waste from our vast global food production systems, have provided a new frontier for biofuel production. However, just the process of converting residues to biofuels isn't enough. In the face of dire environmental challenges, there's an urgency to ensure that biofuel production is as eco-friendly as possible. Closed-loop systems, as the name suggests, operate in a cycle where outputs are recycled back as inputs, ensuring minimal waste. In the realm of biofuel production from agricultural residues, this translates into using all outputs – be it solids, liquids, or gases – in some capacity within the process itself or in auxiliary processes [23]. Residues

post-biofuel extraction can be used as soil additives, returning **nutrients to the land**. Additionally, any water extracted during processes can be treated and reused within the system. Closed-loop systems not only dramatically reduce waste but also enhance resource efficiency, ensuring that every fraction of the agricultural residue and auxiliary materials is optimally utilized. The conversion of agricultural residues into biofuels isn't a single-output process. Along the way, various by-products and co-products are generated. Recognizing and harnessing the value of these can amplify the eco-friendliness and economic viability of biofuel production. One renowned example is glycerol, a co-**product of biodiesel production**. Instead of being discarded, glycerol can be processed to produce value-added products such as **bioplastics, and** antifreeze, or even converted into other forms of bioenergy. Similarly, lignin, a by-product of certain biofuel extraction processes, can be utilized to produce bioplastics, bio-resins, and even certain chemicals [24]. LCA is a comprehensive evaluation tool that assesses the environmental impacts of a product throughout its life cycle, from raw material extraction to end-of-life disposal. In the context of biofuels, LCA encompasses everything from the cultivation of crops (even though we are focusing on residues) to the final combustion of the biofuel. Performing an LCA on biofuel production from agricultural residues provides invaluable insights into areas where the process's environmental impact can be minimized. This might include identifying energy-intensive stages, stages leading to high emissions, or stages with significant water use. With these insights, strategies can be devised to make the process more sustainable. LCA has shown, in many cases, that biofuels derived from agricultural residues indeed have a lower carbon footprint and reduced environmental impact compared to fossil fuels [25]. While biofuels are championed for their **potential to reduce greenhouse gas** emissions when compared to fossil fuels, it's crucial to ensure that their production process also aligns with this ethos. Several strategies can be implemented: Optimizing energy use: By using energy-efficient machinery and methods, not only are operational costs reduced, but greenhouse gas emissions are also minimized. Carbon capture and storage (CCS): This involves capturing CO<sub>2</sub> emissions at the source, transporting them, and then storing them underground or using them in other processes. Incorporating CCS into biofuel production can make it not just carbon-neutral, but potentially carbon-negative [26]. Water, an invaluable resource, is used extensively in biofuel production processes. It's vital to ensure that this usage is efficient and sustainable. Techniques like rainwater harvesting for operational needs, employing water-efficient machinery, or recycling and reusing process water can substantially reduce the water footprint. Similarly, any waste generated, be it solid, liquid, or gaseous, needs to be managed optimally. This could involve converting solid waste into biochar, treating wastewater for reuse, or capturing and using gaseous emissions in other processes or as energy sources [27].

### **Challenges in Sustainable Biofuel Production from Agricultural Residues**

The transformation of agricultural residues into biofuels presents a promising avenue to address the mounting energy needs while aligning with environmental sustainability. However, as with any nascent technology, numerous challenges lurk in its path. From technological intricacies to economic barriers, infrastructural limitations, and policy ambiguities, these challenges shape the trajectory of sustainable biofuel production. Agricultural residues, although abundant, are markedly different from primary crops traditionally used for biofuel production. Their varied and complex structure, dominated by lignin, cellulose, and hemicellulose, necessitates sophisticated conversion technologies. Efficiency of Conversion: Not all agricultural residues are created equal. While some may be rich in cellulose, others might contain higher

lignin content. This diversity can affect the efficiency of conversion to biofuels. Achieving consistently high yields across varied residue types remains a formidable challenge [28]. Enzymatic Hydrolysis: Breaking down complex sugars from these residues into simpler sugars suitable for fermentation requires enzymes. Current enzymatic treatments are not only costly but also often inefficient, requiring high dosages and prolonged reaction times. Scaling Up: While lab-scale conversions have demonstrated success, scaling these processes up to industrial magnitudes poses intricate challenges. Issues like heat management, mass transfer, and microbial contamination become pronounced at larger scales. High Initial Investment: Advanced biofuel production technologies, especially those catering to lignocellulosic feedstocks like agricultural residues, require significant capital investment, which can be a deterrent for many potential investors [29]. Operational Costs: Costs associated with pre-treatment processes, enzymes for hydrolysis, and waste management can be substantial. While agricultural residues are often touted as "waste" and thus perceived as free, their collection, transport, and storage involve significant costs. Market Volatility: Fluctuations in the prices of traditional fossil fuels can dramatically influence the market attractiveness of biofuels. If oil prices plummet, biofuels, especially those produced through cost-intensive processes, might find it hard to compete.

### **Benefits of Eco-Friendly Biofuel Production from Agricultural Residues**

In the world's persistent battle against climate change, one sector that has been under consistent scrutiny is the energy sector. The reliance on fossil fuels has not only led to increased carbon dioxide emissions but has also led to the degradation of biodiversity, political and economic instability, and resource scarcity. As a result, the search for sustainable alternatives is more pressing than ever. Among these alternatives, the conversion of agricultural residues into biofuels presents an eco-friendly solution with a multitude of benefits. One of the principal advantages of biofuels derived from agricultural residues is the significant reduction in greenhouse gas emissions, primarily carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), and nitrous oxide (N<sub>2</sub>O). These residues, when left in the field or burned, can emit significant amounts of these greenhouse gases. By converting them to biofuels, not only are these emissions reduced, but the biofuels produced also burn cleaner than their fossil fuel counterparts. Carbon neutrality is another factor to consider. The plants from which these residues are derived absorb CO<sub>2</sub> during their growth. When the derived biofuels are burned, they release this absorbed CO<sub>2</sub> back into the atmosphere, essentially balancing the carbon equation. This cycle drastically reduces the net carbon footprint compared to the burning of fossil fuels, where carbon previously locked underground is released into the atmosphere [30]. The global population continues to grow, and with it, the demand for food. This growth necessitates efficient land usage for both food and energy production. Agricultural residues, being a by-product of food production, don't demand additional land. Thus, biofuel production from these residues doesn't compete with food production, addressing the "food vs. fuel" debate that has plagued biofuel discourse for years [31]. Using agricultural residues ensures that every part of the crop is utilized. This approach embodies the philosophy of zero waste, ensuring that what was once deemed "waste" is now a valuable resource for sustainable energy.

### **Economic Benefits to Farmers and Rural Communities**

For farmers, agricultural residues can transform from mere by-products to valuable commodities. This transformation can usher in new revenue streams, increasing the economic

viability of farming. Especially in developing nations, where farming is still the primary occupation for a significant chunk of the population, such additional income can have a transformative impact. Biofuel production facilities often find their homes in rural areas, given the proximity to feedstock sources. These facilities can generate employment opportunities in regions that otherwise might be grappling with job scarcity. The establishment of such industries can spur infrastructural development, education, and overall community growth [32]. Political instabilities, geographic concentrations, and finite reserves have made fossil fuels a volatile energy source, both in terms of pricing and availability. Biofuels, on the other hand, especially those derived from agricultural residues, can be produced in vast swathes of the globe. This decentralization can reduce the geopolitical tensions often associated with energy resources and ensure a more stable energy supply. Countries with abundant agricultural outputs can leverage their produce to reduce their reliance on oil imports, balancing trade deficits, and fostering greater economic independence [33]. Traditional fossil fuel extraction processes, be it mining or drilling, have catastrophic impacts on local ecologies and biodiversity. On the contrary, sustainable farming practices paired with the utilization of agricultural residues for biofuels can bolster biodiversity. Using residues reduces the need for their disposal by burning, a common practice in many regions. Such burning not only emits greenhouse gases but can also harm local air quality, affecting both flora and fauna.

### **Policy Recommendations and Future Directions**

The aspiration for a cleaner and sustainable energy future necessitates the bridging of innovation, proactive policy-making, and coordinated action. With a rising consensus on the potential of biofuels derived from agricultural residues, the momentum is primed for a shift. However, to harness this potential fully, policy recommendations need to be formulated and implemented. These policies can not only foster advancements in this sector but can also pave the way for a holistic, eco-friendly energy approach in the years to come. The quality of agricultural residues directly impacts the efficiency of biofuel production. Sustainable farming practices not only yield better crops but also high-quality residues, rich in cellulose and devoid of contaminants. Policies should be directed to: Promote Organic Farming: Pesticide and chemical-free farming result in cleaner residues, which in turn, simplify the biofuel production process [34]. Policies could promote organic farming through subsidies, certification programs, and training workshops. Educate on Crop Rotation: Crop rotation improves soil health, leading to robust crops and quality residues. By periodically altering the type of crops grown on a piece of land, the risks of pest infestations and soil degradation are reduced. The nascent stage of biofuel production from agricultural residues necessitates comprehensive research and development (R&D) to ascertain the most efficient methods, address challenges, and boost yields. Grants and Funding: Academic-Industry Partnerships: Collaborations between universities and biofuel companies can amalgamate academic research with on-ground industry challenges. Such partnerships can foster innovations that are both groundbreaking and practical.

### **Conclusion**

Harnessing agricultural residues for biofuel production offers a sustainable energy alternative, bridging the gap between innovation and ecological responsibility. Proactive policies and strategic collaborations are paramount in realizing its potential. Encouraging sustainable farming

ensures high-quality residues, while R&D incentives drive technological advancements. Creating a robust biofuel market, establishing cohesive infrastructure, and continuous oversight are integral components of this journey. Together, these steps can guide global energy practices towards an eco-friendly future, diminishing our reliance on fossil fuels, mitigating environmental degradation, and fostering economic growth in tandem with nature. The future of energy lies in harmonizing with our environment, and agricultural residues stand poised as a pivotal player in this paradigm shift.

## References

1. Rees, W. E. (2012). Cities as dissipative structures: Global change and the vulnerability of urban civilization. *Sustainability science: The emerging paradigm and the urban environment*, 247-273.
2. Nanda, S., Rana, R., Sarangi, P. K., Dalai, A. K., & Kozinski, J. A. (2018). A broad introduction to first-, second-, and third-generation biofuels. *Recent advancements in biofuels and bioenergy utilization*, 1-25.
3. das Principais, A. D. R. A. (2023). Application of Agricultural Waste from Main Brazilian Crops as Adsorbent for Wastewater Treatment.
4. Khan, N., Sudhakar, K., & Mamat, R. (2021). Role of biofuels in energy transition, green economy and carbon neutrality. *Sustainability*, 13(22), 12374.
5. Mat Aron, N. S., Khoo, K. S., Chew, K. W., Show, P. L., Chen, W. H., & Nguyen, T. H. P. (2020). Sustainability of the four generations of biofuels—a review. *International Journal of Energy Research*, 44(12), 9266-9282.
6. Pautasso, M., Aistara, G., Barnaud, A., Caillon, S., Clouvel, P., Coomes, O. T., ... & Tramontini, S. (2013). Seed exchange networks for agrobiodiversity conservation. A review. *Agronomy for sustainable development*, 33, 151-175.
7. Dar, A. A., Hameed, J., Huo, C., Sarfraz, M., Albasher, G., Wang, C., & Nawaz, A. (2022). Recent optimization and panelizing measures for green energy projects; insights into CO2 emission influencing to circular economy. *Fuel*, 314, 123094.
8. Sikarwar, V. S., Zhao, M., Fennell, P. S., Shah, N., & Anthony, E. J. (2017). Progress in biofuel production from gasification. *Progress in Energy and Combustion Science*, 61, 189-248.
9. Saravanan, A. P., Pugazhendhi, A., & Mathimani, T. (2020). A comprehensive assessment of biofuel policies in the BRICS nations: Implementation, blending target and gaps. *Fuel*, 272,

117635.

10. Gibbs, H. K., Johnston, M., Foley, J. A., Holloway, T., Monfreda, C., Ramankutty, N., & Zaks, D. (2008). Carbon payback times for crop-based biofuel expansion in the tropics: the effects of changing yield and technology. *Environmental research letters*, 3(3), 034001.
11. Jackson, E. A., & Jabbie, M. N. (2021). Import Substitution Industrialization (ISI): An approach to global economic sustainability. In *Industry, Innovation and Infrastructure* (pp. 506-518). Cham: Springer International Publishing.
12. Anekwe, I. M. S., Armah, E. K., & Tetteh, E. K. (2022). Bioenergy Production: Emerging Technologies. *Biomass, Biorefineries and Bioeconomy*, 225.
13. Pasin, T. M., de Almeida, P. Z., de Almeida Scarcella, A. S., da Conceição Infante, J., & de Teixeira de Moraes Polizeli, M. D. L. (2020). Bioconversion of agro-industrial residues to second-generation bioethanol. *Biorefinery of Alternative Resources: Targeting Green Fuels and Platform Chemicals*, 23-47.
14. Bundhoo, Z. M. (2019). Potential of bio-hydrogen production from dark fermentation of crop residues: A review. *International Journal of Hydrogen Energy*, 44(32), 17346-17362.
15. Kasirajan, S., & Ngouajio, M. (2012). Polyethylene and biodegradable mulches for agricultural applications: a review. *Agronomy for sustainable development*, 32, 501-529.
16. Pandit, P., Nadathur, G. T., & Jose, S. (2019). Upcycled and low-cost sustainable business for value-added textiles and fashion. In *Circular Economy in Textiles and Apparel* (pp. 95-122). Woodhead Publishing.
17. De Roest, K., Ferrari, P., & Knickel, K. (2018). Specialisation and economies of scale or diversification and economies of scope? Assessing different agricultural development pathways. *Journal of Rural Studies*, 59, 222-231.
18. Sasaki, Y., & Yoshikuni, Y. (2022). Metabolic engineering for valorization of macroalgae biomass. *Metabolic Engineering*, 71, 42-61.
19. Ling, J. K. U., & Hadinoto, K. (2022). Deep eutectic solvent as green solvent in extraction of biological macromolecules: A review. *International Journal of Molecular Sciences*, 23(6), 3381.
20. Antonini, C., Treyer, K., Streb, A., van der Spek, M., Bauer, C., & Mazzotti, M. (2020). Hydrogen production from natural gas and biomethane with carbon capture and storage—A techno-environmental analysis. *Sustainable Energy & Fuels*, 4(6), 2967-2986.

21. Tsang, Y. F., Kumar, V., Samadar, P., Yang, Y., Lee, J., Ok, Y. S., ... & Jeon, Y. J. (2019). Production of bioplastic through food waste valorization. *Environment international*, *127*, 625-644.
22. Mohanty, S. K., & Swain, M. R. (2019). Bioethanol production from corn and wheat: food, fuel, and future. In *Bioethanol production from food crops* (pp. 45-59). Academic Press.
23. Zhao, P., Shen, Y., Ge, S., Chen, Z., & Yoshikawa, K. (2014). Clean solid biofuel production from high moisture content waste biomass employing hydrothermal treatment. *Applied energy*, *131*, 345-367.
24. Singhanía, R. R., Patel, A. K., Raj, T., Chen, C. W., Ponnusamy, V. K., Tahir, N., ... & Dong, C. D. (2022). Lignin valorisation via enzymes: A sustainable approach. *Fuel*, *311*, 122608.
25. Brandão, M., Heijungs, R., & Cowie, A. R. (2022). On quantifying sources of uncertainty in the carbon footprint of biofuels: crop/feedstock, LCA modelling approach, land-use change, and GHG metrics. *Biofuel Research Journal*, *9*(2), 1608-1616.
26. González-Garay, A., Mac Dowell, N., & Shah, N. (2021). A carbon neutral chemical industry powered by the sun. *Discover Chemical Engineering*, *1*(1), 2.
27. Peng, X., Jiang, Y., Chen, Z., Osman, A. I., Farghali, M., Rooney, D. W., & Yap, P. S. (2023). Recycling municipal, agricultural and industrial waste into energy, fertilizers, food and construction materials, and economic feasibility: a review. *Environmental Chemistry Letters*, *21*(2), 765-801.
28. Hassan, S. S., Williams, G. A., & Jaiswal, A. K. (2019). Moving towards the second generation of lignocellulosic biorefineries in the EU: Drivers, challenges, and opportunities. *Renewable and Sustainable Energy Reviews*, *101*, 590-599.
29. Nizami, A. S., Rehan, M., Waqas, M., Naqvi, M., Ouda, O. K., Shahzad, K., ... & Pant, D. (2017). Waste biorefineries: Enabling circular economies in developing countries. *Bioresource technology*, *241*, 1101-1117.
30. Olah, G. A., Prakash, G. S., & Goepfert, A. (2011). Anthropogenic chemical carbon cycle for a sustainable future. *Journal of the American Chemical Society*, *133*(33), 12881-12898.
31. Pinkus, K. (2016). *Fuel: A speculative dictionary* (Vol. 39). U of Minnesota Press.
32. Atkinson, R. D., Castro, D., & Ezell, S. J. (2009). The digital road to recovery: a stimulus plan to create jobs, boost productivity and revitalize America. *Boost Productivity and Revitalize America* (January 7, 2009).

33. Farzanegan, M. R., & Hassan, S. M. (2020). How does the flow of remittances affect the trade balance of the Middle East and North Africa?. *Journal of economic policy reform*, 23(2), 248-266.
34. Muhammad, S., Yahya, E. B., Abdul Khalil, H. P. S., Marwan, M., & Albadn, Y. M. (2023). Recent Advances in Carbon and Activated Carbon Nanostructured Aerogels Prepared from Agricultural Wastes for Wastewater Treatment Applications. *Agriculture*, 13(1), 208.

UNDER PEER REVIEW