

Case Study on Production and Marketing Constraints of Sugarcane Farmers in Southern Tamil Nadu

ABSTRACT

This study assesses the production and marketing constraints faced by sugarcane farmers in Southern Tamil Nadu, India. Sugarcane is an important commercial crop in India. India has emerged as one of the largest producers of sugarcane and sugar in the world with the highest number of sugar factories. India ranks second position in Sugarcane production and Tamil Nadu ranks fourth. However, despite its economic importance, farmers encounter various challenges that impede their productivity and profitability. The production constraints primarily revolve around water availability, fluctuating weather patterns, and pest infestations. Furthermore, pest attacks, such as the sugarcane whitefly and red rot disease, lead to yield losses and increased production costs due to the need for pest control measures. The marketing constraints predominantly pertain to inadequate infrastructure, inconsistent pricing, and limited access to markets.

Keywords: Constraints, Production technology, Sugarcane growers

INTRODUCTION

Sugarcane (*Saccharum officinarum*) is a species of tall, perennial grass that is used for sugar production. Sugarcane is an important commercial crop in India [1]. India has emerged as one of the largest producers of sugarcane and sugar in the world with the highest number of sugar factories. India ranks second position in Sugarcane production and Tamil Nadu ranks fourth [2]. The plants are 3-7m tall with stout, jointed, fibrous stalks that are rich in sucrose, which accumulates in the stalk internodes. Sugarcane is propagated by the plantings of cuttings. The planted cane sets should have two or three buds. Sugarcane is a multipurpose crop and has a rich source of food (Sucrose, jaggery, and syrups), fiber (cellulose), fodder (green top, bagasse, molasses) fuel, and chemicals (Bagasse molasses & alcohol) [3]. During the process of sugar production, the main by-product of the cane sugar industry is Bagasse, Molasses, and Press mud. In India, Sugarcane is grown as a Kharif crop, with a temperature of 21° to 27° C and rainfall of 75-150cm [4]. India ranks second in Sugarcane production with 281,170 tonnes next to Brazil. The largest producer of sugarcane in India is Uttar Pradesh, which produced over 177 million tonnes of sugarcane in 2021 [5]. Top Sugarcane Producing States are Uttar Pradesh, Maharashtra, Karnataka, Tamil Nadu, and Bihar. Tamil Nadu occupies the fourth position with an average of 37.5MT annually [6]. Tamil Nadu maintains the record of 107 tonnes/ha and produces an average of 98 tonnes/ha [7]. The major sugarcane-producing districts in Tamil Nadu are Coimbatore, Erode, Tiruppur, Trichy, Theni, Dindugal, Madurai, and Tirunelveli. There are 42 sugarcane mills in Tamil Nadu [8, 9].

In other countries sugar is a by-product, but in India sugar is the main product produced by sugar mills. India is producing large quantities of sugar because of

Comment [M1]: Add to the abstract what methodology was used for the research. Sampling and sample size? Or other?

the country's own needs, but nowadays now a day's only sugar production is not production is not profitable for sugar mills. The mMajor sugar producing sugar-producing states are Uttar Pradesh (36%), Maharashtra (24%), Karnataka (11%), Tamil Nadu (11%), Gujarat (4%), Andhra Pradesh (5%), Bihar (3%), Uttarakhand (2%), Haryana (2%), and Punjab (2%). Total sugar production is 100000 quintals and the recovery rate are is 11%. Total-The total cost of operation is 9677 lakh rupees. Total-The total profit is 5677 lakh rupees. Current price of sugarcane is 325 rupees per quintal. The objective of this study to identify major constraints faced by sugarcane producers in the production and marketing of sugarcane in selected places in the Tenkasi districts of Tamil Nadu.

Comment [M2]: Add ref!!

Formatted: Font: (Default) +Headings CS

In Vasudevanallur Block of the Tenkasi district, the major crop being cultivated are lemon, sugarcane, and paddy. Sugarcane is an irrigated crop, where it is cultivated around 3000 hectares in area. In Vasudevanallur, the planting system followed is Ridges and Furrows. It has been planted on in February and harvested on in December. Next to lemon, sugarcane is being cultivated in Rayagiri(80%), Sivagiri(75%), Arulachi, Ramanathapuram, Ullar Thalavaipuram, Viawanathaperi, Devipattinam, and Thenamalai with 50% of total land area production and most eresers-growers are found in Rayagiri for jaggery production. Predominant varieties used for cultivation are Co 86032, Theni Ssevala, and Thiruvanamalai Ssevala.

- Introduce the objective of the research

Formatted: Font: (Default) Times New Roman, 12 pt

Formatted: List Paragraph, Bulleted + Level: 1 + Aligned at: 0.5" + Indent at: 0.75"

Methodology used for this work ????

Discussion

Constraints faced in Sugarcane cultivation

Predominant varieties used for cultivation are Co 86032, Theni Ssevala, and Thiruvanamalai Ssevala which is are used for Jaggery production which differs from Rasthali variety. Improper ploughing may cause soil termites which that attack the stalk. Lepidopteran stalk borers which cause the splitting of stalk on sugarcane which causes reduced yield and market price. An eExcess wind causes the breakage of the stalk. Due to excess rain, Lepidopteran pest spreads through the stalk cause causing damage of to the stalk and yield loss.

Comment [M3]: Elaborate on the degree of damage and the percentage of yield, and the price loss percentage! Add a ref.

Web formation in stalk and leaves of sugarcane causes stunt growth which is the reason for declining in market price. If no proper irrigation, soil termites occur which in turn causes stalk death. Sometimes due to unfavourable conditions like drought, disease, and pest attack lessens the weight of sugarcane and deceases decreases the profit. Extreme changes in rainfall have an impact on sucrose yield.

Comment [M4]: Comment on the % loss of market price plus ref!

Pest and Diseases of Sugarcane

In the villages of Rayagiri and Arulachi, small-scale jaggery production faces several challenges, with pests and diseases being among the most significant constraints. These threats attack the sugarcane stalks and leaves, leading to yield losses and the potential spread

Comment [M5]: % loss?

of infections from one plant to another. Common pests like Internode borer, Top shoot borer, Termites, and Wolly aphids, as well as diseases such as Red rot, Wilt, Smut, and Yellow leaf disease, pose a continuous risk to the crop's health and overall profitability.

In addition to these agronomic challenges, the presence of major weeds such as *Cyperus rotendus*, *Cynodon dactylon*, and *Amaranthus viridis* exacerbates the situation by absorbing soil moisture and competing with the sugarcane for essential nutrients, further reducing yields. Moreover, the scarcity of labour during crucial activities like planting and weeding adds to the farmers' woes, hindering timely and efficient crop management.

Comment [M6]: You need to provide data of 5 loss and price decrease for each kind of threats!!

Lack of scientific knowledge

The lack of knowledge and awareness about the Sustainable Sugarcane Initiative (SSI) has become a significant constraint for farmers in the villages of Rayagiri and Arulachi. This SSI as an innovative and eco-friendly approach to sugarcane cultivation has the potential to yield an impressive 70 tonnes per acre, which is more than 30% higher than traditional cultivation practices. However, due to the absence of meetings, workshops, and awareness programs, many farmers in the region are unaware of the benefits and techniques associated with SSI. As a result, they continue to rely on conventional methods, missing out on the opportunity to improve yields, optimize resource use, and contribute to sustainable farming practices in the community.

Comment [M7]: Add ref.

Comment [M8]: % ??? add ref.

Constrains in marketing the produce

In response to the lack of a sugar factory in their locality, farmers in the villages of Rayagiri and Arulachi have embraced small-scale jaggery production as a means to utilize their sugarcane yield efficiently. With an impressive yield of 40 tonnes of sugarcane per acre, they have found a sustainable way to extract maximum value from their agricultural efforts.

Comment [M9]: Add ref.

The process of jaggery production begins with crushing one ton of fresh sugarcane to yield approximately 300 liters of sugarcane juice. To refine the juice and remove impurities, they employ a simple processing technique by adding soda, which helps to excrete sugarcane waste materials like muds, molasses, and dry leaves. This traditional approach, passed down through generations, enables them to create a natural and wholesome jaggery product.

Comment [M10]: Add ref.

However, despite their dedication and hard work, the farmers face a significant challenge with the appearance of the jaggery. The final product tends to have a pale colour, which decreases its market price and demand. Consumers often associate darker shades with higher quality and rich flavors in jaggery, leading to an unfair perception of the locally produced jaggery. [Give ref. to this fact!!](#)

Comment [M11]: Elaborate and give an example to compare if not pale and if pale!!!




Fig 1. The pie chart showing Constrains in marketing production. Not a clear Figure because it is not labelled with the %s!!!

Comment [M12]: Relate the Figure to the text!!!
Plus add source/ref...

Table 1.SWOT Analysis

Comment [M13]: Relate to the text!!!

STRENGTH	WEAKNESS
<ul style="list-style-type: none"> Well grown sugarcane due to soil type and other favourable conditions. Small scale industry like by-products of sugarcane production is being processing in villages. 	<ul style="list-style-type: none"> Due to lack of sugar industries, farmers face major problems while transportation where they now transport to Rajasree (Theni). Transportation cost is high. <u>Pale colour in jaggery may reduce the price.</u>
OPPORTUNITY	THREATS
<ul style="list-style-type: none"> Own their eresers-growers for the production of jaggery which facilitates farm<u>ingers</u>, makes better employment to women and <u>facilitates the reach of</u> their by-products to near-by markets. 	<ul style="list-style-type: none"> Damage caused by wild pigs. Pale colour in jaggery may reduce the price. Scarcity of labour at the time of planting and weeding. <u>Due to lack of sugar industries, farmers face major problems while transportation where they now transport to Rajasree (Theni).</u>

Comment on this SWOT analysis!!!!

Conclusion

Despite these constraints, sugarcane farming remains crucial for sugar and ethanol production. Addressing these challenges requires sustainable practices, technological advancements, and better market linkages to ensure the viability and sustainability of sugarcane farming in the long run. Governments, agricultural experts, and stakeholders must collaborate to find innovative solutions and support farmers in overcoming these constraints.

References Review carefully the write-up for Consistency, Completeness, and to match the Journal's requirements... Add suggested references...

1. Hoang NV, Furtado A, Botha FC, Simmons BA, Henry RJ. Potential for genetic improvement of sugarcane as a source of biomass for biofuels. *Frontiers in bioengineering and biotechnology*. 2015 Nov 17;3:182.
2. Solomon S. The Indian sugar industry: an overview. *Sugar Tech*. 2011 Dec;13:255-65.
3. Papini-Terzi, Flávia S.; Rocha, Flávia R.; Vêncio, Ricardo ZN; Felix, Juliana M.; Branco, Diana S.; Waclawovsky, Alessandro J.; Del Bem, Luiz EV; Lembke, Carolina G.; Costa, Maximiller DL; Nishiyama, Milton Y.; Vicentini, Renato (21 March 2009). "Sugarcane genes associated with sucrose content". *BMC Genomics*. 10 (1): 120. doi:10.1186/1471-2164-10-120. ISSN 1471-2164. PMC 2666766. PMID 19302712.
4. Bhatti SS, Kumar V, Singh N, Sambyal V, Singh J, Katnoria JK, Nagpal AK. Physico-chemical properties and heavy metal contents of soils and kharif crops of Punjab, India. *Procedia Environmental Sciences*. 2016 Jan 1;35:801-8.
5. Shivashenkaramurthy M, Nayak GV, Channabasappa KS, Patil SB, Rajakumar GR. Effect of nutrient management and cultivars on sugarcane yield and economics. *Journal of Pharmacognosy and Phytochemistry*. 2021;10(2S):157-61.
6. Shukla SK, Sharma L, Awasthi SK, Pathak AD. Sugarcane in India. Package of practices for different agro-climatic zones, All Indian Coordinated Research Project on Sugarcane, IISR Lucknow, Uttar Pradesh. 2017 Mar:1-64.
7. Gopakumar K. Indian aquaculture. *Journal of Applied Aquaculture*. 2003 Mar 1;13(1-2):1-0.
8. Sujatha K, Bajpai AK, Singh RB, NAMDEV A. Direct and indirect effects of production related characters on sugarcane production (*Saccharum spp.*). *Trends in Biosciences*. 2017;10(42):8803-7.
9. Durai AA, Mahadevaiah C, Gopinath K. Identification of early and mid-late maturing sugarcane varieties for western region of Tamil Nadu. *Journal of Sugarcane Research*. 2020;10(1).

Formatted: Font: (Default) +Headings CS, 12 pt

Formatted: Font color: Red

Formatted: Font color: Red