

VACCINE AND ADJUVANT MEDIATED AUTOIMMUNITY

ABSTRACT

The macrophage, natural killer cells, B and T cells are the outstanding formed elements of human immune system. In normal immune homeostatic state these cells in a way or other recognize the host body components as self via the immune **surveillance** mechanisms. Though when there was a shift in immune homeostasis due to chronic induction by; i - environmental stimulus, ii - interplay of predisposing genetic elements, iii - family history, iv - bystander pathologic inflammatory system. Immune cells become prone to recognize the impart self or self as a nonself with subsequent induction of autoimmune diseases. The present opinion paper was aimed at vaccine and adjuvant mediated autoimmune diseases. Timelines for vaccine and adjuvant induced autoimmunity were made. Different human approved vaccines induce different autoimmune disease, more than one vaccine may induce same autoimmune disease. Shoenfeld Syndrome, the adjuvant induce autoimmune/inflammatory syndrome. Under the umbrella of this syndrome five conditions grouped as; i - Postvaccination with **an adjuvanted vaccine**, ii - macrophagic **myofasciitis**, iii - sick building disease condition iv - Gulf war disease condition and v - siliconosis. Protocol for the practical evaluation of these diseases was suggested. Understanding Shoenfeld Syndrome is **crucial** for producing vaccines with a safer side effect profile.

KEY WORDS:

Adjuvant, autoimmunity, cell, component, disease, immune, inflammatory, vaccine.

1-Introduction

Vaccines and adjuvants are impactful onto human health welfare. Since vaccine is currently holding a dual immune functions. First, preventive and second therapeutic [1,2]. Though Vaccine may induce rather un-beneficial adverse effects. Such un-beneficial effects are known as [vaccine associate disease enhancement and vaccine **failure**]. Among these **vaccine** associate disease enhancement are the evolution of auto antibody and **autoreactive** cells to self human body components with expression of clinical disease, the autoimmune diseases [3,4]. The objective of the present opinion paper was present an at glance insight to vaccine and adjuvant mediated autoimmunity.

2-Infection

In an environmental ecologic niche and/ or human body microecologic niche, there were sources of microbes with a hidden pathogenic potentials. When these niches releases their harbored potential pathogens through a transmission cycle to human body [environment niche] or released to migrate to other organs within the human host body [micro-niche]. The potential pathogen find port of entry, gain foot hold and propagated in certain predilection sites whereby producing virulence factors and Quorum sensing factors empowering them to overwelve the host producing disease. These events are collectively known as infection [5]

3-Vaccines

Vaccine is the non-pathogenic version of a pathogen or its molecular subunits, separated, purified and standardized. Such preparation found to be; pure, safe, immunogenic and immune effective. The action spectra of vaccine includes preventive and therapeutic effects [1,2,6].

4- Adjuvant

In the immune sense, adjuvant is that preparation(s) that can heighten the immune response to an immunogen in terms of concentration, intensity and/or titre as compared to that without the adjuvant. Adjuvants are either used pre-immunization for conditioning or mixed directly with the immunogen or applied after priming with the immunogen. Adjuvants are helpful for haptens and molecular immunogens. The action mechanisms of adjuvants are; antigen targeting, cytokine network, and or epitope spreading. The chemical composition of adjuvants found to be markedly heterogeneous. They may enhance, TH2, TH1 or both TH1&TH2 cell responses [7,8].

5-Immune System

Human genome consists of genetic system and gene sets that encodes the immune and non-immune physiologic functions of the immune system. Immune system can be subdivided into systemic and mucosal immune system. The systemic immune system got number of components as; Genetic component, hemopoietic component, lymphoid component, complement and kinin component. While the mucosal immune system composed of number of mucosal associated lymphoid compartments in structural sense. In functional sense it is composed of inductive and effector sites [9,10].

6-Immune Responses

When the immune system face an external or internal insults [antigens, allergens, haptens], the immune response to these immunogens can be; humoral, cellular, both humoral and cellular. The in practice functional importance of the immune responses are either for protection or diagnostic values. The nature of the immune responses to different immunogens are innate, immune cross-roads and adaptive responses. Natural or innate responses instruct for initiation of adaptive responses; immune cross roads expressed as cells or mediators that can performed both innate and adaptive immune functions. The immune response time curve includes primary and secondary immune responses. The immune cell events taking part in the immune responses may ramify the immune responses to;

i-Humoral, cellular, both humoral and cellular response

ii-allergenic responses

iii-toleragenic responses

iv- anergic responses

v-Autoimmune response[10].

7- Autoimmunity,A Classical View;

When the effector immune cells starts to respond to the molecular component of self tissues and self cells and produce pathologic effects this is known as autoimmunity.The autoimmune responses can be normal physiologic responses termed as physiologic autoimmunity expressed as the baseline antibody and/or autoreactive cell levels.Or it can be pathologic autoimmunity which lead at most to an immune tissue injuries ultimated by onset of autoimmune disease.Autoimmunity may happend as post infection or post vaccination as a chronic course sequalae[11,12].

8-Autoimmunity;Current Mosaic Theme

The mosaic theme can be formulated as the novel factors of autoimmunity that are of multifactorial origin and diversity of expression autoimmune disease in man.The term covers different combination of factors that are involved in autoimmunity and produce varying and unique clinical presentation in a wide spectrum of autoimmune disease.Four categories of factores involved in autoimmunity as;Genetic,hormonal,immune difficiency and envirnmental factors.The environmental factors includes;infectious agents ,vaccines, adjuvants and smoking[12].Three main molecular mechanisms valid for explaining autoimmunity as;Tolerance,molecular mimicry, and epitope spreading.Tolerance can be established through clonal deletion,anergy,,clonal ignorance and regulatiry T cell function [13].

9-Analising Autoimmune Disease

Autoimmunity is outstandingly considered to be a result of interplay between genetic predisposition and environmental factors.Such interplay have been described as heterogenic and complex.The heritability of these diseases has been well documented and quantified [14],and exhibit three important features; i – all genetic disease have strong genetic components , ii – relatively large numbers of risk alleles are shared between multiple autoimmune diseases ,iii – the product of most of the autoimmune associated genes are parts of immunological pathways in particular T cell signaling,TNF signaling or innate immunity[15].These features indicate that the onset of great majority of cases of autoimmune disease occure in adulthood,and suggested that these conditions are results of pathological responses mounted by the immune system as a reaction to environmental stimulii.The analysis of the autoimmune disease reaveals a stepwise sequence of four rules that starts with: i – foundation of predisposing genetic arctecture representing autoimmunity , ii – chronic reapeated skewed and baised responses over years yield pathological system iii – the pathological system induces loss of immune tolerance and iv - aquire notious potentials.Based upon these four rules of the conceptual landscape leads to four endivors that will improve the understanding of autoimmune diseases .These endevors were as follows;

I – How do genetic variants define the immune system behavior before and after the onset of the autoimmunity.

li - How does the immune adaptation facilitate the development and perpetuation of autoimmune diseases.

lii – Which genetic element trigger pathological immune behavior.

Iv – How do local tissue factors modulate the function and survival of infiltrating immune cells[11].

10- Vaccine And Adjuvant Induced Autoimmune Disease

Vaccine induced autoimmunity timeline was presented in Table – 1. From 2012 until 2022 a spectrum of human autoimmune diseases have been reported following vaccination, Table – 2 .The molecular mechanisms operating in autoimmunity induction by vaccines are identified as; molecular mimicry, bystander activation and immune cross-reactions [15,16 ,17,18].The adjuvant induced autoimmunity timeline was presented in Table 3. Adjuvants are able to initiate autoimmunity via a variety of mechanisms like; Alteration of host immune system, polyclonal activation of B cells ,viral induced antibodies and acceleration of molecular mimicry[18,19,20]. Five conditions include under the umbrella of Shoenfeld syndrome the, Autoimmune/inflammatory syndrome induced by adjuvants as i – Post vaccination with adjuvanted vaccine ii – macrophagic myofasciitis , iii – sick building condition iv - Gulf war condition and v – siliconosis [19].

Table – 1 : Vaccine associated autoimmune disease Timeline

Achievement	Date	Reference
Vaccine-autoimmunity relationship still obscure	1996	21
Vaccine -autoimmune disease notion is controversial	2000	22
Acquired autoimmunity post to viral vaccination	2008	23
Vaccine induced GBS, thrombocytopenia purpura, myocarditis	2010	24
Mechanisms operating in vaccine induced autoimmunity ;molecular mimicry, immune cross-reaction	2018	16
Molecular mechanisms of vaccine-autoimmunity are; molecular mimicry bystander activation and cross-reactivity	2023	17

Table – 2 : Examples of Vaccine induced autoimmune diseases

Inducer vaccine	Disease type	Reference
HBV	Neuropsychiatric disease	25
Influenza	Endocrine autoimmune disease	26
	GBS	27
HPV	Gastroenteritis,SLE,CNS,arthritis	28
Sars-cov-2	GBS,myocarditis,thrombocytopenia purpura	29-31

Table – 3 : Adjuvant induced autoimmune disease timeline.

Acheivment	Date	Reference
Klebsiella pneumoniae capsular polysaacharide and tissue extract produce lesion	1977	32
Oil containing microbial adjuvant induce autoimmune arthritis	1980	33
CpG oligoneucleotides are potent adjuvant for activationof encephalitogenic T cells	2000	34
Hydrocarbon oil,squalene induce lupus autoantibody in mice	2003	35
Squalene induce autoimmunity	2004	36
Squalene,aluminium hydroxide mineral oil,Iodin gadital are inducing adjuvant autoimmunity	2014	37
Adjuvant induced autoimmune/inflammatory syndrome[Shoenfeld syndrome,ASIA] and thyroid autoimmnity	2016	19,20
Major and minor criteria for diagnosis of ASIA were formulated	2023	18

11-Shoenfeld Syndrome

This syndrome stands as molecular immunogenetic phenomena with characteristic autoimmune reactions noticed post to adjuvant application in some human beings. Shoenfeld and his colleagues [19] have been coining its specific entity (Autoimmune/Inflammatory Syndrome Induced by adjuvant ISIA) as Shoenfeld Syndrome. As the adjuvant vary **the** nomination of the disease varied. But there were a common pathway for the autoimmune pathogenesis. So, there were five sub-entities ensembled under the umbrella of this syndrome as; Postvaccination with adjuvanted vaccine, macrophagic myofasciitis, sick building illness, Gulf war illness and siliconosis. The adjuvant nature can be; Alum, polypropylene mesh, silicon, squalene and infectious agent intrinsic adjuvant. Chronic stimulation by any of these adjuvants in addition to the presence of genetic predisposition with strong sharing genetic elements, sharing immune pathway together with the interplay of pathogenic allele leading to initiation of autoimmune pathology system. This mechanism times my need promotion by specific HLA haplotype to finalize the mechanism of induction of the onset of the autoimmune disease. The forementioned sub-entities shared almost same clinical manifestation. Removal of the adjuvant from the in question patients improve the state of the patient [39,40]

12-Viral Hepatitis VS Shoenfeld Syndrome

In 2003, one of my Ph.D. students [41] had been investigating the prevalence of an array of autoantibodies in chronic hepatitis B & C patients as apart of her Ph.D project, she had been found that hepatitis B & C patients showed higher levels of autoantibodies than controls. 18% of the patients have at least on type of the test auto-antibodies. Rheumatoid factor showed 14/104, 13.46%. While, antinuclear factor auto-antibodies were 5/104, 4.81%. Apparently, hepatitis virus may either have sharing antigenic epitope and/or bear sort of intrinsic adjuvanicity promoting auto immune reactions and antibody production in which they were inline with basic steps of Shoenfeld Syndrome [39,40].

13 – Diagnosis

Vaccine and adjuvant induced autoimmune disease can be diagnosed through the use of Seida et al [18] in which four major and four minor criteria were typically eligible for diagnosis, they recommend even the fulfillment of two major or one major and two minor criteria are sufficient for diagnosis. The major criteria were ; i – exposure to external stimuli , ii - appearance of typical clinical manifestation , iii – biopsy reveal typical histologic findings iv – dysautonomia and v - removal of external stimuli improve the symptoms while the minor criteria were including; i appearance of adjuvant specific auto- antibody , ii – appearance of secondary clinical manifestation , iii – evaluation of clinical autoimmune disease , and iv – disease linked to specific HLA antigen [18]. From the foregoing paragraphs [1-41], an eight points protocol was suggested for evaluation of of vaccine and adjuvant induced autoimmune disease as;

- 1- The in question vaccine and adjuvant are approved for human use in vaccination programs.
- 2- Patient has been subjected to repeated shots of the vaccine or adjuvant through long time period
- 3- The disease onset happened following vaccine or adjuvant application.
- 4- Pathologic Inflammatory system got evaluated.
- 5- Mapping the predisposing genetic elements.
- 6- Vaccine could produce an analogous disease in laboratory animal model with similar immune tissue injury to that of man.
- 7- Patients autoantibody and/or autoreactive lymphocyte when transferred to lab animal could produce the disease.
- 8- Discontinuation of the course of Vaccine or adjuvant application improve the wellbeing both in man and laboratory animal[38].

14- Conclusion

Vaccine and Adjuvant induced autoimmune diseases were rare but are documented in the current literature. Timelines for vaccine and adjuvant induced autoimmunity were presented. Mechanistic analysis of autoimmune disease and Shoenfeld syndrome were briefed. The objective behind the presentation of this opinion paper was to bring attention to; i – importance of understanding the risk factors and mechanisms of Shoenfeld syndrome for diagnosis of suspect cases of post vaccine and adjuvant application ii – A suggestion of an eight points protocol for evaluation of Vaccine and adjuvant induced autoimmune disease, and iii – understanding the theme of Shoenfeld syndrome is crucial for developing vaccines with safer side effect profiles.

References

- 1-Shnawa I M S.2022.Vaccine For Biomedics.BP.international.India-UK,9-14.
- 2-Shnawa IMS.2019.Vaccine Technology AT A Glance.Boffin Access-UK.

3-Institute of Medicine 2011.Adverse effects of vaccines:Evidence and causality-Brief Report.National Academy of Science,Center of Disease Control and Prevention,National vaccine program office.

4-ALKhafajy A J , Shnawa IMS 2023.The rarely occurring vaccine failure in sars-cov-2 vaccinee.Azer.Med.J.63(1):6735-6741.

5-Shnawa IMS 2023.Infection.In,Vaccine and Vaccine Interference.BP international.India-UK,2-3.

6-Parslow TG,Stites DP,Terr AI,Imboden JB 2001.Medical Immunology,10th ed.,lange Medical Books,McGraw-Hill Medical Publishing Division,New York,19-71.

7-Awate S , Babiuk LA ,Mutwiri G 2013.Mechanisms of Adjuvants. Front .Immunol. 4:14. doi.10.3389/fimmu.2013.00114.

8-Verma SK , Mahajan P , Singh NK et al.2023.New-age vaccine adjuvants,their development and future perspectives.Front.Immunol.14 :1-17.doi.10.3389/fimmu.2023.1043109.

9-Hassan A J 2002.Comparative Study On Some Aspects of The Immune Systems of Collard Dove(*Streptopelia decaocta*) and Rabbits (*Oryctolagus cuniculus*).Ph.D.Thesis,Department of Biology College of Science ,Babylon University

10-Thompson AE.2015.The Immune System.JAMA .313(16):1686 doi.10.1001 /jama.2015 .2940.

11-Rosetti FR , Crispin JC.2021.Unwinding the long road that leads to understanding autoimmunity.Invest.Clin.73(5):297-301.

12-Yamamoto K.2004.Mechanisms of Autoimmunity-recent concept.J. Jap.Med. Asso.47(9) :403-406.

13-Perricone C , Shoenfeld Y 2019.Mosaic of autoimmunity; The novel factors of auto-immune diseases.Academic Press.

14-Li YR , Zhao SD ,Bradfield JP et al.2015.Genetic sharing and heritability of pediatric age of onset autoimmune diseases.Nat.Commun.6L1-10.

15-Zherankova A , Van.Diemmen CC ,Wijmenga C.2009.Detecting shared pathogenesis from the shared genetics of immune related diseases.Nat.Rev.Genet.10:43-55.

16-Segal Y , Shoenfeld Y.2018.Vaccine induced autoimmunity;The role of molecular mimicry and cross-reaction.Cell.Mol.Immunol.15(6):586-594.

17-Giri PS , Shoenfeld Y , Dwivedi MK 2023.Vaccin induced Autoimmunity.In.Role of Microorganisms In Pathogenesis and Managment of Autoimmune Diseases.Springer,19-55.

18-Seida I , Seida R ,Elsalti AR ,Mahroum N.2023.Vaccine and autoimmunity-From side effects to ASIA syndrome.Medicina.59:364.doi.10.3390/medcina.59020364.

- 19-Shoenfeld Y , Agmon-Levin N. 2011.ASIA-Autoimmune/inflammatory syndrome induced by adjuvant.J.Autoimmu.36:4-8.
- 20-Watad A , David P , Brown S , Shoenfeld Y.2016.Autoimmune /Inflammatory syndrome induced by adjuvant and thyroid autoimmunity .Front. Endocrinol. 7:150.doi. 10.3389/fendo. 00150.
- 21-Cohen AD , Shoenfeld Y , 1996.Vaccine inuced autoimmunity.J.autoimmun.9(6):699-703.doi.10.10061.
- 22-Shoenfeld Y. , Aron-Maor A 2000.Vaccination and autoimmunity-"Vaccinosis":adangrous liaison?.J.Autoimmu. 14(1):1-10.doi.10.1006/jaut.0346.
- 23-Waisbren BA.2008.Acquired autoimmunity after viral vaccination is caused by molecular mimicry and antigen complementarity in presence of an immunological adjuvant and specific HLA patterns.Med.Hypotheses 70(2):346-348.doi.10. 1016/mehy. Eupub .2007. July.13.
- 24-Salemi S , D'Amelio R 2010.Could autoimmunity be induced by vaccination.Int.J.Immunol .39(3):247-269.
- 25-Zafirir Y , Agmon-Levin N , Paz Z et al.2012.Autoimmunity following hepatitis B vaccine as part of Autoimmune/inflammatory syndrome induced by adjuvant ASIA:Analysis of 93 cases .Lupus 21:146-152.
- 26-Kamath S , Khabra JK , Desai P , Franzi J.2021.Adrenal crisis secodary to infleunza and tetanus vaccine in adult without known adrenal insufficiency ; A case of autoimmune adrenitis.Cercus 13,e 16312.
- 27-Martin Arias LH , Sanz R , Sainz M et al.2015.A Guillain Barre syndrome in infleunza vaccine ;A metanalysis.Vaccine 33:3773-3778.
- 28-Geier DA ,Geier MR 2015.A case control study of qudrivalent papilloma virus-associated autoimmune adverse events.Clin.Rheum.34;1225-1231.
- 29-Mahroum N , Elsalti A , Alwani A et.al.2022.The mosaic of autoimmunity-Finally discussing inperson.The 13th int.Cong.on autoimmunity AUTO13.athens.Autoimmunity Res.21,103166.
- 30-Mahroum N , Levine N , Ohayon A et al..2022.Covid-19 vaccination and the rate of immune and autoimmune adverse events following immunization:Insight from a narrative literature review.Frot.Immunol.13,872683.
- 31-Elsalti A , Alwani A , Seida I et al.2022.The 13th congress on autoimmunity AUTO13 Athens .Isr.Med.Assoc.J.24:425-428.
- 32-Nkashima I ,Yokochi T, KatoAsai J 1977.Microbial adjuvants and autoimmunity .Microbial .Immunol.21(5):279-288.

- 33-Trenham DE , McCune WJ , Susman P David JR.1980.Autoimmunity to collagen in adjuvant arthritis of rats.JCI 66(5):1109-1117.doi.10.117/jci.109940.
- 34-Segal BM , Chang JT , Shevach EM 2000.CoG oligoneucleotide are potent adjuvants for the activation of autoreactive encephalitogenic T cells in-vivo.J.immunol.164(11):5683-5688.
- 35-Satoh M , Yoshia KM , Behney J et al.2003.Induction of lupus autoantibodies by adjuvants .J.Autoimmun. 21(1):1-9.
- 36-Kuroda Y , Nacionales DC ,Akasogi J.et al.2004.Autoimmunity induced by adjuvant hydrocarbon oil component of vaccine EM Consulte 58(5):325-337.
- 37-Vera-Lastra O , Medina G , Cruz-Dominguez MDP et al.2014.Autoimmune and /Inflammatory syndrome induced by adjuvant(Shoenfeld's syndrome):Clinical and immunological spectrum.Expert.rev.Clin.Immunol.9(4):361-373.
- 38-Shnawa IMS 2022.Post-infection-Postvaccination autoimmune neural long covid-19.J.Pharmaceutical.Res.Int.34(36A):1-7.
- 39-Watad A ,Sharif K , Shoenfeld Y 2017.The ASIA syndrome basic concepts.Mediterranean J. Rheumatol.28(2):64-69.
- 40-Tervaert JWC , et al.2023.Autoimmune/Inflammatory Syndrome induced by adjuvant ASIA in 2023.Autoimmunity Rev.22(5):103287.
- 41-Hassan AM 2003.Humoral Immune Responses IN chronic viral hepatitis,Brucellosis and Diabetes militis.Ph.D.theses.department of Biology,College of Science,University of Babylon,62.