

Review Form 1.7

Journal Name:	Asian Journal of Case Reports in Surgery
Manuscript Number:	Ms_AJCRS_106205
Title of the Manuscript:	Common Mesentery in Small Bowel Volvulus - A Case Report
Type of the Article	Case report

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<https://www.journalajcrs.com/index.php/AJCRS/editorial-policy>)

Review Form 1.7

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)																																			
<p>Compulsory REVISION comments</p> <p>1. Is the manuscript important for scientific community? (Please write few sentences on this manuscript)</p> <p>2. Is the title of the article suitable? (If not please suggest an alternative title)</p> <p>3. Is the abstract of the article comprehensive?</p> <p>4. Are subsections and structure of the manuscript appropriate?</p> <p>5. Do you think the manuscript is scientifically correct?</p> <p>6. Are the references sufficient and recent? If you have suggestion of additional references, please mention in the review form.</p> <p>(Apart from above mentioned 6 points, reviewers are free to provide additional suggestions/comments)</p>	<p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>																																				
<p>Minor REVISION comments</p> <p>1. Is language/English quality of the article suitable for scholarly communications?</p>	<p>- Language of the paper needs improvement. The authors are suggested to revise the language and correct all the grammatical errors.</p> <table border="1"> <thead> <tr> <th>Section</th> <th>line</th> <th>Word/statement</th> <th>Correction of the Word/statement</th> </tr> </thead> <tbody> <tr> <td>Abstract</td> <td>13</td> <td>involvement</td> <td>the involvement</td> </tr> <tr> <td>Case report</td> <td>86</td> <td>to the Ladd's procedure</td> <td>to Ladd's procedure</td> </tr> <tr> <td rowspan="4">Discussion</td> <td>125</td> <td>Abdominal-pelvic</td> <td>abdominal pelvic</td> </tr> <tr> <td>128</td> <td>the aorta and</td> <td>the aorta, and</td> </tr> <tr> <td>132</td> <td>this whirl mass</td> <td>this whirling mass</td> </tr> <tr> <td>142</td> <td>and the Ladd's</td> <td>and Ladd's</td> </tr> <tr> <td>Conclusions</td> <td>167</td> <td>by the Ladd's procedure</td> <td>by Ladd's procedure</td> </tr> </tbody> </table> <p>- Introduction: lines 31-33, that part had been translated from French to English. In my opinion, the authors retranslate to be matched with the references as in the following suggestion:</p> <table border="1"> <thead> <tr> <th>Manuscript</th> <th>Reference [2]</th> <th>Its translation</th> </tr> </thead> <tbody> <tr> <td>Frequently, affected individuals remain asymptomatic, and the anomaly is often incidentally discovered; its occurrence in routine surgical practice is notably infrequent, accounting for a mere 0.2% to 0.5% of cases [2].</td> <td>Ces anomalies de rotation intestinale peuvent aboutir à des complications redoutables parfois mortelles, qui surviennent généralement au cours de la période néonatale où à l'âge pédiatrique. On estime que la prévalence de ces malformations congénitales à l'âge adulte est de l'ordre de 0,2% à 0,5%; âge auquel elles demeurent très souvent asymptomatiques et donc non diagnostiquées</td> <td>These intestinal rotation abnormalities can lead to serious and sometimes fatal complications, which generally occur during the neonatal period or at pediatric age. The prevalence of these congenital malformations in adulthood is estimated to be around 0.2% to 0.5%; age at which they very often remain asymptomatic and therefore undiagnosed</td> </tr> </tbody> </table>	Section	line	Word/statement	Correction of the Word/statement	Abstract	13	involvement	the involvement	Case report	86	to the Ladd's procedure	to Ladd's procedure	Discussion	125	Abdominal-pelvic	abdominal pelvic	128	the aorta and	the aorta, and	132	this whirl mass	this whirling mass	142	and the Ladd's	and Ladd's	Conclusions	167	by the Ladd's procedure	by Ladd's procedure	Manuscript	Reference [2]	Its translation	Frequently, affected individuals remain asymptomatic, and the anomaly is often incidentally discovered; its occurrence in routine surgical practice is notably infrequent, accounting for a mere 0.2% to 0.5% of cases [2].	Ces anomalies de rotation intestinale peuvent aboutir à des complications redoutables parfois mortelles, qui surviennent généralement au cours de la période néonatale où à l'âge pédiatrique. On estime que la prévalence de ces malformations congénitales à l'âge adulte est de l'ordre de 0,2% à 0,5%; âge auquel elles demeurent très souvent asymptomatiques et donc non diagnostiquées	These intestinal rotation abnormalities can lead to serious and sometimes fatal complications, which generally occur during the neonatal period or at pediatric age. The prevalence of these congenital malformations in adulthood is estimated to be around 0.2% to 0.5%; age at which they very often remain asymptomatic and therefore undiagnosed	
Section	line	Word/statement	Correction of the Word/statement																																		
Abstract	13	involvement	the involvement																																		
Case report	86	to the Ladd's procedure	to Ladd's procedure																																		
Discussion	125	Abdominal-pelvic	abdominal pelvic																																		
	128	the aorta and	the aorta, and																																		
	132	this whirl mass	this whirling mass																																		
	142	and the Ladd's	and Ladd's																																		
Conclusions	167	by the Ladd's procedure	by Ladd's procedure																																		
Manuscript	Reference [2]	Its translation																																			
Frequently, affected individuals remain asymptomatic, and the anomaly is often incidentally discovered; its occurrence in routine surgical practice is notably infrequent, accounting for a mere 0.2% to 0.5% of cases [2].	Ces anomalies de rotation intestinale peuvent aboutir à des complications redoutables parfois mortelles, qui surviennent généralement au cours de la période néonatale où à l'âge pédiatrique. On estime que la prévalence de ces malformations congénitales à l'âge adulte est de l'ordre de 0,2% à 0,5%; âge auquel elles demeurent très souvent asymptomatiques et donc non diagnostiquées	These intestinal rotation abnormalities can lead to serious and sometimes fatal complications, which generally occur during the neonatal period or at pediatric age. The prevalence of these congenital malformations in adulthood is estimated to be around 0.2% to 0.5%; age at which they very often remain asymptomatic and therefore undiagnosed																																			

Review Form 1.7

Optional/General comments	Please, note that to facilitate the revision I have included the line number, beginning at the abstract (i.e, line 1)	
----------------------------------	---	--

PART 2:

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
Are there ethical issues in this manuscript?	<i>(If yes, Kindly please write down the ethical issues here in details)</i>	

Reviewer Details:

Name:	Faika Ibrahim Mohamed Hassanein
Department, University & Country	Pharos University in Alexandria, Egypt