

**Review Form 1.7**

Journal Name:	<b>International Journal of Research and Reports in Dentistry</b>
Manuscript Number:	<b>Ms_IJRRD_114953</b>
Title of the Manuscript:	<b>SONAL'S U BONDED SPACE MAINTAINER- A CASE REPORT</b>
Type of the Article	<b>Case report</b>

**PART 1: Review Comments**

	<b>Reviewer's comment</b>	<b>Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</b>
<p><b>Compulsory</b> REVISION comments</p> <p>1. <b>Is the manuscript important for scientific community?</b> (Please write few sentences on this manuscript)</p> <p>2. <b>Is the title of the article suitable?</b> (If not please suggest an alternative title)</p> <p>3. <b>Is the abstract of the article comprehensive?</b></p> <p>4. <b>Are subsections and structure of the manuscript appropriate?</b></p> <p>5. <b>Do you think the manuscript is scientifically correct?</b></p> <p>6. <b>Are the references sufficient and recent? If you have suggestion of additional references, please mention in the review form.</b></p> <p><b>(Apart from above mentioned 6 points, reviewers are free to provide additional suggestions/comments)</b></p>	<p><b>Yes. This new design of space maintainer can definitely be used as an alternative to other space maintainers, especially in uncooperative patients.</b></p> <p><b>Yes.</b></p> <p><b>Yes.</b></p> <p>Yes.</p> <p>Yes.</p> <p>There are sufficient references.</p>	
<p><b>Minor</b> REVISION comments</p> <p>1. <b>Is language/English quality of the article suitable for scholarly communications?</b></p>	<p>Yes.</p>	
<p><b>Optional/General</b> comments</p>	<p>Would like the authors to talk about the shortcomings and drawbacks of this design which they noticed or they expect. As this design was given to just one patient, it might have not been noticed. There are chances that it will irritate the cheek and buccal mucosa. Author can mention in the conclusion "Further study on a larger population can be done with this design to further evaluate the benefits and limitations of this new space maintainer."</p>	

**PART 2:**

	<b>Reviewer's comment</b>	<b>Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</b>
<p><b>Are there ethical issues in this manuscript?</b></p>	<p><i>(If yes, Kindly please write down the ethical issues here in details)</i></p>	

**Review Form 1.7**

**Reviewer Details:**

Name:	<b>Anubhav Roy</b>
Department, University & Country	<b>Alorf Hospital, Kuwait</b>