

## Minireview Article

# Antioxidant Protection Mechanisms in the Cardiovascular System

### ABSTRACT

The cardiovascular system, consisting of the heart and blood vessels, plays a critical role in maintaining the consistency of blood flow to supply oxygen throughout the body. Changes in the dynamics of blood flow can occur with the progression of disease exposure. Reactive oxygen species (ROS) are a major trigger for cardiomyocyte and endothelial dysfunction. Therefore, an antioxidant defense system is essential for prevention. This review aims to provide insights into the primary mechanisms of antioxidants in their role as cardioprotective agents. The human body has at least five defense mechanisms against ROS. Understanding these mechanisms will offer readers a strong perspective on the importance of sufficient antioxidants in the body to maintain cardiovascular function.

**Comment [FM1]:** abstract effectively outlines the purpose and scope of the review, making it informative

*Keywords: antioxidants, cardiovascular, mechanisms*

### 1. Introduction

The cardiovascular system is vital in maintaining blood flow to all body tissues, transporting nutrients, and facilitating the exchange of oxidants, carbon dioxide, and various other gases. A healthy heart and blood vessels are essential for ensuring these processes function correctly. However, as body dynamics change due to illness, blood flow may become problematic, obstructed, or even blocked due to internal structural changes in the blood vessels, leading to progressive hypoxia and peripheral tissue damage due to oxygen deprivation. Many factors can cause damage to blood vessels.

**Comment [DM2]:** Introduction

Oxidants pose a serious challenge in the cardiovascular system. The presence of reactive oxygen species (ROS) can attack various components within the vascular system. Manifestations of ROS exposure may include mitochondrial dysfunction, cardiomyocyte hypertrophy, and endothelial dysfunction[1]. The best way to counterbalance and neutralize the effects of ROS is by ensuring an adequate supply of antioxidants in the body.

**Comment [FM3]:** kindly mention specific cardiovascular diseases or conditions where oxidative stress plays a significant role

By definition, antioxidants are substances capable of neutralizing oxidant effects by donating electrons. This mechanism prevents a chain reaction from ROS exposure. However, failure to neutralize these effects can trigger oxidative stress[2].

**Comment [FM4]:** Briefly mentioning the consequences of oxidative stress on cardiovascular health could emphasize the clinical relevance of oxidative stress in cardiovascular diseases, including its association with disease progression, prognosis, and treatment outcomes.

The importance of antioxidants in maintaining vascular health highlights the integral knowledge of their mechanisms of action.

### 2. Sources and Types of Oxidants

**Comment [FM5]:** Discuss external factors which can contribute to oxidative stress and cardiovascular damage.

Oxidants can originate internally or externally. Throughout life, humans are continuously exposed to free radicals from external environments[3]. Internal sources are byproducts of various metabolic processes. Commonly known oxidants include ROS. Free radicals are atoms or molecules with an unpaired single electron, such as nitric oxide ( $\bullet\text{NO}$ ), superoxide ( $\text{O}_2^{\bullet-}$ ), hydroxyl radicals ( $\bullet\text{OH}$ ), and lipid peroxy radicals ( $\text{LOO}\bullet$ ) [4]. These radical molecules are highly reactive and can alter the character of a molecule.

This high reactivity enables free radicals to interact aggressively with cellular components, potentially altering DNA, proteins, and cell membranes[5,6]. Such interactions can lead to cellular dysfunction and contribute to the aging process and the development of various diseases. Managing these oxidants is crucial for maintaining cellular integrity and overall health, highlighting the importance of both understanding their origins and implementing strategies to mitigate their impact effectively.

### 3. Sources and Types of Antioxidants

Antioxidants are available from external sources outside the body through fruits and vegetables and from within the body in the form of enzymes. Plant-derived polyphenols are known to have beneficial effects as cardioprotective agents[7]. These external sources are rich in essential vitamins and other bioactive compounds that help in neutralizing free radicals and reducing oxidative stress. Foods such as blueberries, spinach, and nuts are particularly high in antioxidants and are recommended for maintaining good cardiovascular health[8,9].

In addition to external sources, the body inherently produces several powerful antioxidant enzymes that play a crucial role in combating oxidative damage[10]. These enzymes include superoxide dismutase (SOD), catalase, and glutathione peroxidase, which are synthesized in various tissues and help mitigate the accumulation of reactive oxygen species (ROS)[11]. The balanced activity of these enzymes is vital for maintaining cellular health and preventing oxidative stress, which is often a precursor to chronic diseases including cardiovascular disorders. This intrinsic defense system complements dietary antioxidants and is essential for holistic cardiovascular protection.

### 4. Antioxidant Mechanisms in the Cardiovascular System

The body's antioxidant system operates effectively through a series of complex, interconnected, and supportive mechanisms. These mechanisms establish several antioxidants also known as cardioprotective. Important antioxidants include:

- **Superoxide Dismutases (SODs)** play a crucial role in converting superoxide anions into hydrogen peroxide[12], thus preventing peroxynitrite formation[13].
- **Catalase** helps neutralize the negative effects of hydrogen peroxide by converting it into water, predominantly found in the liver and kidneys[14].
- **Glutathione Peroxidase (Gpx)** functions similarly to catalase, converting hydrogen peroxide into water and is found in cytoplasmic (Fig.1), mitochondrial, and nuclear compartments[11],[15].
- **Peroxiredoxin (Prx)** can reduce peroxides from various molecules[16], including hydrogen peroxide and peroxynitrite, with six distinguishable isoforms found in different subcellular locations[1].
- **Glutathione** serves multiple antioxidant roles: as a co-factor for Gpx, a chelator of transition metals, and a regenerator of vitamins C and E. It can also interact with hydroxyl radicals or function as a peroxide[14].




Fig. 1 The Role of Glutathione as an Antioxidant.

Reactive oxygen species (ROS), a group of highly reactive molecules derived primarily from oxygen, play a pivotal role in triggering dysfunction in cardiomyocytes and endothelial cells, the fundamental components of the

**Comment [FM6]:** Highlight the interplay between oxidative stress and inflammation, as chronic inflammation can exacerbate cardiovascular diseases.

**Comment [FM7]:** Highlight the role of inflammatory processes in ROS generation and its contribution to cardiovascular pathology.

**Comment [FM8]:** Discuss the role of endogenous antioxidants in scavenging ROS and protecting against oxidative damage.

**Comment [FM9]:** Mention emerging antioxidant compounds or supplementation, and their potential benefits on cardiovascular health.

**Comment [FM10]:** Discuss the role of transcription factors in regulating the expression of antioxidant enzymes and maintaining redox homeostasis. Also mention the role of antioxidants in modulating inflammatory pathways and endothelial function, thereby contributing to overall cardiovascular protection.

cardiovascular system. These reactive molecules, when present in excess, can initiate a cascade of oxidative stress that leads to cellular damage. This oxidative stress affects the structural integrity and function of cardiomyocytes, the muscle cells responsible for heart contractions, and endothelial cells, which line the blood vessels. Such damage compromises the heart's ability to pump blood and the vessels' capacity to regulate blood flow and pressure, ultimately impairing cardiovascular health[17–19]. Recognizing the impact of ROS is crucial for understanding the molecular mechanisms underlying cardiovascular diseases and for developing strategies to mitigate these harmful effects.

## 5. Conclusion

The cardiovascular system is vulnerable to ROS attacks, leading to further manifestations including vascular and cardiac cell dysfunction. However, the body possesses antioxidant defense mechanisms involving enzymes and vitamins that can prevent oxidative stress.

## References

1. Dubois-Deruy E, Peugnet V, Turkieh A, Pinet F. Oxidative Stress in Cardiovascular Diseases. *Antioxidants*. 2020;9(9):864. doi:10.3390/antiox9090864
2. Lian Y, Li Y, Liu A, Ghosh S, Shi Y, Huang H. Dietary antioxidants and vascular calcification: From pharmacological mechanisms to challenges. *Biomed Pharmacother*. 2023;168:115693. doi:10.1016/j.biopha.2023.115693
3. Anand S, Bharadvaja N. Potential Benefits of Nutraceuticals for Oxidative Stress Management. *Rev Bras Farmacogn*. 2022;32(2):211-220. doi:10.1007/s43450-022-00246-w
4. Halliwell B, Gutteridge JMC. *Free Radicals in Biology and Medicine*. Oxford University Press; 2015.
5. Martemucci G, Costagliola C, Mariano M, D'andrea L, Napolitano P, D'Alessandro AG. Free Radical Properties, Source and Targets, Antioxidant Consumption and Health. *Oxygen*. 2022;2(2):48-78. doi:10.3390/oxygen2020006
6. Wang XQ, Wang W, Peng M, Zhang XZ. Free radicals for cancer theranostics. *Biomaterials*. 2021;266:120474. doi:10.1016/j.biomaterials.2020.120474
7. Kwaśniewska M, Pikala M, Grygorczuk O, et al. Dietary Antioxidants, Quality of Nutrition and Cardiovascular Characteristics among Omnivores, Flexitarians and Vegetarians in Poland—The Results of Multicenter National Representative Survey WOBASZ. *Antioxidants*. 2023;12(2):222. doi:10.3390/antiox12020222
8. Glenn AJ, Aune D, Freisling H, et al. Nuts and Cardiovascular Disease Outcomes: A Review of the Evidence and Future Directions. *Nutrients*. 2023;15(4):911. doi:10.3390/nu15040911
9. Rahaman MdM, Hossain R, Herrera- Bravo J, et al. Natural antioxidants from some fruits, seeds, foods, natural products, and associated health benefits: An update. *Food Sci Nutr*. 2023;11(4):1657-1670. doi:10.1002/fsn3.3217
10. Davies KJA. Oxidative Stress, Antioxidant Defenses, and Damage Removal, Repair, and Replacement Systems. *IUBMB Life*. 2000;50(4-5):279-289. doi:10.1080/713803728
11. Tan M, Yin Y, Ma X, et al. Glutathione system enhancement for cardiac protection: pharmacological options against oxidative stress and ferroptosis. *Cell Death Dis*. 2023;14(2):131. doi:10.1038/s41419-023-05645-y
12. Batool R, Umer MJ, Hussain B, Anees M, Wang Z. Molecular Mechanisms of Superoxide Dismutase (SODs)-Mediated Defense in Controlling Oxidative Stress in Plants. In: Aftab T, Hakeem KR, eds. *Antioxidant Defense in Plants*. Springer Nature Singapore; 2022:157-179. doi:10.1007/978-981-16-7981-0\_8
13. Gao W, He J, Chen L, et al. Deciphering the catalytic mechanism of superoxide dismutase activity of carbon dot nanozyme. *Nat Commun*. 2023;14(1):160. doi:10.1038/s41467-023-35828-2

### Comment [FM11]:

Highlighting ongoing research or future directions in antioxidant-based therapies for cardiovascular diseases provides a forward-looking perspective, and discussing potential therapeutic interventions targeting oxidative stress, such as antioxidant-based drugs or lifestyle modifications will signify their implications for future cardiovascular management

14. Andrés CMC, Pérez de la Lastra JM, Juan CA, Plou FJ, Pérez-Lebeña E. Chemistry of Hydrogen Peroxide Formation and Elimination in Mammalian Cells, and Its Role in Various Pathologies. *Stresses*. 2022;2(3):256-274. doi:10.3390/stresses2030019
15. Kalyanaraman B. Teaching the basics of redox biology to medical and graduate students: Oxidants, antioxidants and disease mechanisms. *Redox Biol*. 2013;1(1):244-257. doi:10.1016/j.redox.2013.01.014
16. Sies H, Jones DP. Reactive oxygen species (ROS) as pleiotropic physiological signalling agents. *Nat Rev Mol Cell Biol*. 2020;21(7):363-383. doi:10.1038/s41580-020-0230-3
17. Zuchi C, Tritto I, Carluccio E, Mattei C, Cattadori G, Ambrosio G. Role of endothelial dysfunction in heart failure. *Heart Fail Rev*. 2020;25(1):21-30. doi:10.1007/s10741-019-09881-3
18. Nikdoust F, Pazoki M, Mohammadtaghizadeh M, Aghaali MK, Amrovani M. Exosomes: Potential Player in Endothelial Dysfunction in Cardiovascular Disease. *Cardiovasc Toxicol*. 2022;22(3):225-235. doi:10.1007/s12012-021-09700-y
19. Akhigbe R, Ajayi A. The impact of reactive oxygen species in the development of cardiometabolic disorders: a review. *Lipids Health Dis*. 2021;20(1):23. doi:10.1186/s12944-021-01435-7

UNDER PEER REVIEW