

The Role of Food Science in Combating Obesity and Related Metabolic Disorders

Abstract

Obesity and related metabolic disorders have emerged as major global health challenges, affecting millions of individuals worldwide. The prevalence of these conditions has reached epidemic proportions, leading to increased morbidity, mortality, and healthcare costs. Food science plays a crucial role in addressing this complex issue by developing innovative strategies and interventions to promote healthier eating habits and prevent the development of obesity and its associated comorbidities. This comprehensive review explores the multifaceted role of food science in combating obesity and related metabolic disorders, focusing on key areas such as food formulation, processing, preservation, and fortification. We discuss the development of functional foods and ingredients that target specific metabolic pathways, as well as the application of novel technologies to enhance the nutritional quality and sensory appeal of food products. Additionally, we highlight the importance of consumer education and behavior change strategies in promoting healthy food choices and portion control. The review also examines the potential of personalized nutrition approaches, which leverage advances in nutrigenomics and metabolomics to tailor dietary interventions based on individual genetic and metabolic profiles. Furthermore, we explore the role of food science in developing sustainable and equitable food systems that ensure access to nutritious foods for all populations. By synthesizing the latest research findings and identifying gaps in current knowledge, this review provides valuable insights and recommendations for future research and policy initiatives aimed at harnessing the power of food science to combat obesity and related metabolic disorders on a global scale.

Keywords: Obesity, Metabolic Disorders, Food Science, Functional Foods, Personalized Nutrition

Introduction

Obesity has become a global pandemic, affecting individuals across all age groups and socioeconomic backgrounds. According to the World Health Organization (WHO), the worldwide prevalence of obesity nearly tripled between 1975 and 2016, with over 650 million adults and 124 million children and adolescents classified as obese [1]. Obesity is a complex, multifactorial condition characterized by excessive accumulation of body fat, resulting from an imbalance between energy intake and expenditure [2]. It is associated with numerous comorbidities, including type 2 diabetes, cardiovascular disease, certain cancers, and musculoskeletal disorders, leading to reduced quality of life and increased mortality risk [3].

Table 1: Prevalence of obesity among adults and children worldwide

Region	Adult Obesity Prevalence (%)	Childhood Obesity Prevalence (%)
Worldwide	13.1	5.6
Africa	8.8	3.9
Asia	6.2	5.0
Europe	22.9	7.5
Latin America and the Caribbean	24.1	7.1

Northern America	31.3	12.9
Oceania	28.3	8.5

Food science plays a pivotal role in addressing the obesity epidemic by developing innovative strategies and interventions to promote healthier eating habits and prevent the development of obesity and related metabolic disorders. Food scientists apply interdisciplinary knowledge from fields such as chemistry, biology, physics, and engineering to understand the properties and interactions of food components, as well as to design, process, and preserve food products that meet the nutritional needs and preferences of consumers [4].




Figure 1: Prevalence of obesity among adults worldwide by region

Table 2: Key areas of focus for food science in combating obesity and related metabolic disorders

Area	Description
Functional foods and ingredients	Development of foods and ingredients that target specific metabolic pathways involved in energy balance and weight management
Novel food processing and preservation technologies	Application of technologies to enhance nutritional quality and sensory appeal while reducing unhealthy components
Food fortification strategies	Addition of micronutrients to foods to address deficiencies that may contribute to obesity and related disorders
Consumer education and behavior change	Development of strategies to promote healthy food choices and eating habits
Personalized nutrition approaches	Tailoring of dietary interventions based on individual genetic and metabolic profiles
Sustainable and equitable food systems	Development of strategies to ensure access to nutritious foods for all populations

This comprehensive review explores the multifaceted role of food science in combating obesity and related metabolic disorders. We begin by discussing the development of functional foods and

ingredients that target specific metabolic pathways involved in energy balance and weight management. Next, we examine the application of novel food processing and preservation technologies to enhance the nutritional quality and sensory appeal of food products while reducing the content of unhealthy components such as added sugars, saturated fats, and sodium. We also highlight the importance of food fortification strategies in addressing micronutrient deficiencies that may contribute to obesity and related metabolic disorders.




Figure 2: Schematic representation of the key areas of focus for food science in combating obesity and related metabolic disorders

Consumer education and behavior change strategies are critical components of a comprehensive approach to combating obesity. We explore the role of food science in developing effective nutrition labeling systems, portion control tools, and targeted marketing campaigns to promote healthy food choices and eating habits. Additionally, we discuss the potential of personalized nutrition approaches, which leverage advances in nutrigenomics and metabolomics to tailor dietary interventions based on individual genetic and metabolic profiles.

Finally, we examine the role of food science in developing sustainable and equitable food systems that ensure access to nutritious foods for all populations. This includes strategies to reduce food waste, improve food distribution networks, and promote local and regional food production. By synthesizing the latest research findings and identifying gaps in current knowledge, this review provides valuable insights and recommendations for future research and policy initiatives aimed at harnessing the power of food science to combat obesity and related metabolic disorders on a global scale.

Functional Foods and Ingredients for Weight Management

Functional foods are defined as foods that provide health benefits beyond basic nutrition, due to the presence of biologically active components [5]. In the context of obesity and weight management, functional foods and ingredients can target specific metabolic pathways involved in energy balance, appetite regulation, and fat metabolism.

Table 3: Examples of functional ingredients for weight management

Ingredient	Mechanism of action
Dietary fibers (e.g., beta-glucan)	Increase satiety and delay gastric emptying
Proteins and peptides (e.g., whey, casein)	Influence appetite-regulating hormones
Thermogenic compounds (e.g., capsaicin, green tea catechins)	Increase energy expenditure and fat oxidation
Prebiotics (e.g., inulin, fructooligosaccharides)	Stimulate growth of beneficial gut bacteria
Probiotics (e.g., Bifidobacterium, Lactobacillus)	Modulate gut microbiome and improve




Figure 3: Mechanisms of action of selected functional ingredients for weight management

Appetite-Suppressing Ingredients

One approach to developing functional foods for weight management is to incorporate ingredients that promote satiety and reduce food intake. Dietary fibers, such as beta-glucan from oats and barley, have been shown to increase feelings of fullness and delay gastric emptying, leading to reduced energy intake and improved weight control [6]. Similarly, proteins and peptides derived from various food sources, including whey, casein, soy, and pea, have demonstrated appetite-suppressing effects through their influence on gut hormones such as ghrelin and peptide YY [7].

Thermogenic Compounds

Another strategy involves the use of thermogenic compounds, which increase energy expenditure and fat oxidation. Capsaicin, the active component in chili peppers, has been shown to boost metabolism and reduce body fat in animal and human studies [8]. Green tea catechins, particularly

epigallocatechin gallate (EGCG), have also demonstrated thermogenic properties, as well as the ability to inhibit lipogenesis and promote fat oxidation [9].

Prebiotics and Probiotics

The gut microbiome has emerged as a key player in the development of obesity and related metabolic disorders [10]. Prebiotics, such as inulin and fructooligosaccharides, are non-digestible carbohydrates that selectively stimulate the growth and activity of beneficial gut bacteria, such as *Bifidobacterium* and *Lactobacillus* species [11]. Probiotics, which are live microorganisms that confer health benefits when consumed in adequate amounts, have also shown promise in modulating the gut microbiome and improving metabolic health [12]. The incorporation of prebiotics and probiotics into functional foods, such as yogurt, kefir, and fermented vegetables, may help to promote a healthy gut microbiome and reduce the risk of obesity and related disorders.

Challenges and Future Directions

While functional foods and ingredients offer promising strategies for weight management, several challenges remain. The efficacy of these products may vary depending on individual factors such as genetics, gut microbiome composition, and overall dietary and lifestyle habits [13]. Additionally, the long-term safety and sustainability of consuming these products require further investigation. Future research should focus on developing personalized functional food interventions that take into account individual metabolic profiles and dietary preferences, as well as exploring synergistic combinations of functional ingredients to optimize their weight management effects.

Table 4: Novel food processing technologies and their applications

Technology	Description	Applications
High-pressure processing (HPP)	Uses high hydrostatic pressure to inactivate microorganisms and enzymes	Creation of low-calorie, nutrient-dense food products
Pulsed electric field (PEF) processing	Uses short, high-voltage pulses to inactivate microorganisms and enzymes	Preservation of nutritional and sensory qualities; extraction of bioactive compounds
Microencapsulation	Packaging of sensitive ingredients within a protective matrix	

Novel Food Processing and Preservation Technologies

Advances in food processing and preservation technologies have the potential to enhance the nutritional quality and sensory appeal of food products while reducing the content of unhealthy components such as added sugars, saturated fats, and sodium. These technologies can also help to extend the shelf life of perishable foods, reducing food waste and improving food security.

High-Pressure Processing

High-pressure processing (HPP) is a non-thermal preservation method that uses high hydrostatic pressure to inactivate microorganisms and enzymes while maintaining the nutritional and sensory qualities of food products [14]. HPP has been successfully applied to a wide range of foods, including fruits, vegetables, meat, and seafood, resulting in products with reduced microbial loads and extended

shelf life [15]. In the context of obesity prevention, HPP can be used to create low-calorie, nutrient-dense food products, such as fruit and vegetable purees, that retain their natural flavors and colors without the need for added sugars or preservatives.

Pulsed Electric Field Processing

Pulsed electric field (PEF) processing is another non-thermal technology that uses short, high-voltage pulses to inactivate microorganisms and enzymes in food products [16]. PEF has been shown to preserve the nutritional and sensory qualities of foods while reducing the need for chemical preservatives [17]. In addition, PEF has been applied to the extraction of bioactive compounds from plant-based foods, such as polyphenols and carotenoids, which may have anti-obesity and anti-inflammatory properties [18].




Figure 4: Overview of novel food processing technologies and their applications in obesity prevention and management

Microencapsulation

Microencapsulation is a technology that involves the packaging of sensitive ingredients, such as vitamins, minerals, and bioactive compounds, within a protective matrix to enhance their stability, bioavailability, and targeted delivery [19]. In the context of obesity prevention, microencapsulation can be used to fortify foods with micronutrients that are often deficient in the diets of obese individuals, such as vitamin D and omega-3 fatty acids [20]. Microencapsulation can also be used to mask the undesirable tastes and odors of functional ingredients, such as fish oil, making them more acceptable to consumers [21].

Table 5: Examples of food fortification strategies to address obesity and related disorders

Nutrient	Target population	Food vehicle	Health benefit
Vitamin D	Obese individuals	Milk, yogurt, orange juice	Improved insulin sensitivity and glucose metabolism
Omega-3 fatty acids	General population	Bread, pasta, eggs	Improved insulin sensitivity and reduced body fat
Iron	Women and children in developing countries	Wheat flour, rice	Prevention of iron deficiency anemia and associated metabolic disorders

Table 6: Consumer education and behavior change strategies for promoting healthy eating habits

Strategy	Description	Examples
Nutrition labeling	Communication of nutrient content and health properties of foods	Front-of-pack labeling systems (e.g., traffic light labels, nutrient profiling scores)
Portion control	Tools and strategies to help individuals estimate and control food intake	Visual aids, pre-portioned packaging, reduced-portion versions of food products
Social marketing campaigns	Targeted campaigns to raise awareness and motivate behavior change	Television, social media, and community-based campaigns promoting healthy eating and physical activity

Challenges and Future Directions

While novel food processing and preservation technologies offer exciting opportunities for creating healthier and more sustainable food products, several challenges must be addressed. The high initial costs associated with implementing these technologies may limit their adoption by small and medium-sized food companies [22]. Additionally, consumer acceptance of foods processed using these novel technologies may be a barrier, as some individuals may perceive them as "unnatural" or "over-processed" [23]. Future research should focus on developing cost-effective and scalable processing methods, as well as educating consumers about the benefits and safety of these technologies.

Food Fortification Strategies

Food fortification is the practice of adding micronutrients, such as vitamins and minerals, to food products to address deficiencies in the population and improve public health [24]. In the context of obesity and related metabolic disorders, food fortification can play a role in correcting micronutrient imbalances that may contribute to the development and progression of these conditions.

Vitamin D Fortification

Vitamin D deficiency is common among obese individuals, and low vitamin D status has been associated with increased risk of insulin resistance, type 2 diabetes, and cardiovascular disease [25]. Fortifying foods with vitamin D, such as milk, yogurt, and orange juice, can help to increase vitamin D intake and improve vitamin D status in the population [26]. Studies have shown that vitamin D fortification can lead to improvements in insulin sensitivity and glucose metabolism, as well as reductions in inflammatory markers associated with obesity [27].

Omega-3 Fatty Acid Fortification

Omega-3 fatty acids, particularly eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA), have been shown to have anti-inflammatory and cardioprotective effects, as well as the ability to improve insulin sensitivity and reduce body fat [28]. However, many individuals, especially those following Western-style diets, have low intakes of omega-3 fatty acids [29]. Fortifying foods with omega-3 fatty acids, such as bread, pasta, and eggs, can help to increase intake and improve metabolic health [30].




Figure 5: Examples of food fortification strategies to address micronutrient deficiencies associated with obesity and related disorders

Iron Fortification

Iron deficiency anemia is a common nutritional disorder, particularly among women of reproductive age and children in developing countries [31]. Iron deficiency has been associated with increased risk of obesity and related metabolic disorders, possibly due to its effects on energy metabolism and adipose tissue function [32]. Fortifying staple foods, such as wheat flour and rice, with iron can help to prevent and treat iron deficiency anemia, as well as potentially reduce the risk of obesity and related disorders [33].

Challenges and Future Directions

Food fortification strategies face several challenges, including the potential for nutrient interactions and overfortification, which can lead to adverse health effects [34]. Additionally, the bioavailability of added micronutrients may vary depending on the food matrix and processing conditions [35]. Future

research should focus on developing fortification strategies that optimize nutrient bioavailability and minimize the risk of nutrient interactions. Furthermore, the development of targeted fortification approaches, based on the specific nutritional needs of different population groups, may help to maximize the health benefits of food fortification.

Consumer Education and Behavior Change Strategies

Promoting healthy eating habits and lifestyle choices is a critical component of preventing and managing obesity and related metabolic disorders. Food science can play a role in developing effective consumer education and behavior change strategies that empower individuals to make informed decisions about their diets and health.

Nutrition Labeling

Nutrition labeling is a key tool for communicating information about the nutrient content and health properties of food products to consumers [36]. Clear, accurate, and easily understandable nutrition labels can help individuals make healthier food choices and control their intake of calories, saturated fats, added sugars, and sodium [37]. Front-of-pack labeling systems, such as traffic light labels and nutrient profiling scores, have been shown to be particularly effective in guiding consumer choices towards healthier options [38].

Portion Control

Controlling portion sizes is an important strategy for managing energy intake and preventing overconsumption [39]. Food science can contribute to the development of portion control tools, such as visual aids and pre-portioned packaging, that help individuals to estimate and control their food intake [40]. Additionally, food scientists can work with the food industry to develop reduced-portion versions of popular food products, such as snacks and beverages, that maintain sensory appeal while reducing calorie content [41].

Table 7: Key concepts in personalized nutrition for obesity prevention and management

Concept	Description
Nutrigenomics	Study of how nutrients and bioactive compounds interact with the genome to influence gene expression and cellular processes
Metabolomics	Study of small molecule metabolites in biological systems, providing a snapshot of an individual's metabolic state
Personalized nutrition recommendations	Tailoring of dietary interventions based on an individual's genetic and metabolic profile
Personalized prebiotic and probiotic interventions	Modulation of the gut microbiome based on an individual's specific gut microbial composition and metabolic health goals

Table 8: Strategies for developing sustainable and equitable food systems

Strategy	Description	Examples
Reducing food waste	Development of solutions to extend shelf life and repurpose food waste	Active and intelligent packaging; value-added

		products from food waste streams
Improving food distribution networks	Development of strategies to increase access to fresh, healthy foods in underserved communities	Mobile markets, community-supported agriculture programs, food hub initiatives
Promoting local and regional food production	Support for local and regional food systems to reduce	

Social Marketing Campaigns

Social marketing campaigns that promote healthy eating habits and physical activity can be effective in raising awareness and motivating behavior change [42]. Food scientists can collaborate with public health professionals and marketing experts to develop targeted campaigns that resonate with specific population groups, such as children, adolescents, and low-income communities [43]. These campaigns can leverage a variety of media channels, including television, social media, and community-based events, to reach a wide audience and encourage the adoption of healthy lifestyles.

Challenges and Future Directions

Effective consumer education and behavior change strategies must overcome several challenges, including the pervasive influence of unhealthy food environments, the persistence of unhealthy eating habits, and the limited resources available for public health interventions [44]. Future research should focus on developing evidence-based, culturally sensitive, and cost-effective strategies that can be implemented at a population level. Additionally, the use of innovative technologies, such as mobile health apps and personalized nutrition platforms, may help to enhance the reach and impact of these interventions.

Table 9: Examples of personalized nutrition interventions for obesity and related disorders

Intervention	Target population	Mechanism of action
Personalized omega-3 fatty acid recommendations	Individuals with cardiovascular disease risk	Optimization of omega-3 intake based on genetic variations in fatty acid metabolism
Personalized prebiotic and probiotic formulations	Individuals with metabolic syndrome	Modulation of gut microbiome based on individual microbial composition and metabolic health goals
Personalized vitamin and mineral recommendations	Individuals with genetic polymorphisms affecting nutrient metabolism	Optimization of nutrient intake based on individual genetic variations and dietary habits

Personalized Nutrition Approaches

Personalized nutrition is an emerging field that aims to tailor dietary recommendations and interventions based on an individual's genetic, metabolic, and lifestyle characteristics [45]. Advances in nutrigenomics, metabolomics, and other omics technologies have enabled a better understanding of the complex interactions between diet, genes, and health outcomes, paving the way for personalized approaches to preventing and managing obesity and related metabolic disorders.

Nutrigenomics

Nutrigenomics is the study of how nutrients and bioactive compounds interact with the genome to influence gene expression and cellular processes [46]. Genetic variations, such as single nucleotide polymorphisms (SNPs), can affect an individual's response to specific nutrients and dietary patterns, leading to different health outcomes [47]. For example, certain SNPs in the *FTO* gene have been associated with increased risk of obesity and type 2 diabetes, and these associations may be modulated by dietary factors such as protein and fiber intake [48]. By understanding an individual's genetic profile, personalized nutrition recommendations can be developed to optimize nutrient intake and minimize disease risk.

Metabolomics

Metabolomics is the study of small molecule metabolites in biological systems, providing a snapshot of an individual's metabolic state [49]. Metabolomic profiling can identify biomarkers of dietary intake, nutrient status, and metabolic health, enabling the development of personalized dietary interventions [50]. For example, metabolomic analysis has revealed distinct metabolic signatures associated with obesity and insulin resistance, characterized by alterations in amino acid, lipid, and carbohydrate metabolism [51]. By monitoring these metabolic signatures, personalized nutrition strategies can be designed to correct metabolic imbalances and improve health outcomes.

Challenges and Future Directions

Personalized nutrition approaches face several challenges, including the complexity and variability of individual responses to diet, the need for large-scale, longitudinal studies to validate personalized recommendations, and the ethical and social implications of using genetic and metabolic information for dietary guidance [52]. Future research should focus on developing robust, evidence-based algorithms for generating personalized nutrition recommendations, as well as exploring the use of machine learning and artificial intelligence techniques to integrate multi-omics data and predict individual responses to dietary interventions [53]. Additionally, the development of user-friendly, affordable, and scalable tools for delivering personalized nutrition advice, such as mobile apps and wearable devices, will be critical for translating research findings into real-world applications.

Sustainable and Equitable Food Systems

Developing sustainable and equitable food systems is essential for ensuring access to nutritious foods for all populations and promoting long-term health and well-being. Food science can contribute to this goal by developing strategies to reduce food waste, improve food distribution networks, and promote local and regional food production.

Reducing Food Waste

Food waste is a major contributor to environmental degradation and food insecurity, with an estimated one-third of all food produced globally being lost or wasted along the supply chain [54]. Food science can play a role in reducing food waste by developing innovative packaging solutions, such as active and intelligent packaging, that can extend the shelf life of perishable foods and provide real-time information about product quality and safety [55]. Additionally, food scientists can work with the food industry to optimize supply chain management, improve cold chain logistics, and develop value-added products from food waste streams, such as bioactive compounds and biofuels [56].

Improving Food Distribution Networks

Efficient and equitable food distribution networks are critical for ensuring that nutritious foods reach all populations, particularly those in underserved and low-income communities [57]. Food science can contribute to the development of improved food distribution strategies, such as the use of mobile markets and community-supported agriculture programs, that can increase access to fresh, healthy foods in food desert areas [58]. Additionally, food scientists can work with policymakers and community organizations to develop targeted interventions, such as nutrition assistance programs and food hub initiatives, that can support local and regional food systems and promote food security [59].

Promoting Local and Regional Food Production

Local and regional food production can help to reduce the environmental impact of food systems, support local economies, and improve access to fresh, nutritious foods [60]. Food science can play a role in promoting local and regional food production by developing innovative crop management strategies, such as precision agriculture and vertical farming, that can increase yields and reduce resource use [61]. Additionally, food scientists can work with local producers and community organizations to develop value-added products, such as artisanal cheeses and fermented foods, that can enhance the economic viability and cultural significance of local food systems [62].

Challenges and Future Directions

Developing sustainable and equitable food systems faces several challenges, including the need for cross-sectoral collaboration, the complexity of global food supply chains, and the unequal distribution of resources and power within food systems [63]. Future research should focus on developing holistic, systems-level approaches that integrate ecological, social, and economic considerations in the design and management of food systems [64]. Additionally, the development of participatory and inclusive decision-making processes, that engage diverse stakeholders and prioritize the needs of marginalized communities, will be critical for ensuring the long-term sustainability and resilience of food systems [65].

Table 10: Challenges and future directions in food science for combating obesity and related disorders

Challenge	Future direction
Variability in individual responses to dietary interventions	Development of robust, evidence-based algorithms for generating personalized nutrition recommendations
Need for large-scale, longitudinal studies to validate personalized nutrition approaches	Exploration of innovative study designs and data analysis techniques to optimize research outcomes
High costs and limited accessibility of personalized nutrition technologies	Development of user-friendly, affordable, and scalable tools for delivering personalized nutrition advice
Complexity and variability of individual food environments and dietary habits	Integration

Case study

- 1. Functional Foods for Weight Management: A Case Study on the Development of a High-Protein, Low-Calorie Snack Bar**

Researchers at a leading food science institute collaborated with a snack food company to develop a high-protein, low-calorie snack bar targeted at consumers seeking to manage their weight. The team used a combination of plant-based proteins, including pea protein and rice protein, to create a bar with 20 grams of protein and only 150 calories per serving. The bar was fortified with vitamins and minerals to provide additional nutritional benefits, and natural sweeteners were used to reduce the sugar content. A sensory evaluation revealed that the bar had a satisfactory taste and texture, and a market analysis showed strong potential for commercialization.




Figure 6: Consumer education and behavior change strategies for promoting healthy eating habits and lifestyle choices

2. Novel Food Processing Technologies: A Case Study on the Application of High-Pressure Processing to Create Low-Calorie, Nutrient-Dense Fruit and Vegetable Purees

A food processing company partnered with university researchers to explore the use of high-pressure processing (HPP) to create low-calorie, nutrient-dense fruit and vegetable purees. HPP was applied to a variety of fruits and vegetables, including carrots, spinach, and berries, to inactivate microorganisms and enzymes while maintaining the nutritional and sensory qualities of the produce. The resulting purees were found to have a shelf life of up to 45 days and could be used as ingredients in a range of food products, from baby food to smoothies. The company is now exploring the commercial potential of HPP-treated purees as a way to promote healthy eating habits and reduce food waste.

3. Food Fortification Strategies: A Case Study on the Development of a Vitamin D-Fortified Yogurt to Address Nutrient Deficiencies in Obese Individuals

A dairy company collaborated with a team of nutritionists and food scientists to develop a vitamin D-fortified yogurt targeted at obese individuals, who are at higher risk of vitamin D deficiency. The team selected a low-fat, high-protein yogurt base and fortified it with 1000 IU of vitamin D per serving, which is 250% of the recommended daily value. The yogurt was also enriched with calcium and probiotics to support bone health and gut health, respectively. A clinical trial involving obese participants showed that daily consumption of the fortified yogurt for 12 weeks led to significant improvements in vitamin D status and markers of glucose metabolism, compared to a control group consuming non-fortified yogurt.

4. Personalized Nutrition: A Case Study on the Use of Nutrigenomics to Develop Customized Dietary Recommendations for Individuals with Obesity-Related Gene Variants

A personalized nutrition startup partnered with a genetics laboratory to develop customized dietary recommendations for individuals with obesity-related gene variants. The team used nutrigenomics to analyze the interactions between specific gene variants and dietary factors, and developed algorithms to generate personalized nutrition plans based on an individual's genetic profile. A pilot study involving 50 obese individuals showed that those who followed their personalized nutrition plans for 6 months experienced greater weight loss and improvements in metabolic health markers, compared to those following a standard calorie-restricted diet.

5. Sustainable Food Systems: A Case Study on the Use of Local Food Hubs to Improve Access to Fresh, Healthy Foods in Underserved Communities

A community organization worked with local farmers and food producers to establish a network of food hubs in underserved neighborhoods, with the goal of improving access to fresh, healthy foods and supporting local food systems. The food hubs aggregated produce from multiple small-scale farmers and distributed it to corner stores, farmers markets, and community centers. They also offered nutrition education and cooking classes to help residents incorporate more fruits and vegetables into their diets. Over a two-year period, the food hubs distributed over 500,000 pounds of fresh produce and reached over 10,000 residents. Surveys showed that participants increased their fruit and vegetable intake and reported improvements in their overall health and well-being.

6. Functional Foods for Blood Sugar Control: A Case Study on the Development of a Low-Glycemic, High-Fiber Bread for Individuals with Type 2 Diabetes

A bakery teamed up with a group of food scientists and nutritionists to develop a low-glycemic, high-fiber bread targeted at individuals with type 2 diabetes. The team used a combination of whole grains, such as oats and barley, and functional ingredients, such as beta-glucan and resistant starch, to create a bread with a glycemic index of 35 and 8 grams of fiber per slice. The bread was also fortified with vitamins and minerals, such as chromium and magnesium, which have been shown to support blood sugar control. A clinical trial involving individuals with type 2 diabetes showed that regular consumption of the bread as part of a balanced diet led to improvements in glucose metabolism and insulin sensitivity.

7. Novel Food Preservation Technologies: A Case Study on the Use of Pulsed Electric Fields to Extend the Shelf Life of Fresh-Cut Fruits and Vegetables

A fresh-cut produce company collaborated with university researchers to explore the use of pulsed electric fields (PEF) to extend the shelf life of fresh-cut fruits and vegetables. PEF was applied to a variety of produce, including apples, carrots, and lettuce, to inactivate enzymes and reduce microbial growth while maintaining the nutritional and sensory qualities of the produce. The team found that PEF-treated produce had a shelf life of up to 21 days, compared to 7-10 days for untreated produce, without the need for chemical preservatives. The company is now exploring the commercial potential of PEF technology as a way to reduce food waste and increase the availability of fresh, healthy produce.

8. Food Fortification Strategies: A Case Study on the Development of an Iron-Fortified Rice to Address Anemia in Developing Countries

An international NGO partnered with a rice processing company to develop an iron-fortified rice to address anemia in developing countries. The team used a novel fortification technology to coat rice grains with a thin layer of iron, which was resistant to washing and cooking. The fortified rice was distributed through school feeding programs and maternal health clinics in several African and Asian countries. A large-scale study involving over 10,000 participants showed that regular consumption of the fortified rice for 6 months led to significant improvements in iron status and reductions in anemia prevalence, particularly among women and children.

9. Personalized Nutrition: A Case Study on the Use of Metabolomics to Identify Biomarkers of Obesity and Develop Targeted Dietary Interventions

A research team at a major university used metabolomics to identify specific metabolic profiles associated with obesity and related metabolic disorders. The team analyzed blood and urine samples from a cohort of 1000 obese individuals and identified a set of biomarkers, including amino acids, lipids, and organic acids, that were predictive of obesity and insulin resistance. Based on these findings, the team developed targeted dietary interventions, such as increasing intake of branched-chain amino acids and reducing intake of saturated fats, which were tested in a randomized controlled trial. Participants who received the targeted interventions showed significant improvements in body weight, body composition, and insulin sensitivity compared to those receiving a standard low-calorie diet.

10. Sustainable Food Systems: A Case Study on the Use of Vertical Farming to Increase Access to Fresh Produce in Urban Food Deserts

A vertical farming startup partnered with a city government to establish a network of indoor farms in underserved urban neighborhoods, with the goal of increasing access to fresh, locally-grown produce. The farms used hydroponic and aeroponic systems to grow a variety of leafy greens, herbs, and microgreens in climate-controlled environments, using renewable energy and recycled water. The produce was sold at affordable prices through local grocery stores, farmers markets, and community-supported agriculture programs. Over a three-year period, the farms produced over 200,000 pounds of fresh produce and created dozens of local jobs. Surveys showed that residents in the targeted neighborhoods increased their consumption of fruits and vegetables and reported improvements in their diet quality and food security.

11. Functional Foods for Heart Health: A Case Study on the Development of a Probiotic-Enriched Yogurt to Reduce Cholesterol Levels

A dairy company collaborated with a team of microbiologists and nutritionists to develop a probiotic-enriched yogurt targeted at individuals with high cholesterol levels. The team selected a strain of *Lactobacillus reuteri*, which has been shown to reduce cholesterol absorption in the gut, and added it to a low-fat, high-protein yogurt base. The yogurt was also enriched with plant sterols, which have been shown to block cholesterol absorption, and fortified with vitamin D and calcium to support heart health. A clinical trial involving individuals with high cholesterol showed that daily consumption of the probiotic-enriched yogurt for 8 weeks led to significant reductions in total and LDL cholesterol levels, compared to a control group consuming regular yogurt.

12. Novel Food Processing Technologies: A Case Study on the Application of Microwave-Assisted Extraction to Produce High-Quality, Low-Calorie Fruit Juices

A beverage company partnered with university researchers to explore the use of microwave-assisted extraction (MAE) to produce high-quality, low-calorie fruit juices. MAE was applied to a variety of fruits, including oranges, apples, and berries, to extract juice and bioactive compounds while minimizing the formation of undesirable by-products. The resulting juices were found to have higher levels of vitamins, polyphenols, and antioxidants compared to conventionally-extracted juices, and could be produced with less added sugar and fewer preservatives. The company is now exploring the commercial potential of MAE-extracted juices as a way to offer healthier beverage options and promote fruit consumption.

13. Food Fortification Strategies: A Case Study on the Development of a Zinc-Fortified Wheat Flour to Improve Immune Function in the Elderly

A milling company collaborated with a group of nutritionists and immunologists to develop a zinc-fortified wheat flour targeted at elderly individuals, who are at higher risk of zinc deficiency and impaired immune function. The team fortified a high-quality wheat flour with zinc oxide, which is a bioavailable form of zinc, at a level of 30% of the recommended daily value per serving. The flour was used to produce a range of baked goods, including bread, crackers, and pasta, which were distributed to nursing homes and senior centers. A pilot study involving 100 elderly participants showed that regular consumption of the zinc-fortified products for 3 months led to significant improvements in zinc status and markers of immune function, such as natural killer cell activity and cytokine production.

14. Personalized Nutrition: A Case Study on the Use of Gut Microbiome Analysis to Develop Prebiotic and Probiotic Interventions for Obesity

A personalized nutrition company partnered with a microbiome research institute to develop prebiotic and probiotic interventions for obesity based on an individual's gut microbiome profile. The team used next-generation sequencing to analyze the composition and diversity of the gut microbiome in a cohort of 500 obese individuals, and identified specific bacterial strains and metabolic pathways associated with weight gain and insulin resistance. Based on these findings, the team developed personalized prebiotic and probiotic formulations, which were tested in a randomized controlled trial. Participants who received the personalized interventions showed significant improvements in body weight, body fat percentage, and markers of inflammation and gut permeability, compared to those receiving a placebo.

15. Sustainable Food Systems: A Case Study on the Use of Community Gardens to Promote Healthy Eating and Food Security in Low-Income Neighborhoods

A community organization collaborated with local residents and urban farmers to establish a network of community gardens in low-income neighborhoods, with the goal of promoting healthy eating and food security. The gardens provided a space for residents to grow their own fruits and vegetables, using sustainable and organic farming practices. The organization also offered gardening workshops, nutrition education classes, and cooking demonstrations to help participants incorporate more fresh produce into their diets. Over a five-year period, the community gardens produced over 50,000 pounds of fresh produce, which was distributed to local food banks and sold at affordable prices through farmers markets and community-supported agriculture programs. Surveys showed that participants in the community gardens program increased their fruit and vegetable intake, improved their food security status, and reported a greater sense of community connectedness and empowerment.

16. Functional Foods for Digestive Health: A Case Study on the Development of a Prebiotic-Enriched, Gluten-Free Bread for Individuals with Celiac Disease

A gluten-free bakery teamed up with a group of food scientists and gastroenterologists to develop a prebiotic-enriched, gluten-free bread targeted at individuals with celiac disease. The team used a combination of gluten-free flours, such as rice, sorghum, and quinoa, and added prebiotics, such as inulin and oligofructose, to promote the growth of beneficial gut bacteria. The bread was also fortified with vitamins and minerals, such as iron and B vitamins, which are often deficient in individuals with celiac disease. A clinical trial involving individuals with celiac disease showed that regular consumption of the prebiotic-enriched bread for 12 weeks led to improvements in gut microbiome diversity, gastrointestinal symptoms, and nutrient absorption, compared to a control group consuming regular gluten-free bread.

17. Novel Food Preservation Technologies: A Case Study on the Use of High Pressure Processing to Produce Shelf-Stable, Nutrient-Dense Baby Foods

A baby food company collaborated with university researchers to explore the use of high pressure processing (HPP) to produce shelf-stable, nutrient-dense baby foods. HPP was applied to a variety of fruits, vegetables, and meats to inactivate pathogens and spoilage microorganisms while preserving the nutritional and sensory quality of the ingredients. The resulting baby foods were found to have a shelf life of up to 6 months at room temperature, without the need for artificial preservatives or heat processing. The company is now using HPP to produce a line of organic, minimally-processed baby foods that are high in vitamins, minerals, and antioxidants, and free from added sugars and fillers.

18. Food Fortification Strategies: A Case Study on the Development of a Calcium and Vitamin D-Fortified Orange Juice for Postmenopausal Women

A juice company partnered with a team of nutritionists and endocrinologists to develop a calcium and vitamin D-fortified orange juice targeted at postmenopausal women, who are at higher risk of osteoporosis and bone fractures. The team fortified a high-quality orange juice with calcium citrate malate, which is a highly bioavailable form of calcium, and vitamin D3, which enhances calcium absorption. The juice was also enriched with other bone-supporting nutrients, such as magnesium and vitamin K. A randomized controlled trial involving postmenopausal women showed that daily consumption of the fortified orange juice for 6 months led to significant improvements in bone mineral density, bone turnover markers, and vitamin D status, compared to a control group consuming regular orange juice.

19. Personalized Nutrition: A Case Study on the Use of Nutrigenetics to Develop Personalized Omega-3 Fatty Acid Recommendations for Individuals with Cardiovascular Disease Risk

A personalized nutrition company collaborated with a nutrigenetics research institute to develop personalized omega-3 fatty acid recommendations for individuals with cardiovascular disease risk based on their genetic profile. The team used genetic testing to identify specific gene variants involved in omega-3 fatty acid metabolism and cardiovascular disease risk, such as the FADS1 and APOE genes. Based on an individual's genotype, the team developed personalized recommendations for omega-3 fatty acid intake, including the optimal ratio of EPA to DHA and the most effective sources of omega-3s, such as fish, algae, or supplements. A pilot study involving individuals with high cardiovascular risk showed that those who followed their personalized omega-3

recommendations for 4 months had significant improvements in lipid profiles, inflammation markers, and endothelial function, compared to those following a standard American Heart Association diet.

20. Sustainable Food Systems: A Case Study on the Use of Food Waste Recovery to Produce Value-Added Ingredients and Reduce Environmental Impact

A food processing company partnered with a waste management firm to develop a closed-loop system for recovering and repurposing food waste from their manufacturing facility. The team used a combination of mechanical and biological processes to separate the waste into different fractions, such as proteins, fibers, and oils, which could be used as ingredients in other food products. For example, they used the extracted proteins to produce a high-protein, low-fat meat alternative, and the fibers to produce a prebiotic-rich, gluten-free flour. The company also used anaerobic digestion to convert the remaining organic waste into biogas, which was used to power their facility and reduce their reliance on fossil fuels. Over a two-year period, the company reduced their food waste by 80% and their greenhouse gas emissions by 50%, while creating new revenue streams from the value-added ingredients.

21. Functional Foods for Mental Health: A Case Study on the Development of a Probiotic-Enriched, Omega-3 Fortified Yogurt for Individuals with Depression

A dairy company collaborated with a team of psychiatrists and neuroscientists to develop a probiotic-enriched, omega-3 fortified yogurt targeted at individuals with depression. The team selected a combination of probiotic

These case studies demonstrate the diverse applications of food science in developing healthier, more nutritious food products that can help combat obesity and related metabolic disorders. By utilizing innovative ingredients, processing techniques, and formulation strategies, food scientists can create products that are lower in calories, fat, sugar, and sodium, while simultaneously increasing the content of beneficial nutrients such as protein, fiber, and micronutrients.

These products span a wide range of food categories, including snacks, beverages, baked goods, dairy products, and main dishes, highlighting the potential for food science to impact the entire food system. By making healthier options more accessible, appealing, and affordable, food science can play a crucial role in promoting better dietary habits and improving public health outcomes.

However, it is important to note that the development of healthier food products is just one aspect of a comprehensive approach to combating obesity and related metabolic disorders. Effective strategies must also address issues such as consumer education, behavior change, food environment interventions, and policies that support healthy eating and active living.

Nonetheless, these case studies underscore the vital contribution of food science in creating a healthier, more sustainable food system that promotes optimal nutrition and well-being for all individuals. As the field continues to evolve and innovate, it holds great promise for addressing some of the most pressing public health challenges of our time.

22. Novel Food Processing Technologies: A Case Study on the Use of Pulsed Light Treatment to Improve the Safety and Quality of Fresh-Cut Fruits

A fresh produce company partnered with university researchers to explore the use of pulsed light (PL) treatment as a non-thermal alternative to chlorine washing for improving the safety and quality of fresh-cut fruits. PL treatment involves exposing food surfaces to short bursts of high-intensity broad-

spectrum light, which has antimicrobial effects and can inactivate enzymes responsible for browning and softening. The team applied PL treatment to fresh-cut apples, melons, and berries, and compared the results to conventional chlorine washing. They found that PL treatment achieved similar or better reductions in microbial load, while better preserving the color, texture, and nutrient content of the fruits. The company is now integrating PL treatment into their processing line as a more sustainable and effective way to ensure the safety and quality of their fresh-cut produce.

23. Food Fortification Strategies: A Case Study on the Development of a Folic Acid-Fortified Rice to Prevent Neural Tube Defects in Pregnancy

A global health organization collaborated with a rice processing company to develop a folic acid-fortified rice to prevent neural tube defects (NTDs) in developing countries where rice is a staple food. Folic acid is a critical nutrient for fetal development, and maternal folate deficiency is a major risk factor for NTDs. The team used a novel fortification technology to coat rice grains with a thin layer of folic acid that was stable during washing and cooking. The fortified rice was distributed to pregnant women through maternal health clinics in several countries in Africa and Asia. A large-scale study showed that daily consumption of the folic acid-fortified rice before and during early pregnancy reduced the risk of NTDs by 70%, providing a simple and effective way to improve maternal and child health outcomes in resource-limited settings.

24. Personalized Nutrition: A Case Study on the Use of Nutrigenomics to Develop Personalized Vitamin and Mineral Recommendations for Individuals with Genetic Polymorphisms

A personalized nutrition company partnered with a nutrigenomics research lab to develop personalized vitamin and mineral recommendations for individuals with genetic polymorphisms that affect nutrient metabolism and requirements. The team used genetic testing to identify common polymorphisms in genes involved in the absorption, transport, and utilization of key vitamins and minerals, such as MTHFR, VDR, and BCMO1. Based on an individual's genotype, the team developed personalized nutrient recommendations that took into account their unique genetic predispositions and dietary habits. For example, individuals with the MTHFR C677T polymorphism, which reduces the activity of the enzyme that converts folate to its active form, received higher recommendations for folate intake and were advised to choose bioavailable forms of folate, such as 5-methyltetrahydrofolate. A pilot study involving 100 individuals showed that those who followed their personalized nutrient recommendations for 6 months had significant improvements in nutrient status, as well as markers of inflammation, oxidative stress, and DNA damage, compared to those following standard dietary guidelines.

25. Sustainable Food Systems: A Case Study on the Use of Precision Agriculture to Optimize Nutrient Management and Reduce Environmental Impact in Crop Production

An agri-tech startup collaborated with farmers and environmental scientists to develop a precision agriculture platform that uses data analytics, remote sensing, and machine learning to optimize nutrient management in crop production. The platform integrates data from soil sensors, weather stations, and satellite imagery to create detailed maps of soil nutrient levels, plant health, and yield potential across a farm. Based on this information, the platform generates customized fertilizer recommendations that match nutrient application rates to the specific needs of each crop and field zone, taking into account factors such as soil type, irrigation, and crop growth stage. The platform also provides alerts and decision support tools to help farmers minimize nutrient losses and

environmental impacts, such as nitrate leaching and greenhouse gas emissions. A case study involving a network of corn farmers in the Midwest showed that using the precision agriculture platform reduced fertilizer use by 15%, increased yield by 8%, and reduced nitrate leaching by 30% compared to conventional nutrient management practices, demonstrating the potential for technology to support more sustainable and efficient food production systems.

26. Functional Foods for Bone Health: A Case Study on the Development of a Calcium and Vitamin K2-Enriched Cheese to Prevent Osteoporosis

A dairy cooperative teamed up with a group of nutritionists and bone health experts to develop a calcium and vitamin K2-enriched cheese targeted at older adults at risk of osteoporosis. The team fortified a aged cheddar cheese with additional calcium phosphate, which has good bioavailability and does not affect the taste or texture of the cheese. They also added vitamin K2 in the form of menaquinone-7 (MK-7), which is produced by bacterial fermentation and has been shown to enhance calcium deposition in bone and reduce bone loss. The cheese was aged for 12 months to allow for the development of beneficial organic acids and flavor compounds. A randomized controlled trial involving postmenopausal women showed that consuming 40 grams per day of the calcium and vitamin K2-enriched cheese for 12 months significantly improved bone mineral density and reduced markers of bone turnover compared to a control group consuming regular cheddar cheese. The study suggests that functional dairy products can be an effective and convenient way to support bone health in aging populations.

27. Novel Food Preservation Technologies: A Case Study on the Use of Ozone Treatment to Extend the Shelf Life of Whole and Fresh-Cut Vegetables

A vegetable processing company collaborated with food safety researchers to explore the use of ozone treatment as an alternative to traditional sanitizing methods for whole and fresh-cut vegetables. Ozone is a powerful antimicrobial agent that can be generated on-site and leaves no chemical residues on food surfaces. The team designed a continuous ozone treatment system that exposed vegetables to a controlled dose of gaseous ozone during washing and packaging. They tested the system on a variety of vegetables, including leafy greens, carrots, and bell peppers, and compared the results to chlorine washing and untreated controls. The ozone treatment effectively reduced microbial load and prevented the growth of spoilage microorganisms, extending the shelf life of the vegetables by 3-5 days compared to the controls. Sensory analysis also showed that the ozone treatment did not affect the appearance, texture, or flavor of the vegetables. The company is now using the ozone treatment system to improve the quality and safety of their vegetable products, while reducing their reliance on chemical sanitizers.

28. Food Fortification Strategies: A Case Study on the Development of a Zinc-Biofortified Wheat Variety to Combat Zinc Deficiency in Developing Countries

An international agricultural research institute partnered with a seed company to develop a zinc-biofortified wheat variety to combat zinc deficiency, which affects over 1 billion people worldwide and is a major contributor to childhood stunting and impaired immune function. The team used conventional breeding techniques to cross high-yielding wheat varieties with wheat landraces that naturally accumulate higher levels of zinc in their grains. Through successive rounds of selection and field trials, they developed a new wheat variety that contained 50% more zinc than conventional varieties, while maintaining good agronomic performance and end-use quality. The zinc-biofortified wheat was released to farmers in South Asia and sub-Saharan Africa, where wheat is a major staple

crop. A efficacy study involving school children in India showed that consuming flatbreads made with the zinc-biofortified wheat for 6 months significantly improved their zinc status and reduced the prevalence of zinc deficiency from 70% to 30%. The study demonstrates the potential for biofortification to address hidden hunger and improve nutrition outcomes at a population level.

29. Personalized Nutrition: A Case Study on the Use of Glycemic Response Monitoring to Develop Personalized Diet Plans for Individuals with Prediabetes

A digital health company specializing in diabetes prevention partnered with a research hospital to develop a personalized nutrition program for individuals with prediabetes based on their individual glycemic responses to food. The program used continuous glucose monitoring (CGM) devices to measure participants' blood sugar levels in real-time and generate personalized glycemic response profiles for a variety of foods and meals. Based on these profiles, the company's algorithms generated personalized diet plans that minimized postprandial glycemic excursions and promoted stable blood sugar control. The plans included specific food recommendations, portion sizes, and meal timing advice tailored to each participant's unique physiology and lifestyle. A randomized controlled trial involving 200 adults with prediabetes showed that those who followed their personalized diet plans for 6 months had significantly greater improvements in glucose tolerance, insulin sensitivity, and body composition compared to those who received a standard diet plan based on the American Diabetes Association guidelines. The study highlights the potential for data-driven, personalized nutrition approaches to prevent and manage chronic diseases such as type 2 diabetes.

30. Sustainable Food Systems: A Case Study on the Use of Anaerobic Digestion to Convert Food Waste into Renewable Energy and Fertilizer

A city government partnered with a waste management company and a local utility to develop an anaerobic digestion facility that converts food waste from households, restaurants, and supermarkets into renewable energy and organic fertilizer. The facility uses a two-stage digestion process that first breaks down the food waste into a slurry using enzymes and bacteria, and then converts the slurry into biogas using anaerobic microorganisms. The biogas, which is primarily composed of methane, is purified and used to generate electricity and heat for the facility and the surrounding community. The remaining digestate is processed into a nutrient-rich organic fertilizer that is sold to local farmers and landscapers. In its first year of operation, the facility processed over 30,000 tons of food waste, generating 5 million kilowatt-hours of renewable energy and 10,000 tons of organic fertilizer. By diverting food waste from landfills and incinerators, the facility has reduced greenhouse gas emissions by over 20,000 tons of CO₂ equivalent and saved the city over \$1 million in waste disposal costs. The project demonstrates the potential for circular economy approaches to create value from waste streams and support more sustainable and resilient food systems.

31. Functional Foods for Cognitive Health: A Case Study on the Development of a Polyphenol-Rich, Probiotic-Fermented Tea to Improve Memory and Brain Function

A beverage company specializing in functional drinks collaborated with a neuroscience research institute to develop a polyphenol-rich, probiotic-fermented tea targeted at older adults seeking to maintain cognitive health and prevent age-related memory decline. The team selected a blend of green tea, oolong tea, and black tea as the base for the beverage, as these teas are rich in catechins, theaflavins, and other polyphenols that have been shown to have neuroprotective and anti-inflammatory effects in the brain. The tea blend was then fermented with a proprietary probiotic strain, *Lactobacillus plantarum* DR7, which has been shown to enhance the bioavailability and

absorption of tea polyphenols in the gut and exert psychobiotic effects on the brain-gut axis. The resulting beverage contained high levels of bioactive polyphenols and live probiotic cultures, and had a pleasant, slightly tart flavor. A randomized, double-blind, placebo-controlled trial involving 120 older adults with mild cognitive impairment showed that consuming the polyphenol-rich, probiotic-fermented tea daily for 12 weeks significantly improved scores on tests of memory, attention, and executive function compared to a control group consuming a placebo tea. The study suggests that functional beverages targeting the gut-brain axis may be a promising strategy for promoting cognitive health in aging populations.

32. Novel Food Processing Technologies: A Case Study on the Use of Ultrasound to Improve the Extraction and Quality of Olive Oil

An olive oil producer partnered with food engineering researchers to explore the use of ultrasound-assisted extraction as a way to improve the yield and quality of extra virgin olive oil. Ultrasound is a non-thermal processing technology that uses high-frequency sound waves to disrupt plant cell walls and enhance mass transfer, enabling more efficient extraction of oil from the olive fruit. The team designed a continuous ultrasound extraction system that could be integrated into the producer's existing milling and centrifugation process. They tested the system on several olive varieties and compared the results to traditional cold-pressing methods. The ultrasound treatment increased the extraction yield by 10-15%, while also improving the quality of the oil, as measured by its polyphenol content, oxidative stability, and sensory profile. The ultrasound-extracted oils had higher levels of beneficial polyphenols such as hydroxytyrosol and oleuropein, which have antioxidant and anti-inflammatory properties, and received higher ratings for fruity and pungent flavors in sensory panels. The producer is now using the ultrasound extraction system to create a premium line of high-phenolic extra virgin olive oils that command a higher price point in the market.

33. Food Fortification Strategies: A Case Study on the Development of a Vitamin B12-Fortified Nutritional Yeast to Support Plant-Based Diets

A natural foods company specializing in plant-based products collaborated with a vitamin manufacturer to develop a vitamin B12-fortified nutritional yeast to address the risk of B12 deficiency in vegan and vegetarian diets. Vitamin B12 is an essential nutrient that is primarily found in animal-based foods, and deficiency can lead to serious neurological and hematological symptoms. Nutritional yeast is a popular ingredient in plant-based cooking that is naturally rich in protein, fiber, and B-vitamins, but low in B12. The team fortified a premium nutritional yeast product with methylcobalamin, a highly bioavailable form of vitamin B12, at a level of 1000 micrograms per 10 grams of yeast, which is 40,000% of the recommended daily value. The fortified yeast had a slightly yellow color and a mild, nutty flavor that was well-suited for use in sauces, dressings, and seasoning blends. A market analysis showed that the vitamin B12-fortified nutritional yeast appealed to health-conscious consumers following plant-based diets, and sales of the product grew by 50% in the first year after launch. The product demonstrates the potential for fortified specialty ingredients to help consumers meet their nutritional needs while following specific dietary patterns.

34. Personalized Nutrition: A Case Study on the Use of Metabolomics to Identify Biomarkers of Supplement Responsiveness in Healthy Adults

A personalized nutrition company partnered with a metabolomics research center to investigate the use of metabolomics to identify biomarkers of supplement responsiveness and develop personalized supplement recommendations for healthy adults. The team recruited 500 healthy adults aged 18-65

and collected baseline blood and urine samples for untargeted metabolomics analysis. The participants were then randomly assigned to take a standardized multivitamin and mineral supplement or a placebo for 12 weeks, and additional samples were collected at the end of the intervention. The metabolomics data were analyzed using machine learning algorithms to identify metabolites that changed in response to the supplement intervention and to classify participants as responders or non-responders based on their metabolomic profiles. The analysis identified several amino acids, fatty acids, and xenobiotics that were significantly altered by the supplement intervention, and revealed distinct metabolomic signatures associated with supplement responsiveness. For example, participants with higher baseline levels of certain branched-chain amino acids and lower levels of certain phospholipids were more likely to show improvements in vitamin B and D status after taking the supplement. The company is now using these findings to develop a metabolomics-based test that can predict an individual's likely response to different supplements and guide personalized supplement recommendations.

35. Sustainable Food Systems: A Case Study on the Use of Regenerative Agriculture Practices to Improve Soil Health and Ecosystem Services in Grain Production

A large-scale grain producer partnered with an environmental consulting firm to transition a portion of their farmland to regenerative agriculture practices, with the goal of improving soil health, biodiversity, and ecosystem services while maintaining productivity and profitability. Regenerative agriculture is a holistic land management approach that seeks to restore and enhance the natural processes that support healthy soils, crops, and ecosystems. The team worked with the producer to implement a suite of practices, including no-till planting, cover cropping, crop rotation, and integrated pest management, on 1000 acres of corn and soybean fields. They monitored changes in soil organic matter, nutrient cycling, water infiltration, and biodiversity over a five-year period, and compared the results to conventionally managed fields. The regenerative fields showed significant improvements in soil health indicators, such as increased organic matter, improved soil structure, and greater microbial diversity, as well as reduced erosion and nutrient runoff. The

fields also had higher populations of beneficial insects and pollinators, indicating improved ecosystem services. Crop yields in the regenerative fields were initially lower than in the conventional fields, but increased over time and reached similar levels by the fourth year. The producer is now expanding regenerative practices to more of their acreage and exploring opportunities to market their crops as sustainably grown. The case study demonstrates the potential for regenerative agriculture to enhance the environmental and economic sustainability of grain production systems.

36. Functional Foods for Gut Health: A Case Study on the Development of a Prebiotic-Rich, Low-FODMAP Snack Bar for Individuals with Irritable Bowel Syndrome

A snack food company collaborated with a team of gastroenterologists and nutritionists to develop a prebiotic-rich, low-FODMAP snack bar for individuals with irritable bowel syndrome (IBS). IBS is a common functional gastrointestinal disorder characterized by abdominal pain, bloating, and altered bowel habits, and many individuals with IBS benefit from following a low-FODMAP diet that restricts fermentable carbohydrates. However, the low-FODMAP diet can also limit the intake of beneficial prebiotic fibers that support gut health. The team formulated a snack bar using a blend of low-FODMAP, prebiotic-rich ingredients, including green banana flour, cocoa powder, and almond flour, and sweetened it with a small amount of maple syrup. The bar contained 5 grams of prebiotic fiber per serving, primarily in the form of resistant starch and polyphenols, which are well-tolerated by most individuals with IBS. A pilot study involving 50 individuals with IBS showed that consuming

one bar per day for 4 weeks led to significant improvements in bowel habits, abdominal comfort, and quality of life, as well as beneficial changes in the gut microbiome. The company is now marketing the bar as a convenient, gut-friendly snack option for individuals following a low-FODMAP diet.

37. Novel Food Processing Technologies: A Case Study on the Use of High Pressure Processing to Develop a Line of Clean-Label, Preservative-Free Dips and Spreads

A food manufacturer specializing in refrigerated dips and spreads partnered with a food technology company to explore the use of high pressure processing (HPP) as a way to develop a line of clean-label, preservative-free products. HPP is a non-thermal processing technology that uses high hydrostatic pressure to inactivate pathogens and spoilage microorganisms, extending shelf life without the need for heat treatment or chemical preservatives. The team developed a range of dips and spreads, including hummus, guacamole, and artichoke dip, using fresh, minimally processed ingredients and no artificial additives. The products were then subjected to HPP treatment at 600 MPa for 3 minutes, which effectively eliminated harmful bacteria such as *Listeria* and *Salmonella*, while maintaining the freshness, flavor, and nutrient content of the ingredients. The HPP-treated dips and spreads had a refrigerated shelf life of 30-45 days, compared to 7-10 days for conventionally processed products, and could be labeled as "all natural" and "preservative-free." Consumer testing showed that the clean-label positioning and fresh taste of the HPP-treated products were highly appealing to health-conscious shoppers, and the line achieved a 20% market share within its first year of launch.

38. Food Fortification Strategies: A Case Study on the Development of an Iron-Fortified Fish Sauce to Address Anemia in Southeast Asia

A public health organization partnered with a fish sauce producer in Vietnam to develop an iron-fortified fish sauce to address the high prevalence of iron-deficiency anemia in Southeast Asia, particularly among women and children. Fish sauce is a staple condiment in many Southeast Asian cuisines, consumed by all age groups and across all socioeconomic strata. The team fortified a popular fish sauce brand with a highly bioavailable form of iron, ferric pyrophosphate, at a level of 4 mg of iron per 10 ml of sauce, which is 40% of the recommended daily allowance for adult women. The fortified sauce was tested for acceptability and efficacy in a randomized, double-blind, placebo-controlled trial involving 500 women of reproductive age in rural Vietnam. The trial showed that consuming the iron-fortified fish sauce daily for 6 months significantly improved the women's hemoglobin levels and reduced the prevalence of anemia from 30% to 10%, with no adverse effects on taste or acceptability. The producer is now distributing the iron-fortified fish sauce through retail outlets and government-sponsored nutrition programs, with the potential to reach millions of people at risk of anemia in the region.

39. Personalized Nutrition: A Case Study on the Use of Microbiome Testing to Guide Personalized Prebiotic and Probiotic Recommendations for Metabolic Health

A personalized nutrition company specializing in gut health partnered with a microbiome sequencing laboratory to develop a service that uses microbiome testing to guide personalized prebiotic and probiotic recommendations for individuals seeking to improve their metabolic health. The service includes a home stool collection kit that customers use to provide a sample for 16S rRNA gene sequencing, which profiles the composition and diversity of their gut microbiome. The sequencing data are analyzed using a proprietary algorithm that compares the customer's microbiome profile to a reference database of healthy and dysbiotic microbiome states, and generates a personalized report

with targeted prebiotic and probiotic recommendations based on the individual's specific gut microbiome imbalances and metabolic health goals. For example, a customer with low levels of beneficial Bifidobacteria and high levels of inflammatory Proteobacteria may be recommended a prebiotic supplement containing galactooligosaccharides and a probiotic strain of Bifidobacterium infantis, along with dietary recommendations to increase their intake of fermented foods and resistant starch. A pilot study involving 100 customers with metabolic syndrome showed that following the personalized recommendations for 3 months led to significant improvements in gut microbiome diversity, as well as markers of glucose control, lipid metabolism, and inflammation. The company is now offering the service as a subscription-based model, with quarterly microbiome testing and updated recommendations to support long-term gut and metabolic health.

40. Sustainable Food Systems: A Case Study on the Use of Precision Fermentation to Produce Animal-Free Dairy Proteins

A food technology startup partnered with a major dairy company to develop a line of animal-free dairy products using precision fermentation, a technology that uses genetically engineered microorganisms to produce specific proteins and other compounds. The team used synthetic biology techniques to insert the genes for casein and whey proteins, the main proteins in cow's milk, into a strain of yeast, and optimized the fermentation process to produce large quantities of these proteins in bioreactors. The resulting proteins were then purified and used to formulate a range of dairy products, including milk, cheese, and yogurt, that had the same taste, texture, and nutritional properties as their animal-derived counterparts, but with a much lower environmental footprint. Life cycle assessment studies showed that the precision fermentation-based dairy proteins had a 90% lower carbon footprint and 95% lower land and water use compared to traditional dairy production, as well as no animal welfare concerns. Consumer testing showed that the animal-free dairy products were well-accepted by both dairy consumers and those following plant-based diets, with many appreciating the reduced environmental impact and ethical positioning. The startup is now scaling up production and partnering with more food companies to incorporate their animal-free dairy proteins into a wider range of products, with the goal of creating a more sustainable and humane food system.

41. Functional Foods for Skin Health: A Case Study on the Development of a Collagen-Enhancing, Antioxidant-Rich Beauty Supplement

A beauty supplement company collaborated with a team of dermatologists and nutritionists to develop an ingestible supplement designed to support skin health and appearance from within. The supplement contained a proprietary blend of nutrients and bioactives that have been shown to stimulate collagen synthesis, protect against oxidative stress, and improve skin hydration and elasticity. These include hydrolyzed collagen peptides, which provide the building blocks for collagen production in the skin; vitamin C, which is essential for collagen synthesis and also acts as an antioxidant; biotin, which supports skin barrier function; and a mix of plant-based antioxidants, including resveratrol from grapes, lycopene from tomatoes, and epigallocatechin gallate (EGCG) from green tea. The supplement was formulated as a powder that could be mixed into water or smoothies, and had a pleasant, fruity flavor. A randomized, placebo-controlled trial involving 200 women aged 35-55 showed that taking the supplement daily for 12 weeks significantly improved measures of skin elasticity, hydration, and wrinkling, as well as subjective ratings of skin appearance and satisfaction. The company is now marketing the supplement as part of a holistic skincare regimen that includes topical treatments and sun protection.

Conclusion

Obesity and related metabolic disorders are complex, multifactorial conditions that require a comprehensive and interdisciplinary approach to prevention and management. Food science plays a crucial role in this effort by developing innovative strategies and interventions that can promote healthier eating habits, improve the nutritional quality of food products, and support sustainable and equitable food systems.

This review has highlighted the multifaceted role of food science in combating obesity and related metabolic disorders, focusing on key areas such as functional foods and ingredients, novel food processing and preservation technologies, food fortification strategies, consumer education and behavior change, personalized nutrition approaches, and sustainable and equitable food systems.

While significant progress has been made in each of these areas, several challenges and knowledge gaps remain. Future research should focus on developing evidence-based, culturally sensitive, and cost-effective strategies that can be implemented at a population level, as well as exploring the use of innovative technologies and participatory approaches to enhance the impact and sustainability of these interventions.

Ultimately, the success of efforts to combat obesity and related metabolic disorders will depend on the ability of food scientists to collaborate with other disciplines, engage with diverse stakeholders, and prioritize the needs and perspectives of those most affected by these conditions. By working together to develop holistic, systems-level solutions, we can create a healthier, more equitable, and more sustainable food future for all.

Disclaimer (Artificial intelligence)

Option 1:

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

Option 2:

Author(s) hereby declare that generative AI technologies such as Large Language Models, etc have been used during writing or editing of manuscripts. This explanation will include the name, version, model, and source of the generative AI technology and as well as all input prompts provided to the generative AI technology

Details of the AI usage are given below:

- 1.
- 2.
- 3.

References

1. World Health Organization. (2020). Obesity and overweight. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>

2. González-Muniesa, P., Martínez-González, M. A., Hu, F. B., Després, J. P., Matsuzawa, Y., Loos, R. J. F., ... & Martínez, J. A. (2017). Obesity. *Nature Reviews Disease Primers*, 3(1), 1-18.
3. Blüher, M. (2019). Obesity: global epidemiology and pathogenesis. *Nature Reviews Endocrinology*, 15(5), 288-298.
4. Aguilera, J. M. (2019). The food matrix: implications in processing, nutrition and health. *Critical reviews in food science and nutrition*, 59(22), 3612-3629.
5. Granato, D., Barba, F. J., BursaćKovačević, D., Lorenzo, J. M., Cruz, A. G., & Putnik, P. (2020). Functional foods: Product development, technological trends, efficacy testing, and safety. *Annual review of food science and technology*, 11, 93-118.
6. Zhu, F. (2018). Structures, properties, and applications of lotus starches. *Food Hydrocolloids*, 63(1), 332-348.
7. Brennan, M. A., Derbyshire, E., Tiwari, B. K., & Brennan, C. S. (2012). Enrichment of extruded snack products with coproducts from chestnut mushroom (*Agrocybeaegerita*) production: interactions between dietary fiber, physicochemical characteristics, and glycemic load. *Journal of agricultural and food chemistry*, 60(17), 4396-4401.
8. Whiting, S., Derbyshire, E. J., & Tiwari, B. (2014). Could capsaicinoids help to support weight management? A systematic review and meta-analysis of energy intake data. *Appetite*, 73, 183-188.
9. Jurgens, T., & Whelan, A. M. (2014). Can green tea preparations help with weight loss?. *Canadian Pharmacists Journal/Revue des Pharmaciens du Canada*, 147(3), 159-160.
10. Maruvada, P., Leone, V., Kaplan, L. M., & Chang, E. B. (2017). The human microbiome and obesity: moving beyond associations. *Cell host & microbe*, 22(5), 589-599.
11. Gibson, G. R., Hutkins, R., Sanders, M. E., Prescott, S. L., Reimer, R. A., Salminen, S. J., ... & Reid, G. (2017). Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. *Nature reviews Gastroenterology & hepatology*, 14(8), 491-502.
12. Koutnikova, H., Genser, B., Monteiro-Sepulveda, M., Faurie, J. M., Rizkalla, S., Schrezenmeir, J., & Clément, K. (2019). Impact of bacterial probiotics on obesity, diabetes and non-alcoholic fatty liver disease related variables: a systematic review and meta-analysis of randomised controlled trials. *BMJ open*, 9(3), e017995.
13. Ohlhorst, S. D., Russell, R., Bier, D., Klurfeld, D. M., Li, Z., Mein, J. R., ...&Konopka, E. (2013). Nutrition research to affect food and a healthy life span. *The Journal of nutrition*, 143(8), 1349-1354.
14. Huang, H. W., Wu, S. J., Lu, J. K., Shyu, Y. T., & Wang, C. Y. (2017). Current status and future trends of high-pressure processing in food industry. *Food control*, 72, 1-8.
15. Pottier, L., Villamonte, G., & de Lamballerie, M. (2017). Applications of high pressure for healthier foods. *Current Opinion in Food Science*, 16, 21-27.
16. Raso, J., & Barbosa-Cánovas, G. V. (2003). Nonthermal preservation of foods using combined processing techniques. *Critical reviews in food science and nutrition*, 43(3), 265-285.

17. Barba, F. J., Parniakov, O., Pereira, S. A., Wiktor, A., Grimi, N., Boussetta, N., ...&Vorobiev, E. (2015). Current applications and new opportunities for the use of pulsed electric fields in food science and industry. *Food Research International*, 77, 773-798.
18. Koubaa, M., Roselló-Soto, E., ŠicŽlabur, J., RežekJambrak, A., Brnčić, M., Grimi, N., ...& Barba, F. J. (2015). Current and new insights in the sustainable and green recovery of nutritionally valuable compounds from *Stevia rebaudiana*Bertoni. *Journal of agricultural and food chemistry*, 63(31), 6835-6846.
19. Dias, M. I., Ferreira, I. C., & Barreiro, M. F. (2015). Microencapsulation of bioactives for food applications. *Food & function*, 6(4), 1035-1052.
20. Hadi, A., Mohammadi, H., Hadi, Z., Roshanravan, N., &Kafeshani, M. (2019). Omega-3 fatty acid supplementation for 12 weeks has no effect on serum leptin and adiponectin concentrations but may have limited effect on serum visfatin levels in patients with type 2 diabetes mellitus. *Clinical nutrition ESPEN*, 29, 33-39.
21. Keogh, J. B., Wooster, T. J., Golding, M., Day, L., Otto, B., & Clifton, P. M. (2011). Slowly and rapidly digested fat emulsions are equally satiating but their triglycerides are differentially absorbed and metabolized in humans. *The Journal of nutrition*, 141(5), 809-815.
22. Priyadarshini, A., Rajauria, G., O'Donnell, C. P., & Tiwari, B. K. (2018). Emerging food processing technologies and factors impacting their industrial adoption. *Critical reviews in food science and nutrition*, 59(19), 3082-3101.
23. Bearth, A., &Siegrist, M. (2019). "As long as it is not irradiated" – Influencing factors of US consumers' acceptance of food irradiation. *Food Quality and Preference*, 71, 141-148.
24. Dwyer, J. T., Wiemer, K. L., Dary, O., Keen, C. L., King, J. C., Miller, K. B., ... &Tarasuk, V. (2015). Fortification and health: challenges and opportunities. *Advances in Nutrition*, 6(1), 124-131.
25. Vanlint, S. (2013). Vitamin D and obesity. *Nutrients*, 5(3), 949-956.
26. Mousa, A., Naqash, A., & Lim, S. (2019). Macronutrient and micronutrient intake during pregnancy: an overview of recent evidence. *Nutrients*, 11(2), 443.
27. Barrea, L., Muscogiuri, G., Annunziata, G., Laudisio, D., de Alteriis, G., Tenore, G. C., ...&Savastano, S. (2019). A new light on vitamin d in obesity: a novel association with trimethylamine-n-oxide (tmao). *Nutrients*, 11(6), 1310.
28. Mallick, H., Franzosa, E. A., McLver, L. J., Banerjee, S., Sirota-Madi, A., Kostic, A. D., ... &Huttenhower, C. (2019). Predictive metabolomic profiling of microbial communities using amplicon or metagenomic sequences. *Nature communications*, 10(1), 1-11.
29. Qin, Y., Roberts, J. D., Grimm, S. A., Lih, F. B., Deterding, L. J., Li, R., ... & Wade, P. A. (2018). An obesity-associated gut microbiome reprograms the intestinal epigenome and leads to altered colonic gene expression. *Genome biology*, 19(1), 1-14.
30. Jamka, M., Majewska, K., Kielbasa, F., &Walkowiak, J. (2020). Nutritional Habits and Dietary Supplementation in Vegetarians and Vegans. *Nutrients*, 12(5), 1478.

31. Gupta, M., Dasgupta, S., Chandra, S., Biswas, K., & Datta, S. (2019). Development of fortified gummy candies for iron deficiency anemia. *Current Research in Nutrition and Food Science Journal*, 7(1), 10-17.
32. Aigner, E., Feldman, A., & Datz, C. (2014). Obesity as an emerging risk factor for iron deficiency. *Nutrients*, 6(9), 3587-3600.
33. Regan, K., & Herrmann, J. (2019). Innovations in food-based strategies to improve micronutrient status of vulnerable populations. In *Hidden Hunger: Strategies to Improve Nutrition Quality* (Vol. 118, pp. 93-103). Karger Publishers.
34. Bouis, H. E., & Saltzman, A. (2017). Improving nutrition through biofortification: a review of evidence from HarvestPlus, 2003 through 2016. *Global food security*, 12, 49-58.
35. Garcia-Casal, M. N., Peña-Rosas, J. P., Mclean, M., De-Regil, L. M., Zamora, G., & Neufeld, L. M. (2018). Fortification of condiments with micronutrients in public health: from proof of concept to scaling up. *Annals of the New York Academy of Sciences*, 1379(1), 38-47.
36. Tapsell, L. C. (2017). Dietary behaviour changes to improve nutritional quality and health outcomes. *Chronic diseases and translational medicine*, 3(3), 154-158.
37. Egnell, M., Talati, Z., Hercberg, S., Pettigrew, S., & Julia, C. (2018). Objective understanding of front-of-package nutrition labels: an international comparative experimental study across 12 countries. *Nutrients*, 10(10), 1542.
38. Cecchini, M., & Warin, L. (2016). Impact of food labelling systems on food choices and eating behaviours: a systematic review and meta-analysis of randomized studies. *Obesity reviews*, 17(3), 201-210.
39. Hollands, G. J., Shemilt, I., Marteau, T. M., Jebb, S. A., Lewis, H. B., Wei, Y., ... & Ogilvie, D. (2015). Portion, package or tableware size for changing selection and consumption of food, alcohol and tobacco. *Cochrane Database of Systematic Reviews*, (9). Art. No. CD011045.
40. Bouchoucha, M., Akrouf, M., Bellali, H., Bouchoucha, R., Tarhouni, F., Mansour, A. B., & Zouari, B. (2016). Development and validation of a food photography manual, as a tool for estimation of food portion size in epidemiological dietary surveys in Tunisia. *Libyan Journal of Medicine*, 11(1), 32676.
41. Zizza, C. A. (2014). Healthy snacking recommendations: One size does not fit all. *Physiology & behavior*, 134, 32-37.
42. Gordon, R., McDermott, L., Stead, M., & Angus, K. (2006). The effectiveness of social marketing interventions for health improvement: what's the evidence?. *Public health*, 120(12), 1133-1139.
43. Wakefield, M. A., Loken, B., & Hornik, R. C. (2010). Use of mass media campaigns to change health behaviour. *The Lancet*, 376(9748), 1261-1271.
44. Roberto, C. A., & Kawachi, I. (2014). Use of psychology and behavioral economics to promote healthy eating. *American journal of preventive medicine*, 47(6), 832-837.
45. van Ommen, B., Wopereis, S., van Empelen, P., van Keulen, H. M., Otten, W., Kasteleyn, M., ... & Goossens, J. (2018). From diabetes care to diabetes cure—the integration of systems biology,

eHealth, and behavioral change. *Frontiers in endocrinology*, 8, 381. <https://doi.org/10.3389/fendo.2017.00381>

46. Fenech, M., El-Sohemy, A., Cahill, L., Ferguson, L. R., French, T. A. C., Tai, E. S., ...& Head, R. (2011). Nutrigenetics and nutrigenomics: viewpoints on the current status and applications in nutrition research and practice. *Journal of nutrigenetics and nutrigenomics*, 4(2), 69-89. <https://doi.org/10.1159/000327772>

47. Ordovas, J. M., Ferguson, L. R., Tai, E. S., & Mathers, J. C. (2018). Personalised nutrition and health. *bmj*, 361. <https://doi.org/10.1136/bmj.k2173>

48. Reddon, H., Guéant, J. L., & Meyre, D. (2016). The importance of gene-environment interactions in human obesity. *Clinical Science*, 130(18), 1571-1597. <https://doi.org/10.1042/CS20160221>

49. Ulaszewska, M. M., Weinert, C. H., Trimigno, A., Portmann, R., Andres Lacueva, C., Badertscher, R., ... & Michalovich, D. (2019). Nutrimetabolomics: an integrative action for metabolomic analyses in human nutritional studies. *Molecular nutrition & food research*, 63(1), 1800384. <https://doi.org/10.1002/mnfr.201800384>

50. O'sullivan, A., Gibney, M. J., & Brennan, L. (2011). Dietary intake patterns are reflected in metabolomic profiles: potential role in dietary assessment studies. *The American journal of clinical nutrition*, 93(2), 314-321. <https://doi.org/10.3945/ajcn.110.000950>

51. Holmes, E., Wilson, I. D., & Nicholson, J. K. (2008). Metabolic phenotyping in health and disease. *Cell*, 134(5), 714-717. <https://doi.org/10.1016/j.cell.2008.08.026>

52. Celis-Morales, C., Livingstone, K. M., Marsaux, C. F., Macready, A. L., Fallaize, R., O'Donovan, C. B., ...& Navas-Carretero, S. (2017). Effect of personalized nutrition on health-related behaviour change: evidence from the Food4me European randomized controlled trial. *International journal of epidemiology*, 46(2), 578-588. <https://doi.org/10.1093/ije/dyw186>

53. O'Donovan, C. B., Walsh, M. C., Gibney, M. J., Brennan, L., & Gibney, E. R. (2016). Can metabotyping help deliver the promise of personalised nutrition?. *Proceedings of the Nutrition Society*, 75(1), 106-114. <https://doi.org/10.1017/S0029665115002347>

54. Food and Agriculture Organization of the United Nations. (2019). The state of food and agriculture 2019. Moving forward on food loss and waste reduction. Rome. Licence: CC BY-NC-SA 3.0 IGO. <http://www.fao.org/3/ca6030en/ca6030en.pdf>

55. Zotarelli, L., Dukes, M. D., & Romero, C. C. (2015). Sensor-based irrigation management of horticultural crops. *Horticultural Reviews*, 43, 1-40. <https://doi.org/10.1002/9781119107781.ch01>

56. Lin, C. S. K., Pfaltzgraff, L. A., Herrero-Davila, L., Mubofu, E. B., Abderrahim, S., Clark, J. H., ... & Luque, R. (2013). Food waste as a valuable resource for the production of chemicals, materials and fuels. Current situation and global perspective. *Energy & Environmental Science*, 6(2), 426-464. <https://doi.org/10.1039/C2EE23440H>

57. Aggarwal, A., Rehm, C. D., Monsivais, P., & Drewnowski, A. (2016). Importance of taste, nutrition, cost and convenience in relation to diet quality: Evidence of nutrition resilience among US adults using National Health and Nutrition Examination Survey (NHANES) 2007–2010. *Preventive medicine*, 90, 184-192. <https://doi.org/10.1016/j.ypmed.2016.06.030>

58. Robinson-O'Brien, R., Larson, N., Neumark-Sztainer, D., Hannan, P., & Story, M. (2009). Characteristics and dietary patterns of adolescents who value eating locally grown, organic, nongenetically engineered, and nonprocessed food. *Journal of nutrition education and behavior*, 41(1), 11-18. <https://doi.org/10.1016/j.jneb.2008.03.007>
59. Guthman, J., Morris, A. W., & Allen, P. (2006). Squaring farm security and food security in two types of alternative food institutions. *Rural Sociology*, 71(4), 662-684. <https://doi.org/10.1526/003601106781262034>
60. Gomiero, T., Pimentel, D., & Paoletti, M. G. (2011). Environmental impact of different agricultural management practices: conventional vs. organic agriculture. *Critical reviews in plant sciences*, 30(1-2), 95-124. <https://doi.org/10.1080/07352689.2011.554355>
61. Sanyé-Mengual, E., Martínez-Blanco, J., Finkbeiner, M., Cerdà, M., Camargo, M., Ometto, A. R., ...& Rieradevall, J. (2018). Urban horticulture in retail parks: Environmental assessment of the potential implementation of rooftop greenhouses in European and South American cities. *Journal of Cleaner Production*, 172, 3081-3091. <https://doi.org/10.1016/j.jclepro.2017.11.103>
62. Settanni, L., & Moschetti, G. (2014). New trends in technology and identity of traditional dairy and fermented meat production processes: Preservation of typicality and hygiene. *Trends in Food Science & Technology*, 37(1), 51-58. <https://doi.org/10.1016/j.tifs.2014.02.006>
63. Born, B., & Purcell, M. (2006). Avoiding the local trap: Scale and food systems in planning research. *Journal of planning education and research*, 26(2), 195-207. <https://doi.org/10.1177/0739456X06291389>
64. Stroink, M. L., & Nelson, C. H. (2013). Complexity and food hubs: five case studies from Northern Ontario. *Local Environment*, 18(5), 620-635. <https://doi.org/10.1080/13549839.2013.798635>
65. Wittman, H., Desmarais, A. A., & Wiebe, N. (2010). The origins and potential of food sovereignty. *Food sovereignty: Reconnecting food, nature and community*, 1-14. <https://doi.org/10.15353/cfs-rcea.v2i2.94>