

Original Research Article

Analyzing the factors influencing the spread of Munduchilli cultivation in Tamil Nadu

ABSTRACT

Mundu chilli is a popular variety of chilli grown in Tamil Nadu, India. One of the key factors driving the spread of Mundu chilli cultivation in the region is the favorable agro-climatic conditions. The study was conducted in the Ramanathapuram district, where the most cultivable Mundu chillies are grown. An ex-post-facto research design was used for this study. Using a proportionate random sampling method, data were collected from 150 respondents across a major Mundu chilli-growing district. The results showed that the majority (98.67 percent) of the cultivators spread the cultivation from growers to growers due to high market demand and profitability, favorable conditions, and strong community networks facilitating peer learning and support. Various factors perceived by Munduchilli growers as influential in spreading the cultivation of Munduchilli. The primary factor ~~is~~ was the suitability of the chilli for local growing conditions, perceived by 96.67% of the growers. Factors like less manure requirement, income from by-products, reduced pest attacks, and reduction in labor costs were also noted but ranked lower in influence. The analysis of these factors has shed light on the complex interplay of agricultural, economic, and environmental dynamics. This study provides valuable insights for policymakers and stakeholders to enhance the spread of Mundu chilli cultivation, thereby contributing to the agricultural development and economic well-being of farmers in Tamil Nadu.

Keywords: factors, Munduchilli, pathways, spread

1. INTRODUCTION

Munduchilli, also known as round chilli, is a popular variety of chilli grown in Tamil Nadu, India. The cultivation of munduchilli has been steadily increasing in the state over the past few years, with many farmers opting to grow this variety due to its high yield and market demand. The main regions for Munduchilli farming in Tamil Nadu include Ramanathapuram (15,000-18,000 ha), Sivagangai (8500 ha), Thoothukudi (22,000 ha) and Viruthunagar districts [1]. Ramanathapuram district leads all other districts in terms of area, production, and yield of chillies [2]. The blocks of Kadaladi, Mudhukulathur, Paramakudi, Ramanathapuram, Bogalur, Nainarkovil, and Thiruppullani in the Ramanathapuram district are used to grow Munduchilli, covering 15,000-18,000 hectares. One of the key factors driving the spread of munduchilli cultivation in Tamil Nadu is the favourable agro-climatic conditions in the region [3]. Tamil Nadu has a tropical climate with ample sunshine and moderate rainfall, which are ideal for the cultivation of chillies. The soil in Tamil Nadu is also well-suited for chilli cultivation, providing the necessary nutrients for the growth of the crop. These favourable conditions have encouraged many farmers to switch to munduchilli cultivation, leading to an increase in its production in the state. Another factor influencing the

Comment [AG1]: Botanical name and background of the crop should be mentioned along with characteristics that influence its marketing

Comment [AG2]: Please elaborate briefly about desirable climatic conditions and soil type on quantitative grounds

spread of munduchilli cultivation in Tamil Nadu is the high market demand for this variety. Munduchilli is known for its unique round shape and spicy flavor, making it a popular choice among consumers [4]. The demand for munduchilli is not only high in the domestic market but also in the international market, with many countries importing this variety from Tamil Nadu. This high market demand has incentivized farmers to grow munduchilli, as it offers a lucrative income opportunity. In this paper, we will analyze the factors influencing the spread of munduchilli cultivation in Tamil Nadu. This study was carried out to observe the following objectives were:

1. To study the socio-economic characteristics of Mundu chilli growers
2. To investigate the pathways for the spread of Mundu chilli cultivation
3. To identify the factors that influence the spread of Mundu chilli cultivation

2. MATERIAL AND METHODS

The study was conducted in the Ramanathapuram district of Tamil Nadu, where Munduchilli is grown the most. In Ramanathapuram district area under Munduchilli cultivation is was 12670.40 hectares during 2022-2023[5]. The blocks of Mudukulathur, Nainarkoil, Paramakudi, Kadaladi, and Kamuthi were selected purposefully for the study. Totally 15 villages, were chosen using a purposive random sampling technique. These areas were selected based on their significant contribution to Munduchilli production and their varying agro-climatic conditions. A total of 150 Munduchilli growers were selected as respondents for the study. The primary data was gathered with the use of an interview schedule that was designed in accordance with the investigation's objectives. The primary data were analyzed and tabulated using frequency, percentage, and ranking methods. Data were analyzed with the help of SPSS software.

3. RESULTS AND DISCUSSION

Finding obtained through data analysis were interpreted below.

3.1. Socio-economic characteristics of the Mundu chilli growers

This study aims to explore and document the socio-economic characteristics of Munduchilli growers, focusing on aspects such as age, education, occupation, farm size, and farming experience. By doing so, it seeks to provide insights into the challenges and opportunities faced by these farmers, thereby contributing to the overall understanding of Munduchilli cultivation and its impact on rural economies.

Table 1. Socio-economic characteristics of the respondents

S.No.	Socio-economic characteristics	Frequency	Per cent
A)	Age		
	Young	27	18.00
	Middle	52	34.70
	Old	71	47.30
B)	Educational status		

Comment [AG3]: Pl mention briefly the economic impact of the enterprise in state

Comment [AG4]: Material and method component needs to be strengthened by sharing the stepwise details, for example geographic location may be mentioned in terms of longitude latitude of the blocks and depicted on a map too. Month and year of study may be mentioned, Basis of selection of these 150 respondents etc.

Comment [AG5]: Pl elaborate the meaning of varying

Comment [AG6]: Pl describe block wise selection of villages and farmers

Comment [AG7]: Pl describe the interview schedule briefly. Also mention if reliability, validity or pilot testing was done or not.

	Illiterate	14	09.30
	Functionally literate	16	10.70
	Primary education	13	08.70
	Middle education	21	14.00
	Secondary education	48	32.00
	Collegiate education	38	25.30
C)	Occupational status		
	Farming alone	90	60.00
	Farming + Wage earner	23	15.30
	Farming + Business	28	18.70
	Farming + Services	09	06.00
D)	Farm size		
	Small farmers	25	16.70
	Medium farmers	68	45.30
	Big farmers	57	38.00
E)	Farming experience		
	Up to 5 years	27	18.00
	5 to 10 years	52	34.70
	More than 10 years	71	47.30
		(n=150)	

From the table 1, it could be inferred that less than half (47.30%) of the respondents were ~~to~~ of old aged category, followed by middle (34.70%) and young (18.00%) aged groups. In educational status, ~~slightly~~ less than one third (32.00%) of the respondents were educated ~~upto~~ secondary education level, followed by collegiate education (25.30%), middle education (14.00%), functionally literate (10.70%), illiterate (09.30%), and (08.70%) of the respondents were primary education level. In occupational status, two-third (60.00%) of the respondents ~~were~~ belonged to farming alone category, followed by (18.70%) farming + business category, (15.30%) farming + wage owner and (06.00%) farming + services. In farm size, two-fifth (45.30%) of respondents were medium farmers with farm size of above 2.5 to 5 acres, along with (38.00%) were big farmers with the farm size of more than 5.00 acres, and (16.70%) were small farmers with the farm size up to 1.25 acres. In farming experience, less

than half (47.30%) of the respondents had more than 10 years of farming experience, whereas (34.70%) of farmers had 5 to 10 years of experience, and the remaining (18.00%) of them had up to 5 years of experience as respondents.

Comment [AG8]: Please give a line of inference drawn from sata of SE status

3.2. Pathways used for spread the Mundu chilli


The dissemination of Mundu chilli cultivation predominantly ~~occurs~~ occurred through interpersonal networks among growers. According to Table 2, the majority (98.67 per cent) of the enterprise of Mundu chilli grower~~ings~~ spread the Mundu chilli cultivation from growers to growers, followed by (38.67 per cent) KVK to growers, (18.67 per cent) NGO to growers, and Co-operative Society to growers. Mundu chilli cultivation spreads among growers due to high market demand and profitability, favourable agro-climatic conditions, and strong community networks facilitating peer learning and support.

Comment [AG9]: Pl give a supporting reference

Table 2. Pathways used for spread the Mundu chilli

Pathways	Frequency	Per cent
Growers to growers	148	98.67
KVK to growers	58	38.67
Co-operative society to growers	21	14.00
NGO to growers	28	18.67

Figure 1: Pathways used for spread the Mundu chilli of the enterprise of Munducilli cultivation



3.3. Factors influencing for spread the Mundu chilli of the enterprise of Mundu chilli cultivation

From the Table 3 shows the many factors, as perceived by Mundu chilli growers to spread the Mundu chilli cultivation. The majority of Mundu chilli growers perceived the factors, i.e. Suitability for local growing conditions (96.67%) ranked I, followed by drought tolerance (94.00%) ranked II, physical characteristics (79.33%) ranked III, good market price (70.00%) ranked IV, buyer preference (63.33%) ranked V, eco-friendly technology (57.33%) ranked VI, high Yield (53.33%) ranked VII, mild pungent flavour (52.00%) ranked VIII, Sufficient sufficient of water (50.00%) ranked IX, low crop failure (46.00%) ranked X, ready to market (43.33%) ranked XI, less manure requirement (28.00%) ranked XII, income from by-product (22.67%) ranked XIII, less pest attack (18.00%) ranked XIV, and reduction in labour cost (10.00%) ranked XV.

Table 3: Factors influencing for spread the Mundu chilli

S. No.	Factors	Frequency	Per cent	Rank
1.	High Yield	80	53.33	VII
2.	Drought tolerance	141	94.00	II
3.	Eco-Friendly Technology	86	57.33	VI
4.	Less manure requirement	42	28.00	XII
5.	Reduction in labour cost	12	10.00	XV
6.	Low crop failure	69	46.00	X
7.	Good market price	105	70.00	IV
8.	Sufficient of water	75	50.00	IX
9.	Ready to market	65	43.33	XI
10.	Income from by-product	34	22.67	XIII
11.	Suitability for local growing conditions	145	96.67	I
12.	Less pest attack	27	18.00	XIV
13.	Mild pungent flavour	78	52.00	VIII
14.	Physical characteristics	119	79.33	III
15.	Buyer preference	95	63.33	V

Figure 2: Factors influencing for spread the Munduchilli

Comment [AG10]: Rephrase pl


Comment [AG11]: What was the method of ranking followed ...pl mention in material and methods

Comment [AG12]: Pl elaborate it briefly in introduction

Comment [AG13]: Pl explain briefly in Introduction part

Comment [AG14]: Findings should be discussed with support from references of past studies

Comment [AG15]: It should be mentioned as spread of the practice /enterprise of Mundu Chilli cultivation



4. CONCLUSION

In conclusion, the analysis of factors influencing the spread of Munduchilli cultivation in Tamil Nadu has shed light on the complex interplay of agricultural, economic, and environmental dynamics. As our understanding of these factors evolves, it becomes increasingly crucial to consider sustainable practices and equitable access to resources in the cultivation and distribution of Munduchillies. Moving forward, it is imperative for policymakers, researchers, and farmers to collaborate in implementing strategies that support the responsible growth of Munduchilli cultivation, ensuring its continued prosperity while safeguarding the well-being of local communities and the environment. To further promote the cultivation of Munduchilli, it is essential to enhance extension services, improve market access, and continue supportive government policies. By addressing these factors, the sustainability and profitability of Munduchilli farming can be ensured, contributing to the overall agricultural development of the region.

Comment [AG16]: At first the conclusion should convey a concrete data based inference of findings

Comment [AG17]: Pl describe on quantitative ground in discussion part

REFERENCES

1. Rajamanickam C, Arunachalam P, Ravindran C, Muralidharan B and Baskaran A. Yield Enhancement of Mundu Chilli Through Integrated Crop Management Practices at Ramanathapuram District. *The Pharma Innovation Journal* 2023; 12(9): 1380-1383.
2. Balaji S and Chandran K. Crop Production in Rainfed Agrarian Environment: A Study on Resource Use, Costs and Returns and Constraints in Chilli Production in Ramanathapuram District of Tamil Nadu. *Economic Affairs*.2013; 58(4): 349-355.
3. Sreekumar Gadha, Janavi GJ, Nageswari K, Venkatesan K, Muthiah C and Madhan Mohan M. Genetic variability studies in F3 generation of mundu chilli (*Capsicum annum* L.) for growth, yield and quality. *Electronic Journal of Plant Breeding*. 2023;14(4): 1-3.
4. Gupta H. A Sustainable Agriculture to ensure organic, quality and fresh chilli/hot pepper for self-consumption in metro city on Rooftop Gardening. *International Research Journal of Modernization in Engineering Technology and Science*. 2023; 5(5): 5973-5981.

5. Seasonal and crop report. Department of Economics and Statistics. Government of Tamil Nadu; 2022-2023.
6. National Horticulture Board. Online statistical data-base. National Horticultural Board, Ministry of Agriculture, Govt. of India; 2020.
7. Horticulture and Plantation Crops, Ministry of Agriculture, Govt. of Tamil Nadu; 2022.
8. Sudha A, Rajesh M and Senthil Kumar M. First report morphology and expression of symptoms in S9 Ramnad Red Mundu Chilli (*Capsicum annuum* L.) in Ramanathapuram District, Tamil Nadu, India. *Journal of Plant Pathology and Microbiology*. 2020;11(11), No.526: 1-3.
9. Kumar JP, Paramaguru P, Arumugam T, Boopathi NM and Venkatesan K. Correlation and path-coefficient analysis in RamnadMundu chilli (*Capsicum annuum*) for yield and quality traits. *International Journal of Plant Sciences*. 2021; 14(2): 1-2.
10. Sreekumar Gadha, Janavi GJ, Nageswari K, Venkatesan K, Muthiah C and Madhan Mohan M. Genetic variability studies in F3 generation of mundu chilli (*Capsicum annuum* L.) for growth, yield and quality. *Electronic Journal of Plant Breeding*. 2023;14(4): 1-3.

Comment [AG18]: Could not be located in running text

UNDER PEER REVIEW