

# ROLE OF ENZYMES IN FOOD PROCESSING

### ABSTRACT

Enzymes are very important in the food industry because they naturally speed up and improve various processes. They are used in many areas, including baking, dairy, brewing, and the processing of fruits and vegetables. Enzymes help make food products better in quality, longer-lasting, more stable, and tastier. In baking, enzymes like amylases, proteases, and lipases are essential. Amylases turn starches into sugars, which feed the yeast and help the dough rise more effectively. Proteases change gluten, making the dough easier to work with. Lipases improve the texture and softness of the bread, helping it stay fresh for a longer time. In dairy processing, enzymes such as rennet and lactase are crucial. Rennet is a mix of enzymes used in cheese-making to coagulate milk, which leads to the creation of curds and whey. Lactase breaks down lactose into glucose and galactose, making dairy products suitable for people who are lactose intolerant. These enzymatic actions not only improve the nutritional value of dairy products but also enhance their digestibility and flavouring, in the brewing industry, enzymes like amylases, proteases, and glucanases are used to convert starches into fermented sugars, break down proteins for better clarity, and lower viscosity. These enzymes help with efficient fermentation, resulting in higher alcohol yields and better beer quality. Additionally,  $\beta$ -glucanase helps break down  $\beta$ -glucans, which can cause problems during filtration, thus improving the overall brewing process. When it comes to processing fruits and vegetables, enzymes such as pectinases, cellulases, and hemicelluloses play important roles. Pectinases break down pectin, a key component of plant cell walls, leading to clearer juices and more efficient juice extraction. Cellulases and hemicelluloses further assist by breaking down cell walls, which helps release valuable nutrients and improves the texture of the processed products. Enzymes are essential in the food processing industry, providing numerous benefits such as better product quality, longer shelf life, increased nutritional value, and greater efficiency in production. Their ability to work under mild conditions, along with their specificity and biodegradability, makes them ideal for sustainable food production. Continuous research and the development of new enzymes and their applications will keep transforming the industry, leading to healthier, safer, and more sustainable food products.

KEY WORDS: Enzymes, proteins, food processing, production

### INTRODUCTION

The term "enzyme" originates from the Greek words "en" (meaning in or within) and "zyme" (meaning leaven or yeast) [1]. Enzymes are biological catalysts produced by living things that have amazing attributes and significant roles in controlling biochemical processes. [2]. Enzymes are beneficial catalysts for biological reactions because of their ideal substrate selectivity and remarkable catalytic power. Enzymes can be described as soluble, colloidal, and organic catalysts generated by living cells, yet capable of functioning independently of those cells [3]. Because they act as catalysts to change basic materials into better food products, enzymes have become essential for food technology. The properties of enzymes are chemical and biological. Due to their capacity to catalyse chemical processes, they can also play a biological role in metabolic pathways and networks [8]. Their structures and sequences define their place in the genome and proteome of all living things. Enzymes in food processing are added to food to change its properties. Enzymes for food processing are utilized in the production of pre-digested meals, milk products, meat products, and starch products [4]. Chemical reactions can occur more quickly when enzymes are present because they lower the

activation energy needed for such reaction. During the food processing process, this essential property of enzymes is used to improve the texture, flavour, nutritional value, and shelf life of food products among other goals. [5]. Enzymes can be described as soluble, colloidal, and organic catalysts generated by living cells, yet capable of functioning independently of those cells. [3]. Microbial enzymes are crucial in the food industry due to their greater stability compared to plant and animal enzymes. They can be produced economically and efficiently through fermentation, requiring less time and space. Their consistent performance also simplifies the process of adjusting and enhancing production methods. [6]. Enzyme immobilization is a method that helps keep enzymes stable, making it possible to use them multiple times and even add them to packaging. This technique allows enzymes to be gradually released into food, which can enhance specific qualities of certain products [7].

### STRUCTURE OF ENZYMES

Enzymes not only catalyse reactions but also share many physicochemical properties with proteins, including solubility, electrophoretic behaviour, electrolytic properties, and chemical reactivity. [3] The primary structure and catalytic function of an enzyme are determined by its chain of amino acids linked by peptide bonds, forming a protein molecule. Folding of this chain gives rise to its secondary structure, while its complete folding results in its tertiary structure. Some enzymes consist of multiple folded chains, forming their quaternary structure.[86] Enzymes belong to various classes & the classification of enzymes is depicted in Table 1.

**Table 1: CLASSES OF ENZYMES**

CLASSES OF ENZYMES	EXAMPLES	ROLE	REFERENCES
Oxidoreductases	Lactate dehydrogenase	Catalyses oxidation-reduction reactions	[9]
Transferases	Nucleoside monophosphate kinase (NMP kinase)	Transfer groups from the substrate to acceptor molecules (except hydrogen and water)	[10]
Hydrolases	Alkylhalidase, Asparaginase	Catalysis's reaction by adding water molecules, resulting in breaking of several chemical bonds	[11]
Lyases	Fumarase	Enzymes that add or remove functional groups to create or break double bonds in molecules.	[12]
Isomerases	Triose phosphate isomerase	Isomerization involves the transfer of groups within a molecule, resulting in the formation of different isomers.	[13]
Ligases	Amino-acyl t-RNA synthetase	Ligases are enzymes that help link two substrates together by utilizing energy from ATP.	[14]

### TYPES OF ENZYMES IN FOOD PROCESSING

Enzymes utilized in the food industry come from plants, animals, or microorganisms. These food enzymes help in the digestion and breakdown of food, as well as accelerate food processing (Table 2) and enhance the quality of food products. [15] Amylase, protease, ligase, oxidoreductase, and isomerase, play crucial roles in food processing within the industry. [6]. Boosting the production of food enzymes is very important for advancing the food industry. It helps lower production costs, improve product quality, simplify processing, meet market demands, and make companies more competitive. [24]

Table 2: Potential uses of Enzymes in various food sectors

S. no.	Enzymes	Source of enzyme	Class	Uses	References
1	Pectinase	Fungi, bacteria, yeast	Hydrolase	Filtration, and tea fermentation, oil extraction, clarification of fruit juices	[16]
2	Amylase	Bacteria, fungi, malt	Hydrolase	starch conversion, baking, brewing	[17]
3	Lactase P(Beta-galactosidase)	Yeast, bacteria	Hydrolase	fermentation	[18]
4	Protease	Bacteria, fungi, fungi	Hydrolase	Meat tenderization, coagulation of milk, brewing	[19]
5	cellulase	Fungi, bacteria	Hydrolase	Cellulose hydrolysis, fruit, and vegetable clarification	[20]
6	Invertase	Yeast, bacteria, fungi	Hydrolase	Preventing Crystallization, fermentation	[21]
7	Rennin (Chymosin)	Animals, fungus	Lyases	milk coagulation	[22]
8	Glucose Isomerase	Bacteria, yeast, fungus	Isomerase	Production of high fructose corn syrup (beverage sweetener)	[4]
9	Alpha-amylase (Takadiastase)	Bacteria, fungi	Hydrolase	Baking industry, corn processing, beverage industry, sugar industry	[23]
10	Catalase	Bacteria, yeast, fungi	oxidoreductases	Removal of hydrogen peroxide	[43]
11	Lipase	Bacteria, fungi	Hydrolases	Fat modification, hydrolysing triglycerides in oils	[44]
12	Esterase	Bacteria, fungi	Hydrolase	De-esterification of dietary fibre, production of flavour esters	[45]
13	Asparaginase	Fungi, bacteria	Hydrolase	Lowering acrylamide production during baking, anti-cancerous	[46]

## AMYLASE:

Another name for amylase is "glycoside hydrolase."  $\alpha$ -Amylases are enzymes that break down starch by breaking down the  $\alpha$ -1,4 glycosidic linkages in polysaccharides. This process produces short-chain dextrin. [27]  $\alpha$ -amylases are widely used in the food sector for liquefaction of starch, baking, brewing, and as digestive aids. They are extensively employed in the baking sector as an antistaling agent and flavour enhancer to raise the quality of bread.  $\alpha$ -amylases are added to the dough during baking to help break down starch into smaller dextrans, which yeast then ferments. It enhances the Flavour, colour of the crust, and consistency of bread. [28]. These are utilized in the making of rice cakes and other powdered meals as a glazing ingredient. The starch liquefaction process, which turns starch into glucose and fructose syrups, is also used in the starch business.  $\alpha$ -amylases derived from *Bacillus amyloliquefaciens*, *Bacillus stearothermophilus*, or *Bacillus licheniformis* are responsible for most of the starch saccharification. [29].  $\alpha$ -amylases are also used in the clarification of fruit juices, where they work in combination with cellulases and pectinases to increase yield and lower processing costs. [30].

## PROTEASE:

Enzymes termed proteases are responsible for catalysing the breakdown of peptide bonds found in proteins and polypeptides. They are primarily utilized in food and pharmaceuticals, then detergents. sectors. They make up 60% of the commercially available industrial enzymes. [31] Based on where they act on polypeptide chains, proteases are classified as either endopeptidases or exopeptidases. Endopeptidases randomly act in the central regions of polypeptide chains, while exopeptidases act on the ends of polypeptide chains. [32]. The food industry uses plant proteases including bromelain, ficin, and papain extensively for a variety of purposes include brewing, meat tenderization, milk coagulation and as a digestive supplement Moreover, proteases are utilized to alter the coagulation and emulsification processes as well as to add the flavour, nutritional value, solubility, and digestibility of food proteins. [33]. In the baking industry, proteases are frequently utilized in the creation of bread, baked goods, crackers, and waffles. These enzymes are used to shorten the time needed to mix dough, lessen homogeneity and consistency, control the strength of the gluten in bread, and enhance texture and flavour.[34]. *Aspergillus usarii*'s acid protease has been effectively used to enhance the functional qualities of wheat gluten.[35]. Naturally occurring proteases play a major role in the flavour variations of cheeses. They are used to change the functional characteristics, reduce the allergenic potential, and quicken the ripening of cheese characteristics of dairy products. [6]

## PECTINASE

Enzymes termed pectinases catalyse the breakdown of glycosidic linkages that occur in pectic polymers. This enzyme's natural substrate is pectic compounds, which can be found in citrus fruits including tomato, pineapple, orange, apple, lemon pulp, orange peel, and others. [50] There have been efforts to improve the thermal stability and yield of pectinases that can be created from both naturally occurring and recombinant microorganisms. Pectinases are used in a wide range of industrial processes, including cleaning up food processing, and paper bleaching. [51] Pectinase-added juices seem clearer and are easier to filter than their counterparts with reduced enzyme levels. Juices become thick and dark after adding gelatin and pectin, and the most expensive step in the process is clearing the haze. For optimal results, the employment of biogenic enzymes, including pectinases, in juices would work almost nine times better than mechanical processing. [52]

## ASPARAGINASE

As the name indicates, asparaginase is an asparagine-depleting enzyme since it catalyses the breakdown of asparagine into the acid derivative aspartic acid and  $\text{NH}_3$ . Although asparagine is an important amino acid for malignant cells, it is not necessary for humans. [84] As a result, the proliferation of malignant cells is significantly impacted by asparagine depletion, which is the basis for the enzyme's anticancer properties. [56]. A variety of food processing techniques, including baking, and frying in oil, turn asparagine into acrylamide, a known carcinogen. The depletion of asparagines by enzymatic treatment has been proven to be an efficient method among several approaches trying to overcome the acrylamide formation, lowering the formation of acrylamides from asparaginase by 97%. [57]

## ESTERASE

Esterase is useful in the splitting of esters into acid and alcohol in aqueous solutions. The food and beverage industries depend extensively on esterase, which are mostly employed to alter the oil and fat content of different fruit juices as well as to create scents and Flavors. [85] Esterases are widely used in the food and beverage industries; they are mostly used to change the oil and fat content of various fruit juices and to add tastes and smells. The fruity flavors found in cheese are caused by various short-chain fatty acid methyl or ethyl esters. It has been documented that bacteria can produce thioesters and ethyl esters. [58]

## APPLICATION IN FOOD PROCESSING

### DAIRY INDUSTRY:

For the processing of cheese, yogurt, milk, and milk products, dairy enzymes are used. These enzymes' functions range widely from coagulant to bioprotective enzymes that extend the shelf life of dairy products.[36] Enzymes such as lipases, proteases, esterase, lactases, and catalase are widely used in dairy and food technology. Rennet, sometimes referred to as rennin, is a mixture of chymosin and pepsin that is taken from microbial and animal sources and is used as the first step in the cheese-curdling process. [37].

In the dairy industry, various enzymes play crucial roles in enhancing dairy products. Rennet, a complex enzyme primarily composed of chymosin, is essential for coagulating milk. It breaks down casein, a milk protein, which helps form curds (solid) and separates them from the whey (liquid) during cheese-making.[38]. Lactase is another important enzyme that breaks down lactose, the sugar in milk, into glucose and galactose. This enzyme is vital for creating lactose-free dairy products for those who are lactose intolerant and improves the taste and digestibility of dairy items. [39]

Lipase helps in the breakdown of fats into glycerol and free fatty acids, which is particularly useful in cheese-making. It helps develop unique Flavors by accelerating fat breakdown and contributing to the maturation process. [40] Similarly, proteases break down proteins into smaller peptides and amino acids, aiding in the ripening and flavour development of cheese. Peptidases further break down these peptides into amino acids, which helps refine cheese texture and taste. [41]

Alpha-amylase breaks down starches into simpler sugars, which helps reduce the viscosity of dairy products like yogurt by dissolving any added starches. [40]. Beta-galactosidase also breaks down lactose, ensuring that lactose is fully dissolved in lactose-free dairy products, making them suitable for lactose-intolerant individuals. [41] Lastly, xylanase breaks down xylans, polysaccharides found in plant cell walls, which can help reduce viscosity and improve the texture of dairy products like yogurt. [42]

### BEVERAGE INDUSTRY:

Brewing generally follows nine stages: malting, milling, mashing, lautering, hopping, fermentation, conditioning, filtering, and then canning or bottling.[25] In brewing, a variety of enzymes like amylase, glucoamylase, protease, glycosidase, pectinase, and phytase are used at different stages to enhance both the efficiency and quality of beer production. On the other hand, in winemaking, enzymes such as lipase, lysozyme, pectinase, glucoamylase, glycosidase, urease, protease, phenol oxidase, ester hydrolase, and synthetase are utilized to develop the wine's complex flavour and aroma characteristics. [26]

In beverage production, especially in brewing and winemaking, various enzymes are essential for enhancing the quality and efficiency of the final product. Alpha amylase helps by breaking down starches into simpler sugars during malting and brewing, while Beta amylase creates maltose, which yeast ferments to produce beer and whiskey [47] Cellulase assists in extracting juice and reducing viscosity, making it particularly useful in processing fruit juices and wines.[48] Pectinases work on pectin in plant cell walls, which helps to clarify fruit juices and wines by reducing cloudiness and improving texture [49]. Glucoamylases convert complex sugars into glucose, which is crucial for fermenting spirits and other alcoholic beverages [53]. Proteases break down proteins that can cause

haze in beer and wine, improving both clarity and stability while enhancing flavour and texture [6]. Hemicelluloses aid in breaking down hemicellulose, which helps with juice extraction and reduces consistency issues in fruit juices [54]. Invertase turns sucrose into glucose and fructose, boosting sweetness and improving the texture of certain beverages [55]. Lipases break down fats, which helps in cleaning equipment by breaking down organic residues [59] Beta-glucanase makes it easier to filter wort during beer brewing by breaking down beta-glucans and tanninases reduce bitterness and enhance the taste of beverages by breaking down tannins. [60]

#### **MEAT INDUSTRY:**

Meat aging involves a lot of changes that start in the animal's muscle after it is slaughtered. This process leads to improvements in colour, tenderness, and aroma of the meat. Enzymes are essential in the meat industry because they help in preparing meat, making it more tender, improving its flavour, and keeping it fresh. [61]. The processes of enzymatic glycolysis, proteolysis, and lipolysis are important in the conversion of muscle into meat. [68]

Proteases, such as papain from papayas, bromelain from pineapples, and ficin from figs, are crucial in meat processing for tenderizing meat. They work by breaking down muscle proteins, which enhances the meat's texture and tenderness. [62] Lipases break down fats into free fatty acids and glycerol, playing a key role in developing specific flavors in aged meats and processed products like dry-cured hams and salamis. They contribute to flavour development through the breakdown of fats. [65] Transglutaminase, often called "meat glue," is used to bind meat pieces together by forming covalent bonds between proteins. This improves the texture and appearance of processed meats. (Ma et al.,2019). Alpha-amylase breaks down starches into simpler sugars and is used in meat processing to modify texture and enhance flavour, especially in products where starches serve as fillers. [66] While lactase is not directly used in meat processing, it can help reduce lactose in dairy-based meat products, like certain marinades or sauces, improving their flavour. [67] Collagenase breaks down collagen, a protein found in connective tissue, making tougher cuts of meat more tender and easier to cook by turning collagen into gelatin.[64]. Catalase helps control oxidative reactions by breaking down hydrogen peroxide into water and oxygen, thus extending the shelf life of meat by reducing oxidative spoilage. [63]

#### **FRUIT AND VEGETABLES (EXTRACTION AND PRESERVATION):**

During the processing of fruits and vegetables, various types of enzymes, including pectinase, cellulase, amylase, tannase, and amyl glucosidase, are used. The breakdown of cell wall in the fruits and vegetables, the release of liquids and sugars, and the improvement of the storage period of the processed food products are done by these enzymes. [69]. In the processing of fruits and vegetables, several endogenous and newly developed enzymes are used. The texture, colour, flavour, and taste attributes of the processed products are significantly influenced by the enzymes present in the fruits and vegetables. [70]

In the extraction and processing of fruits and vegetables, several enzymes are used to enhance the product quality. Pectinase breaks down pectin in cell walls, which boosts juice yield and clarity, and makes fruit pulp less thick, making it easier to process. [70] Cellulase breaks down cellulose, which softens fruits and vegetables, making juice extraction more efficient and improving the texture and yield by reducing fibrous materials. Amylase converts starch into simpler sugars like maltose and glucose, boosting sweetness, flavour, and texture, making it ideal for fruit-based beverages and jams. [71] Proteins are broken down into peptides and amino acids by protease, which aids in the tenderizing of produce, improves texture, and reduces cooking times. Moreover, juices are clarified and bitterness is reduced by this enzyme. [72] Lipase breaks down fats into fatty acids and glycerol. It helps control fat content, improving the texture and flavour of fatty products. Tannins are hydrolysed by tannase, which improves the flavour and colour of fruit and vegetable products by reducing bitterness and astringency. This is especially beneficial in fruit juices and wines. The oxidation of glucose to gluconic acid and hydrogen peroxide is catalysed by Glucose Oxidase, which helps to reduce glucose levels, extend shelf life, and preserve freshness. It is often used alongside other enzymes to manage sugar content and stabilize products. [69]

## **BAKING INDUSTRY**

Enzymes play a vital role in baking, each contributing to the quality and characteristics of the final product. Amylase enhances dough rise and fermentation by converting starches into sugars, resulting in a better crust and a softer texture. [34]. Meanwhile, protease breaks down proteins to promote gluten production, increasing the dough's adaptability and improving the crumb structure. [73] Lipase works by breaking down fats into free fatty acids, which not only enhances flavor and dough stability but also improves shelf life and texture.[74] Xylanase boosts the hemicellulose in flour, leading to better dough elasticity and water absorption, which ultimately enhances the volume and texture of bread. [75] Cellulase further supports this by improving crumb structure and making dough handling easier, especially in whole grain products. For those with lactose intolerance, lactase is essential as it breaks down lactose in dairy ingredients, making baked goods more accessible.[76] Finally, glucose oxidase strengthens and stabilizes the dough, benefiting the overall texture and extending the shelf life of bread. Together, these enzymes work harmoniously to create high-quality baked goods that delight consumers.[77]

## **FUTURE PROSPECTS**

The use of novel enzymes is set to significantly enhance the quality and texture of baked goods. For example, transglutaminase fortifies dough, improving crumb structure and rise, which allows for the creation of more sophisticated and appealing products. [78] Additionally, enzymes like phytase can increase the bioavailability of essential minerals in whole grains, catering to the growing consumer demand for healthier, nutrient-dense options. On the sustainability front, enzymes can reduce waste and improve resource efficiency by breaking down plant by-products more effectively, leading to a more sustainable production process. [79]

Flavor development is also benefiting from enzymes such as laccase and glutaminase, which add richness and complexity to baked goods, appealing to consumers looking for artisan and gourmet flavors. [80] Moreover, enzymes like invertase play a crucial role in enhancing shelf life by preventing staleness and improving moisture retention, making products last longer without the need for artificial additives.[81]

Health benefits are another area of focus, with enzymes like lactase addressing dietary needs by increasing digestibility and reducing allergens, aligning with the trend toward healthier eating. [82] Advances in enzyme technology allow manufacturers to customize enzyme blends for specific applications, fostering innovation and meeting diverse consumer preferences. Ongoing research into new enzymes and their mechanisms is likely to yield exciting discoveries, while evolving regulatory frameworks will open doors for broader applications, creating new markets and opportunities in the food industry. [83]

## **CONCLUSION**

In conclusion, enzymes are vital players in food processing, making a real difference in the quality, flavor, texture, and nutrition of products across various industries. They work wonders in areas like dairy production, brewing, meat processing, and baking. For example, amylase helps improve dough elasticity and fermentation, while proteases make meat more tender and flavourful. With more consumers looking for healthy and sustainable options, enzymes are stepping up to meet those needs. Enzymes like phytase enhance the availability of essential minerals in whole grains, aligning with the trend toward healthier eating. Additionally, enzymes such as invertase help extend shelf life and keep moisture in, cutting down the need for artificial additives. As research continues, we can expect to discover new enzymes and improve existing ones, leading to even greater efficiency in food processing. Changing regulations may also open new possibilities for enzyme applications, expanding their role in the market. Overall, the future of food processing looks promising, with enzymes paving the way for better quality, sustainability, and health benefits. This not only boosts consumer satisfaction but also enhances competitiveness in the industry.

## **REFERENCES:**

1. Robinson PK. Enzymes: principles and biotechnological applications. *Essays in Biochemistry*. 2015;59:1-41.
2. Abdullahi N, Atiku MK, Umar NB. The roles of enzyme in food processing-an overview. *Fudma Journal of Sciences*. 2021;5(1):157-164.
3. Bhatia S, Bhatia, S, Introduction to enzymes and their applications. *Introduction to pharmaceutical biotechnology*. 2018;2:1-29.
4. Chaudhary Sagar, S Kumar, M Sengar, R. S. Tomar. A The use of enzymes in food processing: A review. *South Asian J Food Technol Environ*,2015;1(3&4): 190-210.
5. Fernandes, P, Carvalho, F. Enzymes in food processing. In *Agro-industrial wastes as feedstock for enzyme production* 2016:173-199. bhatiaAcademic Press.
6. Raveendran, S, Parameswaran, B, Ummalyma, SB, Abraham, A, Mathew, AK, Madhavan, A Pandey, A Applications of microbial enzymes in food industry. *Food technology and biotechnology*, 2018: 56(1): 16.
7. Almasi, H, Jahanbakhsh Oskouie, M, Saleh, A. A review on techniques utilized for design of controlled release food active packaging. *Critical reviews in food science and nutrition*, 2021: 61(15): 2601-2621.
8. ,cuseta, S. M, Furnham, N, Rahman, SA, Sillitoe, I, & Thornton, J. M. The evolution of enzyme function in the isomerases. *Current Opinion in Structural Biology*,2014;26: 121-130.
9. Mousavi, S. M., Jayedi, A, Bagheri, A, Zargarzadeh, N, Wong, A, Persad, E, Koohdani, F. What is the influence of cinnamon supplementation on liver enzymes? A systematic review and meta-analysis of randomized controlled trials. *Phytotherapy Research*, 2021;35(10): 5634-5646.
10. herbinger, K. H, Hanus, I, Felbinger, TW, Weber, C, Beissner, M, von Sonnenburg, F, Alberer, M. (2016). elevated values of clinically relevant transferases induced by imported infectious diseases: a controlled cross-sectional study of 14,559 diseased German travelers returning from the tropics and subtropics. *The American Journal of Tropical Medicine and Hygiene*, 2016;95(2):481.
11. Shukla, E, Bendre, AD, Gaikwad, S. M. *Hydrolases: the most diverse class of enzymes*. London: IntechOpen. 2022.
12. Khare, E, Yadav, A. The role of microbial enzyme systems in plant growth promotion. *Climate Change and Environmental Sustainability*,2017: 5(2):122-145.
13. De Souza Vandenberghe, LP, Karp, SG, Pagnoncelli, M,GB, von Linsingen Tavares, M, Junior, NL, Diestra, K.V, Soccol, C R, Classification of enzymes and catalytic properties. In *Biomass, biofuels, biochemical* 2020:11-30.
14. Bhatt, P. *Industrial applications of microbial enzymes*. CRC Press. 2023.
15. Yang, W, Lu, F, Liu, Y. Recent Advances of Enzymes in the Food Industry. *Foods*, 2023;12(24): 4506.
16. Haile, S, Ayele, A. Pectinase from microorganisms and its industrial applications. *The Scientific World Journal*, 2022;1:1881305.
17. Ahmad, M. A, Isah, U, Raubilu, IA, Muhammad, SI, Ibrahim, D. An overview of the enzyme: Amylase and its industrial potentials. *Bayero Journal of Pure and Applied Sciences*, 2019;12(1): 352-358.
18. Jones, GK, Hoo, Y, Lee, K. Production technology of lactase and its application in food industry application. *Journal of the Science of Food and Agriculture*, 2017;1: 4-6.

19. Solanki, P, Putatunda, C, Kumar, A, Bhatia, R, Walia, A. Microbial proteases: ubiquitous enzymes with innumerable uses. *Biotech*,2021:11(10): 428.
20. Ejaz, U, Sohail, M, Ghanemi, A. Cellulases: from bioactivity to a variety of industrial applications. *Biomimetics*, 2021:6(3): 44.
21. Manoochehri, H, Hosseini, NF, Saidijam, M, Taheri, M, Rezaee, H, & Nouri, F. A review on invertase: Its potentials and applications. *Biocatalysis and Agricultural Biotechnology*, 2020:25:101599.
22. Aljammas, HA, Al Fathi, H, Alkhalaf, W. Study the influence of culture conditions on rennin production by *Rhizomucor miehei* using solid-state fermentations. *Journal of Genetic Engineering and Biotechnology*, 2018:16(1): 213-216.
23. Far, BE, Ahmadi, Y, Khosroshahi, AY, Dilmaghani, A. Microbial alpha-amylase production: progress, challenges, and perspectives. *Advanced Pharmaceutical Bulletin*, 2020:10(3):350.
24. Wu, S, Snajdrova, R, Moore, JC, Baldenius, K, Bornscheuer, UT. Biocatalysis: enzymatic synthesis for industrial applications. *Angewandte Chemie International Edition*, 2021:60(1): 88-119.
25. Gomaa, A. Application of enzymes in brewing. *J. Nutr. Food Sci. Forecast*,2018:1(5).
26. Pati, S, Samantaray, DP. Enzymes in brewing and wine industries. In *Novel food grade enzymes: Applications in food processing and preservation industries 2022*: 165-181
27. Sindhu, R, Binod, P, Madhavan, A, Beevi, US, Mathew, AK, Abraham, A, Kumar, V. Molecular improvements in microbial  $\alpha$ -amylases for enhanced stability and catalytic efficiency. *Bioresource technology*, 2017:245:1740-1748.
28. Hong, DND, Dung, NT, Trang, NTT, Tinh, PTT, Khang, MT, Tuyen, PTM, Loan, HT. Investigation of extraction conditions and evaluation of the ability of antioxidants and lowering blood glucose levels of the *Ensete glaucum* extract. *University journal of science-engineering and technology* 2023:13(2): 24-36.
29. Klinfoong, R, Thummakasorn, C, Ungwiwatkul, S, Boontanom, P, Chantarasiri, A. Diversity and activity of amylase-producing bacteria isolated from mangrove soil in Thailand. *Biodiversitas Journal of Biological Diversity*, 2022:23(10).
30. Kumar, S. Role of enzymes in fruit juice processing and its quality enhancement. *Adv Appl Sci Res*, 2015:6(6):114-124
31. Singh, R, Mittal, A, Kumar, M, & Mehta, P. K. Microbial proteases in commercial applications. *J Pharm Chem Biol Sci*, 2016:4(3):365-374.
32. Li, Q, Yi, L, Marek, P, Iverson, BL. Commercial proteases: present and future. *FEBS letters*, 2013:587(8):1155-1163.
33. Aruna, K, Shah, J, Birmole, R. Production and partial characterization of alkaline protease from *Bacillus tequilensis* strains isolated from spoilt cottage cheese. *Int J Appl Biol Pharm*, 2014:5:201-221
34. Miguel, AM, Martins-Meyer, TS, Figueiredo, EVDC, Lobo, BWP, Dellamora-Ortiz, GM. Enzymes in bakery: current and future trends. *Food industry*. 2013:278-321.
35. Deng, L, Wang, Z, Yang, S, Song, J, Que, F, Zhang, H, Feng, F. Improvement of functional properties of wheat gluten using acid protease from *Aspergillus usarii*. *PLoS One*, 2016:11(7):e0160101.
36. Selamoglu, Z. Use of enzymes in dairy industry: a review of current progress. *Archives of Razi Institute*, 2020:75(1):131.

37. Patel, AK, Singhania, RR, Pandey, A. Novel enzymatic processes applied to the food industry. *Current Opinion in Food Science*, 2016:7:64-72.
38. McCain, HR, Kaliappan, S, Drake, MA. Invited review: Sugar reduction in dairy products. *Journal of Dairy Science*, 2018:101(10):8619-8640.
39. Sarim, KM, Srivastava, R, Vishwakarma, SK. Recent Advancements in Fermented Milk and Milk Products. *Innovative Romanian Food Biotechnology*, 2020:(19):1-32.
40. Niamah, AK, Al-Sahlany, STG, Verma, DK, Singh, S, Tripathy, S, Baranwal, D, Aguilar, CN. Chemistry and Sources of Lactase Enzyme with an Emphasis on Microbial Biotransformation in Milk. *Microbial Bioreactors for Industrial Molecules*, 2023:315-332.
41. Stock, JT, Wells, JC. Dairying and the evolution and consequences of lactase persistence in humans. *Animal Frontiers*, 2023:13(3):7-13.
42. Evershed, RP, Davey Smith, G, Roffet-Salque, M, Timpson, A, Diekmann, Y, Lyon, M, S, Thomas, MG. Dairying, diseases and the evolution of lactase persistence in Europe. *Nature*, 2022:608(7922):336-345.
43. Kimoto, H, Yoshimune, K, Matsuyama, H, Yumoto, I. Characterization of catalase from psychrotolerant *Psychrobacter piscatorii* T-3 exhibiting high catalase activity. *International journal of molecular sciences*, 2012:13(2):1733-1746.
44. Guerrand, D. Lipases industrial applications: focus on food and agroindustries. *OCL Oilseeds and fats crops and lipids*, 2017:24(4):D403.
45. Xu, Z, He, H, Zhang, S, Guo, T, Kong, J. Characterization of feruloyl esterases produced by the four lactobacillus species: *L. amylovorus*, *L. acidophilus*, *L. farciminis* and *L. fermentum*, isolated from ensiled corn stover. *Frontiers in microbiology*, 2017:8:941.
46. Krishnapura, PR, Belur, PD, Subramanya, S. A critical review on properties and applications of microbial l-asparaginases. *Critical reviews in microbiology*, 2016:42(5):720-737.
47. Claus, H, Mojsos, K. Enzymes for wine fermentation: Current and perspective applications. *Fermentation*, 2018:4(3):52.
48. Hossain, MB, Ahmed, L. Application of enzymes in juice clarification. In *Value-Addition in Beverages through Enzyme Technology 2023:97-104 Academic Press*.
49. Uzuner, S, Cekmecelioglu, D. (2019). Enzymes in the beverage industry. In *Enzymes in food biotechnology* (pp. 29-43).
50. Ozjiofor, UO, Rasheed, ZA. Pectinases: structure, functions and biotechnological applications. *Journal of Applied and Natural Sciences*, 2024:5:1448-1464.
51. Anand, G, Yadav, S, Gupta, R, Yadav, D. Pectinases: from microbes to industries. In *Microorganisms for sustainable environment and health 2020:287-313*.
52. Bajpai, P, Bajpai, P. Pectinases in papermaking. *Biotechnology for Pulp and Paper Processing*, 2018:443-451.
53. Paramithiotis, S, Stasinou, V, Tzamourani, A, Kotseridis, Y, Dimopoulou, M. Malolactic fermentation—theoretical advances and practical considerations. *Fermentation*, 2022:8(10):521.
54. Krieger-Weber, S, Heras, JM, Suarez, C. *Lactobacillus plantarum*, a new biological tool to control malolactic fermentation: A review and an outlook. *Beverages*, 2020:6(2):23.

55. Ottone, C, Romero, O, Aburto, C, Illanes, A, Wilson, L. Biocatalysis in the winemaking industry: Challenges and opportunities for immobilized enzymes. *Comprehensive reviews in food science and food safety*, 2020:19(2):595-621.
56. Aghaeepoor, M, Akbarzadeh, A, Mirzaie, S, Hadian, A, Aval, SJ, Dehnavi, E. Selective reduction in glutaminase activity of Asparaginase by asparagine 248 to serine mutation: A combined computational and experimental effort in blood cancer treatment. *International journal of biological macromolecules*. 2018:120:2448-2457.
57. Andrade, KC, Fernandes, RA, Pinho, DB, de Freitas, MM, Filho, EXF, Pessoa, A, Magalhaes, PO. Sequencing and characterization of an L-asparaginase gene from a new species of *Penicillium* section *Citrina* isolated from Cerrado. *Scientific reports*, 2021:11(1):17861. Kumar, D, Kumar, L, Nagar, S, Raina, C, Parshad, R, Gupta, VK. Isolation, production, and application of lipase/esterase from *Bacillus* sp. strain DVL43. *J Microbiol Biotech Res*: 2012:2:521-528.
58. Ray, RC, Rosell, CM. *Microbial enzyme technology in food applications*. CRC Press. 2017
59. Cosme, F, Inês, A, Vilela, A. Microbial and commercial enzymes applied in the beverage production process. *Fermentation*, 2023:9(4):385.
60. Lonergan, SM, Topel, DG, Marple, DN. *The science of animal growth and meat technology*. Academic Press. 2018
61. Abril, B, Bou, R, García-Pérez, JV, Benedito, J. Role of Enzymatic Reactions in Meat Processing and Use of Emerging Technologies for Process Intensification. *Foods*, 2023:12(10):1940.
62. Hu, H, Zhang, L, Lu, L, Huang, F, Chen, W, Zhang, C, Goto, K. Effects of the combination of moderate electric field and high-oxygen modified atmosphere packaging on pork meat quality during chill storage. *Journal of food processing and preservation*, 2020:44(1):e14299.
63. Han, J, Wang, Y, Wang, Y, Hao, S, Zhang, K, Tian, J, Jin, Y. Effect of changes in the structure of myoglobin on the color of meat products. *Food Materials Research*, 2014:4(1).
64. Khan, MI, Jung, S, Nam, KC, Jo, C. Postmortem aging of beef with a special reference to the dry aging. *Korean journal for food science of animal resources*, 2016:36(2):159.
65. Salmerón, C, Navarro, I, Johnston, IA, Gutiérrez, J, Capilla, E. Characterisation and expression analysis of cathepsins and ubiquitin-proteasome genes in gilthead sea bream (*Sparus aurata*) skeletal muscle. *BMC research notes*, 2015:8:1-15.
66. Chauhan, SS, England, EM. Postmortem glycolysis and glycogenolysis: Insights from species comparisons. *Meat science*, 2018:144:118:126.
67. Wang, D, Cheng, F, Wang, Y, Han, J, Gao, F, Tian, J, Jin, Y. The changes occurring in proteins during processing and storage of fermented meat products and their regulation by lactic acid bacteria. *Foods*, 2022:11(16):2427.
68. Basheer, SM, Chellappan, S, Sabu, A. Enzymes in fruit and vegetable processing. In *Value-Addition in Food Products and Processing Through Enzyme Technology* (pp. 101-110). Academic Press. 2022
69. Heirangkhongjam, MD, Agarwal, K, Agarwal, A, & Jaiswal, N. Role of Enzymes in Fruit, and Vegetable Processing Industries: Effect on Quality, Processing Method, and Application. In *Novel Food Grade Enzymes: Applications in Food Processing*

and Preservation Industries (pp. 65-105). Singapore: Springer Nature Singapore.2022

70. Temiz, A, Ayhan, DK. Enzymes in minimally processed fruits and vegetables. *Minimally processed refrigerated fruits and vegetables*, 2017:93-151.
71. Sumonsiri, N, Barringer, S A. Fruits and vegetables—processing technologies and applications. *Food processing: principles and applications*,2014:363-381.
72. Zhou, W, Hui, YH, De Leyn, I, Pagani, M A, Rosell, CM, Selman, JD, Therdthai, N. *Bakery Products Science and Technology*. Bakery Products: Science and Technology. 2014
73. Struyf, N, Van der Maelen, E, Hemdane, S, Verspreet, J, Verstrepen, K J, Courtin, CM. Bread dough and baker's yeast: An uplifting synergy. *Comprehensive Reviews in Food Science and Food Safety*,2017:16(5):850-867.
74. Olaerts, H, Roye, C, Derde, L J, Sinnaeve, G, Meza, WR, Bodson, B, Courtin, CM. Evolution and distribution of hydrolytic enzyme activities during preharvest sprouting of wheat (*Triticum aestivum*) in the field. *Journal of agricultural and food chemistry*,2016:64(28):5644-5652.
75. Leys, S, Pauly, A, Delcour, JA, Courtin, CM. Modification of the secondary binding site of xylanases illustrates the impact of substrate selectivity on bread making. *Journal of agricultural and food chemistry*, 2016:64(26):5400-5409.
76. Rees, D, Holtrop, G, Chope, G, Moar, K M, Cruickshank, M, Hoggard, N. A randomised, double-blind, cross-over trial to evaluate bread, in which gluten has been pre-digested by prolyl endoprotease treatment, in subjects self-reporting benefits of adopting a gluten-free or low-gluten diet. *British Journal of Nutrition*,2018:119(5):496-506.
77. Sangster, JJ, Marshall, JR, Turner, NJ, Mangas-Sanchez, J. New Trends and Future Opportunities in the Enzymatic Formation of C– C, C– N, and C– O bonds. *ChemBioChem*,2022:23(6):e202100464.
78. Sharma, A, Gupta, G, Ahmad, T, Mansoor, S, Kaur, B. Enzyme engineering: current trends and future perspectives. *Food Reviews International*,2021:37(2):121-154.
79. Singh, R, Kumar, M, Mittal, A, Mehta, PK. Microbial enzymes: industrial progress in 21st century. *3 Biotech*, 2016:6:1-15.
80. Choi, J M, Han, SS, Kim, HS. Industrial applications of enzyme biocatalysis: Current status and future aspects. *Biotechnology advances*, 2015:33(7):1443-1454.
81. Solano, F. *Enzyme Engineering: Old and New Approaches*. Enzyme Engineering. 2015
82. Jemli, S, Ayadi-Zouari, D, Hlima, HB, Bejar, S. Biocatalysts: application and engineering for industrial purposes. *Critical reviews in biotechnology*, 2016:36(2):246-258.
83. Tsegaye, K, Tsehai, B A, Getie, B. Desirable L-asparaginases for. 2024
84. Rathore, S, Varshney, A, Mohan, S, Dahiya, P. An innovative approach of bioremediation in enzymatic degradation of xenobiotics. *Biotechnology and Genetic Engineering Reviews*, 2022:38(1):1-32.
85. Copeland, R, A,. *Enzymes: a practical introduction to structure, mechanism, and data analysis*. John Wiley & Sons. 2023.

UNDER PEER REVIEW