

Original Research Article
**Correlation studies in Ber (*Ziziphus mauritiana* Lamk.) in
Eastern region of Uttar Pradesh**

Abstract

The present investigation was carried out in thirty genotype of ber at department of Fruit Science, college of Horticulture, Chandra Shekhar Azad University of Agriculture and Technology, Kanpur (UP) during 2021-22 to 2022-23. Phenotypic correlations were worked out among eighteen characters of ber to know the nature of association existing among the characters. Correlation among the quantitative characters was worked out. Length of fruit was found significantly and positively correlated with fruit weight (0.617**), the width of fruit analysis exhibited significant positive correlation with fruit weight (0.853**). Leaf length showed significant positive correlations with length of fruit (0.443*) and non-significant but positive correlation with weight of fruit and width of fruit, Leaf width was showed significant positive correlations with fruit weight (0.794**), length of fruit (0.563**) leaf length (0.487*). Stone weight has showed significant positive correlations with fruit weight (0.626**) width of fruit (0.874**), Stone length has showed significant positive correlations with fruit weight (0.440*) leaf width (0.409*) Stone weight (0.584**). Stone width has showed significant positive correlations with leaf length (0.417*) leaf width (0.701**) stone weight (0.487*). Hight of tree has showed significant positive correlations with length of fruit (0.576**) width of fruit (0.977**) stone length (0.803**) stone width (0.628**).The stem girth also exhibited significant positive correlation with fruit weight (0.966**), width of fruit (0.496*) leaf length (0.650**) stone weight (0.397*) hight of tree (0.406*).Specific gravity has showed significant positive correlations with fruit weight (0.817**) leaf length (0.641**) leaf width (0.424*) stone weight (0.455*), stone length (0.417*) stone width (0.734**).

TSS content was also found significantly and positively correlated with fruit weight (0.774**) leaf length (0.645**) leaf width (0.970**) stone weight (0.539**), stone length (0.425*) stone width (0.765**) stem girth (0.855**) specific gravity (0.547**).Total acidity content in fruit was found significantly and positively correlated with fruit weight (0.725**) length of fruit (0.882**) width of fruit (0.948**) leaf length (0.809**) leaf width (0.989**) stone weight (0.772**), stone length (0.605**) stone width (0.892**) hight of tree (0.792**)

Commented [A1]: Check the grammar in all

Commented [A2]: I think that the abstract is bit long, rephrase the writing without mentioning unnecessary things such as numbers!

specific gravity (0.702**) .TSS: acid ratio has showed significant positive correlations with fruit weight (0.981**) length of fruit(0.455*) width of fruit (0.963**) leaf length (0.929**) leaf width (0.854**) stone length (0.813**) stone width (0.727**) hight of tree (0.832**) stem girth (0.453*) specific gravity (0.728**).Reducing sugar has showed significant positive correlations with fruit weight (0.680**) leaf width (0.821**) stone length (0.835**) stone width (0.503*) hight of tree (0.747**) stem girth (0.812**) TSS acidity ratio (0.410*).Non-reducing sugar has showed significant positive correlations with fruit weight (0.782**) length of fruit(0.999**) width of fruit (0.499*) leaf width (0.482*) stone weight (0.662**) stone length (0.399*) stone width (0.453*) specific gravity (0.488*) tss (0.787**).Total sugars has showed significant positive correlations with fruit weight (0.960**) length of fruit (0.412*) leaf length (0.539**) leaf width (0.710**) stone length (0.745**) stone width (0.897**) hight of tree (0.658**) stem girth (0.841**) acidity (0.584**).Ascorbic acid has showed significant positive correlations with lenght of fruit(0.938**) leaf width (0.642**) stone length (0.664**) stone width (0.685**) Hight of tree (0.400*) specific gravity (0.942**).

Keywords: Ber, Correlation Coefficient, Variability, Character Asociation.

Introduction

The expression of a particular character is an aggregate of complex contribution of so many other characters. In tree improvement programme, a clear understanding of the nature and degree of association among different traits is of great importance because the choice of one character can favour the appearance or disappearance of the other. Correlation, an important statistical tool, helps in determining such associations among different factors under consideration.

Ber (*Zizyphus mauritiana* Lam.) an indigenous important fruit crop for arid and semi-arid regions of India belong to the family Rhamnaceae. It is mainly grown in India and other countries in central Asia, China and Taiwan and is more associated with the Indian culture since ancient times (Baloda *et al.*, 2012). It is cultivated widely for its resistance to grow in drought and other diversified soil and climatic conditions. It is a hardy tree that tolerates extreme temperature and thrives under dry conditions. Fruit quality is best under hot, sunny and dry conditions, but there should be a rainy season to support growth and flowering, leaving enough soil moisture to carry the fruit to maturity (Awasthi and More, 2009). Along with the ability to withstand drought, ber can also tolerate adverse conditions, such as salinity and water logging. In view of the recent development in production technology of

this crop, the cultivation of ber is becoming increasingly popular in many parts of country. It is an ideal fruit tree for tropical and subtropical regions of the country viz., Rajasthan, Haryana, Punjab, U.P, Gujarat, M.P., Bihar, Maharashtra, Andhra Pradesh and Tamil Nadu. Ber fruit have both sour and sweet tastes and are rich in nutritive value. It is rich in vitamin 'B' complex and vitamin 'C' (Pareek, 2013). However, ber is richer than apple in protein, phosphorus, calcium, carotene and vitamin C and than oranges in phosphorus, iron, vitamin C and carbohydrates and exceeds them in calorific value (Nissi and Vinayak, 2016).

Materials and Method

The present investigation was carried out at Department of Fruit Science, college of Horticulture, Chandra Shekhar Azad University of Agriculture & Technology, Kanpur (UP) during 2021-2022 and 2022 - 2023. Fruit of forty genotypes were collected from eastern region (Balrampur, Bahraich, Sidarthnagar, Shravasti, Gonda, Basti, Ayodhya, Sultanpur Banaras and Allahabad district) of Utter Pradesh. Twenty fruits of ber were randomly selected from all the direction of trees from each site collected then kept into bags and tagged by the number and subjected to physico-chemical analysis in laboratory. Physical parameters like stone weight was measure by electronic weighting machine, height of tree and stem girth were estimated with the help of measuring tape data on fruit shape, fruit apex, fruit base, mature fruit colour, immature fruit colour, tree shape, leaf shape, leaf apex, leaf margin, Stone shape, stone apex, stone base, leaf colour, thorn shape, pulp colour and , pulp texture were observed using standard and recommended techniques.

Commented [A3]: GIS information and the soil properties and other circumstances are necessary

Commented [A4]: Where is the statistical analysis, how did you analyse the results?

Results and Discussion

Phenotypic correlations were worked out among 40 characters of ber to know the nature of association existing among the characters. The results are presented and pertaining to correlation at phenotypic levels between fruit weight and other related characters are presented here.

Commented [A5]: Rephrase and Transfer to above in A3

Length of fruit was found significantly and positively correlated with fruit weight (0.617**), the width of fruit analysis exhibited significant positive correlation with fruit weight (0.853**), Leaf length showed significant positive correlations with length of fruit (0.443*) and non-significant but positive correlation with weight of fruit and width of fruit, Leaf width was showed significant positive correlations with fruit weight (0.794**), length of fruit (0.563**) leaf length (0.487*), Verma et al. (2002) Kevadiya et al. (2006) Rathod et al. (2007) Patel et al. (2015) Singh et al. (2015) Patel et al. (2016) Tatari et al. (2016)

Commented [A6]: Check the references list

Dolkar et al. (2017) Wangchu et al. (2017) Kumar et al. (2020) Kumar et al. (2021) Siddique et al. (2022) Panthor et al. (2023) Dong et al. (2023) Ahmad et al. (2023)

Stone weight has showed significant positive correlations with fruit weight (0.626**) width of fruit (0.874**), Stone length has showed significant positive correlations with fruit weight (0.440*) leaf width (0.409*) Stone weight (0.584**), Stone width has showed significant positive correlations with leaf length (0.417*) leaf width (0.701**) stone weight (0.487*). Verma et al. (2002) Kevadiya et al. (2006) Rathod et al. (2007) Patel et al. (2015) Tatari et al. (2016) Dolkar et al. (2017) Wangchu et al. (2017) Gaikwad et al. (2017) Arivazhagan et al. (2019) Kumar et al. (2021) Kumar et al. (2021) Siddique et al. (2022) Sheikh et al. (2023) Panthor et al. (2023) Dong et al. (2023) Ahmad et al. (2023)

Hight of tree has showed significant positive correlations with length of fruit (0.576**) width of fruit (0.977**) stone length (0.803**) stone width (0.628**). The stem girth also exhibited significant positive correlation with fruit weight (0.966**), width of fruit (0.496*) leaf length (0.650**) stone weight (0.397*) hight of tree (0.406*). Specific gravity has showed significant positive correlations with fruit weight (0.817**) leaf length (0.641**) leaf width (0.424*) stone weight (0.455*), stone length (0.417*) stone width (0.734**) Verma et al. (2002) Kevadiya et al. (2006) Rathod et al. (2007) Patel et al. (2015) Singh et al. (2015) Patel et al. (2016) Tatari et al. (2016) Dolkar et al. (2017) Wangchu et al. (2017) Gaikwad et al. (2017) Kumar et al. (2021) Siddique et al. (2022) Sheikh et al. (2023) Panthor et al. (2023) Dong et al. (2023)

TSS content was also found significantly and positively correlated with fruit weight (0.774**) leaf length (0.645**) leaf width (0.970**) stone weight (0.539**), stone length (0.425*) stone width (0.765**) stem girth (0.855**) specific gravity (0.547**). Total acidity content in fruit was found significantly and positively correlated with fruit weight (0.725**) length of fruit (0.882**) width of fruit (0.948**) leaf length (0.809**) leaf width (0.989**) stone weight (0.772**), stone length (0.605**) stone width (0.892**) hight of tree (0.792**) specific gravity (0.702**). TSS: acid ratio has showed significant positive correlations with fruit weight (0.981**) length of fruit (0.455*) width of fruit (0.963**) leaf length (0.929**) leaf width (0.854**) stone length (0.813**) stone width (0.727**) hight of tree (0.832**) stem girth (0.453*) specific gravity (0.728**). Verma et al. (2002) Kevadiya et al. (2006) Rathod et al. (2007) Patel et al. (2015) Singh et al. (2015) Patel et al. (2016) Tatari et al. (2016) Dolkar et al. (2017) Wangchu et al. (2017) Gaikwad et al. (2017) Arivazhagan et al. (2019) Kumar et al. (2021) Kumar et al. (2021) Siddique et al. (2022) Sheikh et al. (2023) Panthor et al. (2023) Dong et al. (2023) Ahmad et al. (2023)

Commented [A7]: The two Kumar in the list of references was written 2021 check it! If one is 20 and the other is 21 correct it, but if the two are the same year such as 20 or 21 you must use letters a and b after the year

Commented [A8]: Not exist in the references list

Commented [A9]: Remove the point and check all authors

Commented [A10]: ?? check the references

Commented [A11]: check

Commented [A12]: ??

Commented [A13]: ??

Commented [A14]: Not exist in the references list

Commented [A15]: Check the references list

Commented [A16]: Check the references list

Commented [A17]: check

Commented [A18]: ??

Commented [A19]: ??

Commented [A20]: Not exist in the references list

Commented [A21]: Check the references list

Commented [A22]: Check the references list

Commented [A23]: check

Commented [A24]: ??

Commented [A25]: ??

Commented [A26]: Not exist in the references list

Reducing sugar has showed significant positive correlations with fruit weight (0.680**) leaf width (0.821**) stone length (0.835**) stone width (0.503*) hight of tree (0.747**) stem girth (0.812**) TSS acidity ratio (0.410*), Non-reducing sugar has showed significant positive correlations with fruit weight (0.782**) length of fruit (0.999**) width of fruit (0.499*) leaf width (0.482*) stone weight (0.662**) stone length (0.399*) stone width (0.453*) specific gravity (0.488*) tss (0.787**), Total sugars has showed significant positive correlations with fruit weight (0.960**) length of fruit (0.412*) leaf length (0.539**) leaf width (0.710**) stone length (0.745**) stone width (0.897**) hight of tree (0.658**) stem girth (0.841**) acidity (0.584**) and Ascorbic acid has showed significant positive correlations with length of fruit (0.938**) leaf width (0.642**) stone length (0.664**) stone width (0.685**) Hight of tree (0.400*) specific gravity (0.942**). Verma *et al.* (2002) Kevadiya *et al.* (2006) Rathod *et al.* (2007) Patel *et al.* (2015) Singh *et al.* (2015) Patel *et al.* (2016) Tatari *et al.* (2016) Dolkar *et al.* (2017) Wangchu *et al.* (2013) Gaikwad *et al.* (2017) Arivazhagan *et al.* (2019) Kumar *et al.* (2021) Kumar *et al.* (2021) Siddique *et al.* (2022) Sheikh *at. al.* (2023) Panthor *at. al.* (2023) Dong *et. al.* (2023) Ahmad *et. al.* (2023)

Commented [A27]: Check the references list

Commented [A28]: Check the references list

Commented [A29]: check

Commented [A30]: ??

Commented [A31]: ??

Commented [A32]: Not exist in the references list

CONCLUSION

Length of fruit was found significantly and positively correlated with fruit weight. The width of fruit analysis exhibited significant positive correlation with fruit weight. Leaf length showed significant positive correlations with length of fruit and non-significant but positive correlation with weight of fruit and width of fruit. Leaf width was showed significant positive correlations with fruit weight, length of fruit and leaf length. Stone weight has showed significant positive correlations with fruit weight and width of fruit. Stone length has showed significant positive correlations with fruit weight, leaf width and Stone weight. Stone width has showed significant positive correlations with leaf length, leaf width and stone weight. Hight of tree has showed significant positive correlations with length of fruit, width of fruit, stone length and stone width. The stem girth also exhibited significant positive correlation with fruit weight, width of fruit, leaf length, stone weight and hight of tree. Specific gravity has showed significant positive correlations with fruit weight, leaf length, leaf width, stone weight, stone length and stone width.

TSS content was also found significantly and positively correlated with fruit weight, leaf length, leaf width, stone weight, stone length, stone width, stem girth and specific gravity.

Total acidity content in fruit was found significantly and positively correlated with fruit weight, length of fruit, width of fruit, leaf length, leaf width, stone weight, stone length, stone width, height of tree and specific gravity. TSS: acid ratio has showed significant positive correlations with fruit weight, length of fruit, width of fruit, leaf length, leaf width, stone length, stone width, height of tree, stem girth and specific gravity. Reducing sugar has showed significant positive correlations with fruit weight, leaf width, stone length, stone width, height of tree, stem girth and TSS acidity ratio. Non-reducing sugar has showed significant positive correlations with fruit weight, length of fruit, width of fruit, leaf width, stone weight, stone length, stone width, specific gravity and TSS. Total sugars has showed significant positive correlations with fruit weight, length of fruit, leaf length, leaf width, stone length, stone width, height of tree, stem girth and acidity. Ascorbic acid has showed significant positive correlations with length of fruit, leaf width, stone length, stone width, Height of tree, specific gravity.

Reference:

Ahmad R., Ali H. M., Lisek A., Mosa W. F. A., Ercisli S. and Anjum M. A. (2023).

Correlation among some phenological and biochemical traits in date palm (*Phoenix dactylifera* L.) germplasm. *Frontiers in Plant Science*. **35**, 1–16.

Arivazhagan, E., Kandasamy, R., and Ramadoss, N. 2019. Variability and Correlation Analysis in Sapota (*Manilkara Sapota*) Under Coastal Ecosystem. *Plant Archives Vol. 19 No. 1*, pp. 652-654.

Awasthi, O.P. and More, T.A (2009). Genetic Diversity and Status of *Ziziphus* in India. *Acta Hort.*; 840:33-40

Baloda S., Sehrawat S.K., Yadav B.S., Ahlawat V.P., and Singh (2012). Resent status of ber production and future thrusts in india- a review. *Agri. Reviews*, 33 (3): 256- 264.

Baloda S., Sehrawat S.K., Yadav B.S., Ahlawat V.P., and Singh (2012). Resent status of ber production and future thrusts in india- a review. *Agri. Reviews.*;33 (3): 256- 264.

Debbarma, P and Hazarika, T, K: (2023). Genetic diversity of Bael (*Aegle marmelos* (L.) Corr.) accessions from north-east India based on principal component and cluster analysis. *Genet Resour Crop Evol.* **71**:253–277.

Dolkar, T., Sharma, M.K., Kumar A., Mir M.S., Hussain, S. 2017. Genetic variability and correlation studies in grapes (*Vitis vinifera* L.) in Leh District of Jammu and Kashmir. *Adv. Hort. Sci.* **31**(4): 241-247

Dong Yi, Sun W., Yue Z., Gong B., Yang Xu, Wu K., and Xu Y. (2023). Phenotypic

Commented [A33]: Here put comma; check it in the whole list

Commented [A34]: Here remove the comma; check it in the whole list

Commented [A35]: (2019)

Commented [A36]: zapota not Sapota; and also write the second name in small letter z and in italic. *Manilkara zapota*

Commented [A37]: Remove the comma here and in all the following similar sources

Commented [A38]: Put comma

Commented [A39]: ??

Commented [A40]: Remove the comma

Commented [A41]: India

Commented [A42]: ??

Commented [A43]: Replicated! Remove one

Commented [A44]: Not exist in the body

Commented [A45]: ? Check all the list

Commented [A46]: (2017)

Diversity and Relationships of Fruit Traits in Persimmon (*Diospyros kaki* Thunb.). *Germplasm Resources Agriculture*. 13: 1804

Gaikwad, K.A., Patil, S.R., Nagre, P.K., Potdukhe, N.R., Paithankar, D.H., Gahukar, S.J. and Umbarkar, P.S. (2017). Correlation studies of different physic morphological characters in citrus rootstock genotypes with fruit yield under Vidarbha region. *International Journal of Chemical Studies*. 5(4): 1421-1425

Commented [A47]: (2017)

Kevadiya, P. K. (2006). Variability, correlation and path analysis for yield and fruit characters in mango. M.Sc. (Agri.) thesis, *Anand Agricultural University, Anand.*

Commented [A48]: Kevadiya et al., in the body

Kumar P., Prakash Om, Srivastava A.K., Thakur N., Chugh V and Singh R. S., (2021). Correlation Studies in Wood Apple (*Feronia limonia* L.) in Bundelkhand Region of Uttar Pradesh. *Ind. J. Pure App. Biosci.* 9(1), 316-321

Kumar, P., Srivastava A.K., Prakash Om, Thakur, N. and Singh P (2021). Germplasm Survey, Collection and Evaluation of ber (*Ziziphus mauritiana* Lamk) under Bundelkhand Region of Uttar Pradesh. *Ind. J. Pure App. Biosci.* 9(1), 259-266.

Commented [A49]: Check the year

Nissi F Godi, Vinayak R Joshi, Vinay S Supe (2016). Physical fruit characteristics assessment of selected Ber (*Zizyphus mauritiana* Lamk.) Genotypes. *Int J Appl Res*;2(2):757-761.

Commented [A50]: Put a comma here

Commented [A51]: Why not Nissi FG, And so

Commented [A52]: In italic

Panse VG, Sukhatme PV. Statistical Methods for Agricultural workers, 2nd ed. New Delhi, ICAR. 1967, 99-116.

Commented [A53]: Not exist in the body, also don't forget the year

Pareek, O.P. (2013) Fruit of the Future Ber. International centre for Underutilization crops, University of Southampton, Southampton UK.

Commented [A54]: Put a point here after thy year

Patel, M.C., Patel, D.A., Patel, K.V., Soni, N.V., Satodiya, B.N. and Jadav R.G. (2016). Genetic variability and correlation studies for fruit yield and quality parameters in mango (L.) *Green Farming* 3: 706-709.

Patel, R.K., Maiti, C.S., Deka, C.B., Deshmukh, N.A., Verma, V.K. and Nath, A. (2015). Physical and biochemical change in guava during various stage of fruit growth and development. *Int.J. Agri. Environ. Biotech.* 8(1):63-70.

Rathod, B. P. (2007). Genetic variability, correlation, path coefficient and D analysis for morphological and biochemical parameters of mango fruit. M.Sc. (Agri.) thesis, Navsari Agricultural University, Navsari.

Commented [A55]: Rathod et al., in the body

Sheikh, A, A., Kumar, R., Bakshi, P., Sharma, R., Reena, Kumar, V., Sharma, N., Raina, V and Sinha, B, K. (2023): Genetic diversity analysis of loquat (*Eriobotrya japonica* Lind L.) Germplasm through morphological traits. *The Pharma Innovation*

Journal., 12,5020-5026.

Siddique I. M., Sharif N., Naseer M., Khan M. N, Noreen A. Asif M., Faiz H., Aslam K. And Mehreen N. (2022). A morpo-biochemical perspective on sixteen promising sweet orange (*Citrus sinensis* (L.) Osbeck) cultivars *Plant Cell Biotechnology and Molecular Biology* 23(13&14):69-87.

Singh S. K., Singh A., Nath V., Parthasarathy VA., Sthapit B., Rajan .,S and Vinoth., (2015). Genetic Diversity in Seedling Populations of Mango. *Indian J. Plant Genet. Resour.* 28(1): 123-131.

Tatari, M., Ghasemi, A. and Mousavi, A. (2016). Genetic diversity in Jujube germplasm (*Ziziphus jujuba* Mill.) based on morphological and pomological traits in Isfahan province, Iran. *Crop Breeding Journal.* 4, 5 and 6 (2; 1 and 2): 79-85.

Verma, S.K., Singh, R.K. and Arya, P.R. (2002). Variability and correlation studies in strawberry germplasm for quantitative traits. *Indian J. Hort.* 59(1):39-43.

Wangchu LD. Singh, Mitra S.K., (2013). Studies on the diversity and selection of superior types in jackfruit (*Artocarpus heterophyllus* Lam.). *Genet. Resour. Crop Evol.*; 60:1749-1762.

Commented [A56]: ??

Commented [A57]: ??

Commented [A58]: ?

Commented [A59]: ?

Commented [A60]: ?

Commented [A61]: ?

Commented [A62]: Italic

table 1 : Result of Correlation analysis

Commented [A63]: ??

	Fruit weight (g)	Length of Fruit (cm.)	Width of Fruit (cm.)	Leaf Length (cm.)	Leaf Width (cm.)	Stone Weight (g.)	Stone length (cm.)	Stone Width (cm.)	Height of Tree (m.)	Stem girth (cm.)	Specific gravity (g/cm ³)	TSS (Brix)	Acidity (%)	TSS/ Acidity ratio	Reducing sugar (%)	Non reducing sugar (%)	Total Sugar (%)	Ascorbic Acid (mg/100g)
Fruit weight(g.)	0.743**	0.844**	0.109	0.818**	0.446*	0.519**	0.164	0.110	0.967**	0.856*	0.821**	0.466*	0.877**	0.623**	0.974*	0.628*	0.285	
Length of Fruit (cm.)		0.149	0.324	0.846**	0.294	0.014	0.140	0.788**	0.185	0.095	0.138	0.606**	0.459*	0.334	0.679*	0.940*	0.767**	
Width of Fruit (cm.)			0.318	0.473*	0.859*	0.015	0.171	0.291	0.526**	0.064	0.135	0.765**	0.827**	0.117	0.430*	0.048	0.336	
Leaf Length (cm.)				0.341	0.140	0.301	0.524**	0.348	0.631**	0.589*	0.572**	0.683**	0.974**	0.036	0.340	0.404*	0.048	
Leaf Width (cm.)					0.363	0.420*	0.575**	0.251	0.089	0.593*	0.947**	0.897**	0.753**	0.914**	0.649*	0.859*	0.653**	
Stone Weight (g.)						0.600**	0.710**	0.442*	0.624**	0.586*	0.568**	0.513**	0.168	0.208	0.675*	0.291	0.104	
Stone length (cm.)							0.141	0.649**	0.043	0.810*	0.255	0.755**	0.794**	0.808**	0.218	0.296	0.676**	
Stone Width (cm.)								0.471*	0.103	0.664*	0.961**	0.599**	0.976**	0.878**	0.146	0.551*	0.716**	
Height of Tree (m.)									0.384	0.251	0.322	0.978**	0.920**	0.924**	0.478*	0.582*	0.300	
Stem girth (cm.)										0.214	0.821**	0.261	0.420*	0.832**	0.322	0.521*	0.171	
Specific gravity (g/cm ³)											0.787**	0.951**	0.576**	0.282	0.533*	0.759*	0.992	
TSS (Brix)												0.045	0.000	0.049	0.923*	0.177	0.018	
Acidity (%)													0.000	0.231	0.270	0.251	0.550**	
TSS/ Acidity ratio														0.338	0.188	0.284	0.014	
Reducing sugar (%)															0.002	0.000	0.243	
Non reducing sugar (%)																0.000	0.077	
Total Sugar (%)																	0.076	

Commented [A64]: See the text direction if you make all in the same context it would be better

Significance 0.05- (0.396) * and Highly significance 0.01 (0.505) **

table 2 : Correlation analysis 2022-2023

Commented [A65]: ??

	Fruit weight (g.)	Length of Fruit (cm.)	Width of Fruit (cm.)	Leaf Length (cm.)	Leaf Width (cm.)	Stone Weight (g.)	Stone length (cm.)	Stone Width (cm.)	Height of Tree (m.)	Stem girth (cm.)	Specific gravity (g/cm ³)	TSS (Brix)	Acidity (%)	TSS/ Acidity ratio	Reducing sugar (%)	Non reducing sugar (%)	Total Sugar (%)	Ascorbic Acid (mg/100g)
Fruit weight(g.)		0.538**	0.876**	0.090	0.675**	0.834*	0.374	0.236	0.093	0.966**	0.729*	0.734**	0.485*	0.922**	0.744*	0.571*	0.708*	0.276
Length of Fruit (cm.)			0.541**	0.671**	0.023	0.327	0.000	0.126	0.494*	0.162	0.077	0.223	0.582**	0.491*	0.070	0.672*	0.117	0.884*
Width of Fruit (cm.)				0.337	0.241	0.898*	0.184	0.333	0.333	0.485*	0.073	0.008	0.549**	0.658**	0.041	0.681*	0.241	0.085
Leaf Length (cm.)					0.685**	0.180	0.576**	0.369	0.463*	0.674**	0.666*	0.750**	0.765**	0.764**	0.075	0.222	0.708*	0.091
Leaf Width (cm.)						0.893*	0.333	0.722**	0.873**	0.232	0.182	0.629**	0.568**	0.406*	0.440*	0.146	0.420*	0.866*
Stone Weight (g.)							0.672**	0.401*	0.177	0.223	0.405*	0.492*	0.140	0.114	0.245	0.679*	0.248	0.131
Stone length (cm.)								0.043	0.991**	0.081	0.141	0.771**	0.028	0.431*	0.346	0.939*	0.407*	0.665*
Stone Width (cm.)									0.828**	0.085	0.778*	0.537**	0.487*	0.534**	0.307	0.794*	0.407*	0.709*
Height of Tree (m.)										0.474*	0.133	0.440*	0.397*	0.796**	0.506*	0.108	0.157	0.545*
Stem girth (cm.)											0.294	0.890**	0.782**	0.496*	0.797*	0.398*	0.803*	0.152
Specific gravity (g/cm ³)												0.385	0.346	0.704**	0.180	0.486*	0.874*	0.961*
TSS (Brix)													0.548**	0.000	0.048	0.665*	0.369	0.015
Acidity (%)														0.000	0.878*	0.178	0.301	0.076
TSS/ Acidity ratio															0.528*	0.270	0.421	0.006
Reducing sugar (%)																0.001	0.000	0.251
Non reducing sugar (%)																	0.000	0.058
Total Sugar (%)																		0.078

Significance 0.05- (0.396) * and Highly significance 0.01 (0.505) **

	Fruit weight(g.)	Length of Fruit (cm.)	Width of Fruit (cm.)	Leaf Length (cm.)	Leaf Width (cm.)	Stone Weight (g.)	Stone length (cm.)	Stone Width (cm.)	Height of Tree (m.)	Stem girth (cm.)	Specific gravity	TSS (Brix)	Acidity (%)	TSS/ Acidity ratio	Reducing sugar (%)	Non reducing sugar (%)	Total Sugar (%)	Ascorbic Acid (mg/100 g)
--	------------------	-----------------------	----------------------	-------------------	------------------	-------------------	--------------------	-------------------	---------------------	------------------	------------------	-------------	-------------	--------------------	--------------------	------------------------	-----------------	--------------------------

table 3 : Pooled Corrilation analysis

Commented [A66]: ??

Fruit weight		0.617*	0.853**	0.092	0.794**	0.626*	0.440*	0.179	0.092	0.966**	0.817*	0.774**	0.725*	0.981*	0.680*	0.782*	0.960**	0.279
Length of Fruit			0.240	0.443*	0.563**	0.296	0.000	0.138	0.576**	0.160	0.075	0.167	0.882*	0.455*	0.173	0.999*	0.412*	0.938**
Width of Fruit (cm.)				0.264	0.233	0.874*	0.026	0.217	0.977**	0.496*	0.060	0.037	0.948*	0.963*	0.062	0.499*	0.094	0.173
Leaf Length (cm.)					0.487*	0.155	0.353	0.417*	0.378	0.650**	0.641*	0.645**	0.809*	0.929*	0.048	0.273	0.539**	0.062
Leaf Width (cm.)						0.352	0.409*	0.701**	0.286	0.072	0.424*	0.970**	0.989*	0.854*	0.821*	0.482*	0.710**	0.642**
Stone Weight (g.)							0.584**	0.487*	0.286	0.397*	0.455*	0.539**	0.772*	0.122	0.217	0.662*	0.225	0.115
Stone length (cm.)								0.076	0.803**	0.042	0.417*	0.425*	0.605*	0.813*	0.835*	0.399*	0.745**	0.664**
Stone Width (cm.)									0.628**	0.079	0.734*	0.765**	0.892*	0.727*	0.503*	0.453*	0.897**	0.685**
Hight of Tree (m.)										0.406*	0.154	0.364	0.792*	0.832*	0.747*	0.230	0.352	0.400*
Stem girth (cm.)											0.261	0.855**	0.310	0.453*	0.812*	0.350	0.658**	0.161
Specific gravity												0.547**	0.702*	0.728*	0.222	0.488*	0.841**	0.942**
TSS (Brix)													0.051	0.000	0.048	0.787*	0.249	0.017
Acidity (%)														0.000	0.268	0.170	0.584**	0.254
TSS/ Acidity ratio															0.410*	0.221	0.387	0.009
Reducing sugar																0.002	0.00	0.245
Non reducing sugar (%)																	0.00	0.064
Total Sugar (%)																		0.071

Significance 0.05- (0.396) * and Highly significance 0.01 (0.505) **