

## Edible Flowers: Super Foods with Potential Health Benefits

---

Abstract :

**Edible flowers have become popular in recent years as a unique and visually tempting addition to culinary creations. This review article explores the assorted world of edible flowers, focusing on their potential health benefits, bioactive compounds, and associated toxicological risks, with particular attention to the anti-nutritional compounds and toxic flowers. Edible flowers from different plant species provide a variety of bioactive compounds that contribute to their flavor, aroma, and potential health benefits. These bioactive compounds, including antioxidants, vitamins, minerals and phytochemicals, make edible flowers not only beautiful but also nutritious. Incorporating them into your diet can improve the overall nutritional content of your meals. However, consuming edible flowers is not without risks. Some flowers contain anti-nutrient compounds, such as oxalates and phytates, which can interfere with the absorption of essential minerals and lead to nutritional deficiencies over time. Therefore, it is important to practice moderation when consuming certain edible flowers, especially for those with pre-existing medical conditions or prone to mineral imbalances. However, it is essential to pay attention to anti-nutritional compounds that can affect mineral absorption and the potential toxicity of certain flowers. When used judiciously and safely, edible flowers can be a delicious and healthy addition to a balanced diet. Careful selection and proper preparation are essential to reap the benefits while minimizing the risks associated with these beautiful flowers. This review serves as a valuable resource for consumers, chefs and nutritionists, providing insight into the world of edible flowers and their bioactive compounds as well as considerations regarding anti-nutritional compounds and their toxicity.**

*Keywords:* Edible flowers, bioactive compounds, anti-nutritional compounds, toxicity

## **1. INTRODUCTION**

**Edible flowers are the flowers of any plant that are generally safe for humans. These flowers are becoming increasingly popular, as evidenced by the increasing number of edible flowers used in cookbooks, cooking magazine articles, and political television shows (Roberts, 2014). Many flowers play a prominent role in food preparation, adding fragrance, flavor and aesthetic value, such as roses (*Rosa* spp. L.), which were used in ancient Rome to increase the flavor and sweetness of foods in drinks, salads, purees, desserts, etc. People in China, the Middle East, and India also use this flower because it originated in ancient civilizations (Deka and Nath, 2014). Today, sales of fresh flowers for human consumption are increasing around the world. In addition, these products, suitably packaged in bags, boxes, etc., will be sold directly in farm stores or through various specialized sales outlets (Mlcek and Rop, 2011). Curiosity about edible flowers is a result of the search for new natural food products. Consumers are increasingly choosing food products containing natural ingredients due to concerns about the negative health effects of synthetic compounds. However, processing and preservation aspects have only been explored for a few edible flowers and could be applied more widely. The commercialization of value-added products from this flower is still very far away due to the lack of scientific reports. The potential of these flowers as superfoods can also be explored.**

## **2. Edible flowers**

### **2.1 Edible flowers as a source of bioactive substances**

Edible flowers typically contain 70-95% water, petals, nectar, and pollen, making them an important source of metabolites, vitamins, and minerals. Edible flowers are also rich in antioxidant molecules (such as polyphenols and pigments) that can help prevent certain diseases. Edible flowers are important for human health as they are rich in nutrients and bioactive compounds and offer opportunities for further commercialization (Anderson *et al.*, 2012). Previous studies have reported many

species, genera, and families that produce edible flowers, but no official list has been published by any international organization, and to date only a small number of them have been published. is being researched. Several scientific reports have focused on bioactive substances used as food sources. Some of them are shown below.

**Table 1. List of common edible flowers, their bioactive compounds**

<b>Scientific Name</b>	<b>Common Name</b>	<b>Bioactive Compound</b>	<b>Reference</b>
<i>Sambucus nigra</i> L.	Black elder	(poly) phenolic compounds, terpenoid.	Liu <i>et al.</i> (2022)
<i>Viola tricolor</i> L.	Pansy	Flavones (apigenin glycoside), anthocyanin (cyanidin và delphinidin)	Espinoza <i>et al.</i> (2020)
<i>Centaurea cyanus</i> L.	Cornflower	Cinnamic acid, Flavanols, Benzoic acid, Vitamin C, Tocopherols	Demasi <i>et al.</i> (2021) Pires <i>et al.</i> (2019)
<i>Dendranthema</i> spp.	Chrysanthemum	Caffeoylquinic acids,	Sha <i>et al.</i> (2021)
<i>Cucurbita pepo</i> var. <i>giromontiina</i>	Zucchini	Carotenoids, Polyphenols	Grzeszczuk (2007)
<i>Cichorium intybus</i> L.	Chicory	Polyphenols, inulin, oligofructose, sesquiterpene lactones	Perovic (2021)
<i>Cucurbita pepo</i> L.	Pumpkin	carotenoids, polyphenols	Grzeszczuk (2007)
<i>Viola odorata</i> L.	Sweet violet	Eugenol, gamma-sitosterol, tetradecanoic acid, Phytol, Octacosanol.	Jasim <i>et al.</i> (2018)
<i>Forsythia Vah</i>	Forsythia	Forsythiaside, Rutin and Forsythin	Qu <i>et al.</i> (2008)
<i>Fuchsia</i> L.	Fuchsia	Flavonoids, Phenolic acids, Anthocyanins, Tannins	Csepregi <i>et al.</i> (2020)
<i>Hibiscus</i> L.	Hibiscus	Hydroxycitric acid, Anthocyanins, Flavonoids, Phenolic acid	Ojulari <i>et al.</i> (2019)

<i>Lamium L.</i>	Dead-nettle	Phenolic acids (chlorogenic, caffeic acids), Flavonoids (rutin).	Danila <i>et al.</i> (2015)
<i>Jasminum L.</i>	Jasmine	Saponin, Flavonoid, Quinine, Protein, Steroids	Prakash <i>et al.</i> (2019)
<i>Echinacea Moench</i>	Coneflower	Alkylamides, Polysaccharides, Glycoproteins, Flavonoids and Phenolic compounds	Burlou-Nagy <i>et al.</i> (2022)
<i>Trifolium L.</i>	Clover	Flavones, Flavonols, Isoflavones, Pterocarpans, Cyanogenic glucosides, Saponins, Condensed tannins	Ahmad <i>et al.</i> (2021)
<i>Lavandula L.</i>	Lavender	Linalool, Limonene, Perillyl alcohol, Linalyl acetate, Cis-smine, Terpene, Coumarin, Tannin, Caffeic acid	Haban <i>et al.</i> (2023)
<i>Papaver rhoeas L.</i>	Common poppy	Phenolic compounds, alkaloids, flavonoids, organic acids and coumarins	Hmamou <i>et al.</i> (2023)
<i>Calendula off. L.</i>	Common marigold	Terpenoids, Terpenes, Carotenoids, Flavonoids	Silva <i>et al.</i> (2021)
<i>Tropaeolum L.</i>	Nasturtium	Anthocyanins, polyphenols and vitamin C	Jakubczyk <i>et al.</i> (2018)
<i>Impatiens L</i>	Impatiens	Phenolic acids and flavonoids	Pires <i>et al.</i> (2021)

## 2.2 Health benefits of edible flowers

Edible flowers provide a palatable blend of aesthetics and nourishment, making them a one-of-a-kind harmonize to culinary creations. Aside from their visual beauty, these blossoms can benefit our overall health and well-being in different ways. First, most edible flowers are rich in antioxidants, such as flavonoids and polyphenols, which fight oxidative stress and reduce the risk of chronic disease. (Zhang *et al.*2015). In addition,

these flowers often contain vitamins and minerals like as vitamin C, which benefits in immune function, and potassium, which aids in the maintenance of appropriate blood pressure levels (De, 2020).

Furthermore, a number of edible flowers, such as calendula and chamomile, have anti-inflammatory effects and can be ingested or applied topically to relieve digestive discomfort or skin irritations (Swarna, 2023). Edible flowers add a rush of colourful flavours and smells to dishes, improving the sensory experience and potentially decreasing the need for excessive salt or sugar (Mouritsen, 2018). Furthermore, integrating edible flowers into your diet can develop a connection to nature and a deeper appreciation for the beauty and diversity of the natural world, both of which can benefit your mental health. However, while hunting or purchasing edible flowers, it is critical to exercise caution to ensure that they are pesticide-free and safe for consumption. Edible flowers, when utilized wittily and correctly, may be a delectable and health-enhancing addition to the culinary selection.

**Table 2. Potential health benefits of common edible flowers**

Common name	Scientific name	Health benefits	Reference
Black elder	<i>Sambucus nigra</i> L. (Black elder)	Antioxidant, antibacterial, bone protection, healing, anti-inflammatory and pain relief	Agalar (2019)
Pansy	<i>Viola tricolor</i> L.	It is used to treat scabs, itching, ulcers, eczema, and psoriasis, as well as lung and chest infections such as bronchitis and asthma.	Hellinger <i>et al.</i> (2014)
Cornflower	<i>Centaurea cyanus</i> L.	It has antibacterial, anti-inflammatory, neurological, antioxidant, diuretic, gastroprotective, and many other effects.	Al-Snafi (2015)
Chrysanthemum	<i>Dendranthema spp.</i>	Easing stress and anxiety. Improving cardiovascular, health and protect against oxidative damage. Inhibit	Shahrajabian <i>et al.</i> (2019)

		inflammation and support healthy immune function.	
Zucchini	<i>Cucurbita pepo</i> var. <i>giromontiina</i>	The antioxidant activity of Cucurbitaceae appears to be of great interest in many application areas, including CVD (cardiovascular diseases) associated with oxidative stress.	Rolnik A <i>et al.</i> (2020)
Chicory	<i>Cichorium intybus</i> L.	Relieves symptoms associated with mild digestive disorders (such as bloating, flatulence, and indigestion) and temporary loss of appetite.	Street <i>et al.</i> (2013)
Pumpkin	<i>Cucurbita pepo</i> L.	Heal and purify fatigue and thirstblood.Cure colds and relieve pain. Seeds treat irritable bladder, prostate complain, anthelmintic, acaricide. Treatment of gastritis, burns, enteritis, and feverdisease. Increase hemoglobin content in the blood.	Ratnam <i>et al.</i> (2017)
Sweet violet	<i>Viola odorata</i> L.	Anti-inflammatory, analgesic, antioxidant, and diuretic effects, as well as other positive effects such as antihypertensive, antihyperlipidemic, diaphoretic, antipyretic, and antifungal effects, as well as weight loss effects, etc.	Feyzabadi <i>et al.</i> (2014)
Phlox	<i>Phlox</i> L.	Antioxidant and antimicrobial activity	Farinas <i>et al.</i> (2019)
Forsythia	<i>Forsythia</i> Vah	Antipyretic and anti-inflammatory activity in the treatment of bacterial infections and upper respiratory ailments	Zeng <i>et al.</i> (2017)

Freesia	<i>Freesia sp.</i>	inhibiting sympathetic nervous excitement and reducing blood pressure	Xu <i>et al.</i> (2023)
Hibiscus	<i>Hibiscus L.</i>	Antihypertensive effect, antilipidemia effect, hypoglycemic effect, body fat reduction effect, renal protection effect, antianemia effect, antioxidant effect, anti-inflammatory effect, antistromal effect	Montalvo-Gonzalez (2022)
Dead-nettle	<i>Lamium L.</i>	Antimicrobial, antiviral, anti-inflammatory, anti-nociceptive activity, and pain therapy and cytotoxicity and cytoprotective activity	Salehi B <i>et al.</i> (2019)
Jasmine	<i>Jasminum L.</i>	Anti-oxidant, anti-inflammatory, anti-cancer, anti-obesity, and neuroprotective effect	Lu <i>et al.</i> (2016)
Coneflower	<i>Echinacea Moench</i>	Antioxidant potential, immunomodulatory effect, therapeutical uses	Burlou-Nagy <i>et al.</i> (2022)
Clover	<i>Trifolium L.</i>	estrogenic and progestogenic activities, antioxidant, anti-cancer and others	Ramos. <i>et al.</i> (2012)
Lavender	<i>Lavandula L.</i>	Anti-inflammatory, antiseptic, antibacterial, antifungal antimicrobial, antidepressant properties	Sharma <i>et al.</i> (2020)
Common poppy	<i>Papaver rhoeas L.</i>	Polyphenols content, antioxidant power and antibacterial effects.	Marsoul <i>et al.</i> (2020)

### 2.3 Anti-nutritional compounds in edible flowers

Antinutritional factors are substances or compounds found in fruits, flowers, and vegetables that are generally toxic to humans. They reduce the availability of nutrients such as minerals, vitamins, and even proteins found in plants. This affects the nutritional value of these plants. Antinutrients include amino acids, proteins, simple amines, alkaloids, glycosides, and phenolic compounds. When plant foods are consumed as a food source, antinutrients are absorbed, posing health risks to

consumers (Ugwu and Oranye, 2006). Antinutritional factors are natural compounds that are present in varying amounts in different foods, depending on the type of food, how it is grown, and the chemicals used to store it. Food storage and preservation (Panhwar, 2005). These antinutritional factors are also called "secondary metabolites" of plants and have been shown to be highly biologically active. These secondary metabolites are secondary compounds that occur as byproducts of processes that lead to the synthesis of primary metabolites. Antinutrients are chemicals that plants produce for self-defense. These anti-nutritional factors are produced by plants to protect themselves from fungi, insects and predators and represent a plant defense mechanism. These anti-nutritional factors are known to impair metabolism, thereby negatively impacting growth and bioavailability of nutrients (Abara, 2003). Many edible flowers are also known to contain these anti-nutritional components, and most of these edible flowers are directly consumed by rural people. Although these are not necessarily toxic plant substances, they reduce the nutritional value of plant foods, often making essential nutrients unavailable or indigestible to humans and animals. Animal Consumption (Petroski W, Minich DM, 2020). Some vitamins found in foods can be destroyed by antinutrients. Below are some of them and the compounds they contain.

**Table 3. List of edible flowers having anti-nutritional compounds**

<b>Name of Flower</b>	<b>Toxic Compound</b>
<i>Allium cepa</i>	Phytates, Oxalates, Alkaloids and Saponin
<i>Carica papaya</i>	Tannins, Phytates, Oxalates and Alkaloids
<i>Cucurbita maxima</i>	Tannins, Oxalates, Alkaloids and Saponin
<i>Moringa oleifera</i>	Alkaloids and Saponin
<i>Musa paradisiaca</i>	Tannins, Phytates, Oxalates,
<i>Musa acuminata</i>	Tannins, Alkaloids and Saponin
<i>Woodfordia fruticosa</i>	Phytates, Alkaloids and Saponin

Halder and Khaled (2021)



**Apple Blossoms (*Malus* species)**



**Citrus Blossoms**



**Elderberry Blossoms (*Sambucus* spp)**



**Banana Blossoms (*Musa paradisiaca*)**

UNDER PEER REVIEW

**FIG. 1 Common edible flowers of fruit crops**



Arugula (*Eruca vesicaria*)



Artichoke (*Cynara scolymus*)



Broccoli Florets  
(*Brassica leracea*)



Mustard (*Brassica* species)



Okra (*Abelmoschus esculentus*)



Pea Blossoms (*Pisum* species)



Radish Flowers  
(*Raphanus sativus*)



Squash Blossoms  
(*Curcubita pepo*)

**FIG.2 Common edible ornamental crops**

#### **4. CONCLUSION**

This review research has focused light on the numerous health benefits linked with eating edible flowers. Edible flowers provide a unique and attractive addition to the diet, delivering both flavour and health benefits, thanks to their rich nutritional profiles and potential antioxidant and anti-inflammatory capabilities. However, when selecting edible flowers for food, it is critical to use caution and discretion. The disadvantage is the presence of poisonous blooms, which, if consumed inadvertently, can cause severe health difficulties or even death. To discern between safe and dangerous floral kinds, it is critical to be well-informed and rely on expert help.

## REFERENCES

- Ahmad, S. and Zeb, A., 2020. Phytochemical profile and pharmacological properties of *Trifolium repens*. *Journal of Basic and Clinical Physiology and Pharmacology*, 32(1), p.20200015.
- Al-Snafi, A.E., 2015. The pharmacological importance of *Centaurea cyanus*-A review. *Int J of Pharm Rev & Res*, 5(4), pp.379-384.
- Ashagrie, G., Girmaw, F., Tarekegn, A., Baye, T. and Dagne, A., 2023. Evaluation of Analgesics and Anti-Inflammatory Activity of the Root Extract of *Impatiens rothii* (Balsaminaceae) in Rodents. *Journal of Experimental Pharmacology*, pp.207-214.
- Bączek, K., Przybył, J.L., Mirgos, M., Kosakowska, O., Szymborska-Sandhu, I. and Węglarz, Z., 2017. Phenolics in *Primula veris* L. and *P. elatior* (L.) Hill raw materials. *International journal of analytical chemistry*, 2017.
- Borowy, A., Chwil, M. and Kaplan, M., 2017. Biologically active compounds and antioxidant activity of borage (*Borago officinalis* L.) flowers and leaves. *Acta Scientiarum Polonorum. Hortorum Cultus*, 16(5).
- Bunghuez, I.R. and Ion, R.M., 2011. Complex spectral characterization of active principles from marigold (*Calendula officinalis*). *Journal of Science and Arts*, 1(14), pp.59-64.
- Burlou-Nagy, C., Bănică, F., Jurca, T., Vicaș, L.G., Marian, E., Muresan, M.E., Bácskay, I., Kiss, R., Fehér, P. and Pallag, A., 2022. *Echinacea purpurea* (L.) Moench: Biological and pharmacological properties. A review. *Plants*, 11(9), p.1244.
- Chrysargyris, A., Tzionis, A., Xylia, P., Nicola, S. and Tzortzakis, N., 2019. Physicochemical properties of petunia edible flowers grown under saline conditions and their postharvest performance under modified atmosphere packaging and ethanol application. *Journal of the Science of Food and Agriculture*, 99(7), pp.3644-3652.
- Costa Marques, T.H., Santos De Melo, C.H., Fonseca De Carvalho, R.B., Costa, L.M., De Souza, A.A., David, J.M., De Lima David, J.P. and De Freitas, R.M., 2013. Phytochemical profile and qualification of biological activity of an isolated fraction of *Bellis perennis*. *Biological research*, 46(3), pp.231-238.

Couto, J., Figueirinha, A., Batista, M.T., Paranhos, A., Nunes, C., Gonçalves, L.M., Marto, J., Fitas, M., Pinto, P., Ribeiro, H.M. and Pina, M.E., 2020. *Fragaria vesca* L. extract: a promising cosmetic ingredient with antioxidant properties. *Antioxidants*, 9(2), p.154.

Csepregi, R., Temesfői, V., Das, S., Alberti, Á., Tóth, C.A., Herczeg, R., Papp, N. and Kőszegi, T., 2020. Cytotoxic, antimicrobial, antioxidant properties and effects on cell migration of phenolic compounds of selected transylvanian medicinal plants. *Antioxidants*, 9(2), p.166.

Danila, D., Adriana, T., Camelia, S.P., Valentin, G. and Anca, M., 2015. Antioxidant activity of methanolic extracts of *Lamium album* and *Lamium maculatum* species from wild populations in the Romanian eastern Carpathians. *Planta Medica*, 81(16), p.PW\_192.

De, L.C., 2020. Edible seeds and nuts in human diet for immunity development. *Int. J. Recent Sci. Res*, 6(11), pp.38877-38881.

El Marsni, Z., Torres, A., Varela, R.M., Molinillo, J.M., Casas, L., Mantell, C., Martinez de la Ossa, E.J. and Macias, F.A., 2015. Isolation of bioactive compounds from sunflower leaves (*Helianthus annuus* L.) extracted with supercritical carbon dioxide. *Journal of agricultural and food chemistry*, 63(28), pp.6410-6421.

El Mihyaoui, A., Esteves da Silva, J.C., Charfi, S., Candela Castillo, M.E., Lamarti, A. and Arnao, M.B., 2022. Chamomile (*Matricaria chamomilla* L.): a review of ethnomedicinal use, phytochemistry and pharmacological uses. *Life*, 12(4), p.479.

Farinas, C., Jourdan, P., Paul, P.A. and Peduto Hand, F., 2019. Development and evaluation of laboratory bioassays to study powdery mildew pathogens of Phlox in vitro. *Plant disease*, 103(7), pp.1536-1543.

Feyzabadi, Z., Jafari, F., Kamali, S.H., Ashayeri, H., Aval, S.B., Esfahani, M.M. and Sadeghpour, O., 2014. Efficacy of *Viola odorata* in treatment of chronic insomnia. *Iranian Red Crescent Medical Journal*, 16(12).

Fierascu, R.C., Temocico, G., Fierascu, I., Ortan, A. and Babeanu, N.E., 2020. *Fragaria* genus: Chemical composition and biological activities. *Molecules*, 25(3), p.498.

Friedman, H., Rot, I., Agami, O., Vinokur, Y., Rodov, V., Reznick, N., Umiel, N., Dori, I., Ganot, L., Shmuel, D. and Matan, E., 2007, December. Edible flowers: new crops

with potential health benefits. In *International Conference on Quality Management in Supply Chains of Ornamentals 755* (pp. 283-290).

Gómez Flores, R.A., Reyna Martinez, R., Tamez Guerra, P. and Quintanilla Licea, R., 2012. Antibacterial activity of *Oenothera rosea* (L'Hér) leaf extracts. *British journal of medicine & medical research*, 2(3), pp.396-404.

Habán, M., Korczyk-Szabó, J., Čerteková, S. and Ražná, K., 2023. Lavandula Species, Their Bioactive Phytochemicals, and Their Biosynthetic Regulation. *International Journal of Molecular Sciences*, 24(10), p.8831.

He, D.Y. and Dai, S.M., 2011. Anti-inflammatory and immunomodulatory effects of *Paeonia lactiflora* Pall., a traditional Chinese herbal medicine. *Frontiers in pharmacology*, 2, p.10.

Hellinger, R., Koebach, J., Fedchuk, H., Sauer, B., Huber, R., Gruber, C.W. and Gründemann, C., 2014. Immunosuppressive activity of an aqueous *Viola tricolor* herbal extract. *Journal of Ethnopharmacology*, 151(1), pp.299-306.

Hmamou, A., Kara, M., Khomsi, M.E., Saleh, A., Al Kamaly, O., Bendaoud, A., El Ouadrhiri, F., Adachi, A., Tlemcani, S., Eloutassi, N. and Lahkimi, A., 2023. Comparative Study on the Total Phenolics, Total Flavonoids, and Biological Activities of *Papaver rhoeas* L. Extracts from Different Geographical Regions of Morocco. *Applied Sciences*, 13(4), p.2695.

Jakubczyk, K., Janda, K., Watychowicz, K., Lukasiak, J. and Wolska, J., 2018. Garden nasturtium (*Tropaeolum majus* L.)-a source of mineral elements and bioactive compounds. *Roczniki Państwowego Zakładu Higieny*, 69(2).

Karakas, F.P., Turker, A.U., Karakas, A., Mshvildadze, V., Pichette, A. and Legault, J., 2017. In vitro cytotoxic, antibacterial, anti-inflammatory and antioxidant activities and phenolic content in wild-grown flowers of common daisy—A medicinal plant. *Journal of herbal medicine*, 8, pp.31-39.

Karimi, E., Oskoueian, E., Karimi, A., Noura, R. and Ebrahimi, M., 2018. *Borago officinalis* L. flower: A comprehensive study on bioactive compounds and its health-promoting properties. *Journal of Food Measurement and Characterization*, 12, pp.826-838.

Kelley, D.S., Adkins, Y. and Laugero, K.D., 2018. A review of the health benefits of cherries. *Nutrients*, 10(3), p.368.

Kocoglu, S.T., Ozen, F., Karakus, M., Berk, S.K. and Bak, T., Benefits for Human Health of Geophytes Having Economic Importance in Turkey.

Lu, B., Li, M. and Yin, R., 2016. Phytochemical content, health benefits, and toxicology of common edible flowers: a review (2000–2015). *Critical Reviews in Food Science and Nutrition*, 56(sup1), pp.S130-S148.

Marsoul, A., Ijjaali, M., Oumous, I., Bennani, B. and Boukir, A., 2020. Determination of polyphenol contents in *Papaver rhoeas* L. flowers extracts (soxhlet, maceration), antioxidant and antibacterial evaluation. *Materials Today: Proceedings*, 31, pp.S183-S189.

Montalvo-González, E., Villagrán, Z., González-Torres, S., Iñiguez-Muñoz, L.E., Isirdia-Espinoza, M.A., Ruvalcaba-Gómez, J.M., Arteaga-Garibay, R.I., Acosta, J.L., González-Silva, N. and Anaya-Esparza, L.M., 2022. Physiological effects and human health benefits of *Hibiscus sabdariffa*: a review of clinical trials. *Pharmaceuticals*, 15(4), p.464.

Montaner, C., Zufiaurre, R., Movila, M. and Mallor, C., 2021. Evaluation of borage (*Borago officinalis* L.) genotypes for nutraceutical value based on leaves fatty acids composition. *Foods*, 11(1), p.16.

Mortas, M., 2023. Characterization of a New Powdered, Milk-Based Medicinal Plant (*Alcea rosea*) Drink Product. *Sustainability*, 15(12), p.9320.

Motyleva, S., Upadysheva, G. and Tumaeva, T., 2021. The mineral composition of cherry (*Prunus cerasus* Mill.) fruits depending on the scion-stock combination. *Slovak Journal of Food Sciences*, 15.

Mouritsen, O.G., 2018. Tsukemono—crunchy pickled foods from Japan: A case study of food design by gastrophysics and nature. *International Journal of Food Design*, 3(2), pp.103-124.

Mulík, S. and Ozuna, C., 2020. Mexican edible flowers: Cultural background, traditional culinary uses, and potential health benefits. *International Journal of Gastronomy and Food Science*, 21, p.100235.

Munir, R., Semmar, N., Farman, M. and Ahmad, N.S., 2017. An updated review on pharmacological activities and phytochemical constituents of evening primrose (genus *Oenothera*). *Asian Pacific Journal of Tropical Biomedicine*, 7(11), pp.1046-1054.

Nandha, R., Singh, H., Garg, K. and Rani, S., 2014. Therapeutic potential of sunflower seeds: An overview. *International Journal of Research and Development in Pharmacy & Life Sciences*, 3(3), pp.967-972.

Nie, R., Zhang, Y., Jin, Q., Zhang, S., Wu, G., Chen, L., Zhang, H. and Wang, X., 2021. Identification and characterisation of bioactive compounds from the seed kernels and hulls of *Paeonia lactiflora* Pall by UPLC-QTOF-MS. *Food research international*, 139, p.109916.

Ojulari, O.V., Lee, S.G. and Nam, J.O., 2019. Beneficial effects of natural bioactive compounds from *Hibiscus sabdariffa* L. on obesity. *Molecules*, 24(1), p.210.

Park, S.Y., Ho, T.T. and Paek, K.Y., 2020. Medicinal orchids: production of bioactive compounds and biomass. *Orchid biology: recent trends & challenges*, pp.439-450.

Pires Jr, E.D.O., Pereira, E., Pereira, C., Dias, M.I., Calhelha, R.C., Ćirić, A., Soković, M., Hassemer, G., Garcia, C.C., Caleja, C. and Barros, L., 2021. Chemical composition and bioactive characterisation of *Impatiens walleriana*. *Molecules*, 26(5), p.1347.

Prakkash, M.J., Ragunathan, R. and JESTEENA, J., 2019. Evaluation of bioactive compounds from *Jasminum polyanthum* and its medicinal properties. *Journal of drug delivery and therapeutics*, 9(2), pp.303-310.

Ramos, G.P., Apel, M.A., Morais, C.B.D., Ceolato, P.C., Schapoval, E.E., Dall'Agnol, M. and Zuanazzi, J.A., 2012. In vivo and in vitro anti-inflammatory activity of red clover *Trifolium pratense* dry extract. *Revista Brasileira de Farmacognosia*, 22, pp.176-180.

Ratnam, N., Najibullah, M. and Ibrahim, M.D., 2017. A review on *Cucurbita pepo*. *Int J Pharm Phytochem Res*, 9, pp.1190-1194.

Rolnik, A., Kowalska, I., Soluch, A., Stochmal, A. and Olas, B., 2020. Comparative phytochemical, antioxidant and haemostatic studies of preparations from selected vegetables from Cucurbitaceae family. *Molecules*, 25(18), p.4326..

Salehi, B., Armstrong, L., Rescigno, A., Yeskaliyeva, B., Seitimova, G., Beyatli, A., Sharmeen, J., Mahomoodally, M.F., Sharopov, F., Durazzo, A. and Lucarini, M., 2019. *Lamium* plants—A comprehensive review on health benefits and biological activities. *Molecules*, 24(10), p.1913.

Saud, A., Abbasi, M., Merris, H., Parth, P., Jones, X.M., Aggarwal, R. and Gupta, L., 2022. Harnessing the benefits of yoga for myositis, muscle dystrophies, and other musculoskeletal disorders. *Clinical Rheumatology*, 41(11), pp.3285-3297.

Selahvarzian, A., Alizadeh, A., Baharvand, P.A., Eldahshan, O.A. and Rasoulian, B., 2018. Medicinal properties of Rosa canina L. *Herbal Medicines Journal (Herb Med J)*, pp.77-84.

Shahrajabian, M.H., Sun, W., Zandi, P. and Cheng, Q., 2019. A review of Chrysanthemum, the eastern queen in traditional Chinese medicine with healing power in modern pharmaceutical sciences. *Applied Ecology & Environmental Research*, 17(6).

Sharma, L., Chandra, M. and Puneeta, A., 2020. Health benefits of lavender (*Lavandula angustifolia*). *International Journal of Physiology, Nutrition and Physical Education*, 4(1), pp.1274-1277.

Silva, D., Ferreira, M.S., Sousa-Lobo, J.M., Cruz, M.T. and Almeida, I.F., 2021. Anti-inflammatory activity of *Calendula officinalis* L. Flower extract. *Cosmetics*, 8(2), p.31.

Singh, O., Khanam, Z., Misra, N. and Srivastava, M.K., 2011. Chamomile (*Matricaria chamomilla* L.): an overview. *Pharmacognosy reviews*, 5(9), p.82.

Street, R.A., Sidana, J. and Prinsloo, G., 2013. *Cichorium intybus*: Traditional uses, phytochemistry, pharmacology, and toxicology. *Evidence-Based Complementary and Alternative Medicine*, 2013.

Swarna, T., 2023. Nutritional and medicinal value of edible flowers. *foot*, 43, p.47.

Tarapatsky, M., Gumienna, A., Sowa, P., Kapusta, I. and Puchalski, C., 2021. Bioactive phenolic compounds from *Primula veris* L.: Influence of the extraction conditions and purification. *Molecules*, 26(4), p.997.

Xu, W., Wang, D., Matina, P., Lin, B., Liu, J., Huang, J. and Li, X., 2023. Biological effect of gamma and electron beam to target turning X-ray irradiation on two varieties of freesia in M3 generation. *Journal of Radiation Research and Applied Sciences*, 16(3), p.100622.

ZENG, M.J., ZHONG, Y.J. and DIAO, Y., 2017. Promoting mechanism of plant growth-promoting rhizobacteria in medicinal plants. *Biotechnology Bulletin*, 33(11), p.13.

Zhang, Y.J., Gan, R.Y., Li, S., Zhou, Y., Li, A.N., Xu, D.P. and Li, H.B., 2015. Antioxidant phytochemicals for the prevention and treatment of chronic diseases. *Molecules*, 20(12), pp.21138-21156.

UNDER PEER REVIEW