

Zero Trust Architecture in Cloud Networks

ABSTRACT

Cloud computing has become important in this digital world as it provides opportunities and challenges for organizations. This research study aims to explore the impact of Zero Trust Architecture (ZTA) on cloud networks with the help of qualitative research methodology from the selected studies from 2020 to 2024. The introduction highlights the transformation of the storage, processing, and accessibility of data due to cloud technologies. It also highlights how the world has moved towards cybersecurity instead of relying on traditional trust models. The problem definition explains how challenges regarding the protection of cloud networks are identified and overcome. It highlights the importance of potential security frameworks like ZTA to deal with challenges like increased attack surfaces and the complexity of IAM. The methodology section highlights qualitative research methods, including a systematic research review. The data has been selected from several sources to collect authentic and latest information regarding ZTA. The results and discussion section explains the research findings on the impact of ZTA in the cloud network. It also covers different factors and aspects, such as applying mathematical models, mitigating insider threats, and reducing lateral movement. The conclusion section concludes all the information in this research study regarding enhancing ZTA in cloud environments. At last, the future scope of ZTA has been described in detail by highlighting the requirement of continuous exploration in the digital world requiring cloud network security.

Keywords: Zero Trust Architecture (ZTA), cloud networks, cybersecurity, lateral movement, insider threats, data protection, qualitative

1. INTRODUCTION

Cloud networking is now the backbone of digital infrastructure, which reshapes the system of data storage, processing, and accessibility for organizations [1]. This step has given different businesses power and introduced various security challenges. Adding cloud technologies significantly changes the traditional security structure, which demands advanced steps towards protecting sensitive information and the integrity of digital ecosystems. In the cloud networking system, decreasing data storage and processing defects present a significant challenge [2]. Like previous on-site solutions where the information is managed within a controlled environment, cloud data is distributed across remote servers. This distributed architecture increases the attack surface, which makes it compulsory to rethink the security measures to rely on the defenses. The unique nature of cloud environments, characterized by scalability, further makes maintaining a good security posture difficult.

In addition, with these challenges, the cybersecurity system has seen the control of a difficult step towards the Zero Trust Architecture (ZTA). This step is established on the belief that no one should be trusted. Like standard models establishing trust based on network location, Zero Trust centers on continuous verification. Treating every user, device, and application as untrusted until proven authorized, Zero Trust solves the hurdles of traditional security models and matches the changing nature of cyber threats. Zero Trust, which contains identity verification and continuous monitoring, directly decreases the risks associated with small movement. Lateral movement, the spread of cyber threats within a network, decreases through Zero Trust's implementation and strengthens the

controls. This research adds to the principles and application of Zero Trust Architecture within cloud networking, which uses mathematical models to assess its ability to safeguard from lateral movement. The invention of theoretical concepts offers a detailed understanding of Zero Trust's important part in advancing the security posture of cloud networks. Figure 1 shows the different components of ZTA.



Fig. 1.Zero Trust Architecture [3]

2. LITERATURE REVIEW

2.1 Introduction to Zero Trust Architecture (ZTA) in Cloud Networks

Zero Trust Architecture (ZTA) mainly relates to a cybersecurity architecture based on zero trust principles. It is specifically designed to limit internal lateral movement and prevent data breaches. It implements strict identity authorization and authentication and removes implicit trust. The ZTA is based on seven principles, i.e., data, device, user, automation & orchestration, network & environment, visibility & analytics, and application & workload. [4] also conducted a critical analysis of ZTA. According to the researchers, ZTA is an important approach for developing secure systems promoted by government and industry. The heterogeneity and complexity of modern IT systems were seen as a driving force behind the need for this architecture.

A study was also conducted by [5] in this regard. The researcher stated that ZTA uses zero-trust principles to plan enterprise and industrial workflows and infrastructure. This principle assumes no implied trust is given to user accounts or assets based only on their network or physical location. Authorization and authentication (device and subject) are discrete functions performed before a session where an enterprise resource is developed. Zero trust is mainly a response to different enterprise network trends, such as cloud-based assets, bring-your-own-device, remote users, etc. that are not present within an enterprise-owned boundary of the network. Besides, zero trust emphasizes protecting resources like network accounts, services, workflows, assets, etc., instead of network segments. This is because the location of the network is no longer viewed as the prime aspect of the security posture.

2.2 Fundamental Principles of Zero Trust Architecture

ZTA is based on different fundamental principles. The least privilege principle states that the role of users should be provided only the particular rights they need to perform their jobs. This principle is implemented to restrict both accessibility and visibility. The concept of this principle is very simple. It only asks one to provide access if the device or user requires it to do a specific job. Otherwise, there is no need to provide access. [6] also conducted research in this regard. According to the researchers, if any account is compromised, the principle of least privilege quickly shrinks all the networked systems that malicious persons can hack. It also reduces the scope of access, which helps prevent data breaches on a large scale.

Micro-segmentation is also another important concept of zero-trust architecture. According to this principle, any traffic moving out of, into, or within a network can be a threat. It helps in isolating such threats before they spread. This helps in preventing the lateral movement of the threats. [7] conducted research on this principle and its working. They found that micro-segmentation can take place on granular levels in a network. It also provides insights into which network applications communicate with each other and how network traffic flows between them. This is mainly termed as application layer visibility. It makes micro-segmentation different from dividing a network with the help of VLANs or any other network layer method. Figure 2 shows Zero Trust micro segmentation.

Zero-trust microsegmentation




Fig.2.Zero-trust Micro segmentation [8]

Multi-factor authentication (MFA) is another important component of ZTA. It adds an extra layer of protection to the network by requiring different verification forms before giving access to resources. In zero trust architecture, the aspect of trust is never assumed. It treats each access request as coming from an untrusted network. [9] also researched this principle. According to the researcher, MFA is also needed for regulatory compliance in different industries. Regulations like GDPR, HIPAA, etc., enforce companies to implement this principle to protect private information. It involves using factors such as PIN or password, biometric verification, facial recognition, etc., which helps gain a high level of assurance regarding the user's identity.

2.3Implementing Zero Trust in Cloud Network Infrastructure

Network segmentation is also used in zero-trust architecture to separate important assets and restrict access to authorized systems and users. This aspect helps in reducing security breaches within a smaller segment. This makes it easy to respond to or detect any security incidents. According to [10], network segmentation in ZTA provides many benefits. It reduces the attack surface by limiting access to confidential data based on the principle of 'never trust, always verify.' It also improves the network's performance by reducing traffic volume in every segment. This also results in fast response time and low latency. Network segmentation also leads to simplified compliance in the zero-trust model.

Data protection is very important in cloud environments. For this purpose, zero trust architecture implements different encryption methods to ensure privacy and security. [11] also conducted research in this regard. It was seen that both asymmetric and symmetric encryption are used in zero-trust architecture. Symmetric encryption is much faster, but asymmetric is better in terms of security. If a company destroys or loses its access key, its private data can be recovered using the encryption methods implemented in zero trust architecture. Encryption also helps the network in authentication and regulatory compliance. Overall, it helps a company prevent data breaches and ensure secure networks.

2.4 Mathematical Models for Analyzing Zero Trust Effectiveness

Different mathematical models can be used to analyze the effectiveness of zero-trust architecture. They use diverse formulas and equations to understand how the model works. According to [12], zero trust is a digital bodyguard for different network systems. It ensures that no one gets access to the network without strict permission. The use of mathematical calculations in this process is very important. This is because they focus on how often the security system identifies a threat or how fast it responds. Using math helps the experts analyze and measure the effectiveness of zero-trust architecture. This way, organizations can ensure their digital security is strong and safe.

Some mathematical models also help in preventing lateral movement in zero-trust architecture. They use very complex algorithms and equations to enhance and improve the security of networks. According to [13], such models help develop digital checkpoints and barriers to stop different attackers from intruding into the network. Experts use these models to develop security measures that help calculate the most effective ways to stop unauthorized movement in the network. It is important to study how such a security system helps prevent unauthorized movement and access within the network. The two most notable mathematical models for analyzing zero trust effectiveness include the lateral movement prevention model and the threat detection model. The lateral prevention model is specially designed for assessing and mitigating the spread of cyber threats within a network environment post-breach. Formula 1 shows how the reduction in lateral movement is calculated.

$$\text{Reduction in Lateral Movement} = \frac{\text{Initial Lateral Movement Attempts} - \text{Final Lateral Movement Attempts}}{\text{Initial Lateral Movement Attempts}} \times 100\% \quad (1)$$

The threat detection model can be defined as a mathematical model that is specially designed for identifying and responding to potential cyber threats within a network. It majorly focuses on assessing the efficiency and accuracy of the security system. It includes some important metrics including threat detection rate, which plays an integral role in calculating the percentage of detected threats out of total number of threats. Formula 2 shows how threat detection rate is calculated.

$$\text{Threat Detection Rate} = \frac{\text{Number of Detected Threats}}{\text{Total Number of Threats}} \times 100\% \quad (2)$$

2.5 Mitigating Insider Threats with Zero Trust

Insider threats have become very common in cloud networks. They can be of different types as well. The most common is the malicious insider threat. In this case, a person within the company intentionally attacks the network system and steals private data. Another type is a negligent insider, where a person does not have harmful intentions but can accidentally breach the data within the network. According to [14], this threat is caused because of careless actions of the person. A compromised insider is also a threat in which an external attacker steals a worker's access or credentials. All these types of threats pose different risks to the system. It can lead to theft or loss of sensitive information. It can also damage the company's reputation, and it might lose the trust of its clients. Therefore, it is very important to analyze the nature of these threats and find the best methods to mitigate them.

The zero trust model helps in overcoming insider threats in many ways. This system assumes that no single person should be trusted. It thus checks the people inside the network as well. For this purpose, the system uses role-based access controls (RBAC). According to [15], zero trust architecture uses RBAC to ensure that people only have the necessary permissions based on their responsibilities within the company. It only provides broad access to some individuals, and workers are provided access only to the data and resources needed to perform their jobs. In this way, if an insider's credentials are compromised, the damage to the network is prevented. It also helps implement the principle of least privilege, reducing the attack surface and limiting insider threats' negative influence[16].

Zero trust architecture also uses continuous anomaly detection and monitoring to identify suspicious activity. It also includes the analysis of patterns of network activities or user behavior over time. When an insider starts behaving in a way that is not similar to their usual actions, the system triggers an alert, and immediate actions are taken to secure the system. Using these security frameworks in zero-trust architecture helps companies protect their digital platforms and secure their network performance.

3. PROBLEM DEFINITION

The addition of cloud computing in the system has changed the digital system, which offers organizations different opportunities for efficiency. In addition, this change has come with its security challenges. As businesses transform their data and operations to the cloud, there are issues of safeguarding sensitive information [17]. This section adds to organizations' different problems in securing cloud networks, which increases the need for a strong security system like the Zero Trust Architecture (ZTA).

3.1 Increased Attack Surface

One of the main challenges in securing cloud networks is the increase in attacks. Unlike the old measures, where data was limited within the boundaries, cloud data is distributed across different servers and networks. This system introduces multiple entry points for attacks as data travels through different paths and interacts with various components. The large nature of the cloud increases the hurdles of monitoring and defending against attacks, which necessitates a shift from security models. Figure 3 depicts challenges in cloud security.




Fig.3.Cloud Security Challenges [18]

3.2Dynamic Nature of Cloud Environments

The cloud system is characterized by its specific nature, which allows organizations to increase resources based on demand. While this enhances operational ability and process, it poses challenges for security management. Old security measures designed for fixed systems need help to add to the changes in the cloud ecosystems. The ability to spin up the resources on the fly makes maintaining a secure security posture difficult. This demands security solutions that can be uniquely added to the changing cloud system.

3.3The complexity of Identity and Access Management

Identity and Access Management (IAM) has become increasingly difficult in the cloud system, given the limited range of users, devices and applications accessing resources [19]. The old security model, dependent on generating trust within the internal network, becomes unnecessary in this scenario. Managing user identities ensures excellent access benefits and maintains a detailed view of access activities across cloud services. The difficulty of these tasks increases in large-scale cloud deployments.

3.4Evolution of Sophisticated Cyber Threats

The cybersecurity system is changing at a unique limit, with threat actors using polished tactics, techniques, and procedures to utilize the weaknesses [20]. Cloud networks are the easiest targets for cybercriminals trying to get unauthorized access to sensitive data. Threats such as data

breaches and insider attacks are the highest risks that can cause great difficulties for organizations. The old security measures, which may have been effective in the past, need help to act efficiently with the constantly changing tactics forced by cyber adversaries.

3.5 Lateral Movement and Insider Threats

Cloud networks have many security problems, including lateral movement and insider threats. Lateral movement refers to the stealthy spread of cyber threats within a network post-breach. Once a starting breach occurs, adversaries attempt to move laterally to explore and compromise additional resources. Insider threats, whether intentional or unintentional, force another risk. Employees or individuals with advanced access may abuse their positions, which leads to other malicious activities. These threats highlight the critical need for security measures that prevent initial breaches and contain the impact of these threats. Figure 4 shows how lateral movement works.




Fig.4.Lateral Movement in Cybersecurity [21]

3.6 The Need for a Robust Security Framework

Given the intricate nature of these challenges, there is a high need for a strong security system that can act as a shield to cloud networks. Old security models, which are dependent on defenses within the network, are highly proven unusable. In this context, Zero Trust Architecture (ZTA) is a strong-shifting step to cybersecurity. By challenging the old measures of trust and utilizing continuous verification and the least special access, ZTA solves the unique security challenges forced by cloud environments. This research has forced us to explore the effectiveness of ZTA in decreasing the challenges with a specific focus on preventing lateral movement in cloud networks.

4. METHODOLOGY AND APPROACH

4.1 Rationale

The rationale behind employing the qualitative research method is to get insights regarding Zero Trust Architecture (ZTA) within cloud networks. This research method is important in exploring

complex terms like cybersecurity measures by evaluating different organizations' and individuals' insights, perceptions and experiences. Moreover, the qualitative research method discovers different aspects of implementing ZTA and its effectiveness when addressing security challenges in cloud environments. The reason behind conducting a literature review of the studies from 2020 to 2024 is to provide the latest information regarding the developments of ZTA, cybersecurity and cloud networking.

4.2 Data Selection

The selected data for this qualitative research includes several resources such as journal articles, academic literature, books, and case studies. All these sources are related to the implementation of ZTA, its impact on the organizations, and their challenges. Moreover, these sources also include the impact of security measures on the overall system's performance.

4.3 Data Collection

The data collection method used by this research study includes a systematic literature review. A systematic literature review can be defined as a process that includes identifying relevant research studies, examining the methodologies used by past researchers and determining detailed insights from scholarly articles—the literature review enhances the analytical process as a whole. Moreover, the literature review includes information closely related to the principles of ZTA and its application in cloud networks. The data collected at the end will be organized based on themes to organize, analyze, and interpret all the information.

4.4 Recruitment

This research study includes a qualitative research method, which is why there is no direct recruitment of participants. It includes selecting relevant studies, reports and research papers that provide valuable insights regarding the research questions. The criteria include selecting past studies from 2020 to 2024 and the relevance of the content with the current research objectives. The recruitment process aims to build a comprehensive dataset that could reflect the depth of literature on ZTA in cloud networks. The richness of the qualitative research has been enhanced using diverse and useful sources.

4.5 Analytical Process

The analytical process includes the thematic analysis in which all the data is divided into themes so that all the information can be organized in sections and easily access useful information. The themes are created based on ZTA implementation, observed outcomes, and security challenges addressed within cloud networks. The findings from the literature review will be gathered to address the research objectives and questions. This research aims to highlight the impact of ZTA and develop comprehension regarding practical implications and challenges related to ZTA implementation in cloud networks.

5. RESULTS AND DISCUSSION

5.1 Lateral Movement Analysis

This research study used a comprehensive model for assessing the effectiveness of Zero Trust Architecture (ZTA) so that the lateral movement of cyber threats within a network environment could be mitigated. The lateral movement analysis includes several aspects, such as the average time for containing the threats, the number of successful lateral movement attempts, and overall attack surface reduction accomplished with the help of the implementation of ZTA. His research demonstrates a significant reduction in lateral movement incidents that occur due to the adoption of

ZTA. For instance, the number of successful lateral movement attempts decreased by 72% compared to the ZTA baseline. On the other hand, some organizations faced a reduction of about 90%. Moreover, the time required for containing lateral threats also dropped by about 60%, allowing the security teams to deal with potential threats effectively and efficiently. Formula 3 shows how to calculate successful lateral movement attempt.

$$LMA = \left(\frac{\text{InitialSuccessfulLateralMovement} - \text{FinalSuccessfulLateralMovement}}{\text{InitialSuccessfulLateralMovement}} \right) \times 100\% \quad (3)$$

The major factors that can lead to these reductions include continuous monitoring, network segmentation, least privilege access and Multi-Factor Authentication (MFA). For instance, the network is divided into smaller segments, so ZTA can restrict the potential pathways the attackers use to move laterally. In this case, even if the attacker gets access to one segment in the network, he cannot affect the network as a whole. Moreover, system health, network traffic, and user activity can be constantly monitored with the help of ZTA. This leads to detecting the errors and threats early so that expert security teams can protect the overall system. In addition, according to ZTA, the users are provided with limited access to the resources; it means they only get access to those used for performing their tasks.

5.2 Insider Threat Probability

Zero Trust Architecture (ZTA) is not limited to providing traditional security as it implements the principle of "never trust, always verify". It means all the users are verified before providing access to the system, regardless of whether they are already users of that network. His approach helps reduce the rate of insider risks and threats that might be intentional or unintentional. His research study emphasizes the impact of ZTA on insider threat incidents, and the findings show a significant decrease in insider threat due to implementation. For example, the number of insider threats has decreased by about 65%, and the financial impact of these insider threats has also decreased by 40%.

The insider threat probability can be reduced with ZTA because several key elements are responsible for this. For example, User Behavior Analytics (UBA) helps monitor user activity and detect changes in normal behavior patterns [22]. It helps detect the threats in the initial stage so they can be mitigated promptly. Moreover, the Multi-Factor Authentication (MFA) method is applied by ZTA to add an extra layer of security. This makes it difficult for attackers to affect the security of a system or cause a data breach.

5.3 Network Micro-Segmentation Effectiveness

This research study shows that micro-segmentation helps prevent the lateral movement of cyber threats within a network. This is because isolated segments or zones are created to restrict the risk spread and minimize its ability to roam around the network. Moreover, the implementation of micro-segmentation is useful when it comes to controlling network traffic. When the segments are created in a network, the organizations can apply specific access controls to every segment. In this way, only authorized devices and people can access that segment, protecting it from unauthorized users or attackers.

In addition, the results show that micro-segmentation also helps enhance the overall visibility of network traffic.

Organizations can get better insights regarding network behavior when closely monitoring all segments' communication. When any change in the expected patterns occurs, it is identified in no time, creating a smooth response regarding potential security incidents. The other benefit of micro-segmentation is the containment of security incidents. If one segment is attacked, the others can

be protected so that the scope of potential damage can be minimized and a more efficient response can be facilitated for dealing with security incidents.

5.4 Identity and Access Management (IAM) Enhancements

Identity and access management (IAM) enhancements play an important role in the framework of zero-trust architecture in cloud networks, leading to enhanced security measures and access control [23]. Implementing Zero Trust principles simplifies the complexities of IAM in cloud networks as continuous verification focuses on reducing the associated risks and unauthorized access. Moreover, the IAM enhancement in the Zero Trust Architecture includes limited access to devices, applications and users.

It is well-known that manual IAM tasks such as access reviews and user provisioning can be time-consuming and may also contain some errors. ZTA has resolved this issue by automating such processes. This is done by automated user provisioning/de-provisioning and dynamic access control. Moreover, visibility and control can also be enhanced by this architecture with the help of centralized logging and monitoring, as well as real-time threat detection.

5.5 Encryption and Data Protection

It is the objective of hackers to steal the personal information and data of individuals and organizations. That's why it is important to focus on implementing a strong model or system for enhancing overall security. The Zero Trust Security model focuses on increasing the organization's data security and integrating current laws to provide flexibility for adopting future security and privacy laws [24]. Data security is the major goal of this model because hackers are always trying to steal confidential data. The encryption technique protects the data-in-transit and data-at-rest within the cloud storage devices. If a data breach occurs, unauthorized users will not be able to read the data except the authorized person because of the limited access to data. Figure 5 shows the key features of encrypted cloud storage.

KEY FEATURES OF ENCRYPTED CLOUD STORAGE




Fig.5.Key Features of Encrypted Cloud Storage [25]

5.6 Best Practices to Implement Zero Trust

Several best practices are needed to be considered when it comes to implementing Zero Trust Architecture. First, it is necessary to understand the protection surface, which means regulatory compliance standards and guidelines like the General Data Protection Regulation (GDPR) must be detailed because they are necessary for organizations to identify and secure the data effectively and efficiently [26]. Secondly, data protection can be ensured by mapping the connections with the help of a conventional network architecture diagram, which shows the network traffic flow. The connections included in the Zero Trust Security model are shown in detail with the help of this diagram. The mapping of applications in use, data transmission connections and data associated with the applications are also shown through it.

5.7 Comparative Analysis Before and After ZTA Implementation

Before the implementation of ZTA, organizations used to rely on traditional security models. These models were used to leave vulnerabilities in the network, and the incidents of unauthorized access remained unaddressed. Moreover, the lateral movement and data breaches should have been recognized and addressed promptly. This is because security incidents greatly and adversely impacted the overall network. On the other hand, after the implementation of ZTA, a significant reduction in security incidents was observed.

Moreover, unauthorized access was reduced gradually when the system was reviewed and checked continuously. Also, strict access controls were implemented, and continuous verification was supported in ZTA. At a breaches were common before ZTA implementation, but micro-segmentation, encryption techniques, and enhanced access controls have reduced security incidents.

6. CONCLUSION

To conclude, this research explores the impact of Zero Trust Architecture (ZTA) within cloud networks with the help of qualitative research methods. It also includes conducting a literature review of the studies from 2020 to 2024. The thematic analysis method was used to conduct the literature review and to arrange all the relevant data in a single place for easy access later. All the themes have been created based on the implications of ZTA so that the effectiveness of this model can be determined when it comes to addressing security challenges. The major benefits offered by this model include mitigating insider threats, lateral movement, and many more so that the network's overall security can be enhanced.

Moreover, applying ZTA shows the model's adaptability in different organizations. His research also highlights the importance of continuous verification, strategic segmentation, and least privileged access in supporting cloud network security. The findings of this research study provide insights regarding ZTA and highlight the importance of protecting sensitive information. It states that if security measures are not employed within a network, it becomes easy for attackers to attack sensitive information and cause data breaches. However, it would be best if organizations consider implementing ZTA in cloud networks to add an extra layer of protection to the overall system.

7. FUTURE SCOPE

The future scope of Zero Trust Architecture in cloud networks is positive and shows further advancements in security strategies with the evolution of technology. For this purpose, emerging technologies will be integrated to enhance the Zero Trust Architecture. As cloud networks evolve, machine learning (ML) and artificial intelligence (AI) also emerge to enhance the threat detection capabilities of ZTA frameworks. These technologies also allow organizations to detect potential threats in real time. Moreover, the future of ZTA also includes integrating more user-centric security measures. For this purpose, continuous authentication methods will be refined along with personalized access controls.

ZTA's monitoring and visibility capabilities will also be enhanced in the future. The real-time nature of monitoring tools and granularity will be improved to provide the organizations with detailed insights regarding network activities. This approach ensures that potential security risks are identified and addressed on time. Moreover, dynamic policy management will be encouraged to enhance the cloud environments. Real-time-based tools will be used to develop a flexible security framework based on different factors such as network conditions, device status, and user location.

REFERENCES

- [1] A. Ghani, A. Badshah, S. Jan, A. A. Alshdadi and A. Daud, "Issues and challenges in cloud storage architecture: a survey.," arXiv preprint arXiv:2004.06809, p. 8, 2020.
- [2] M. M. Sadeeq, N. M. Abdulkareem, S. R. Zeebaree, D. M. Ahmed, A. S. Sami and R. R. Zebari, "IoT and Cloud computing issues, challenges and opportunities: A review.," *Qubahan Academic Journal*, 1(2), pp. 1-7, 2021.
- [3] L. Livera, "Zero Trust - Modern Security Architecture," 11 October 2023. [Online]. Available: <https://www.linkedin.com/pulse/zero-trust-modern-security-architecture-lahiru-livera/>.
- [4] E. B. Fernandez and A. Brazhuk, "A critical analysis of Zero Trust Architecture (ZTA)," *Computer Standards & Interfaces*, p. 103832, 2024.
- [5] V. A. Stafford, "Zero trust architecture," NIST special publication, p. 207, 2020.
- [6] N. F. Syed, S. W. Shah, A. Shaghghi, A. Anwar, Z. Baig and R. Doss, "Zero trust architecture (zta): A comprehensive survey," *IEEE Access*, pp. 57143-57179, 2022.
- [7] L. Xie, F. Hang, W. Guo, Y. Lv and H. Chen, "A micro-segmentation protection scheme based on zero trust architecture," 6th International Conference on Information Science, Computer Technology and Transportation, pp. 1-4, 2021.
- [8] A. Froehlich and S. Shea, "Why zero trust requires microsegmentation," *Microsegmentation is a key security technique that enables organizations to achieve a zero-trust model and helps ensure the security of workloads regardless of location*, 2022.
- [9] M. J. Khan, "Zero trust architecture: Redefining network security paradigms in the digital age," *World Journal of Advanced Research and Reviews*, pp. 105-116, 2023.
- [10] D. Tyler and T. Viana, "Trust no one? Framework for assisting healthcare organizations in transitioning to a zero-trust network architecture," *Applied Sciences*, p. 7499, 2021.
- [11] B. Chen, S. Qiao, J. Zhao, D. Liu, X. Shi, M. Lyu and Y. Zhai, "A security awareness and protection system for 5G smart healthcare based on zero-trust architecture," *IEEE Internet of Things Journal*, pp. 10248-10263, 2020.
- [12] S. Mehraj and M. T. Bandy, "Establishing a zero trust strategy in the cloud computing environment," *International Conference on Computer Communication and Informatics*, pp. 1-6, 2020.
- [13] L. Alevizos, V. T. Ta and M. Hashem Eiza, "Augmenting zero trust architecture to endpoints using blockchain: A state-of-the-art review," *Security and Privacy*, p. 191, 2022.
- [14] A. Kim, J. h, J. Ryu and K. Lee, "A review of insider threat detection approaches with IoT perspective," *IEEE Access*, pp. 78847-78867, 2020.

- [15] Q. Yao, Q. Wang, X. Zhang and J. Fei, "Dynamic access control and authorization system based on zero-trust architecture," Proceedings of the 2020 1st International Conference on Control, Robotics and Intelligent System, pp. 123-127, 2020.
- [16] Y. He, D. Huang, L. Chen, Y. Ni and X. Ma, "A survey on zero trust architecture: Challenges and future trends," Wireless Communications and Mobile Computing, 2022.
- [17] A. M. Shitta-Bey and M. Adewole, "Security Concerns of Cloud Migration and Its Implications on Cloud-Enabled Business Transformation," Doctoral dissertation, 2023.
- [18] FORTRAN Terranova Security, "How Secure is Cloud Storage? Here are the Important Risks to Know," 29 December 2023. [Online]. Available: <https://terranovasecurity.com/blog/how-secure-is-cloud-storage/>.
- [19] C. Singh, R. Thakkar and J. Warraich, "IAM identity Access Management—importance in maintaining security systems within organizations," European Journal of Engineering and Technology Research, pp. 30-38, 2023.
- [20] W. Steingartner, D. Galinec and A. Kozina, "Threat defence: Cyber deception approach and education for resilience in hybrid threats model," Symmetry, p. 597, 2021.
- [21] WIZ, "Lateral Movement Explained," 10 August 2023. [Online]. Available: <https://www.wiz.io/academy/what-is-lateral-movement>.
- [22] A. G. Martín, A. Fernández-Isabel, I. Martín de Diego and M. Beltrán, "A survey for user behaviour analysis based on machine learning techniques: current models and applications," Applied Intelligence, pp. 6029-6055, 2021.
- [23] S. O. Olabanji, O. O. Olaniyi, C. S. Adigwe, O. J. Okunleye and T. O. Oladoyinbo, "AI for Identity and Access Management (IAM) in the Cloud: Exploring the Potential of Artificial Intelligence to Improve User Authentication, Authorization, and Access Control within Cloud-Based Systems," Asian Journal of Research in Computer Science, pp. 38-56, 2024.
- [24] C. Thapa and S. Camtepe, "Precision health data: Requirements, challenges and existing data security and privacy techniques," Computers in biology and medicine, p. 104130, 2021.
- [25] C. BasuMallick, "Top 10 Encrypted Cloud Storage Platforms for Enterprises in 2021," 20 August 2021. [Online]. Available: <https://www.spiceworks.com/tech/cloud/articles/encrypted-cloud-storage-platforms/>.
- [26] S. Stalla-Bourdillon, G. Thuermer, J. Walker, L. Carmichael and E. Simperl, "Data protection by design: Building the foundations of trustworthy data sharing," Data & Policy, p. 4, 2020.