

## Review Form 1.7

Journal Name:	Current Journal of Applied Science and Technology
Manuscript Number:	Ms_CJAST_112191
Title of the Manuscript:	DETECTION BY CULTURE AND BY MULTIPLEX REAL-TIME PCR OF STAPHYLOCOCCUS AUREUS AND STAPHYLOCOCCUS SPP. IN VAGINAL SECRETIONS AND URINE IN PATIENTS RECEIVED AT SAINT CAMILLE HOSPITAL OF OUAGADOUGOU, BURKINA FASO
Type of the Article	Original Research Article

### PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<p><b>Compulsory</b> REVISION comments</p> <p>1. Is the manuscript important for scientific community? (Please write few sentences on this manuscript)</p> <p>2. Is the title of the article suitable? (If not please suggest an alternative title)</p> <p>3. Is the abstract of the article comprehensive?</p> <p>4. Are subsections and structure of the manuscript appropriate?</p> <p>5. Do you think the manuscript is scientifically correct?</p> <p>6. Are the references sufficient and recent? If you have suggestion of additional references, please mention in the review form.</p> <p><u>(Apart from above mentioned 6 points, reviewers are free to provide additional suggestions/comments)</u></p>	<p>Yes</p> <p>Yes. The title does not read well.</p> <p>Yes</p> <p>The manuscript needs to be well prepared.</p> <p>Yes</p> <p>Yes</p>	
<p><b>Minor</b> REVISION comments</p> <p>1. Is language/English quality of the article suitable for scholarly communications?</p>	<p>Avoid spelling mistakes and repetitions in the Materials &amp; methods section.</p>	
<p><b>Optional/General</b> comments</p>	<p>Mention about the multiplex PCR reaction components and PCR conditions in the method's section. Figure 2 and Figure 3 Appropriate figure title has to be written. Figure legend have to be clearly described for both figures 2 &amp; 3 interpreting the PCR results. Multiplex detection colour table has to be removed. Please remove the Principle of the Sacace™ Bac Multi-Screen Real-TM kit and the list of germs to be detected by Bac Multi-Screen Real-TM kit. Institutional ethical committee letter is missing. The study was done with human urine and vaginal samples.</p>	

### PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<p>Are there ethical issues in this manuscript?</p>	<p><u>(If yes, Kindly please write down the ethical issues here in details)</u></p>	

**Review Form 1.7**

**Reviewer Details:**

Name:	<b>V. Usha</b>
Department, University & Country	<b>India</b>