

Review Article

A Comprehensive Review of the Impact of Climate Change on Fruit Yield and Quality in Modern Horticultural Practices.

Abstract

This review provides an exhaustive analysis of the impact of climate change on fruit yield and quality, with a specific focus on India's horticultural sector. It synthesizes current research findings, identifies gaps, and suggests future directions to understand and mitigate the effects of climate change on key fruit crops. Climate change, characterized by rising temperatures, erratic rainfall, and extreme weather events, poses significant challenges to fruit production. These challenges are discussed under three main sections: the direct and indirect effects of climate change on fruit yield, the influence of climate change on fruit quality, and the adaptations in modern horticultural practices. The direct effects include alterations in flowering and fruiting cycles and changes in pollination dynamics. Indirect effects comprise changes in soil quality and nutrient availability, along with water availability and irrigation challenges. These factors collectively lead to variations in fruit yield across different regions and crops. The review also discusses the impact of climate change on the nutritional content of fruits, such as changes in sugar, acid, vitamin levels, and secondary metabolites that affect flavor and health benefits. Physical and aesthetic changes, including modifications in size, color, texture, and shelf life, are also examined, highlighting their implications for marketability and consumer preference. Adaptation strategies in response to these challenges are crucial. It delves into breeding and genetic modification efforts aimed at developing climate-resilient fruit varieties and discusses the role of biotechnology in these adaptations. It also covers changes in agronomic practices, such as adjustments in planting dates and crop rotation, alongside water management and conservation techniques. The adoption of technological innovations like precision agriculture, monitoring systems, and controlled environment agriculture (CEA) is evaluated for their potential to enhance resilience in fruit production.

Keywords: *Climate Change, Fruit Yield, Adaptation, Phenology, Biotechnology*

Introduction

Climate change, a global phenomenon with profound implications, has become a central issue in environmental studies and policy-making. In the Indian context, climate change is characterized by a noticeable increase in average temperatures, alterations in precipitation patterns, and an increase in the frequency of extreme weather events [1]. These changes have far-reaching impacts on the country's natural ecosystems, water resources, agricultural productivity, and overall socio-economic structure. The Intergovernmental Panel on Climate Change (IPCC) has highlighted South Asia, including India, as a region particularly vulnerable to the impacts of climate change, which is expected to exacerbate existing challenges related to water scarcity, heat stress, and food security [2]. Fruit production is a critical component of the agricultural sector worldwide, contributing significantly to food security, nutrition, and economic development. In India, the fruit industry is a major

agricultural segment, characterized by a wide diversity of crops due to the country's varied climatic zones. This sector not only ensures nutritional security but also provides employment and income opportunities to a large segment of the population, including smallholder farmers [3]. Additionally, fruits like mango, banana, citrus, and grapes have a substantial share in both domestic consumption and international trade, making them vital for India's agricultural economy.

A. Purpose of the Review

The impact of climate change on agriculture, particularly on fruit yield and quality, is a growing area of concern. As temperature and precipitation patterns shift, the phenology, growth, and productivity of fruit crops are significantly affected [4]. Moreover, the quality of fruit, including aspects like taste, nutritional value, and shelf-life, is also impacted by these changing conditions [5]. Understanding these impacts is crucial for developing adaptive strategies that can mitigate the adverse effects of climate change on fruit production. This understanding is pivotal for ensuring food security, farmers' livelihoods, and maintaining the balance of ecosystems. Modern horticultural practices are increasingly being designed to adapt to and mitigate the effects of climate change. These practices include the development of climate-resilient crop varieties, advanced irrigation techniques, and integrated pest management strategies [6]. By reviewing the impact of climate change on fruit yield and quality, this article aims to shed light on the challenges and opportunities in horticulture, particularly in the context of India. The insights gained can guide farmers, agronomists, policymakers, and researchers in devising sustainable and effective strategies to ensure the resilience of fruit production systems in the face of climate change [7].

B. Scope and Limitations

This review focuses on the Indian subcontinent, a region with diverse climatic zones ranging from the Himalayas in the north to the coastal regions in the south. The varied climates across India provide a unique opportunity to study the impacts of climate change on a wide range of fruit crops. Specifically, the review emphasizes major fruit crops such as mangoes, bananas, grapes, and citrus fruits, which are crucial to India's agricultural economy and are sensitive to climatic variations. These crops were chosen based on their economic value, nutritional importance, and their representation of different agro-climatic zones across India. The review acknowledges its limitation in not covering all fruit crops grown in India. Certain regional or less commercially prominent fruits are outside the scope of this study due to limited available research data. While the review attempts to provide a comprehensive overview, the varied microclimatic conditions within India mean that some localized impacts may not be fully captured. The studies and data reviewed in this article predominantly cover the period from 2000 to 2023. This time frame is selected to provide a contemporary overview of the impacts of climate change, considering that significant climatic shifts and their agricultural impacts have become more pronounced in the recent decades. Moreover, this period also aligns with the availability of more sophisticated climate [modeling/modelling](#) tools and agricultural technology, providing a more accurate and detailed understanding of the impacts. The limitation of this time frame is the potential exclusion of historical data which might offer valuable insights into long-term trends and shifts. Additionally, as climate change is a continually evolving phenomenon, some of the most recent developments might not be included if they emerged after the literature search was concluded.

C. Methodology

The selection of studies and data for this review was guided by several criteria to ensure comprehensiveness and relevance. Firstly, priority was given to peer-reviewed scientific articles published in reputable journals, ensuring the credibility and reliability of the information. Studies were also selected based on their specific focus on the impacts of climate change on fruit yield and quality in India, with an emphasis on empirical research rather than theoretical models. Additionally, the relevance of the study to modern horticultural practices was a key criterion, ensuring that the findings are applicable to current agricultural scenarios. Despite the rigorous selection process, there is a limitation in the potential exclusion of unpublished or non-peer-reviewed sources that might contain pertinent information, such as government reports or data from agricultural bodies. Language barriers might have limited the inclusion of relevant studies published in regional languages. The approach to synthesizing data from the selected studies involves both qualitative and quantitative analysis. Qualitative analysis was used to understand the broader trends and impacts of climate change on fruit yield and quality, while quantitative analysis, including meta-analysis where applicable, was employed to derive more specific conclusions and comparisons. This mixed-method approach allows for a comprehensive understanding of the subject matter. The synthesis approach has limitations, including potential biases in interpreting qualitative data and the challenge of comparing results from studies with different methodologies and scales. Additionally, the heterogeneity of the data sources might affect the uniformity and comparability of the conclusions drawn.

Climate Change and Its Effects

Globally, climate change is characterized by rising average temperatures, shifting precipitation patterns, and increased frequency of extreme weather events [8]. The last two decades have witnessed some of the warmest years on record, with global temperatures rising approximately 1.2 degrees Celsius above pre-industrial levels [9]. This warming trend has been accompanied by changes in rainfall distribution, leading to more frequent and intense droughts in some areas and increased flooding in others. The key climatic factors include temperature, CO₂ levels, and precipitation. Temperature increases can lead to heat stress in plants, alter their growth cycles, and affect crop yields [10]. Elevated CO₂ levels, while potentially beneficial for plant growth, can also affect plant nutritional quality. Changes in precipitation patterns, both in terms of amount and timing, significantly impact water availability for irrigation, soil moisture content, and overall crop health [11]. Climate change affects various physiological aspects of plants. Higher temperatures can disrupt the balance between photosynthesis and respiration, affecting growth and yield [12]. Changes in temperature and precipitation also influence flowering times and pollination processes, potentially disrupting the synchronization between plants and their pollinators [13]. Water stress from altered precipitation patterns can lead to reduced plant growth and lower yields. Climate change also alters the dynamics of pests and diseases. Warmer temperatures can expand the geographical range of many pests and pathogens, leading to new challenges in crop protection [14]. Increased CO₂ levels and temperature changes can affect the interaction between plants and pathogens or pests, sometimes increasing the plants' susceptibility. Additionally, changes in humidity and precipitation patterns can create environments conducive to the spread of certain fungal and bacterial diseases [15].

Formatted: Subscript

Formatted: Subscript

Formatted: Subscript

Table 1: Climate Change Impacts on Fruit Yield and Mitigation Strategies

Climate Change Factor	Effect on Fruit Yield	Examples of Impacted Fruits	Mitigation Strategies
Increased Temperature	<ul style="list-style-type: none"> Can accelerate ripening, reducing fruit size and quality. Can lead to heat stress, impairing fruit development. Alters flowering times, affecting pollination. 	Grapes, Apples, Berries	<ul style="list-style-type: none"> Shade nets to reduce heat stress. Selecting heat-tolerant varieties. Adjusting planting dates.
Altered Precipitation Patterns	<ul style="list-style-type: none"> Drought conditions can lead to water stress, affecting yield. Excessive rainfall can promote fungal diseases and affect pollination. 	Citrus Fruits, Cherries, Peaches	<ul style="list-style-type: none"> Drip irrigation and water conservation techniques for drought. Improved drainage and disease-resistant varieties for excessive rain.
Increased CO ₂ Levels	<ul style="list-style-type: none"> Can enhance photosynthesis, potentially increasing yield. May lead to nutritional imbalances in fruits. 	Bananas, Kiwifruit, Strawberries	<ul style="list-style-type: none"> Soil and nutrient management to maintain fruit quality. Research on varieties that better utilize increased CO₂.
Extreme Weather Events	<ul style="list-style-type: none"> Storms and hail can physically damage fruits. Unseasonal frosts can damage blossoms and young fruits. 	Pears, Plums, Avocados	<ul style="list-style-type: none"> Protective structures like hail nets. Frost protection techniques (e.g., wind machines, heaters).
Changes in Pest and Disease Patterns	<ul style="list-style-type: none"> New pests and diseases can emerge in changing climates. Existing pests and diseases may become more problematic. 	Apples, Grapes, Citrus Fruits	<ul style="list-style-type: none"> Integrated pest management strategies. Development and use of resistant fruit varieties.
Shifts in Growing Seasons	<ul style="list-style-type: none"> Changes in the length and timing of growing seasons can affect fruit maturation. May necessitate changes in crop varieties and cultivation practices. 	Cherries, Apricots, Blueberries	<ul style="list-style-type: none"> Cultivar selection for new growing conditions. Adjusting pruning and harvesting times.

Formatted: Subscript

Impact on Fruit Yield

A. Direct Effects of Climate Change

Climate change significantly impacts the phenological stages of fruit crops, particularly altering their flowering and fruiting cycles. In India, rising temperatures and changing precipitation patterns have been observed to cause mismatches in the timing of flowering, leading to reduced fruit set and yield. For instance, warmer winters have been reported to affect the flowering of apples in Himachal Pradesh, subsequently impacting the fruit yield

[16]. Similarly, changes in the onset of monsoons can disrupt the flowering period of mangoes, a critical crop in regions like Uttar Pradesh and Andhra Pradesh [17]. The effectiveness of pollination, vital for fruit production, is also influenced by climate change. Fluctuations in temperature and precipitation can affect the ~~behavior~~[behaviour](#) and population dynamics of pollinators such as bees and butterflies. In various parts of India, there has been a noticeable decline in bee populations, attributed in part to climate-induced habitat changes, which in turn affects the pollination of crops like apples, pears, and other fruits that are heavily reliant on biotic pollination [18].

B. Indirect Effects

The impact of climate change on soil quality and nutrient availability is a significant indirect factor affecting fruit yield. Increased temperatures and erratic rainfall patterns can lead to soil degradation, loss of organic matter, and altered nutrient cycling, thereby affecting soil fertility. For example, in the citrus-growing regions of Nagpur, soil quality changes have been linked to decreased production efficiency [19]. Water availability, crucial for fruit crop cultivation, is increasingly becoming a challenge due to climate change. In India, where many regions are already facing water scarcity, changes in rainfall patterns and increased evaporation rates due to higher temperatures exacerbate the situation. This has a direct impact on irrigation practices, essential for fruit crops. For instance, grapevines in Maharashtra have been affected by irregular water availability, influencing both yield and quality [20].

C. Case Studies

Several case studies illustrate the impact of climate change on specific fruit crops in India. For example, research has shown how climate change has affected mango yields in Uttar Pradesh, with temperature variations influencing the flowering and fruiting phases [21]. Another study in Karnataka has highlighted how changing rainfall patterns have affected banana cultivation, a key economic crop in the region [22]. The impacts of climate change on fruit yield are not uniform across India due to its vast geographical and climatic diversity. For instance, the coastal regions of Tamil Nadu and Kerala face different challenges compared to the inland areas of Madhya Pradesh or the northern regions of Punjab and Haryana. Each region has distinct climatic conditions and thus faces unique challenges in terms of fruit production in the face of climate change.

Impact on Fruit Quality

A. Influence on Nutritional Content

Climate change significantly impacts the nutritional content of fruits, notably altering their sugar, acid, and vitamin levels. In India, rising temperatures and varying precipitation patterns have been observed to affect the carbohydrate metabolism in fruits like mangoes and grapes, leading to changes in their sugar content and acidity [23]. For instance, higher temperatures during the ripening period can increase the sugar content in grapes, while potentially reducing acidity, which can alter the taste and quality of the wine produced from these grapes [24]. Similarly, variations in temperature and rainfall patterns have been shown to affect vitamin C levels in citrus fruits, a crucial crop in states like Maharashtra and Karnataka [25]. Secondary metabolites, which contribute to the ~~flavor~~[flavour](#), color, and health benefits of fruits, are also influenced by climate change. Fluctuating climatic conditions can alter the synthesis of these compounds, affecting the overall

[flavor/flavour](#) profile and nutritional value of the fruit. For example, studies have shown that in tea plantations in Assam, changes in rainfall and temperature have led to variations in the concentration of flavonoids and other aromatic compounds, affecting both the quality and taste of the tea [26].

B. Physical and Aesthetic Changes

The physical attributes of fruits, such as size, color, and texture, are sensitive to climatic conditions. In India, where fruits like mangoes, bananas, and apples are central to both domestic consumption and export markets, these changes can have significant economic implications. Increased temperatures and altered water availability can lead to smaller fruit sizes, changes in skin color, and alterations in texture, potentially reducing their marketability [27]. Post-harvest quality, including shelf life, is crucial for the economic viability of fruit crops. Climate change, by affecting factors like temperature and humidity, can influence the rate of fruit ripening and spoilage. In regions like Himachal Pradesh, where apples are a major crop, rising temperatures have been associated with faster ripening and reduced shelf life, posing challenges for storage and transportation [28].

C. Case Studies

Different fruit varieties exhibit varying responses to climate change, with some being more resilient than others. Studies in regions like Kerala have shown that certain banana varieties are more tolerant to climatic stresses, maintaining quality better under adverse conditions [29]. Such varietal differences are crucial for developing climate-resilient fruit production systems. Comparative analyses of historical and current quality data for fruits in India reveal significant changes over time. For instance, long-term studies on mangoes in Uttar Pradesh show shifts in quality parameters like [flavor/flavour](#) and texture, corresponding with regional climatic changes over the past few decades [30].

Adaptation in Modern Horticultural Practices

A. Breeding and Genetic Modification

In response to the challenges posed by climate change, significant efforts are being made in India to develop climate-resilient fruit varieties. Conventional breeding methods, coupled with advanced genetic techniques, are being employed to cultivate varieties that can withstand higher temperatures, reduced water availability, and increased pest and disease pressures. For example, researchers in India have been working on developing heat-tolerant varieties of apples in regions like Himachal Pradesh, where rising temperatures are affecting traditional apple cultivation [31]. Biotechnology plays a crucial role in addressing climate change challenges in horticulture. Techniques such as marker-assisted selection and genetic engineering are being used to introduce traits like drought tolerance, disease resistance, and improved nutritional quality in fruit crops. In India, biotechnological approaches have been particularly focused on important crops like bananas and grapes, enhancing their resilience to climatic stresses [32].

B. Agronomic Practices

Adjustments in planting dates and crop rotation are practical strategies to mitigate the impacts of climate change. In India, farmers are increasingly adopting altered planting schedules to synchronize crop growth stages with favorable climatic conditions. Crop rotation, involving the cultivation of different crops in succession on the same land, is being promoted to maintain soil health and reduce pest and disease buildup, which is escalating due to climate change [33]. Efficient water management and conservation techniques are essential under changing climatic conditions. Indian farmers are adopting practices like drip irrigation and mulching to optimize water use efficiency in fruit crop production. Rainwater harvesting and the use of drought-resistant rootstocks are other strategies being employed to combat water scarcity [34].

C. Technological Innovations

Precision agriculture, involving the use of technology to optimize field management and crop production, is gaining traction in India. The use of satellite imagery, drones, and sensor-based monitoring systems allows for precise application of water, fertilizers, and pesticides, enhancing productivity while minimizing environmental impacts. This approach is particularly beneficial in monitoring and managing the micro-variations in climate within orchards [35]. Controlled Environment Agriculture (CEA) is an innovative approach that is being explored in India to mitigate the impacts of climate change. CEA involves growing fruits in controlled environments such as greenhouses, where temperature, humidity, and light are regulated. This technique allows for year-round cultivation, less vulnerability to climatic anomalies, and efficient resource use. It is particularly relevant for high-value crops and urban agriculture [36].

Table 2: Resistant Rootstocks and Varieties of Fruit Crops Against Biotic and Abiotic Stresses [37]; [38].

Crop	Rootstock/Trait	Trait
Mango	13-1, Kurakkan, Nileshwar dwarf, Bappakai	Salinity tolerant
Guava	<i>Psidium</i> <i>P. molle</i> × <i>P. guajava</i>	Wilt resistant rootstock
	<i>P. cujavillis</i>	Tolerant to drought, sodic soils
	Chinese guava (<i>P. friedrichsthalianum</i>)	Dwarfing, nematode tolerant, wilt tolerant
Grape	Dogridge, 110R, SO-4	Drought, salinity tolerant
Citrus	Rangpur Lime	Drought, Phytophthora tolerant
	Cleopatra mandarin	Salinity tolerant
Sapota	Khirmi	Drought tolerant
Anona	Arka Sahan	Drought tolerant

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Ber	<i>Ziziphus nummularia</i>	Drought tolerant, dwarf stature
	<i>Z. mauritiana</i> var. Tikdi and <i>Z. mauritiana</i> var. Shukhawani	Vigorous growth
	<i>Z. rotundifolia</i>	Vigorous growth, drought tolerant
Fig	<i>Ficus glomerata</i>	Nematode and salinity tolerant
Lime	Rangpur lime and Cleopatra mandarin	Salinity tolerant
Passion fruit	<i>Passiflora</i> <i>P. edulis</i> f. flavicarpa	Fusarium collar rot, nematode tolerant
	<i>P. alata</i>	Fusarium wilt tolerant
Pomegranate	<i>Punica granatum</i> (variety: Ruby)	Drought tolerant
Avocado	Duke, and its progeny, Duke 7, Barr-Duke, D9, Thomas	Phytophthora root rot tolerant
	G6 selection (Mexican)	Phytophthora root rot fairly tolerant

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Policy and Management Implications

A. Local and Global Policy Initiatives

The Indian government has implemented various regulatory frameworks to promote sustainable fruit production in the face of climate change. Policies such as the National Action Plan on Climate Change (NAPCC) and the National Horticulture Mission (NHM) aim to support adaptation and mitigation strategies in horticulture. These policies emphasize sustainable farming practices, conservation of biodiversity, and efficient use of resources [39]. Additionally, there are initiatives to promote organic farming and reduce the carbon footprint of horticultural practices. On a global scale, India is a signatory to several international agreements like the Paris Agreement and the United Nations Framework Convention on Climate Change (UNFCCC), committing to reduce greenhouse gas emissions and adapt agricultural practices to climate change. These international commitments also open avenues for technological and knowledge exchange, aiding in the development of more resilient horticultural practices [40]. International cooperation plays a critical role in addressing the challenges of climate change in agriculture. India actively participates in various international forums and research collaborations to exchange knowledge and best practices in horticulture. Collaborations with organizations like the Food and Agriculture Organization (FAO) and the International Society for Horticultural Science (ISHS) have facilitated the sharing of insights on sustainable fruit production, pest management, and climate-resilient agriculture practices [41].

B. Risk Management and Planning

Developing long-term strategies for climate resilience is crucial for the sustainability of the fruit industry in India. This involves integrating climate change projections into agricultural planning and developing crop varieties suited to future climatic conditions. The Government of India, through initiatives like the Rashtriya Krishi Vikas Yojana (RKVY), encourages states to prepare comprehensive plans for climate-resilient agriculture, including investments in irrigation infrastructure, soil health management, and farmer training programs [42]. The economic implications of climate change for fruit growers and the industry are significant. Policies are needed to support farmers in managing the financial risks associated with climate variability. This includes crop insurance schemes, subsidies for adopting climate-resilient practices, and financial aid during climatic disasters. Additionally, the government and industry bodies are working on developing market mechanisms that reward sustainable practices, such as premium pricing for climate-resilient and eco-friendly produce [43]. Market diversification is also encouraged to reduce the economic vulnerability of farmers to climate-induced production fluctuations. This includes exploring new domestic and international markets, as well as value-added processing.

Gaps in Research and Future Directions

A. Identifying Research Gaps

Despite significant advancements in understanding the impact of climate change on horticulture, there remain areas in Indian agriculture research that require further investigation. One such area is the long-term effects of climate change on soil health and its subsequent impact on fruit quality and yield. Additionally, research on the microclimatic variations within India's diverse agricultural zones and their specific impacts on different fruit crops is still inadequate. Another critical area is the socio-economic impact of climate change on smallholder fruit farmers, whose livelihoods are increasingly vulnerable to climatic uncertainties. Current research on climate change and fruit production in India faces several limitations. Many studies are constrained by their regional focus and short-term duration, which may not adequately capture the broader, long-term impacts of climate change. There is also a lack of comprehensive data integration from different disciplines such as climatology, agronomy, and socio-economics, which is essential for a holistic understanding of climate change impacts. Much of the current research relies on historical climate data, which might not accurately predict future climatic conditions under rapidly changing global scenarios.

B. Recommendations for Future Research

Future research should adopt interdisciplinary and integrative methodologies that combine field data with advanced [modeling/modelling](#) techniques. Utilizing remote sensing technology and Geographic Information Systems (GIS) could provide more precise data on climate change impacts at both micro and macro levels. The adoption of big data analytics and machine learning can also offer predictive insights into climate change trends and their potential impacts on fruit production. Developing and deploying sensor-based technologies for real-time monitoring of soil and crop conditions can aid in more accurate and timely decision-making. Integrating horticultural research with broader climate change studies is crucial for developing comprehensive adaptation and mitigation strategies. This includes linking fruit crop research with global climate [modeling/modelling](#) projects to better understand and predict the regional impacts of global climate change. Collaborations with international climate research bodies and participation in global climate change discussions

can provide insights and resources that are critical for framing effective agricultural policies and practices. Additionally, research should focus on the development of climate-resilient horticultural systems that align with broader environmental and sustainability goals.

Conclusion

It highlights the complex and significant impact of climate change on fruit yield and quality in India's horticultural sector. Key findings indicate that climate change is affecting flowering and fruiting cycles, pollination dynamics, soil quality, and water availability, all of which directly influence fruit production. The review also sheds light on the physiological and aesthetic changes in fruit crops, exacerbated by evolving climatic conditions. Despite these challenges, advancements in breeding, agronomic practices, and technological innovations offer promising avenues for adaptation. However, there is a clear need for further research, particularly in long-term impact studies and the development of integrated, climate-resilient farming practices. Addressing these issues is critical for the sustainability of the fruit industry in India, with broader implications for food security and the livelihoods of agricultural communities.

References

1. National Academies of Sciences, Engineering, and Medicine. (2016). *Attribution of extreme weather events in the context of climate change*. National Academies Press.
2. Kelkar, U., & Bhadwal, S. (2007). South Asian regional study on climate change impacts and adaptation: implications for human development. *Human development report, 2008*, 47.
3. Fan, S., Brzeska, J., Keyzer, M., & Halsema, A. (2013). *From subsistence to profit: Transforming smallholder farms* (Vol. 26). Intl Food Policy Res Inst.
4. Makhmale, S., Bhutada, P., Yadav, L., & Yadav, B. K. (2016). Impact of climate change on phenology of mango-the case study. *Ecology, Environment and Conservation*, 22(9), S127-S132.
5. Kyriacou, M. C., & Roupael, Y. (2018). Towards a new definition of quality for fresh fruits and vegetables. *Scientia Horticulturae*, 234, 463-469.
6. Srivastav, A. L., Dhyani, R., Ranjan, M., Madhav, S., & Sillanpää, M. (2021). Climate-resilient strategies for sustainable management of water resources and agriculture. *Environmental Science and Pollution Research*, 28(31), 41576-41595.
7. Zougmore, R. B., Läderach, P., & Campbell, B. M. (2021). Transforming food systems in Africa under climate change pressure: Role of climate-smart agriculture. *Sustainability*, 13(8), 4305.
8. Espinosa, L. A., Portela, M. M., Matos, J. P., & Gharbia, S. (2022). Climate Change Trends in a European Coastal Metropolitan Area: Rainfall, Temperature, and Extreme Events (1864–2021). *Atmosphere*, 13(12), 1995.
9. Warren, R. (2006). Impacts of global climate change at different annual mean global temperature increases. *Avoiding dangerous climate change*, 93, 93-94.
10. Bitá, C. E., & Gerats, T. (2013). Plant tolerance to high temperature in a changing environment: scientific fundamentals and production of heat stress-tolerant crops. *Frontiers in plant science*, 4, 273.

11. Liu, Y., Pan, Z., Zhuang, Q., Miralles, D. G., Teuling, A. J., Zhang, T., ... & Niyogi, D. (2015). Agriculture intensifies soil moisture decline in Northern China. *Scientific reports*, 5(1), 11261.
12. Dusenge, M. E., Duarte, A. G., & Way, D. A. (2019). Plant carbon metabolism and climate change: elevated CO₂ and temperature impacts on photosynthesis, photorespiration and respiration. *New Phytologist*, 221(1), 32-49.
13. Freimuth, J., Bossdorf, O., Scheepens, J. F., & Willems, F. M. (2022). Climate warming changes synchrony of plants and pollinators. *Proceedings of the Royal Society B*, 289(1971), 20212142.
14. Lamichhane, J. R., Barzman, M., Booij, K., Boonekamp, P., Desneux, N., Huber, L., ... & Messéan, A. (2015). Robust cropping systems to tackle pests under climate change. A review. *Agronomy for Sustainable Development*, 35, 443-459.
15. Jones, R. A., & Barbetti, M. J. (2012). Influence of climate change on plant disease infections and epidemics caused by viruses and bacteria. *CABI Reviews*, (2012), 1-33.
16. Nautiyal, P., Bhaskar, R., Papnai, G., Joshi, N., & Supyal, V. (2020). Impact of climate change on apple phenology and adaptability of Anna variety (low chilling cultivar) in lower hills of Uttarakhand. *Int. J. Curr. Microbiol. App. Sci*, 9(9), 453-460.
17. DS, S. National Seminar-cum-Workshop on Physiology of Flowering in Perennial Fruit Crops ([year?](#)).
18. Singh, A., & Adhikary, T. (2021). Importance of Pollinators in Fruit Production: A Review. *International Journal of Economic Plants*, 8(3), 156-161.
19. Surwase, S. A., Kadu, P. R., & Patil, D. S. (2016). Soil micronutrient status and fruit quality of orange orchards in Kalmeshwar Tehsil, district Nagpur (MS). *Journal of Global Biosciences*, 5(1), 3523-3533.
20. Sharma, A. K., Upadhyay, A. K., & Somkuwar, R. G. (2020). Grape growing: Opportunities for better returns. *Progressive Horticulture*, 52(2), 134-143.
21. Nath, V., Kumar, G., Pandey, S. D., & Pandey, S. (2019). Impact of climate change on tropical fruit production systems and its mitigation strategies. *Climate change and agriculture in India: Impact and adaptation*, 129-146.
22. Ravi, I., & Mustaffa, M. M. (2013). Impact, adaptation and mitigation strategies for climate resilient banana production. In *Climate-resilient horticulture: Adaptation and mitigation strategies* (pp. 45-52). India: Springer India.
23. Dinesh, M. R., & Reddy, B. M. C. (2012). Physiological basis of growth and fruit yield characteristics of tropical and sub-tropical fruits to temperature. *Tropical fruit tree species and climate change*, 45.
24. De Orduna, R. M. (2010). Climate change associated effects on grape and wine quality and production. *Food Research International*, 43(7), 1844-1855.
25. Anand, J., Rawat, J. S., Rawat, V., Singh, B., Khanduri, V. P., Riyal, M. K., ... & Kumar, M. (2022). Climatic and Altitudinal Variation in Physicochemical Properties of Citrus sinensis in India. *Land*, 11(11), 2033.
26. Bhattacharya, S., & Sen-Mandi, S. (2011). Variation in antioxidant and aroma compounds at different altitude: A study on tea (Camellia sinensis L. Kuntze) clones

- of Darjeeling and Assam, India. *African Journal of Biochemistry Research*, 5(5), 148-159.
27. Moretti, C. L., Mattos, L. M., Calbo, A. G., & Sargent, S. A. (2010). Climate changes and potential impacts on postharvest quality of fruit and vegetable crops: A review. *Food Research International*, 43(7), 1824-1832.
 28. Ahmed, N., Das, B., Verma, M. K., & Verma, R. K. Lead Lecture Indian apple industry and challenges from imported apple. *Growth*, 54(75.07), 12-80.
 29. Ravi, I., & Mustaffa, M. M. (2013). Impact, adaptation and mitigation strategies for climate resilient banana production. In *Climate-resilient horticulture: Adaptation and mitigation strategies* (pp. 45-52). India: Springer India.
 30. Adak, T., Kumar, K., & Singh, V. K. (2016). An Appraisal of Seasonal Variations in Thermal Indices, Heat and Water Use Efficiency in Mango. *Climate change and its implications on Crop production and food security. Mahima Research Foundation and Social Welfare, Banaras Hindu University, Varanasi*, 183-188.
 31. Mushtaq, R., Nayik, G. A., & Malik, A. R. (Eds.). (2022). *Apples: preharvest and postharvest technology*. CRC Press.
 32. Kole, C., Muthamilarasan, M., Henry, R., Edwards, D., Sharma, R., Abberton, M., ... & Prasad, M. (2015). Application of genomics-assisted breeding for generation of climate resilient crops: progress and prospects. *Frontiers in plant science*, 6, 563.
 33. Lamichhane, J. R., Barzman, M., Booi, K., Boonekamp, P., Desneux, N., Huber, L., & Messéan, A. (2015). Robust cropping systems to tackle pests under climate change. A review. *Agronomy for Sustainable Development*, 35, 443-459.
 34. Galletto, L., Barisan, L., Boatto, V., AC Costantini, E., Lorenzetti, R., Pomarici, E., & Vecchio, R. (2014). More crop for drop—climate change and wine: an economic evaluation of a new drought-resistant rootstock. *Recent patents on food, nutrition & agriculture*, 6(2), 100-112.
 35. Abouatallah, A., Salghi, R., Hammouti, B., El Fadl, A., El-Otmani, M., Benismail, M. C., ... & Ziani, A. (2011). Soil moisture monitoring and plant stress measurement of young citrus orchard. *Der Pharma Chemica*, 3(6), 341-359.
 36. Orsini, F., Kahane, R., Nono-Womdim, R., & Gianquinto, G. (2013). Urban agriculture in the developing world: a review. *Agronomy for sustainable development*, 33, 695-720.
 37. Singh H P. 2010. Impact of climate change on horticultural crops. (In) Challenges of Climate Change in Indian Horticulture, pp 1–8. Singh H P, Singh J P and Lal S S (Eds.). Westville Publishing House, New Delhi.
 38. Singh H P, Shukla S and Malhotra S K. 2009. Ensuring quality planting material in horticulture crops. (In) A Book of Lead Papers 9th Agricultural Science Congress, held from 22-24 June, 2009 at SKUA&T Kashmir, Srinagar, pp 469–84.
 39. Kishore, A., Pal, B. D., Joshi, K., & Aggarwal, P. K. (2018). Unfolding government policies towards the development of climate smart agriculture in India. *Agricultural Economics Research Review*, 31(conf), 123-137.
 40. Wilson, A. M. W., & Forsyth, C. (2018). Restoring near-shore marine ecosystems to enhance climate security for island ocean states: aligning international processes and local practices. *Marine Policy*, 93, 284-294.

41. Kandegama, W. W. W., Rathnayake, R. M. P. J., Baig, M. B., & Behnassi, M. (2022). Impacts of Climate Change on Horticultural Crop Production in Sri Lanka and the Potential of Climate-Smart Agriculture in Enhancing Food Security and Resilience. In *Food Security and Climate-Smart Food Systems: Building Resilience for the Global South* (pp. 67-97). Cham: Springer International Publishing.
42. Arrazy, M., & Diana, R. The Cause of the Lack of Welfare of Food Crop Farmers in 2021. *Economica: Jurnal Program Studi Pendidikan Ekonomi STKIP PGRI Sumatera Barat*, 10(1), 50-58.
43. Setboonsarng, S., & Gregorio, E. E. (2017). Achieving sustainable development goals through organic agriculture: Empowering poor women to build the future.

UNDER PEER REVIEW