

STUDY OF SUCCESS LEVEL OF RECLAMATION PLANTON THE POST-MINING LAND OF PT. KITADINSITE EMBALUT

ABSTRACT

Coal mining activities in Indonesia are generally or usually carried out using an open pit mining system which results in negative impacts such as loss of forest vegetation, loss of animals and plants (flora and fauna), as well as damage and loss of soil layers around the mining area. coal. To overcome the problem of land damage or changes due to mining is to carry out reclamation. The research aims to determine the reclamation process on post-coal mining land and to assess the level of success of reclamation of revegetation. The research was carried out from mid-April 2023 to the end of May 2023 in the post-mining land revegetation reclamation area of PT Kitadin Site Embuat which is located in Emputar Village, TenggaraSeberang District, KutaiKartanegara Regency, East Kalimantan Province. The results of the research show that (1) the reclamation process on PT Kitadin's post-coal mining land begins with land management activities including filling cover soil, spreading root zone soil and controlling erosion, revegetation activities include planting cover crops, fast-growing plants, local insert plants, and maintenance activities, as well as other forms of reclamation activities; and (2) the results of the evaluation of the success criteria for revegetation at the Homogeneous Educational Forest and Heterogeneous Educational Forest locations for the percentage of plant life parameters were declared successful in getting a good score with an achievement of 94.5%, however for the soil pH parameter it was declared unsuccessful because of the quality of the soil pH at the Forest location. Homogeneous Education is still not compatible with a pH of 4.80.

Keywords: Reclamation, Post-Coal Mining Land

1. INTRODUCTION

Indonesia is a country with quite a large amount of natural resource wealth, one of which is the coal mining sector. Indonesia's coal reserves currently reach 38.84 billion tons [1]. Kalimantan holds 62.1% of the largest total potential reserves and coal resources in Indonesia, namely 88.31 billion tons of resources and reserves of 25.84 billion tons. Coal mining is one of the largest foreign exchange contributors to the country. Based on data from the Ministry of Energy and Mineral Resources, in 2022 the coal mining sector will contribute PNB (Non-Tax State Revenue) of 175.5 trillion rupiah. The magnitude of the PNB achievement cannot be separated from the high coal prices in 2022.

PT Kitadin is a domestic investment company engaged in the mining business with Production Operation Mining Business License No. 540/006/IUP-OP/MB-PBAT/III/2013 dated 18 March 2013 with area code KTN 2013 006 OP. Based on the East Kalimantan Province Regional Spatial Plan Map with a scale of 1:250,000 and the KutaiKartanegara Regency Regional Spatial Plan, the PT Kitadin coal mining area is included in the Non-Forestry Cultivation Area (KBNK) or Other Use Area (APL).

Coal mining activities are generally carried out using open-pit mining techniques. This method has a big influence on the surface of the land becoming exposed so that the land is susceptible to erosion and sedimentation, health problems for humans, destruction of plant and animal habitats, changes in natural panorama, the decline in natural beauty/quality of water and soil/groundwater levels [2] and [3]. Furthermore, it was stated in [4] and [5] that one of the characteristics of an open-pit mining system is, among other things, leaving behind former mining holes, loss of vegetation or biodiversity on the land,

Comment [ac1]: What do you want to write_

Comment [ac2]: Why full stop and then lower letter?

Comment [ac3]: Re-write the sentence, please

Comment [ac4]: Do you want to write natural resources?

Comment [ac5]: Them not wich

Comment [ac6]:

Comment [ac7]: Maybe US dollars or euro

Comment [ac8]: Map of the area? Picture of the area too

Comment [ac9]: landscape

and loss of soil nutrients as a result of removal activities, soil and cover layer (overburden removal). Indirectly, some of the impacts above can cause land degradation, changes in drainage patterns and systems, and changes in microclimate.

To improve the negative impacts of mining activities, every coal mining company is required to carry out reclamation activities for ex-mining land. Reclamation is an activity carried out throughout the stages of a mining business to organize, restore, and improve the quality of the environment and ecosystem so that it can function again according to its intended purpose [6]. Reclamation is an activity to restore the environment to its original color. Reclamation activities are activities to restore the original color of the area [7]. Ex-mining reclamation activities should be covered as a whole and not only assess physical environmental improvements but also be carried out with community development activities [8].

One of the reclamation activities is carrying out revegetation activities, namely efforts to repair and restore vegetation cover through planting and maintenance activities [9]. To carry out environmental management of ex-coal mining land, in this case, reclamation activities, it is necessary to assess the achievements of the reclamation activities that have been carried out as an effort to review the return of ex-coal mining land to its original habitat so that restoration of ex-coal mining land can be implemented effectively and efficiently, in the field.

Based on the description above, research was carried out to know the reclamation process on post-coal mining land and to assess the level of success of revegetation reclamation carried out by PT Kitadin Site Embayar on post-mining land.

2. Research Methodology

2.1 Time and Location

The research was carried out from mid-April 2023 to the end of May 2023 in the post-mining land revegetation reclamation area of PT Kitadin Site Emputar which is located in Emputar Village, Tenggara Seberang District, Kutai Kartanegara Regency, East Kalimantan Province.

2.2 Materials and Tools

The materials used are the Decree of the Minister of Energy and Mineral Resources document Number 1827 K/30/MEM/2018 and, the PT Reclamation Plan Document. Kitadin, Reclamation location map, Ribbons, and stakes as plot boundaries. The tools used are GPS, meter, compass, earth drill, plastic samples, stationery, laptop, and handphone.

2.3 Research Activities

2.3.1 Literature study

Literature study directed at searching for information data through documents, both written documents, photographs, and electronic documents that can support the writing process.

2.3.2 Plot creation

accessibility to the location of sample plots, distribution of sample plots, and availability of plots with a certain planting age, all of which can be seen on the revegetation map. After determining the location of the object to be researched, a plot measuring 40 m x 25 m is prepared to carry out vegetation analysis.

2.4. Data Collection

The data collected consists of primary data obtained directly through field observations in the revegetation area, namely the type and number of trees in the revegetation area; plant health; and soil pH; and secondary data obtained from various sources including companies, agencies, and related institutions supporting research data such as Mine Closure Plan documents, Reclamation Plan Documents, Reclamation

Comment [ac10]: it is already written with different words. I suggest you to re-write the sentence, explain better what could be happened to the environment

Comment [ac11]: after a full stop you must start a sentence with a capital letter

Comment [ac12]: what about the tailings? You don't mention it

Comment [ac13]: re-write this part, it is not to improve the negative impacts, but to reduce the negative consequences

Comment [ac14]: two time the same sentence

Comment [ac15]: re-write the sentence

Comment [ac16]: picture?

Comment [ac17]: Start a sentence with a capital letter. What do you think to add a picture?

Comment [ac18]: Collected data

Comment [ac19]: ones

Implementation Reports, void management data, water and soil test results certificate data, and other data.

Comment [ac20]: rewrite the sentence using punctuation, please

2.5. Data analysis

2.5.1. Percentage of plant life

The percentage of plant life is determined by observing the type and number of plants in the sample plot. After that, a recapitulation of the number of types between fast-growing types and local types in the example plot was carried out. The success rate of planting is seen from the percentage of living plants. The percentage success rate is calculated by the formula: $T = Hi / Ni \times 100\%$

Where: T = Percentage of plant life (%); Hi = number of live plants in the measuring plot, and Ni = number of plants that should be in the measuring plot.

The plant survival percentage category is classified as good if the growth ratio is >80%, medium category if the growth ratio is 60–80%, and poor category if the growth ratio is < 60%.

2.5.2. Plant health

Plant health is carried out by observing the plants in the sample plot. After that, an assessment is carried out using the criteria of healthy, unhealthy, and miserable. Plants are said to be healthy if they grow fresh, have straight stems, a dense canopy, and are free from disease. Plants are said to be unhealthy if the plants are not fresh, the stems are not straight, the canopy is not dense, and is attacked by disease. A plant is said to be miserable if the condition of the plant begins to dry out, the number of leaves is very small and the color of the dominant leaves turns yellow.

2.5.3. Soil pH Measurement

Soil pH measurements are carried out in the laboratory on composite soil samples. The measurement results are said to be in good criteria if the pH level is 5 - 6, medium criteria if the pH level is 4.5 - <5.

Evaluation of the success rate of this research only refers to the criteria for successful revegetation as presented in Table 1.

Table 1. Criteria for Successful Reclamation

No	Reclamation Activities	Activity Object	Parameters	Plan	Realization	Standards of Success
1	Land Use	a. Land surface arrangement	The size of the area laid outha ha	According to the plan
			Embankment stability	-	-	There were no avalanches
		b. Backfilling of ex-mining land	The area covered ha ha	According to the plan
			Embankment stability	-	-	There were no avalanches
		c. Spreading the root zone soil	The size of the area spread ha ha	- Good (>75%) - Medium (50-75%)
			Soil pH	-	-	- Good (5-6) - Medium (4,5 - <5)

Comment [ac21]: what do you mean? Did you carry out some experiments in a lab with the soil from the mine area? You must explain this!

Comment [ac22]: Re-write the sentence

Comment [ac23]: The verb is wrong

Comment [ac24]: Check other article on how to write a formula. Generally they are in the middle and space for the formula and each parameters

		d. Erosion control and water management	Drainage channel	-		There is no active erosion and sedimentation in the reclamation area
			Erosion control building	-		There are no erosion grooves
2	Revegetation	a. Planting	- Planting area: - Cover crop - Fast-growing plants - Local plants	-		- Good (Growth >80%) - Medium (60-80% growth)
		b. Management of acid mine water generator materials	Material management	-		According to the plan
			- Erosion control building	-		According to the plan
			- Sediment settling pond	-		According to the plan
3	Completion	a. Header closure	-	-		Accepted if ≥ 80%
		b. Maintenance	- Fertilization	-		According to the plan
			- Control of weeds, pests and diseases	-		Control based on analysis results
			- Embroidery	-		According to the number of dead plants.

Source: Decree of the Minister of Energy and Mineral Resources of the Republic of Indonesia No 1827K/30//2018

RESULTS AND DISCUSSION

3.1. General Description of Research Locations

PT. Kitadin holds a Production Operation Mining Business License based on the Decree of the Regent of KutaiKartanegara number 540/006/IUP-OP/MB-PBAT/III/2013 which comes into effect from 18 March 2013 to 25 February 2022 with the area code KTN 2013 006 OP, which is a revision of the Decree of the Regent of KutaiKartanegara number 540/017/IUP-OP/MB-PBAT/I/2011 dated 24 January 2011. Administratively, the Mining Business Permit (IUP) area, PT Kitadin is located in Emputar village, Separi village, BangunRejo village KertaBhuana village, and Manunggal Jaya village, TenggaraSeberang sub-district, KutaiKartanegara Regency, East Kalimantan Province with an area of 2,973 hectares. Based on the Regional Spatial Plan Map of East Kalimantan Province and the Regional Spatial Plan of KutaiKartanegara Regency, the coal mining area of PT. Kitadin is included in the Non-Forestry Cultivation Area (KBNK) or Other Use Area (APL).

PT Kitadin has a Certificate of Environmental Feasibility (SKKL) No. P-660.2/09/DPMTSP/III.3-1/KL/04/2019 of 2019 issued by the Head of DPMTSP KutaiKartanegara on behalf of the Regent of KutaiKartanegara on April 22, 2019, and has

Comment [ac25]: Re-write the sentence

been declared effective through Online Single Submission for Analysis Documents Environmental Impact.

Next PT. Kitadin has received approval for the Final Feasibility Study which was approved by the East Kalimantan Provincial Energy and Mineral Resources Service No: 541.23/2005/I-Minerba dated 29 May 2019.




Figure 1. IUP Location PT Kitadin Area

Based on the Schmidt-Ferguson climate classification, the PT Kitadin area is classified as type B, namely "wet" with a Q value of 22.6%.

In general, the location of PT Kitadin Site Emputar has a relatively flat land surface contour because it is a swamp area and former residential areas as well as rice fields that have been cleared. A small part is a hilly area.

3.2. Reclamation Implementation Process

3.2.1. Land use

According to [10], the use of ex-mining land is carried out through several activities, namely backfilling in ex-mining holes according to predetermined elevations, spreading topsoil, and creating erosion control channels. Land stewardship activities carried out by PT Kitadin are presented in Figures 2, 3, and 4.



Figure 2. Cover filling



Figure 3. Distribution of soil



Figure 4. Construction of Erosion Control Channels

After filling the cover soil, the next process is filling the root zone soil or filling the topsoil. The topsoil is taken at the topsoil accumulation location. Topsoil is spread with a thickness of about 30 cm. PT. Kitadin has several topsoil accumulation locations, including areas S22GSB1, S17GS, and S12GN. Topsoil must be collected at one accumulation location during the land-clearing process for the production process [9].

After the topsoil has been spread, water channels are made around the land arrangement area. The channel functions as an erosion control so that the topsoil that has been spread is not eroded by surface water runoff when it rains.

The size of the area to be reclaimed must be reported when preparing the Reclamation Plan Document which is prepared for 5 years. PT Kitadin's land use for 2019 – 2022 is presented in Table 2.

Table 2. Land Use 2019-2022

No	Locations	2019 (hectare)		2020 (hectare)		2021 (hectare)		2022 (hectare)	
		Plan	Actual	Plan	Actual	Plan	Actual	Plan	Actual
1.	Location 1 (S22GN)	22.43	31.81	13.8	4.42	71.59	34.90	50	24.98
2.	Location2 (S22GN_2)	7.84	15,85	3.82	-	27.59	78.37	103.38	119.80
3.	Location3 (PONDA)	17.31	21,74	18.75	-	21.17	24.70	16.8	43.80
4.	Location4 (S22GSB)	29.36	23,93	13.31	3.42	22.19	12.11	10.6	6.94
5.	Location5 (S12GN)	30.50	-	46.87	30.7	-	-	-	3.23
6.	Location6 (S17GS)	-	-	10.12	-	24.70	51.18	32	30.39
7.	Location7 (S17GS_2)	-	23.03	13.15	1.14	-	-	-	-
Total		107.44	93.33	119.30	42.38	167.24	201.26	212.78	218.97
Percentage (%)		86,8		35,6		120,3		103	
Achievement		86,4%							

Source: Reclamation Implementation Document PT. Kitadin 2019-2022

Based on the data in Table 2, shows that the average level of realization of PT Kitadin's land use in 2019-2022 has reached 86.4% of the predetermined plan, even in 2021 and 2022 the realization of land use reached more than 100%. However, in 2020 the realization of land use only reached 35.6% and was quite far from the plans that had been set. Based on information from PT Kitadin's Mine Engineering team, several factors caused the low realization of land use in 2020, including (a) The mining sequence in the S17GS pit area was not according to plan due to high rainfall; (b) Hard material for material balancing is limited so progress for stockpiling is hampered, and (c) the landfill area that has reached the target elevation experiences sliding.

Comment [ac26]: Re-write, please

Comment [ac27]: Create a bullet point

3.2.2. Revegetation

Revegetation is an effort to repair and restore vegetation cover through planting and maintenance activities [9]. Revegetation activities begin with planting cover crops. Types of cover crops used at PT. Kitadin is a type of *Centrosema pubescens*, *Colopogonium mucunoides*, *Pueraria javanica*. Cover crops have several functions, including preventing erosion by resisting the destructive power of raindrops that fall and flow over the surface of the land [11].

The types planted as pioneer plants are fast-growing plants that can grow quickly. Planting is done by making a planting hole measuring 40 cm x 40 cm x 40 cm, then applying manure and compost. The planting distance for *fast-growing plants* is 4 m x 4 m. After the fast-growing plants are 3 years old, they continue with planting inserts with local plant species from Kalimantan. The spacing for insert plants is 4 m x 8 m.

Comment [ac28]: Change the verb

Comment [ac29]: Re-write in English, please



Figure 5. Planting Fast-Growing Plants



Figure 6. Insertion Planting of Local Plants

The target number of reclamation plants per hectare is 625 fast-growing plants and 300 local-type insert plants. So the total number of plants per hectare of the reclamation area is 925 plants. Fast-growing plants are *Albizia saman*, *Hibiscus tilliaceus* L., *Senna siamea*, *Enterolobium cyclocarpum*, *Paraserianthes falcataria*, and *Gmelina*. Local plants are: *Arengapinnata*, *Tamarindus indica*, *Pterospermum javanicum*, *Shorea laevis*, *Lagerstroemia speciosa*, *Agathis dammara*, *Duabangamoluccana*, *Duriozibethinus*, *Aquilariamalaccensis*, *Melaleuca leucadendra*, *Nauclea orientalis*, *Neolamarckiacadamba*, *Psidium guajava*, *Calliandra calothyrsus*, *Dryobalanops aromatica*, *Reutealis trisperma*, *Dipterocarpus acutangulus*, *Terminalia catappa*, *Vitex pubescens* Vahl, *Macaranga bancana*, *Swietenia macrophylla*, *Mangifera indica*, *Alseodaphne insignis*, *Shorea prosula*, *Shorea assamica*, *Shorea acuminatissima*, *Palaquium rostratum*,

Alstoniascholaris, *Baccaureamotleyana*, *Adenantherapavonina*, *Peronemacanesens*, *Mimusopselengi*, and *Eusideroxylonzwageri* (Data Source Nursery PT. Kitadin).

After planting activities are completed, routine care and maintenance activities are carried out. Care and maintenance for planting ages 1 year is carried out every 4 months, while for planting ages 2 years and 3 years it is carried out every 6 months. Maintenance activities include cleaning weeds and replanting dead plants.

To increase the nutrient content in the soil, fertilization activities are carried out to support plant growth so that they can grow well. The types of fertilizer used by PT Kitadin include manure, compost, urea, SP 36, NPK, and Ponska fertilizer.

3.2.3. Other Forms of Reclamation

Based on the results of public consultations that have been carried out several times, starting from capturing the aspirations of stakeholders around the PT. Kitadin on 5 September 2019, followed by public consultation with stakeholders at the KutaiKartanegara Regency level on 18 February 2020, until finalization on 17 June 2020, several post-mining programs were obtained in the form of other forms of reclamation programs in the form of utilizing ex-mining ponds covering an area of 153.14 hectares with its main use is as an agricultural land reservoir, plantation, livestock and agricultural tourism area created by PT. Kitadin covers an area of 567.01 hectares and is for agricultural land in BangunRejo Village and KertaBuana Village. The following are details of PT's other forms of reclamation activity plans. Kitadin is presented in Table 3.

Comment [ac30]: Rewrite the sentence, please

Table 3. Other Forms of Reclamation Program PT. Kitadin

No	Program Type	Area (hectare)	Total Locations
1	Former Mining Pool	153.14	6 Locations
2	Rice field	74	2 Locations
3	Cattle farm	206	3 Locations
4	Animal Feed Land	113	5 Locations
5	Cornfield	100	3 Locations
6	Fruit Garden	26,5	1 Location
7	Integrated Agriculture	16	1 Locations
8	Chicken coop	4,17	2 Locations
9	Agricultural Tourism	4	1 Location

Source: PT. Post-Mining Plan Document. Kitadin

3.2.4. Criteria for Successful Revegetation

3.2.4.1. Percentage of Plant Life

The percentage of plant life is known through sampling in plot areas that have been created in homogeneous educational forest and heterogeneous educational forest locations. The sampling locations represent existing revegetation growth. The planned number of plants includes 63 fast-growing plants and 31 local insert plants with a plot size of 0.1 hectare. So the total planned plants in the plot are 94 plants. The actual number of plants in the plot will be compared with the planned number of plants to be planted to calculate the percentage of plant survival. Data on the live percentage of fast-growing plants and local plants is presented in Table 4,

Comment [ac31]: Homogeneous and heterogeneous educational forest

Table 4. Percentage of Plant Life

No	Location	Plot	Ni	Hi	T (%)	Information
1	Homogeneous Education Forest	1	94	87	92.5	Plot size 25 m x 40 m
		2	94	91	96.8	
		3	94	83	88.3	
Average				87	92,5	Pioneer Type Planting Distance 4 m x 4 m
2	Heterogeneous Education Forest	1	94	92	97.8	Planting distance for local types 4 m x 8 m
		2	94	102	100	
		3	94	86	91.4	
Average				93	96,4	
Total Achievement		94,5%				

Source: Primary Data processed 2023

Information: Ni = Number of plants that should be in the measuring plot; Hi = Number of live plants in the measuring plot; and T = Percentage of plant life

Based on Table 4, shows that the highest percentage of live plants is found at the Heterogeneous Education Forest reclamation location in plot two with a percentage value of 100% with the number of live plants reaching 102 plants, while the lowest percentage of plant life is found at the Homogeneous Education Forest reclamation location in plot three with the percentage value was 88.3% with a total of 83 living plants. Overall, the percentage of plant growth in the two locations reached 94.5% (including the good category).

The number of plants that did not reach 100% in each plot was due to the plants dying due to pests, falling, and some being exposed to waterlogging due to poor drainage. In the reclamation area of the Homogeneous Educational Forest, several plants have died due to being attacked by pests and also the conditions where they grow are flooded.

Pests that attack reclamation plants such as sengon usually come from the Ganodermsp type. Ganodermsp is a pathogenic fungus that can cause root rot disease in *Paraserianthesfalcatariaplants*. Ganodermsp is difficult to detect because its symptoms are similar to those of other root diseases [12].

This percentage of plant life is higher than the research results reported by [13] that the percentage of plant life in reclamation activities of ex-coal mining land. A case Study of Mining Business Permits in Tanah Bumbu Regency, South Kalimantan Province is only around 13.88 – 51.08%. Another research result reported by [14] was that the percentage of plant life in ex-mining land reclamation activities at PT. Pipit Mutiara Jaya, Sesayap District, Tana Tidung Regency, North Kalimantan Province is only 76 - 81%.

3.4.2.2 Plant Health

Plant health observations are grouped into three categories, namely healthy plants, less healthy plants, and miserable plants. In calculating the percentage of plants, the number of plants that are classified as healthy will be the value of the percentage of plant

Comment [ac32]:

Comment [ac33]:

Comment [ac34]: Column Hi= the number must be in the same place

Comment [ac35]: Re-write the sentence

Comment [ac36]: Due to pests not due to being....

Comment [ac37]: Re-write , please

health. The percentage of plant health is calculated from the number of healthy plants compared to the number of plants at the observation location. The results of research on plant health levels are presented in Table 5.

Table 5. Plant Health Level

NO	Location	Plot	Number of Plants	Plant Health Category			(%)
				Healthy	Unhealthy	Miserable	
1	Homogeneous Education Forest	1	87	78	5	4	89.6
		2	91	85	4	2	93.4
		3	83	71	7	5	85.5
Average				77	6	4	89
2	Heterogeneous Education Forest	1	92	87	4	1	94.5
		2	102	100	2	0	98
		3	86	82	2	2	95.3
Average				89	3	1	96
Total Achievement							92,5%

Source: Primary Data Processed 2023

The research results in Table 5 show that the highest percentage of plant health is found in plot two of the Heterogeneous Educational Forest location with a percentage value of 98% and the lowest percentage is in plot three of the Homogeneous Educational Forest location with a percentage value of 85.5%. Overall the percentage of plant health at this location reached 92.5%. This plant health is higher compared to the research results reported by [13] that plant health in ex-coal mining land reclamation activities, Mining Business Permit Case Study in Tanah Bumbu Regency, South Kalimantan Province, was only 70.35%. (CecepGunawan, Badaruddin, Kissinger and Hilda Susanti). The results of other research reported by [14] stated that plant health in ex-mining land reclamation activities at PT. Pipit Mutiara Jaya Sesayap District, Tana Tidung Regency, North Kalimantan Province is only 81.5 – 85.1%.

The research results also showed that the low value of the lowest percentage of plant health at the Homogeneous Education Forest location was due to the plants being planted not being able to adapt to the post-mining land, especially the local ironwood plant (*Eusideroxylonzwageri*). According to [15], naturally ironwood (*Eusideroxylonzwageri*) grows well in wet tropical forests, on land that is not flooded with water at an altitude of 500 – 625 meters above sea level, and in flat areas near rivers. The soil where ironwood grows is generally sandy with low pH and macronutrients (N, P, K).

Comment [ac38]: Explain the reason, please

Comment [ac39]: Any data for this example?

3.4.2.3 Plant Species Composition

The composition of plant types planted in the revegetation area consists of a combination of fast-growing species and long-life local plants. The percentage of local plants is calculated based on the number of local plants compared to the total number of plants in the plot, presented in Table 6.

Table 6. Percentage of Local Plant Types

No	Locations	Plot	Total Plants	Plant Type		Percentage of Local Types (%)
				Pioneer	Local	
1	Homogeneous Education Forest	1	87	52	35	40.2
		2	91	51	40	43.9
		3	83	51	32	38.5
Average				51	35	40.8
2	Heterogeneous Education Forest	1	92	53	39	42.3
		2	102	61	41	40.2
		3	86	40	46	53.4
Average				51	41	45
Percentage of Total Local Plant Types						42,9

Source: Primary Data Processed 2023

The research results in Table 6 show that the highest percentage of local plant species is found in the plots of three Heterogeneous Educational Forest locations with a percentage value reaching 53.4% and the lowest percentage is found in plot three in the Homogeneous Educational Forest location with a percentage value of 38.5%. Overall, the percentage of local plant species in the two locations reached 42.9%.

3.4.2.5 Soil Quality

The criteria for assessing soil quality in post-mining land reclamation are only based on the soil pH quality parameter. However, PT Kitadin annually carries out a complete soil quality analysis in an accredited laboratory to determine the nutrient content in the soil and as material for the company's internal evaluation. The criteria for soil pH quality are said to be "good" if the pH level is 5 - 6, whereas if the soil pH level is 4.5 - <5 it will fall into the "medium" criteria [10]. Soil quality data at the research location is presented in Table 7.

Table 7. Soil Quality Data (pH and Tektur)

No	Parameters	Method	Unit	Homogeneous Education Forest		Heterogeneous Education Forest	
				0-30	30-60	0-30	30-60
A. Chemical Analysis							
1	pH H ₂ O (1:2.5)	Electrode	-	4,80	5,25	5,35	5,70
2	pH.KCl 1N (1:2.5)	Electrode	-	3,45	3,75	4,25	4,35
B. Physical Analysis							
1	Silt	Pipet	%	45,00	40,00	40,00	33,00
2	Clay	Pipet	%	21,00	30,00	16,00	21,00
3	Sand	Sieve	%	34,00	30,00	44,00	46,00
4	Texture	Triangle	-	Loam	CL	Loam	Loam

Comment [ac40]: What are 0-30, 30-60?
Write the unit measure, please
The same for the lithology
I suggest you to rewrite the table in a different way so reader can better understand the data

		Texture				
--	--	---------	--	--	--	--

Source: PT Kitadin Land Data

Based on Table 7 above, shows the texture of loam to clay loam; The pH of the soil in the Heterogeneous Education Forest is by the standard standards, namely 5.35 at a soil depth of 0-30 cm, and 5.70 at a soil depth of 30-60 cm. Meanwhile, in the Homogeneous Education Forest, the soil pH quality still does not meet the success criteria because the soil pH at a depth of 0-30 cm is still at 4.80 even though at a soil depth of 30-60 cm it already meets the success criteria, namely pH 5.70. This situation was explained by [16] that coal mining at PT Kitadin uses an open mining system, in which land clearing and excavation of soil and overburden occurs. The rate of reaction between sulfide minerals contained in the overburdened rock and coal that is in direct contact with air will cause acid to form, causing the soil to react acidly (low pH) and generally have a low level of soil fertility. As research results reported [17] show, the soil pH on former coal mining land ranges from 5.12 – 5.28 with the dominant level of soil fertility being very low.

4 CONCLUSIONS AND RECOMMENDATIONS

4.1 Conclusion

Based on the results of research and discussions carried out at the post-mining land reclamation location of PT Kitadin Site Embayar, the following conclusions can be drawn:

1. The reclamation process on PT Kitadin's post-coal mining land begins with land management activities including filling up cover soil, spreading root zone soil and controlling erosion, revegetation activities including planting cover crops, fast-growing plants, local insert plants and maintenance activities, as well as other forms of reclamation activities by PT's Postmining Plan Document. Kitadin.
2. The results of the evaluation of the success criteria for the revegetation of PT Kitadin Site Emmohon at the Homogeneous Educational Forest and Heterogeneous Educational Forest locations for the plant growth percentage parameter were declared successful in getting a good score with an achievement of 94.5%, however for the soil pH parameter it was declared unsuccessful due to the pH quality. The land at the Homogeneous Education Forest location still does not meet the success criteria, namely still at 4.80.

Comment [ac41]: Rewrite the sentence, please

4.2 Suggestions

The suggestions that can be given are as follows:

1. Immediately carry out soil processing such as applying lime to the Homogeneous Education Forest location so that the soil pH can meet the success criteria.
2. Carry out intensive care and cleaning of weeds to prevent disease in plants, especially local types of plants.
3. Improve drainage in the revegetation area to prevent plants from dying due to waterlogging.

Comment [ac42]: Explain why it is important to apply lime

REFERENCES

- [1] Ministry of Energy and Mineral Resources. 2023. Ministry of Energy and Mineral Resources of the Republic of Indonesia - Media Center - News Archives - Coal Reserves Still 38.84 Billion Tons, Clean Technology Management Continues to be Encouraged. <https://www.esdm.go.id> (accessed 16 April 2023).
- [2] Ahmad, Y. 2012. Study of the Magnitude of Erosion in the Coal Mine Reclamation Area at PT Arutmin Indonesia Kotabaru Regency. *Borneo Tropical Forest Journal*, 13(1), 46-54.
- [3] Endriantho, M., Ramli, M., Hasanuddin, T. P. U., & Hasanuddin, T. G. U. 2013. Open Coal Mining Drainage System Planning (Open Coal Mining Drainage System Planning). *Geosciences*, 09(01), 29-40.

- [4] Stefanus, F. 2019. Mining System.
- [5] Tampaty, Y.G., F.A.R Putri, and R.H.K. Daughter. 2022. Evaluation of the Success Level of Reclamation in the Production Operation Stage on PT's Former Coal Mining Land. ProlindoCipta Nusantara in Sungai Loban District, Tanah Bumbu Regency, South Kalimantan Province. Paper in the National Seminar on Applied Science and Technology X 2022, Adhi Tama Institute of Technology Surabaya
- [6] Hirfan, H. 2018. Post-mining Land Reclamation Strategy. Engineering Pen: Scientific Journal of Engineering Sciences, 1(1), 101–108.
- [7] Muhdar, M. 2015. Legal Aspects of Coal Mining Reclamation in Forest Areas in East Kalimantan. Pulpit Law Journal, Faculty of Law, GadjahMada University. 27 (3): 472-486
- [8] Kurniawan, A.R. and Surono, W. 2013. Environmentally Friendly Community Mining Reclamation Model: Review of Land Reclamation from the Former Ijobalit Pumice Mine, East Lombok Regency, West Nusa Tenggara Province. Journal of Mineral and Coal Technology. 9(3): 165-174.
- [9] Ministry of Forestry. 2011. Regulation of the Minister of Forestry of the Republic of Indonesia Number: P. 4/Menhut-II/2011 concerning Guidelines for Forest Reclamation.
- [10] Ministry of Energy and Mineral Resources. 2018. Ministerial Decree Number 1827 K/30/MEM/2018.
- [11] Hasanah, N. I., Wasis, B., & Mansur, I. 2014. Development of *Desmodium* spp. as a Cover Crop in Post-Mining Land Reclamation *Desmodium* spp. Development as Cover Crop Plant on Post Mining Land Reclamation. Journal of Tropical Silviculture, 05, 7–12.
- [12] Dendang, B. 2015. In-Vitro Antagonism Experiment of *Trichoderma* Spp. To *Ganoderma* Sp. Which Attacks *Paraserianthesfalcataria* Trees. Wallacea Forestry Research Journal, 4(2), 147.
- [13] Gunawan, C., Badaruddin, Kissinger and H. Susanti, 2023. Reclamation of Former Coal Mining Land Case Study of Mining Business Permits in Tanah Bumbu Regency, South Kalimantan Province. EnviroScienteeae Journal. 19 (1): 76-87.
- [14] Grace Merlin Natalia Nahuway. 2019. Evaluation of the Success Level of Ex-Mining Land Reclamation at Pt. Pipit Mutiara Jaya, Sesayap District, Tana Tidung Regency, North Kalimantan Province. Thesis. Mining Engineering Master's Study Program, Faculty of Mineral Technology, Veteran National Development University, Yogyakarta
- [15] Pradjadinata, S., & Murniati, M. 2014. Management and Conservation of Ironwood Species (*Eusideroxylonzwageri* Teijsm. & Binn.) in Indonesia. Journal of Forest Research and Nature Conservation, 11(3).
- [16] Sitorus, S., Samurai Teweng, D., & Muhammad Fadliannur. 2019. Analysis of the Effect of Water-Covered PAF Material on the Formation of Acid Water for Post-Coal Mining Plans in East Kalimantan.
- [17] Subhan, E., Salmpak., A.E. Embang and Masliani. 2019. Analysis of the Soil Fertility Level of PT's Former Coal Mining Land. SenamasEnergindo Mineral, East Barito Regency, Central Kalimantan Province. Environmental Engineering Scientific Media Journal. 4 (2): 34-40.

UNDER PEER REVIEW

