

Gender Roles in Improved Cowpea Varieties Production and Selection among Farmers in Kano State, Nigeria

ABSTRACT

Gender plays a vital role in agricultural production, especially for cowpea, which is an important crop in Nigeria. The selection of good preferred varieties results in optimum output. The study assessed the gender roles in improved cowpea variety production and selection among farmers in Kano State, Nigeria. A multi-stage sampling technique was used to select six (6) Local Government Areas (LGAs) from the three (3) Agricultural Development Programme (ADP) zones in the state. 204 farmers were selected across the six LGAs. The Harvard Analytical Framework and questionnaire were used to collect the data, and descriptive statistics were also used to analyse it. The results from the study revealed that the majority (63%) of adult males are the key actors in all cowpea farm activities, with the exception of the processing of farm products, which is being carried out mainly by the majority (76.6%) of adult females with the assistance of the female youth in the household. Females handled the majority of the income-generating tasks, such as petty trading and the sale of processed cowpea products. Adult males in the study area had more access to and control over the available production resources than adult females, and almost all the respondents benefited from the resources, such as food items, clothing, education, etc. The result further indicated that the constraints faced by both male and female farmers were inadequate training on improved agronomic practices and no proper information on the cowpea varieties and females. Conclusively, adult males performed most of the cowpea production and selection activities, and females were responsible for the income-generating activities. Therefore, farmers should be adequately trained on the improved cowpea production practices and females be encourage to participate actively in cowpea production activities.

Keywords: Control of resources, Cowpea production, Improved varieties, Gender,

1. INTRODUCTION

Gender is concerned with the socio-cultural construction of males and females' roles in society and how such construction brings about changes in each sex's socioeconomic and political conditions. Its studies attempt to explain the differences between men and women, as well as the implications of such differences in society. It elucidates the production and reproduction of inequality in human societies, as well as how gender functions as a discriminatory instrument in the allocation of labour, care, property, income, education, and the political process overall [1]. Gender roles and relationships have an impact on food security and household welfare, which are important for human development [2]. It also asserted that the gender dimension is critical for economic and efficiency reasons. This is because gender helps to differentiate both the roles, responsibilities, resources, constraints, and opportunities of women and men in agriculture and rural development [3]. Building gender into agricultural development could lead to the inherent strength of males and females to mutually learn and overcome gender-based prejudices for improved food production [4].

Women have a substantial role in the production and processing of food in developing countries such as Nigeria. We cannot ignore their efforts to tackling Nigeria's agricultural development concerns [5]. They grow and process food, and they employ a range of coping methods to secure their families' food security [6]. Despite their economic and active role in agriculture. However, the barriers vary from socioeconomic to cultural. Women are typically in charge of both farm production and home chores, which has a detrimental impact on their labour productivity in farm output. Gender inequalities and prejudice against women and girls threaten their health and well-being. Women and girls may encounter larger challenges than men and boys in getting health information and services [7]. These barriers include limited mobility, a lack of access to decision-making power, lower literacy rates, discriminatory attitudes among communities and healthcare providers, and a lack of training and awareness among healthcare providers and health systems about the specific health needs and challenges of women and girls [8]. Women are crucial to agricultural production, processing, and marketing, which affects food security. Women make up 20–50% of developing country agricultural workers [9]. Women assist with hoeing, weeding, harvesting, land preparation, threshing, transport, and use. Asymmetries in land, water, energy, credit, knowledge, and labour ownership and access limit women's food production [10;11]. One major reason for this is the gender gap, which restricts women's access to land, financial services, and social capital, as well as access to technology, making them vulnerable to food insecurity [11;12]. The World Bank [10] asserts that effective gender-responsive policies, programmes, and projects must address gender disparities throughout the whole food production process, from production to consumption' that impede the attainment of food and nutritional security It has provided evidence of poor resource allocation and low productivity across gender lines, which disadvantages women. As a result, for enhanced food production in rural regions, gender has emerged as the most significant factor influencing the division of rights, resources, and duties among people, families, and communities [13]. Women participate in planting, thinning, weeding, fertiliser application, harvesting, storage, marketing, and processing [14]. Farm work often seems gendered. Women face many gender-specific barriers to accessing productive inputs, assets, and services in agriculture. These include asset ownership, fertiliser access, loans, and extension services [9;10]. Even when women have access to land, lack of ownership discourages them from investing time and resources in sustainable farming, lowering production and household income. Tarja[15] states that they often lack control over productive resources, including land, technology, and financial services. Along with women, men are vital to food production in agriculture. They have fewer restrictions than women. Men have greater access to land, credit, and extension services. Cultural traditions often encourage men to leave their farms for work when crops fail due to poor weather, leaving women to struggle to feed their families. Women often lack resources to prepare for and avoid future crises [16].

Cowpea is an affordable and easily accessible plant protein alternative that may be conveniently used in place of more expensive animal protein sources. The fodder functions as an excellent source of sustenance for livestock. Consequently, the growing population has resulted in a surge in the demand for cowpeas, but supply levels have not kept pace. Small-scale farmers have been responsible for local production, achieving a yield of 200-350 kg/ha. However, in certain instances, they have experienced negative yield due to their failure to utilise available better technology [17]. Globally, farmers cultivate it over an area of about 12.5 million hectares, producing over 3 million metric tonnes of it annually. Over the past five decades, there has been an increasing trend in the global cowpea cultivation region, from 2.41 to 10.68 million ha. Nigeria is the world's largest producer, contributing about 61% and 58% of production in Africa and worldwide, respectively, with a yearly production of over 2 million metric tonnes on 5 million ha of land [18]. The arid savannahs of the Sahel, on the outskirts of the Sahara Desert, are mostly used for agricultural, with annual rainfall of 300 mm or less. Cowpea is a cover crop that fixes atmospheric nitrogen while both providing shelter and increasing soil fertility. People enjoy its grain because of its rich protein, energy, and micro- and macronutrient content [19].

However, cowpea varietal selection enables identified farmers to prefer cowpea varieties for large-scale production or targeted breeding. Farmers' knowledge, preference, and acceptance of newly developed cowpea varieties are important for their ultimate use [20]. Farmers rated high yield potential, early maturity, a white-coloured seed coat, and good taste as the most important selection criteria in choosing cowpea varieties. Although insects, *Striga*, and drought were the three major constraints to cowpea production identified, farmers considered resistance and/or tolerance to these stresses as secondary selection criteria [21]. The International Institute of Tropical Agriculture's (IITA) cowpea pipeline breeding programme improved cowpea varieties. The TLII project, in collaboration with the Institutes of Agricultural Research (IAR) and Agricultural Development Projects (ADPs), then distributed these varieties to small-scale farmers in specific communities within specific local government areas (LGAs) in the north-west of Nigeria. Farmers were selecting cowpea varieties based on simple criteria such as high grain yield and fodder yield, but there are some other desirable criteria to be considered when selecting a cowpea variety to cultivate. In line with this, the study examined the gender roles in cowpea variety selection and the production of improved cowpea varieties in Kano State, Nigeria.

1.1 Objectives of the Study

1. describe the socio-economics characteristics of farmers in the study area
2. describe the gender roles involved in the selection of improved cowpea varieties among the cowpea farmers;
3. describe the constraints associated with gender-based selection of improved cowpea varieties among the cowpea farmers.

2. METHODOLOGY

2.1 Description of the Study Area

The research was carried out in Kano State, Nigeria. Nigeria established Kano on July 27th, 1967, at a time when the country had only twelve state structures. Katsina State shares borders with the states to the northwest and west, Jigawa State to the east and northeast, Bauchi State to the south, and Kaduna State to the southwest [22]. The state is located in the Sudan savannah, straddling latitudes 13N in the north and 11oN in the south, as well as longitudes 8oE in the west and 10oE in the east. The area's climate is tropical, with wet and dry seasons from May to October and an average rainfall of 600mm–1000mm annually. The dry season is from October to April. The mean temperature ranges from 21 to 39°C [23].

The National Bureau of Statistics estimated Kano State's population at 15,462,200. The state has 44 local government areas with a land area of 42,582.8 km², out of which agricultural land is 30,684.8 km², and forest and grazing land is 11,898 km² [22]. Greater proportions of the population of the area are full-time farmers, who are predominantly Hausa/Fulani. They engaged in the production of crops such as millet, sorghum, maize, cowpea, groundnut, and vegetables. The study will take place in Kano State, one of the states in northern Nigeria that produces the most cowpeas. They also rear animals like cattle, sheep, goats, and poultry [24].

2.2 Sampling Procedure


The study employed a multi-stage sampling technique. The first stage involved the purposive selection of six (6) Local Government Areas (LGAs) from the Agricultural Development Programme (ADP) zones (I, II, and III) in the study area. The high concentration of cowpea farmers engaged in the production of improved cowpea varieties introduced by IITA in collaboration with IAR and ADPs led to their selection. Bebeji and Gwarzo Local Government Areas (LGAs) were selected from Zone I, Bichi and Minjibir LGAs from Zone II, and Garko and Gezawa LGAs from Zone III. The second stage involved the purposeful selection of three communities from each of the selected LGAs due to their active involvement in the production and selection of the improved cowpea varieties. The following communities were selected: Wak, Bagauda, and Gargai in Bebeji LGA; Katsira, Katsinawa, and Kutama in Gwarzo LGA; Yakasai, Muntsira, and Badumi in Bichi LGA; Kazawa, Farawa, and Wasai in Minjibir LGA; Garko, Hurumi, and Maida in Garko LGA; and Danja, Wangara, and Ketawa in Gezawa LGA. The study selected a total of eighteen (18) communities.

The final stage involved selecting farmers from each of the selected LGAs. The sampling frame was the preliminary survey that IITA, ADP, and LGAs conducted in 2019 on a total of 1,162 farmers, both males and females. A simple proportional formula by Miller and Brewer (2003) was used to calculate the number of farmers interviewed. Estimated the sampling size from the sampling frame in the study area, using a 7% margin of error. Therefore, a total of two hundred and four (204) farmers were derived for the study.

Miller and Brewer [25] provided a mathematical formula to determine the sample size.

as:

$$n = \frac{N}{1 + N(a)^2}$$



Source: Preliminary survey, 2022

Figure1: Map of Kano State showing study Local Government Areas and Communities.

Table 1: Summary of the Sampling

S/N	Zone	LGAs	Male Farmers' Population	Female Farmers' Population	Sample size (Male)	Sample size (Female)	Sample size per community	
1	Zone 1	Bebeji	115	62	20	11	31	
2		Gwarzo	175	42	31	8	39	
3	Zone 2	Bichi	84	67	14	11	25	
4		Minjibir	175	55	33	10	43	
5	Zone 3	Garko	64	118	5	21	26	
6		Gezawa	166	39	32	8	40	
		Total	6	779	383	135	69	204

Source: Preliminary survey, 2022

2.3 Data Collection and Analytical Technique

Among the tools used in gender studies to sightsee the various activities engaged by different adult males, adult females, male youth, and female youth within the family is the Harvard analytical framework (HAF) work that was developed at Harvard University and accepted by numerous scientists across the world. Therefore, we used HAF to analyze the gender roles in cowpea variety selection and production. HAF has four components that are relevant to this particular research project. The study used two parts: activity and access/control of resources profiles. This showed that the cowpea farmers in the study area chose different types of cowpeas based on how men and women divided up work and who had access to and control over resources. The research also used structured questionnaires with the assistance of well-trained enumerators. Data collected were on the gender activity profile, access and control of resources, the influential factors that led to the improved cowpea variety selection and production, and the constraints associated with gender-based selection of improved cowpea varieties in Kano State, Nigeria.

The study used descriptive statistics and the Harvard Analytical Framework to achieve its objectives.

3. RESULTS AND DISCUSSION

3.1 Socioeconomic Characteristics of Cowpea Farmers

Socioeconomic characteristics assist in getting true thoughtful behaviour from these farmers, which may give evidence towards clarifying their character and could bring about a better perception of their selection attitude. Tables 2, 3, and 4 present the results derived from socioeconomic characteristics. According to Table 2, almost one-third (30.8%) of male cowpea farmers are between 48 and 55 years old, with a mean age of 41 years old, which was considered to be their active working age. Similarly, one third (33.4%) of the female cowpea farmers are in the age bracket of 48–55 years old, with a mean age of 42 years old. This implied that the cowpea farmers in the study areas were in their prime age group with good active working conditions, and that could influence the positive selection of improved cowpea varieties. The findings aligned with those of Ishikawa *et al.* [26], who conducted a study on the characteristics of farmers' selection criteria for cowpea (*Vigna unguiculata*) varieties in the north and south regions of Burkina Faso. They reported an average age of 34 years among participants, with the oldest and youngest being 82 and 15 years, respectively. The majority (84%) of male cowpea farmers were married, while less than one-third (16%) were single. Likewise, most (80.6%) of the female cowpea farmers were married, and less than one-third (19.4%) were widows. The implication here is that almost all the cowpea farmers were married and had responsibilities that led to good choices of cowpea varieties that increased their yield, thereby increasing their income, which will benefit the whole community. This study was in agreement with the findings of Oluwatusin and Shitu [27], who reported that the majority (84.2%) of the respondents in Nigeria were married.

Furthermore, the result shows that 32.0% of the male cowpea farmers had a household size of 10–12 with an average of 8 persons per household, whereas 33.4% of the female cowpea farmers had a household size of 7-8 with an average of 9 persons per household. The cowpea farmers in the study area had less family labour available to them than their female colleagues, giving the female colleagues an edge in production over the male cowpea farmers. They show that the cowpea farmers in the study area had less available family labour, which reduced the cost of production; they relied on both family and hired labour for their farm activities. This implies that most cowpea farmers trusted members of their immediate and extended families as sources of free labor. This agreed with the findings of Ojo *et al.* [28], who stated that household size affects output in that the larger the household, the more labour is available for production, resulting in an increase in output. As presented in Table 2, 37.2% of the male farmers had secondary school education, and 30.8% had Qur'anic education; likewise, 19.4% of the female cowpea farmers had secondary school education, and 38.9% had Qur'anic education. While none of the female cowpea farmers had tertiary education, educational status is paramount in the lives of cowpea farmers and is expected to have a positive influence on the selection of cowpea varieties. It will aid in the selection of cowpea varieties that are high-yielding and adaptable to their ecological environments, resulting in increased production productivity. Oluwatusin and Shitu [27] reported that more than half (55.8%) of respondents had Qur'anic education.

Table 2: Socio-economic Characteristics of the cowpea farmers

Variable	Male	Female
----------	------	--------

	Frequency	Percent (%)	Frequency	Percent (%)
Age (years)				
24-31	38	24.5	3	8.3
32-39	25	16.1	11	30.7
40-47	44	28.0	10	27.6
48-55	48	30.8	12	33.4
56-63	1	0.6	-	0
Min	24			30
Max	57			35
Mean	41			42
S.D	9.596			8.123
Marital Status:				
Married	131	84.0	29	80.6
Single	25	16.0	-	-
Widow	-	-	7	19.4
Household size (Number):				
1-3	25	16.0	1	2.8
4-6	26	16.7	10	27.7
7-9	44	28.3	12	33.4
10-12	50	32.0	7	19.4
13-15	11	7.0	6	16.7
Min	3			3
Max	14			15
Mean	8			9
SD	4.231			3.612
Educational level:				
Qur'anic education	48	30.8	14	38.9
Primary School	40	25.6	15	14.7
Secondary school	58	37.2	7	19.4
Tertiary education	10	6.4	-	-

Source: Field survey 2019

Table 3 shows the socio-economic characteristics of the respondents, revealing that farming was the primary occupation for the majority (80.1% and 75.0%) of both male and female cowpea farmers, with only a small number working as civil servants in the study area. This implies that a significant portion of cowpea farmers work full-time, and it's possible that some still rely on other sources of income to supplement their income. This will encourage and motivate them to select cowpea varieties that are high yielding and tolerant to some diseases for adoption. Wordofa et.al. [29], who that farmers who have farming as their main occupation tend to be more interested in adopting improved agricultural technologies in order to boost their productivity since their livelihood depends on incomes from the farm. People often assume that experience serves as the best teacher, providing a deeper understanding of improved farm practices and selection techniques for improved decision-making. Table 3 indicates that 24.9% of the male cowpea farmers were within the farming experience ranges of 15–18 years old, with an average years of farming experience of 16 years; similarly, 27.7% of the female cowpea farmers were within the years of farming experience ranges of 11–14 years old, with an average years of farming experience of 14 years. This implies that cowpea farmers have more experience in agricultural production and can make decisions about selecting cowpea varieties that increase their output. The findings agreed with those of Ojo et al. [28] who reported that the majority of the male respondents (63%) had over 10 years of farming experience, while fewer female respondents (46%) had over 10 years of farming experience. The male respondents had longer years of farming experience than women, probably because men were usually more aware of and involved with cash crops than women, and cowpea is a cash crop in the study area.

Farm size is one of the major factors determining labour requirements, and it's important for agricultural production. More so, the results (Table 3) show that more than half (59.0%) of the male cowpea farmers had a farm size distribution of 0.5–1 hectares of land, with a mean of 1.63 hectares. Whereas, the majority (80.6%) of the female cowpea farmers had a farm

size distribution of 0.5–1 hectares of land, with a mean of 1.19 hectares of land. This implies that the majority of the cowpea farmers were smallholder and subsistence cowpea farmers, and there is no significant difference in the size of land between the male and female cowpea farmers. This could lead to the selection of cowpea varieties with higher yields and increase their incomes and food security in the study area. The finding was similar to that of Owolabi, et al., [30] that 65% of the respondents have between, 0.1 and 1.0 ha of land. Only 25% of the respondents have land above one hectare, which does not allow for expansion or mechanization.

Table 3: **Socio-economic Characteristics of the cowpea farmers (Cont.)**

Variable	Male		Female	
	Frequency	Percent (%)	Frequency	Percent (%)
Main occupation				
Farmer	125	80.1	27	75.0
Civil servant	18	11.5	1	2.8
Tailoring	5	3.2	2	5.6
Trader	8	5.1	6	16.7
Farming exp. (Years)				
7-10	34	21.7	9	25.0
11-14	31	19.9	10	27.7
15-18	39	24.9	9	25.0
19-22	34	22.0	5	13.9
23-26	18	11.5	3	8.4
Min	7		Min	10
Max	25		Max	24
Mean	16		Mean	14
SD	5.179		SD	4.266
Farm size (ha)				
0.5-1.0ha	92	59.0	29	80.6
1.5-2.0ha	29	18.6	7	19.4
2.5-3.0ha	35	22.4	-	0
Min	1ha		Min	1ha
Max	3ha		Max	2ha
Mean	1.63		Mean	1.19
SD	0.828		SD	0.401

Source: Field survey 2019

3.2 Activity Profile of Cowpea Farmers Involved in the Selection of Cowpea Varieties.

Farm activities carried out by the farmers were analysed using the Harvard Analytical Framework, as indicated in Table 4. The cowpea production activities involve the participation of adult males, adult females, male youth, and female youth. All cowpea farm activities primarily involve the majority (63%) of adult males, except for the processing of farm produce, which primarily involves the majority (76.6%) of adult females, with the assistance of female youth (24.4%) in the household. Table 4 clearly shows that adult females and female youth were not involved in land preparation (making ridges), weeding, or pesticide application (herbicides and insecticides). The majority (70.3%) of adult males, often assisted by less experienced individuals, primarily use an oxy-drawn plough to make ridges. Youth, males and females, were not involved in civil services; this was simply because they were still in school, learning to become the future leaders of tomorrow, and also helping their parents with farming activities. The result from Table 4 shows that 61.5% of adult males, 4.7% of adult females, 31.3% of youth males, and 2.6% of female youth were involved in farm labour as a source of employment to generate income for the farming family. The majority (68.8%) of adult females are handcraft artisans, 14.6% of adult males, and 16.7% of female youth. The adult female was into knitting caps and child clothing, making soaps, and other things like pomades for local consumption in and outside the community. Few adult males are interested in blacksmithing and knitting mats.

Table 4: **Cowpea Farmers Activities Profile**

Farm activities	Adult male	Adult female	Male youth	Female youth
-----------------	------------	--------------	------------	--------------

	Frequency	%	Frequency	%	Frequency	%	Frequency	%
Land clearing	121	63.0	49	25.5	22	11.5	-	-
Preparation of ridges	135	70.3	-	-	57	29.7	-	-
Planting	75	39.1	67	34.9	37	19.3	13	6.8
Weeding	131	68.2	-	-	61	31.8	-	-
Fertilizer application	110	57.3	-	-	61	31.8	21	10.9
Pesticide application	159	82.8	-	-	33	17.2	-	-
Field visit	123	64.1	62	32.2	7	3.6	-	-
Decision on selection	127	66.1	65	33.9	-	-	-	-
Harvesting	13	6.8	23	12.0	65	33.9	91	47.4
Transporting produce home from farm	119	62.0	60	31.3	13	6.8	-	-
Threshing/Winnowing	87	45.3	90	46.9	15	7.8	-	-
Storage	122	63.5	70	36.5	-	-	-	-
Processing of farm produce	-	-	151	78.6	-	-	41	21.4
Marketing	157	81.8	35	18.2	-	-	-	-
Farm labour	118	61.5	9	4.7	60	31.3	5	2.6
Civil service	169	88.0	23	12.0	-	-	-	-
Hand craft artisan	28	14.6	132	68.8	-	-	32	16.7

Source: Field survey 2022

3.3 Income Generation Activity Profile among Cowpea Farmers involved in the Selection of Cowpea Varieties.

Table 5 presents the analysis of the income-generation activities carried out by the cowpea farmers using the Harvard Analytical Framework. The majority (64.6%, 61.5%) of female youth, adult females, and 7.3% of male youth were involved in the sale of processed cowpea products and petty trading, respectively. The involvement of the adult female and female youth could be due to the entrepreneurial spirit of the women in the rural areas, who preferred their female children to sell processed products to generate income for family advancement. According to Table 5, most adult females (63.0%) and 37.0% of adult males were also involved in tailoring businesses to generate income for the family. The majority of adult males (95.8%) and adult females (82.6%) were into hair barbing and hair plaiting, respectively, for extra income generation. All adult males (100%) were involved in transport services to generate income that would help pay for their families' home expenses.

Table 5: Cowpea Farmers Income Generation Activities Profile

Income generation	Adult male	Adult female	Male youth	Female Youth
-------------------	------------	--------------	------------	--------------

	Frequency	%	Frequency	%	Frequency	%	Frequency	%
Sale of cowpea grain	149	77.6	43	22.4	-	-	-	-
Sale of processed product	-	-	68	35.4	-	-	124	64.6
Petty trading	14	7.3	118	61.5	-	-	60	31.3
Tailoring	71	37.0	121	63.0	-	-	-	-
Hair plaiting	-	-	159	82.8	-	-	33	17.2
Hair barbing	184	95.8	-	-	8	4.2	-	-
Transport services	192	100	-	-	-	-	-	-

Source: Field survey 2022

3.4 Access to and Control over Farm Resources among the cowpea farmers involved in the Selection of Cowpea Varieties.

Although access was critical in selecting improved cowpea varieties, the activities should not proceed without resource ownership. Control over resources, given the nature of rural families, may not be a challenge that impacts the use of resources among the members of the farming families. Table 6 reveals that the majority of adult males and less than one-third of adult females had access to land, farm implements, fertiliser, seeds, and pesticides, respectively. However, male and female youth do not have access to all these resources, as they are still under their parents' care, receiving instructions, feeding, clothing, and housing within the household. Furthermore, Table 6 shows that most adult males and less than one-third of adult females have control over land, farm implements, fertiliser, seeds, and pesticides, whereas male and female youth do not have control over all of these resources because they are still under the nourishment of their parents. Meanwhile, adult males have more access to all farm resources than adult females. The results further stated that the majority of adult males and one-third of adult females had access to farm produce, farm labor, and cash income, which of course the youth males and females do not have access to because they are teenagers under the control of their parents. The findings further stated that the majority of adult males and 31.3% of adult females had control over farm produce, farm labor, and cash income. The male and female youth do not have control over the resource because they are teenagers under the care of their parents. In the fight against rural poverty, hunger, and malnutrition, the lack of access to farm resources, services, and opportunities for women can be a key factor. This finding aligns with the FAO [11] approach of prioritising gender equality and rural women's empowerment.

Table 6: Cowpea farmers Access and Control over Farm Resources

Resources	Access				Control			
	Adult male		Adult female		Adult male		Adult female	
	Frequency	%	Frequency	%	Frequency	%	Frequency	%
Land	143	74.5	49	25.5	171	89.1	21	10.9
Farm implement	135	70.3	57	29.7	191	91.7	16	8.3
Fertilizer	133	69.3	59	30.7	148	77.1	44	22.9

	Seeds	138	71.9	54	28.1	153	79.7	39	20.3
3.5	Pesticide	177	92.2	15	7.8	178	92.7	14	7.2
	Farm produce	120	62.5	72	37.5	127	66.1	65	33.9
	Farm labour	131	68.2	61	31.8	132	68.8	60	31.3
	Cash income	118	61.5	74	38.5	119	62.0	73	31.3

Benefits of the Available Resources among the Cowpea Farmers Involved in the Selection of Cowpea Varieties.

The benefits of the available resources that the cowpea farmers' families derived assisted in improving their farming activities. The result from Table 7 shows that 26.6% of adult males and females and 23.4% of male and female youth benefited from food items; all the respondents benefited from water, shelter, and clothing in their households. Furthermore, table 5 indicated that the majority (64.1%) of adult males and 35.1% of adult females benefited from having access to income assets generated outside of the household; almost half (47.9%) of youth males and 35.4% of female youth benefited from education activities. This implies that the study area considers girls' education important, enrolls them in school, and also acquires the necessary educational activities. Lastly, 67.2% of adult males and adult females (32.8%) benefited from having access to extension training and services that helped them improve cowpea production and productivity, their attitude towards the adoption of new technology, and their agronomic practices.

Table 7: Analysis of Benefits of Available Resources among the Cowpea Farmers

Benefit of Resources	Adult male		Adult female		Male youth		Female Youth	
	Frequenc y	%	Frequenc y	%	Frequenc y	%	Frequenc y	%
Food items	51	26.6	51	26.6	45	23.4	45	23.4
Water	53	27.6	57	29.7	41	21.4	41	21.4
Shelter	47	24.5	57	29.7	44	22.9	44	22.9
Clothing	67	34.9	72	37.5	23	12.0	30	15.6
Income assets not from within the Household	123	64.1	69	35.1	-	-	-	-
Education	23	12.0	9	4.7	92	47.9	68	35.4
Extension training	129	67.2	63	32.8	-	-	-	-

Source: Field survey,2022

3.7 Constraints Militating against Selection and production of Cowpea Varieties among Male and Female Farmers.

Among the keys to achieving a successful and good selection of cowpea varieties is having access to vital, proper information and adequate, improved agronomic training on the varieties. Both male and female farmers faced limitations in cowpea variety selection and ranking. According to Table 8, 26.1% of male farmers in the study areas had problems with the varieties. Some of them didn't have traits like resistance to insect pests and diseases, which slowed down the process of choosing better cowpea varieties. Male farmers (30.8%) had inadequate training on improved agronomic practices and had no proper information on the cowpea varieties; perhaps this is due to their level of education or not paying attention or concentration when the cowpea varieties were introduced to the community. Male farmers, accounting for 12.8%, did not participate adequately in the varietal demonstration plot exercise, a requirement for all farmers to visit and learn about new technologies in their community. And lastly, 6.0% had inadequate practical knowledge of cowpea

varieties because they were busy combining many activities at once, which did not allow them to concentrate very well on cowpea production.

In addition, the results show that nearly half (48.1%) of the female cowpea farmers did not have enough information about the new varieties of cowpea that were grown in their area. Another 15.6% and 11.5% did not have enough practical knowledge and training on how to grow cowpea varieties more effectively. The results further show that female cowpea farmers had limited field visits and participation, which made them indecisive when making their selection. Inadequate practical knowledge of cowpea varieties constrained both male and female farmers, with less than one-third (19.7%) facing deficiencies in cowpea varietal traits like resistance to insect pests. The implication was that few of the farmers had inadequate knowledge and training that could make them quickly make a decision without wasting time thinking of the right selection and ranking of cowpea varieties in the study area.

Table 8: Constraints of Cowpea varieties Selection and production among Male and Female Cowpea Farmers

Variables	Male		Female	
	Frequency	Percent (%)	Frequency	Percent (%)
No proper information on the cowpea varieties	57	24.4	25	48.1
Inadequate practical knowledge of cowpea varieties	14	6.0	6	11.5
Inadequate training on agronomic practices	72	30.8	6	11.5
Inadequate participation of farmers in varietal demonstration plot	30	12.8	2	3.8
Limited field visit and participation of female farmers	-	-	5	9.6
Some varieties lack numerous traits e.g., Resistant to insect pest and diseases	61	26.1	8	15.6

Source: Field survey, 2022.

*Multiple responses

4. Conclusion

The cowpea farmers in the study area were in their prime age group with good active working conditions, and that could influence the positive selection of improved cowpea varieties. Both males and females were involved in cowpea variety production and selection, with the majority of the females performing most of the processing activities. The farmers had access to most of the resources in the area, but adult males controlled most of them, and young males and females did not have access to all of them. Also, the farmers had issues getting proper information about the new improved varieties. It is recommended to encourage young males and females to access resources that will enhance their productivity and organise training on new agronomic practices, particularly those related to the production of new improved cowpea varieties.

Acknowledgements

We are grateful to the International Institute of Tropical Agriculture (IITA) Kano Station for their partial support in providing the cowpea farmers data base, as well as to the farmers who provided the information. I also thank all those with whom we had the pleasure to work during this research.

REFERENCES

1. Elissa Braunstein, Rachid Bouhia and Stephanie Seguino (2020). Social Reproduction, Gender Equality and Economic Growth. *Cambridge Journal of Economics*, Volume 44, Issue 1, Pp 129–156, <https://doi.org/10.1093/cje/bez032>

2. Lutomia, C. K., Obare, G. A., Kariuki, I. M., Muricho, G. S., & Yildiz, F. (2019). Determinants of Gender Differences in Household Food Security Perceptions in the Western and Eastern Regions of Kenya. *Cogent Food & Agriculture*, 5(1). <https://doi.org/10.1080/23311932.2019.1694755>
3. Ashagidigbi WM, Orilua OO, Olagunju KA, Omotayo AO. (2022). Gender, Empowerment and Food Security Status of Households in Nigeria. *Agriculture*, 12(7):956. <https://doi.org/10.3390/agriculture12070956>
4. Janna Visser, James Wangu (2021). Women's dual centrality in food security solutions: The need for a stronger gender lens in food systems' transformation. *Current Research in Environmental Sustainability*, Volume 3, 100094. ISSN 2666-0490. <https://doi.org/10.1016/j.crsust.2021.100094>.
5. HarunaOpaluwa (2016) Analysis of Gender Differences in Resource Utilization: Empirical Evidence from Cowpea Farmers in Kogi State, Nigeria. *American Journal of Business and Society*. 1(4):223-226.
6. Doss CR. (2018) Women and agricultural productivity: Reframing the Issues. *Dev Policy Rev*. 2018; 36: 35–50. <https://doi.org/10.1111/dpr.12243>
7. Oduenyi C, Banerjee J, Adetiloye O, Rawlins B, Okoli U, Orji B, Ugwa E, Ishola G, Betron M. (2021). Gender Discrimination as a Barrier to High-Quality Maternal and Newborn Health Care in Nigeria: Findings from a Cross-Sectional Quality of Care Assessment. *BMC Health Serv Res*. 4;21(1):198. doi:10.1186/s12913-021-06204-x. PMID: 33663499; PMCID: PMC7934485.
8. Ata Can Bertay, LjubicaDordevic, and Can Sever (2020). Gender Inequality and Economic Growth: Evidence from Industry-Level Data. IMF Working Papers, 2020 International Monetary Fund
9. FAO and IPC. (2020). Policy in Focus, Empowering women for poverty alleviation and improved nutrition outcomes: from anecdotes to evidence.
10. World Bank, (2019). World Development Report 2019: Gender Equality and Development. World Bank (C) World Bank.
11. FAO (2016). Gender, Food Security and Nutrition in Protracted Crises-Women and Girls as Agents of Resilience.
12. World Bank (2018). Gender in Agriculture Sourcebook, Washington, DC: World Bank.
13. Agnes R. Quisumbing, Cheryl R. Doss (2021). Chapter 82 - Gender in agriculture and food systems, Editor(s): Christopher B. Barrett, David R. Just, Handbook of Agricultural Economics, Elsevier, Volume 5, Pp 4481-4549, ISSN 1574-0072, ISBN 9780323915014, <https://doi.org/10.1016/bs.hesagr.2021.10.009>.
14. Udemezue JC, Odia FN. Gender Disparities and Roles of Women in Agriculture in the SouthEastern Nigeria. *Biomed J Sci & Tech Res* 36(4). BJSTR. MS.ID.005892.
15. Tarja Halonen (2023). Securing Women's Land Rights for Increased Gender Equality, Food Security and Economic Empowerment. Presented at the World Day to Combat Desertification and Drought—17 June 2023, United Nation Chronicles.
16. Elizabeth Bryan, Muzna Alvi, Sophia Huyer, Claudia Ringler (2024). Addressing Gender Inequalities and Strengthening Women's Agency to Create more Climate-Resilient and Sustainable Food Systems. *Global Food Security*, Volume 40, 100731, ISSN 2211-9124. <https://doi.org/10.1016/j.gfs.2023.100731>.
17. Chathuni Jayathilake, Rizliya Visvanathan, Afka Deen, Ruksheela Bangamuwage, Barana C Jayawardana, Srinivas Nammi (2018). Cowpea: An Overview on its Nutritional Facts and Health Benefits. *Journal of The Science of Food and Agriculture*, 98(13). DOI: 10.1002/jsfa.9074
18. Sanogo, S.A., Diallo, S., Nyadanu, D., Batiemo T.B.J. and Sawadogo, N. (2023). Selection of Cowpea (*Vigna unguiculata* (L.) WALP) Genotypes for Drought Tolerance Using Selection Indices. *Agricultural Sciences*, 14, 384-397. <https://doi.org/10.4236/as.2023.143025>
19. Horn, L.N., Nghituwamata, S.N. and Isabella, U. (2022) Cowpea Production Challenges and Contribution to Livelihood in Sub-Saharan Region. *Agricultural Sciences*, 13, 25-32. <https://doi.org/10.4236/as.2022.131003>
20. Yasin Goa, Walelign Worku, Hussein Mohammed Roba and Elias Urage (2022). Performance and Farmers Participatory Selection of Cowpea Varieties in Southern Ethiopia. *Tropical and Subtropical Agroecosystems* 25(2) DOI:10.56369/tsaes.3920
21. Salifou, M., Tignegre, J.B.L.S., Tongoona, P., Offei, S. and Daquah, E. (2017). Farmers 'preferred traits and perceptions of cowpea production and constraint in Niger. *J. Agric. Food. Tech.*, 7(6)1-11. <https://www.textroad.com>
22. KNSG, (2020). Kano State Government Dairy, Kano State, Nigeria.
23. KNSG, (2019). Kano State Government Dairy, Kano State, Nigeria.
24. KNARDA, (2022). Kano State Agricultural and Rural Development Authority Headquarters, Kano-2022 Bulletin
25. Miller, R.L. and Brewer, J.D. (eds) (2003) The A-Z of Social Research. London: Sage Publications.

26. Ishikawa H, Drabo I, Joseph BB, Muranaka S, Fatokun C, and Boukar O. Characteristics of Farmers' Selection Criteria for Cowpea (*Vigna unguiculata*) Varieties Differ between North and South regions of Burkina Faso. *Experimental Agriculture*. 1–10. <https://doi.org/10.1017/S001447971900019X>
27. Oluwatusin., F., and Shitu., G. (2014). Effect of socio-economic Characteristics on the farm Productivity performance of Yam farmers of Nigeria. *Journal of Humanities and Social Sciences* 4(6):2225-484
28. Ojo, C.O., Nwosu, C.N. and Omele J.E., (2013). Determinants of Gender Productivity among smallholder Cowpea Farmers in Baga, Kukawa Local Government of Borno. *Green Journal of agricultural Sciences*. 3 (9): 643- 648.
29. Wordofa, M.G., Hassen, J.Y., Endris, G.S., Aweke, C. S., Moges, D. K., and Rorisa, D. T. (2021). Adoption of Improved Agricultural Technology and its Impact on Household Income: A Propensity Score Matching Estimation in Eastern Ethiopia. *Agric & Food Security* **10**, 5. <https://doi.org/10.1186/s40066-020-00278-2>
30. Owolabi J.O., Abubakar B. Z., and Amodu M. Y. (2011). Assessment of Farmers (Women) Access to Agricultural Extension, Inputs and Credit Facility in Sabon-Gari Local Government Area of Kaduna State. *Nigerian Journal of Basic and Applied Science*, 19 (1): 87- 92. ISSN 0794-5698

UNDER PEER REVIEW