

## MODELING THE EFFECT OF RANDOM ENVIRONMENTAL PERTURBATION ON DATA PRECISION IN NIGER DELTA CRUDE OIL PRODUCTION

### Abstract

Decision-makers most times rely on data precision to support their decision-making processes. There is also a strong belief, however, that data quality or data precision problems are widespread in practice and that reliance on poor data quality or wrong data sets can lead to devastating consequences on crude oil production and financing. This study applies the Runge-Kutta numerical method of order 45 (ordinary differential equation of order 45) to examine the effect of data precision index on the Niger Delta crude oil production due to the variation of the initial condition. The study has found out that the initial condition four (4), (IC 4) with a data precision index value of 0.0118 ranked best in the first crude oil well, the initial condition (IC) 15 with a data precision index value of 0.0021 ranked best in the second crude oil well, the initial condition (IC) 17 with a data precision index value of 0.0021 ranked best in the third crude oil well and the initial condition (IC) 20 with a data precision index value of 0.0234 ranked best in the fourth crude oil well. The study has observed that each crude oil data is associated with a best-fit-value of the data precision index.

**Key words:**Data Precision, Numerical Method, Niger Delta, Crude Oil, Random Environmental, Perturbation.

### 1.0 Introduction

The investigation of the consequences of oil spill on sea-food safety in coastal areas of Ibeno, Akwa-Ibom, State observed the main concentration of Total Petroleum Hydrocarbons (TPH) in the tissues of various fish species sampled to be increasing as a result of oil spills (Ekpenyong & Udofia, 2015, Izevbizua and Apanapudor, 2020, Izevbizua and Apanapudor, 2019b, Apanapudor, et al, 2020). Similarly, the evaluation of the historical influence of petroleum activities on various episodes of economic crises in Nigeria, using a descriptive technique to analyse data obtained from secondary sources and affirming that transmogrification of the economy from agricultural-based to petroleum-based laid the foundation for the current economic crises in Nigeria according to Paul (2015). Also, while exploring the extent of the environmental degradation in the Niger Delta region and examining the efforts of oil companies in remediating the degraded farmlands in the Niger Delta, finds that oil pollution causes damage to human health, agricultural land and fish ponds as well as long-standing ecological malfunctioning (Ekanem & Nwachukwu, 2015,49,50,51).

Examining the effects of environmental degradation on human health in nine selected oil communities in Delta State, Nigeria using cluster and principal component analysis, employed both primary and secondary data; primary data was collected through administration of questionnaires while secondary data was from archival records of in-and-out patients from the government hospitals or clinics located in Okpai, Kwale, Benekuku, Ubeji, Bomadi, Ekakprame, Erhoike, Afiesere, Uzere and its environs for a year. One-year hospital data was used based on data availability and consistency on the required ailments such as bronchitis, cough, asthma, cardiovascular diseases, eye infection and skin infection in order to ascertain the effect of gas flaring on human health. One important observation in the study is that gas flaring has a statistically significant, but dangerous impact on human health in the affected areas giving the high temperature and emission to the atmosphere (Atubi et al., 2015, Okwonu and Apanapudor, 2019).

Petroleum pipelines vandalization and illegal bunkering is a major problem to aquatic oil spillage and degradation of the environment. Research observes that oftentimes illegal bunkering and petroleum pipeline vandalization results from destructive tendencies of restive youths, who are aggrieved by government neglect of oil producing communities and corruption of the ruling class in amassing wealth through collaborations with oil companies. Unfortunately, these social vices perpetrated by the youths have a counter-effect in increasing the levels of oil spill in the environment and the negative effect on aquatic and land agricultural produce by Boris (2015). Also, the analysis of the influence of petroleum on Nigerian economy using secondary annual data from 2000 to 2009 (Ogbonna & Appah-Ebimobowei, 2012; Aderibigbe, and Apanapudor, 2014, Izevbizua and Apanapudor, 2019b), has a significant story to tell about the Nigerian economy. Linear regression models, as tools unveiled that petroleum has substantial direct influence on the economy. Unfortunately, the mismanagement of the proceeds from petroleum exploration imbues Nigeria into the resource curse dilemma (Usman et al., 2015, Izevbizua and Apanapudor, 2022). This can be seen as the critical assess of the effect of oil exploration on poverty in the Niger Delta region of Nigeria. The authors' extensive review of the literature combined with drawing conclusions from the empirical findings, restates the neglect of the region and the consequences of pollution as a drawback to economic progress. The study further concludes that the greatest negative tendency associated with the exploration and exploitation of oil in this region is environmental degradation (Ebegbulemet al., 2013, Apanapudor, et al, 2023c, Ezimadu, et al, 2020). The examination of the environmental impact of oil exploration and exploitation in Niger Delta of Nigeria, using tabular analysis of data obtained from secondary sources. The study finds that the oil industry sited within this region has contributed enormously to the economic growth of the country but unsustainable

oil exploration activities have rendered the Niger Delta region one of the five most severely damaged ecosystems in the World (Kadafa, 2012). Assessment of oil exploration and spillage in the Niger Delta region of Nigeria, using comparative analysis of secondary data covering periods from 1976 to 2000 on descriptive techniques such as line and bar graphs, and found a decrease in oil spillage quantity but an increase in the number and times of oil spill (Kadafa, 2012), Okwonu, et al (2019); and decrease in crude oil reserve Statista, (2023, 2024). However, there are yet untapped crude oil reserves in the deep sea, Zoetalents (2024)

The examination of the effects of oil pollution on crop production in Rivers State, Nigeria on a sample of 296 respondents drawn from 17 out of 23 Local Government Areas, applied a stochastic trans-log production function in a multi-stage sampling technique, the results indicate that the effect of crude oil pollution on crop farms reduced the size of farmland, significantly at 1%, reducing marginal physical product (MPP), while in non-polluted farms output increased. Physical inputs, crude oil pollution variables and their interactions show strong negative (diminishing) returns to scale in oil polluted farms, but in non-polluted farmlands results indicate strong positive returns to scale. The technical efficiency results show that less than 22% of crop farmers were over 80% efficient in their use of resources in oil polluted farmlands, while technical efficiency in non-polluted farmlands indicates a high efficiency of 33% (Ojimba, 2012, Okwonu, et al, 2021, Okwonu, et al, 2020). Given the present circumstances, in the Niger Delta and the need for improved economic activities for the population, it becomes very imperative for studies to explore the impact of environmental degradation on specific issues such as aquatic production to enable policy makers pin-point areas of concentration in the implementation of various policies for the economic development of the region. Worgu (2000), Okwonu, et al (2023), Aderibigbe and Apanapudor (2014), Izevbizua and Apanapudor (2019a), noted that oil spill in rural communities such as Kalabari region can have serious effects on lives of residents in those communities. Oil spill affects land fertility, agriculture in different aspects. According to (Islam and Tanka 2004). The disaster of oil spills can be effective based on the quantity of oil spill that floats to the river. Elum et al. (2016), Okwonu, et al (2022), Okwonu and Apanapudor (2019), observed that oil spill and the attendant youth restiveness resulting from deprivation, affects the socio economic environment and infrastructure.

## 2.0. Materials and Methods

In this paper, we shall focus on a method of analyzing the research questions that we have proposed using a mathematical formulation and mathematical preliminary.

### 3.1 Simplifying Assumptions

Here, we state the following simplifying assumptions as a guide to formulating a set of mathematical equations describing the production of crude oil over time.

- i. The rate of change of crude oil that is produced is directly proportional to the quantity of crude oil produced over time.
- ii. The rate of change of crude oil that is produced is inhibited by the intra-competition coefficient.
- iii. The initial quantity of crude oil that is produced at the initial time is specified to be positive.
- iv. The duration of crude oil that is produced is assumed to be on a monthly basis which is considered with every twenty-five (25) months of crude oil production timing.

### 3.2 Mathematical Formulations

Motivated by the work for Dehghan and Heris (2012), Offor (2020), Apanapudor, et al (2023d), Okwonu, et al (2023) Izevbizua and Apanapudor (2022), we consider a dynamical system consisting of four nonlinear ordinary differential equations having the following mathematical structure.

$$\begin{cases} \frac{dc_1}{dt} = a_1c_1 - b_1c_1^2 - r_1c_1c_2 - r_2c_1c_3 - r_3c_1c_4 \\ \frac{dc_2}{dt} = a_2c_2 - b_2c_2^2 - r_4c_2c_1 - r_5c_2c_3 - r_6c_2c_4 \\ \frac{dc_3}{dt} = a_3c_3 - b_3c_3^2 - r_7c_3c_1 - r_8c_3c_2 - r_9c_3c_4 \\ \frac{dc_4}{dx} = a_4c_4 - b_4c_4^2 - r_{10}c_4c_2 - r_{11}c_4c_3 - r_{12}c_4c_3 \end{cases} \quad (1) - (4)$$

Manafian (2021) with non-negative initial conditions

From (1), at a steady state,

$$\frac{dc_1}{dt} = 0$$

$$\Rightarrow a_1c_1 - b_1c_1^2 - r_1c_1c_2 - r_2c_1c_3 - r_3c_1c_4 = 0 \dots\dots\dots(5)$$

From (2), at a steady state,

$$\Rightarrow a_2c_2 - b_2c_2^2 - r_4c_2c_1 - r_5c_2c_3 - r_6c_4 = 0 \dots\dots\dots(6)$$

From (3), at a steady state,

$$\frac{dc_3}{dt} = 0$$

$$\Rightarrow a_3c_3 - b_3c_3^2 - r_7c_3c_1 - r_8c_3c_2 - r_9c_3c_4 = 0 \dots\dots\dots(7)$$

From (4), at a steady state,

$$\frac{dc_4}{dt} = 0$$

$$\Rightarrow a_4c_4 - b_4c_4^2 - r_{10}c_4c_1 - r_{11}c_4c_2 - r_{12}c_4c_3 = 0 \dots\dots\dots(8)$$

From equation (5), we have

$$c_1(a_1 - b_1c_1 - r_1c_2 - r_2c_3 - r_3c_4) = 0$$

$$\Rightarrow c_1 = 0 \text{ or } a_1 - b_1c_1 - r_1c_2 - r_2c_3 - r_3c_4 = 0$$

$$\Rightarrow b_1c_1 + r_1c_2 + r_2c_3 + r_3c_4 = a_1 \dots\dots\dots(9)$$

From equation (6), we have

$$c_2(a_2 - b_2c_2 - r_4c_1 - r_5c_3 - r_6c_4) = 0$$

$$\Rightarrow c_2 = 0 \text{ or } a_2 - b_2c_2 - r_4c_1 - r_5c_3 - r_6c_4 = 0$$

$$\Rightarrow b_2c_2 + r_4c_1 + r_5c_3 + r_6c_4 = a_2 \dots\dots\dots(10)$$

From equation (7), we have

$$c_3(a_3 - b_3c_3 - r_7c_1 - r_8c_2 - r_9c_4) = 0$$

$$\Rightarrow c_3 = 0 \text{ or } a_3 - b_3c_3 - r_7c_1 - r_8c_2 - r_9c_4 = 0$$

$$\Rightarrow b_3c_3 + r_7c_1 + r_8c_2 + r_9c_4 = a_3 \dots\dots\dots(11)$$

From equation (8), we have

$$c_4(a_4 - b_4c_4 - r_{10}c_1 - r_{11}c_2 - r_{12}c_3) = 0$$

$$\Rightarrow c_4 = 0 \text{ or } a_4 - b_4c_4 - r_{10}c_1 - r_{11}c_2 - r_{12}c_3 = 0$$

$$\Rightarrow b_4c_4 + r_{10}c_1 + r_{11}c_2 + r_{12}c_3 = a_4 \dots\dots\dots(12)$$

$$\frac{dc_2}{dt} = 0$$

**Case 1: When  $c_1 = c_2 = c_3 = c_4 = 0$ , Manafian and Allahverdiyeva(2021),**

By considering  $c_1 = c_2 = c_3 = c_4 = 0$

$(0, 0, 0, 0)$  is a steady state solution, Shahriari, et al(2018).

**Case 2: When only  $c_1 = 0$**

Putting  $c_1 = 0$  in (10), we have

$$b_2c_2 + r_5c_3 + r_6c_4 = a_2 \dots \dots \dots (13)$$

Putting  $c_1 = 0$  in (11), we get

$$b_3c_3 + r_8c_2 + r_9c_4 = a_3 \dots \dots \dots (14)$$

Putting  $c_1 = 0$  in (12), we have

$$b_4c_4 + r_{11}c_2 + r_{12}c_3 = a_4 \dots \dots \dots (15)$$

$$\Rightarrow r_{11}c_2 = a_4 - b_4c_4 - r_{12}c_3$$

$$\Rightarrow c_2 = \frac{1}{r_{11}}(a_4 - b_4c_4 - r_{12}c_3) \dots \dots \dots (16)$$

Putting (16) in (13), we get

$$\frac{b_2}{r_{11}}(a_4 - b_4c_4 - r_{12}c_3) + r_5c_3 + r_6c_4 = a_2$$

$$\Rightarrow a_4b_2 - b_2b_4c_4 - r_{12}b_2c_3 + r_{11}r_5c_3 + r_{11}r_6c_4 = r_{11}a_2$$

$$\Rightarrow (r_{11}r_5 - r_{12}b_2)c_3 + (r_{11}r_6 - b_2b_4)c_4 = r_{11}a_2 - a_4b_2 \dots \dots \dots (17)$$

Putting (16) in (14), we have

$$b_3c_3 + \frac{r_8}{r_{11}}(a_4 - b_4c_4 - r_{12}c_3) + r_9c_4 = a_3$$

$$\Rightarrow r_{11}b_3c_3 + r_8a_4 - r_8b_4c_4 - r_{12}r_8c_3 + r_{11}r_9c_4 = r_{11}a_3$$

$$\Rightarrow (r_{11}b_3 - r_{12}r_8)c_3 + (r_{11}r_9 - r_8b_4)c_4 = r_{11}a_3 - r_8a_4$$

$$\Rightarrow (r_{11}b_3 - r_{12}r_8)c_3 = r_{11}a_3 - r_8a_4 - (r_{11}r_9 - r_8b_4)c_4$$

$$\Rightarrow c_3 = \frac{r_{11}a_3 - r_8a_4 - (r_{11}r_9 - r_8b_4)c_4}{r_{11}b_3 - r_{12}r_8} \dots \dots \dots (18)$$

Putting (18) in (17), we get

$$\frac{(r_{11}r_5 - r_{12}b_2)(r_{11}a_3 - r_8a_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)c_4}{r_{11}b_3 - r_{12}r_8}$$

$$+ (r_{11}r_6 - b_2b_4)c_4 = r_{11}a_2 - a_4b_2$$

$$\Rightarrow (r_{11}r_5 - r_{12}b_2)(r_{11}a_3 - r_8a_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)c_4$$

$$+ (r_{11}b_3 - r_{12}r_8)(r_{11}r_6 - b_2b_4)c_4 = (r_{11}b_3 - r_{12}r_8)(r_{11}a_2 - a_4b_2)$$

$$\Rightarrow [(r_{11}b_3 - r_{12}r_8)(r_{11}r_6 - b_2b_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)]c_4$$

$$= (r_{11}b_3 - r_{12}r_8)(r_{11}a_2 - a_4b_2) - (r_{11}r_5 - r_{12}b_2)(r_{11}b_3 - r_8a_4)$$

$$\Rightarrow c_4 = \frac{(r_{11}b_3 - r_{12}r_8)(r_{11}a_2 - a_4b_2) - (r_{11}r_5 - r_{12}b_2)(r_{11}b_3 - r_8a_4)}{(r_{11}b_3 - r_{12}r_8)(r_{11}r_6 - b_2b_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)} \dots \dots \dots (19)$$

Putting (19) in (17), we get

$$r_{11}a_3 - r_8a_4$$

$$- (r_{11}r_9 - r_8b_4)[(r_{11}b_3 - r_{12}r_8)(r_{11}a_2 - a_4b_2) - (r_{11}r_5 - r_{12}b_2)(r_{11}a_3 - r_8a_4)]$$

$$c_3 = \frac{(r_{11}b_3 - r_{12}r_8)(r_{11}r_6 - b_2b_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)}{r_{11}b_3 - r_{12}r_8}$$

$$(r_{11}a_3 - r_8a_4)[(r_{11}b_3 - r_{12}r_8)(r_{11}r_6 - b_2b_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)]$$

$$\Rightarrow c_3 = \frac{-(r_{11}r_9 - r_8b_4)[(r_{11}b_3 - r_{12}r_8)(r_{11}a_2 - a_4b_2) - (r_{11}r_5 - r_{12}b_2)(r_{11}a_3 - r_8a_4)]}{(r_{11}b_3 - r_{12}r_8)[(r_{11}b_3 - r_{12}r_8)(r_{11}r_6 - b_2b_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)]}$$

Putting (19) and (18) in (15), we have

$$c_2 = \frac{a_4}{r_{11}} - \frac{b_4}{r_{11}} \left[ \frac{(r_{11}b_3 - r_{12}r_8)(r_{11}a_2 - a_4b_2) - (r_{11}r_5 - r_{12}b_2)(r_{11}a_3 - r_8a_4)}{(r_{11}b_3 - r_{12}r_8)(r_{11}r_6 - b_2b_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)} \right]$$

$$- \frac{r_{12}}{r_{11}} \left\{ \frac{(r_{11}a_3 - r_8a_4)[(r_{11}b_3 - r_{12}r_8)(r_{11}r_6 - b_2b_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)]}{(r_{11}b_3 - r_{12}r_8)[(r_{11}b_3 - r_{12}r_8)(r_{11}r_6 - b_2b_4) - (r_{11}r_5 - r_{12}b_2)(r_{11}r_9 - r_8b_4)]} \right\}$$

Let the values of  $C_2$ ,  $C_3$  and  $C_4$  be  $A$ ,  $B$ , and  $D$  respectively. Thus,  $(0, A, B, D)$  is a steady state solution, [Dehghan\(2009\)](#)

**Case 3: When only  $c_2 = 0$**

Putting  $c_2 = 0$  in (9). Then,

$$b_1c_1 + r_2c_3 + r_3c_4 = a_1$$

Putting  $c_2 = 0$  in (10). Then,

$$r_4c_1 + r_5c_3 + r_6c_4 = a_2$$

Putting  $c_2 = 0$  in (11). Then,

$$b_3c_3 + r_7c_1 + r_9c_4 = a_3$$

$$\Rightarrow c_1 = \frac{1}{r_7}(c_3 - b_3c_3 - r_9c_4)$$

Putting (22) in (20). Then,

$$\frac{b_1}{r_7}(a_3 - b_3c_3 - r_9c_4) + r_2c_3 + r_3c_4 = a_1$$

$$\Rightarrow a_3b_1 - b_1b_3c_3 - r_9b_1c_4 + r_2r_7c_3 + r_3r_7c_4 = r_7a_1$$

$$\Rightarrow (r_2r_7 - b_1b_3)c_3 + (r_3r_7 - r_9b_1)c_4 = r_7a_1 - a_3b_1$$

Putting (22) in (21). Then,

$$\frac{r_4}{r_7}(a_3 - b_3c_3 - r_9c_4) + r_5c_3 + r_6c_4 = a_2$$

$$\Rightarrow r_4a_3 - r_4b_3c_3 - r_4r_9c_4 + r_5r_7c_3 + r_6r_7c_4 = r_7a_2$$

$$\Rightarrow (r_5r_7 - r_4b_3)c_3 + (r_6r_7 - r_4r_9)c_4 = r_7a_2 - r_4a_3$$

$$\Rightarrow c_3 = \frac{r_7a_2 - r_4a_3 - (r_6r_7 - r_4r_9)c_4}{r_5r_7 - r_4b_3}$$

Putting (24) in (23). Then,

$$\frac{(r_2r_7 - b_1b_3)(r_7a_2 - r_4a_3) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)}{r_5r_7 - r_4b_3}c_4$$

$$+ (r_3r_7 - r_9b_1)c_4 = r_7a_1 - a_3b_1$$

$$\Rightarrow (r_2r_7 - b_1b_3)(r_7a_2 - r_4a_3) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)c_4$$

$$+ (r_5r_7 - r_4b_3)(r_7a_2 - r_4a_3)c_4 = (r_5r_7 - r_4b_3)(r_7a_1 - a_3b_1)$$

$$\Rightarrow [(r_5r_7 - r_4b_3)(r_3r_7 - r_9b_1) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)]c_4$$

$$= (r_5r_7 - r_4b_3)(r_7a_1 - a_3b_1) - (r_2r_7 - b_1b_3)(r_7a_2 - r_4a_3)$$

$$\Rightarrow c_4 = \frac{(r_5r_7 - r_4b_3)(r_7a_1 - a_3b_1) - (r_2r_7 - b_1b_3)(r_7a_2 - r_4a_3)}{(r_5r_7 - r_4b_3)(r_3r_7 - r_9b_1) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)}$$

Putting (25) in (24). Then,

$$r_7a_2 - r_4a_3$$

$$- (r_6r_7 - r_4r_9)[(r_5r_7 - r_4b_3)(r_7a_1 - a_3b_1) - (r_2r_7 - b_1b_3)(r_7a_2 - r_4a_3)]$$

$$c_3 = \frac{(r_5r_7 - r_4b_3)(r_3r_7 - r_9b_1) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)}{r_5r_7 - r_4b_3}$$

$$\begin{aligned} & (r_7a_2 - r_4a_3)[(r_5r_7 - r_4b_3)(r_3r_7 - r_9b_1) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)] \\ \Rightarrow c_3 & \frac{-(r_6r_7 - r_4r_9)[(r_5r_7 - r_4b_3)(r_7a_1 - a_3b_1) - (r_2r_7 - b_1b_3)(r_7a_2 - r_4a_3)]}{(r_5r_7 - r_4b_3)[(r_5r_7 - r_4b_3)(r_3r_7 - r_9b_1) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)]} \end{aligned}$$

Putting (26) and (25) in (22), we have

$$\begin{aligned} c_1 &= \frac{a_3}{r_7} - \frac{b_3}{r_7} \left\{ \frac{(r_7a_2 - r_4a_3)[(r_5r_7 - r_4b_3)(r_3r_7 - r_9b_1) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)]}{(r_5r_7 - r_4b_3)[(r_5r_7 - r_4b_3)(r_3r_7 - r_9b_1) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)]} \right\} \\ & - \frac{r_9}{r_7} \left[ \frac{(r_5r_7 - r_4b_3)(r_7a_1 - a_3b_1) - (r_2r_7 - b_1b_3)(r_7a_2 - r_4a_3)}{(r_5r_7 - r_4b_3)(r_3r_7 - r_9b_1) - (r_2r_7 - b_1b_3)(r_6r_7 - r_4r_9)} \right] \end{aligned}$$

Let the values of  $C_1$ ,  $C_3$  and  $C_4$  be  $E$ ,  $B$ , and  $D$ , respectively. Hence,  $(E, O, B_1, D_1)$  is a steady state solution.

#### Case 4: When only $C_3 = 0$

Putting  $C_3 = 0$  in (9). Then,

$$b_1c_1 + r_1c_2 + r_3c_4 = a_1$$

Putting  $c_3 = 0$  in (10). Then,

$$b_2c_2 + r_4c_1 + r_6c_4 = a_2$$

Putting  $c_3 = 0$  in (12). Then,

$$b_4c_4 + r_{10}c_1 + r_{11}c_2 = a_4$$

$$\Rightarrow c_2 = \frac{1}{r_{11}}(a_4 - b_4c_4 - r_{10}c_1)$$

Putting (29) in (27). Then,

$$b_1c_1 + \frac{r_1}{r_{11}}(a_4 - b_4c_4 - r_{10}c_1) + r_3c_4 = a_1$$

$$\Rightarrow r_{11}b_1c_1 + r_1a_4 - r_1b_4c_4 - r_1r_{10}c_1 + r_3r_{11}c_4 = r_{11}a_1$$

$$\Rightarrow (r_{11}b_1 - r_1r_{10})c_1 + (r_3r_{11} - r_1b_4)c_4 = r_{11}a_1 - r_1a_4$$

$$C_1 \frac{r_{11}a_1 - r_1a_4 - (r_3r_{11} - r_1b_4)C_4}{r_{11}b_1 - r_1r_{10}}$$

Putting (29) in (28). Then,

$$\frac{b_2}{r_{11}}(a_4 - b_4c_4 - r_{10}c_1) + r_4c_1 + r_6c_4 = a_2$$

$$\Rightarrow a_4b_2 - b_2b_4c_4 - r_{10}b_2c_1 + r_4r_{11}c_1 + r_6r_{11}c_4 = r_{11}a_2$$

$$\Rightarrow (r_4r_{11} - r_{10}b_2)c_1 + (r_6r_{11} - b_2b_4)c_4 = r_{11}a_2 - a_4b_2$$

Putting (30) in (31). Then

$$\frac{(r_4r_{11} - r_{10}b_2)(r_{11}a_1 - r_1a_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)c_4}{r_{11}b_1 - r_1r_{10}}$$

$$+ (r_6r_{11} - b_2b_4)c_4 = r_{11}a_2 - a_4b_2$$

$$\Rightarrow (r_4r_{11} - r_{10}b_2)(r_{11}a_1 - r_1a_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)c_4$$

$$+ (r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4)c_4 = (r_{11}b_1 - r_1r_{10})(r_{11}a_2 - a_4b_2)$$

$$\Rightarrow [(r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)] c_4$$

$$= (r_{11}b_1 - r_1r_{10})(r_{11}a_2 - a_4b_2) - (r_4r_{11} - r_{10}b_2)(r_{11}a_1 - r_1a_4)$$

$$\Rightarrow c_4 = \frac{(r_{11}b_1 - r_1r_{10})(r_{11}a_2 - a_4b_2) - (r_4r_{11} - r_{10}b_2)(r_{11}a_1 - r_1a_4)}{(r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)}$$

Putting (32) in (30). Then

$$r_{11}a_1 - r_1a_4$$

$$c_1 = \frac{-(r_3r_{11} - r_1b_4)[(r_{11}b_1 - r_1r_{10})(r_{11}a_2 - a_4b_2) - (r_4r_{11} - r_{10}b_2)(r_{11}a_1 - r_1a_4)]}{(r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)}$$

$$(r_{11}a_1 - r_1a_4)[(r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)]$$

$$\Rightarrow c_1 = \frac{-(r_3r_{11} - r_1b_4)[(r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4) - (r_4r_{11} - r_{10}b_2)(r_{11}a_1 - r_1a_4)]}{(r_{11}b_1 - r_1r_{10})[(r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)]}$$

Putting (32) and (33) in (29), we get

$$c_2 = \frac{a_4}{r_{11}} - \frac{b_4}{r_{11}} \left[ \frac{-(r_{11}b_1 - r_1r_{10})(r_{11}a_2 - a_4b_2) - (r_4r_{11} - r_{10}b_2)(r_{11}a_1 - r_1a_4)}{(r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)} \right]$$

$$- \frac{r_{10}}{r_{11}} \left\{ \frac{(r_{11}a_1 - r_1a_4)[(r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)]}{(r_{11}b_1 - r_1r_{10})[(r_{11}b_1 - r_1r_{10})(r_6r_{11} - b_2b_4) - (r_4r_{11} - r_{10}b_2)(r_3r_{11} - r_1b_4)]} \right\}$$

Let the values of  $c_1, c_2$  and  $c_4$  be  $E_1, A_1$  and  $D_2$  respectively. Thus,  $(E_1, A_1, 0, D_2)$  is a steady state solution.

**Case 5: when only  $C_4 = 0$ , Manafian(2012)**

Putting  $C_4 = 0$  in (9). Then,

$$b_1c_1 + r_1c_3 = a_1 \text{-----} (34)$$

Putting  $c_4 = 0$  in (10). Then,

$$b_2c_2 + r_4c_1 + r_5c_3 = a_2 \text{-----} (35)$$

Putting  $c_4 = 0$  in (11). Then,

$$b_3c_3 + r_7c_1 + r_8c_2 = a_3$$

$$\Rightarrow c_1 = \frac{1}{r_7} (a_3 - b_3c_3 - r_8c_2) \text{-----} (36)$$

Putting (36) in (34). Then,

$$\frac{b_1}{r_7} (a_3 - b_3c_3 - r_8c_2) + r_1c_2 + r_2c_3 = a_1$$

$$\Rightarrow a_3b_1 - b_1b_3c_3 - r_8b_1c_2 + r_2r_7c_3 = r_7a_1$$

$$\Rightarrow (r_1r_7 - r_8b_1)c_2 + (r_2r_7 - b_1b_3)c_3 = r_7a_1 - a_3b_1 \text{-----} (37)$$

Putting (36) in (35). Then,

$$b_2c_2 + \frac{r_4}{r_7} (a_3 - b_3c_3 - r_8c_2) + r_5c_3 = r_7a_2$$

$$\Rightarrow r_7b_2c_2 + r_4a_3 - r_4b_3c_3 - r_4r_8c_2 + r_5r_7c_3 = r_7a_2$$

$$\Rightarrow (r_7b_2 - r_4r_8)c_2 + (r_5r_7 - r_4b_3)c_3 = r_7a_2 - r_4a_3$$

$$\Rightarrow c_2 = \frac{r_7a_2 - r_4a_3 - (r_5r_7 - r_4b_3)c_3}{r_7b_2 - r_4r_8} \text{-----} (38)$$

Putting (38) in (37). Then,

$$\frac{(r_2r_7 - r_8b_1)(r_7a_2 - r_4a_3) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)c_3}{r_7b_2 - r_4r_8}$$

$$+ (r_2r_7 - b_1b_3)c_3 = r_7a_1 - a_3b_1$$

$$\Rightarrow (r_1r_7 - r_8b_1)(r_7a_2 - r_4a_3) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)c_3$$

$$+ (r_7b_2 - r_4r_8)(r_2r_7 - b_1b_3)c_3 = (r_7b_2 - r_4r_8)(r_7a_1 - a_3b_1)$$

$$\Rightarrow [(r_7b_2 - r_4r_8)(r_2r_7 - b_1b_3) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)]c_3$$

$$= (r_7b_2 - r_4r_8)(r_7a_1 - a_3b_1) - (r_1r_7 - r_8b_1)(r_7a_2 - r_4a_3)$$

$$\Rightarrow c_3 = \frac{(r_7b_2 - r_4r_8)(r_7a_1 - a_3b_1) - (r_1r_7 - r_8b_1)(r_7a_2 - r_4a_3)}{(r_7b_2 - r_4r_8)(r_2r_7 - b_1b_3) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)} \text{-----} (39)$$

Putting (39) in (38)

$$r_7a_2 - r_4a_3$$

$$c_2 = \frac{-(r_5r_7 - r_4b_3)[(r_7b_2 - r_4r_8)(r_7a_1 - a_3b_1) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)]}{(r_5b_2 - r_4r_8)(r_2r_7 - b_1b_3) - (r_1r_7 - r_8b_1)(r_7a_2 - r_4a_3)} \text{-----}$$

$$(r_7b_2 - r_4r_8)$$

$$\frac{(r_7a_2 - r_4a_3[(r_7b_2 - r_4r_8)(r_2r_7 - b_1b_3) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)] - (r_5r_7 - r_4b_3)[(r_7b_2 - r_4r_8)(r_7a_1 - a_3b_1) - (r_1r_7 - r_8b_1) - (r_7a_2 - r_4a_3)]}{r_7b_2 - r_4r_8[(r_7b_2 - r_4r_8)(r_2r_7 - b_1b_3) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)]} \quad (40)$$

Putting (39) and (40) in (36). Then,

$$C_1 = \frac{a_3}{r_7} - \frac{b_3}{r_7} \left[ \frac{(r_7b_2 - r_4r_8)(r_7a_1 - a_3b_1) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)}{(r_7b_2 - r_4r_8)(r_2r_7 - b_1b_3) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)} \right] - \frac{r_8}{r_7} \left( \frac{(r_7a_2 - r_4a_3[(r_7b_2 - r_4r_8)(r_2r_7 - b_1b_3) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)] - (r_5r_7 - r_4b_3)[(r_7b_2 - r_4r_8)(r_7a_1 - a_3b_1) - (r_1r_7 - r_8b_1) - (r_7a_2 - r_4a_3)]}{r_7b_2 - r_4r_8[(r_7b_2 - r_4r_8)(r_2r_7 - b_1b_3) - (r_1r_7 - r_8b_1)(r_5r_7 - r_4b_3)]} \right)$$

Let the values of  $C_1$ ,  $C_2$  and  $C_3$  be  $E_2$ ,  $A_2$  and  $B_2$  respectively. Hence,  $(E_2, A_2, B_2, O)$  is a steady state solution.

### Initial Conditions

With the initial condition precise values  $c_1(0) = c_{10} > 0$ ,  $c_2(0) = c_{20} > 0$ ,  $c_3(0) = c_{30} > 0$ ,  $c_4(0) = c_{40} > 0$  where:

$c_1(t)$  defines the quantity of crude oil that is produced over time in the first oil well.

$c_2(t)$  defines the quantity of crude oil that is produced over time in the second oil well.

$c_3(t)$  defines the quantity of crude oil that is produced over time in the third oil well.

$c_4(t)$  defines the quantity of crude oil that is produced over time in the fourth oil well.

$a_1, a_2, a_3$  and  $a_4$  defines the growth parameter  $b_1, b_2, b_3$  and  $b_4$  defines the intra-competition coefficient  $r_1, r_2, r_3, \dots, r_{12}$  defines the inter-competition coefficient, Okposo, et al (2023).

For the purpose of this study, we have assumed the following parameter values

$$a_1 = 0.0662, b_1 = 0.072, r_1 = 0.0018, r_2 = 0.0012, r_3 = 0.0012,$$

$$a_2 = 1.3548, b_2 = 1.4054, r_4 = 0.0014, r_5 = 0.0012, r_6 = 0.00094,$$

$$a_3 = 0.0410, b_3 = 0.0147, r_7 = 0.0018, r_8 = 0.0015, r_9 = 0.0012,$$

$$a_4 = 0.0802, b_4 = 0.0222, r_{10} = 0.00222, r_{11} = 0.0013, r_{12} = 0.00165$$

For  $t = 0$ , we have considered the initial boundary conditions as

$$c_1(0) = 0.5 \text{ barrels of crude oil}$$

$$c_2(0) = 0.25 \text{ barrels of crude oil}$$

$$c_3(0) = 0.8 \text{ barrels of crude oil}$$

$$c_4(0) = 0.4 \text{ barrels of crude oil}$$

### 3.3. Method of Analysis

This proposed study will focus on the application of Runge-kutta numerical method of order 45, Apanapudor, et al (2023e), otherwise called the ordinary differential equation of order 45 (ODE45) numerical method which is computationally more efficient than its counterparts namely ODE23, ODE 23 TB and ODE15s. On examination of the effect of the data precision index on the interacting Niger Delta crude oil production, numerically simulated data due to variation of the initial condition such as (0.5, 0.25, 0.8, 0.4), we found four (4) standard deviation values namely 0.0743, for the first crude oil production data, 0.1617 for the second crude oil production data, 0.1683 for the third crude oil production data and 0.3532 for the fourth crude oil production data. In the list of standard deviation variation, we found that the standard deviation value of 0.0743 classifies the first crude oil production data as the best in this scenario.

#### □3.3.1. Mathematical Preliminary 1

From the initial mathematical analysis and the numerical simulation of the above four (4) model equations which do not have a closed form solution as in a traditional first order separable differential equations, we have formed the following functional analysis variables to be fundamental to the understanding of crude oil well interaction data. Without loss of generality, the variance of a set of data is usually defined as a function of the mean, that is to say the sum of the squared deviations from the mean divided by one less than the sample size.

Variance ( $\sigma$ ) =  $\frac{\sum(x-\bar{x})^2}{N-1}$ , where: x is each item value of the distribution

$\bar{x}$  is the mean of the distribution

N is total number of cases in the distribution i.e the sample size.

Okwonu, et al(2021), Okwonu, et al(2022)

The mean is just the average, the value that is the sum of all values, divided by the number.

Mean ( $\bar{x}$ ) =  $\frac{\sum x}{N}$ . While, standard deviation is defined as the positive square root of the variance. In other words, it is a statistic that measures the dispersion of a data set relative to its mean.

$$\text{Standard Deviation} = \sqrt{\frac{\sum(x-\bar{x})^2}{N-1}}$$

The central ideology is that the smaller the standard deviation the better the data that is specified. Therefore, the hypothesis of data precision depends on the philosophy of the smallest standard deviation.

- i. Column one time dependent data (where the time variable is also called the length of producing the quantity of Niger Delta crude oil in barrels) in the first Niger delta Crude oil well, provided the initial condition of the initial quantity of crude oil in the first well is well defined.
- ii. Column two (2) time dependent data (where the time variable is also called the length of producing the quantity of Niger Delta crude oil in barrel(s) in the second Niger delta crude oil well, provided the initial condition of the initial quantity of crude oil in the second well is well defined.

Under the estimated data precision index (EDPI), the first value in the first column represent the mean of the first column data, the second value below represent the mean of the second column data while the third and fourth value below in the first column represents the mean of the third and fourth column data respectively.

In the same vain the second column values represents the variance of the first, second, third and fourth column data in that order and the third column values represents the standard deviation of the first, second, third and fourth column data respectively.

### 3.3.2. Mathematical Preliminary 2

#### Properties of data set:

If  $a_n$  is a sequence of real numbers, such that  $a_n$  converges to L written as  $a_n \rightarrow L$ ; then the sequence is said to converge to a finite limit L, Izevbizua and Apanapudor(2019), Apanapudor, et al(2023b). Jain and Ahuja (2013). In other words, a sequence  $(x_n)$ , real or complex is said to converge to a limit L. if for each  $\epsilon > 0$ ,  $\exists$  a positive integral N (depending on  $\epsilon$ ) such that  $|x_n - L| < \epsilon$  for all  $n \geq N$  (Jain and Ahuja, 2013).

Consider the hypothetical data  $D_1$  and  $D_2$  as shown in table 1 below:

Table 1: Some hypothetical Data Set D1 & D2.

| $D_1$ | $D_2$ | $D_1 + D_2$ | $D_1 * D_2$ | $D_1 / D_2$ |
|-------|-------|-------------|-------------|-------------|
| 0.12  | 1.12  | 1.24        | 0.1344      | 1.1071      |
| 0.14  | 1.14  | 1.28        | 0.1596      | 0.1228      |
| 0.16  | 1.16  | 1.32        | 0.1856      | 0.1379      |
| 0.18  | 1.18  | 1.36        | 0.2124      | 0.1525      |
| 2.24  | 3.24  | 5.48        | 7.2576      | 0.6914      |
| 2.36  | 3.36  | 5.72        | 7.9296      | 0.7024      |
| 3.20  | 4.20  | 7.4         | 13.44       | 0.7619      |
| 4.48  | 5.48  | 9.96        | 24.5504     | 0.8175      |

How do we observe that the data has a limit?

To answer this question, if a sequence of real numbers  $(a_n)$ , converges to a finite number  $L$ , we write it as  $a_n \rightarrow L$  where  $a_j, j = 1, 2, \dots, n$  are called the elements of the sequence, provided the sequence of data obeys the law of monotone sequences. From the hypothetical data, the limiting value of the  $D_2$  is 4.48 whereas the limiting value of the  $D_2$  data is 5.48. Apanapudor and Otunta (2007)

### Bounded Sequences

Following Apanapudor (2007), Apanapudor and Aderibigbe (2018), Jain and Ahuja (2013), if a sequence  $a_n$  of a real number converges to a finite limit  $L$ , that is  $a_n \rightarrow L$  then the sequence is said to be bounded. In other words, a sequence is bounded if it is bounded above and below, that is, if there is a number  $K$ , less than or equal to all the terms of the sequence and another number  $K$  greater than or equal to all the terms of the sequence

### Sum of two Bounded Sequences

Similarly, if  $a_n \rightarrow L_1$  and  $a_m \rightarrow L_2$  be two bounded sequences, then the sequence  $a_n + a_m$  converges to  $L_1 + L_2$  shown in column three in table 1. Jain and Ahuja (2013), Olaosebikan, et al (2015), Mamadu and Apanapudor (2017). For example,  $a_n$  of  $D_1$  data converges to 4.48 ( $a_n \rightarrow 4.48$ ) and  $a_m$  of  $D_2$  data converges to 5.48 ( $a_m \rightarrow 5.48$ ), therefore  $a_n + a_m \rightarrow L_1 + L_2 = 4.48 + 5.48 = 9.96$ , hence the sum of two bounded sequences are bounded.

### Product of two bounded sequences

Following Jain and Ahuja (2013), Okwonu, et al (2021a), Okwonu, et al (2020), mathematically if  $a_n$  and  $a_m$  are sequence of real number such that  $a_n \cdot a_m \rightarrow L_1 \cdot L_2$  of real number is said to be bounded. For example,  $a_n$  of  $D_1$  data converges to 4.48 ( $a_n \rightarrow 4.48$ ) and  $a_m$  of  $D_2$  data converges to 5.48 ( $a_m \rightarrow 5.48$ ), hence their product  $a_n \cdot a_m \rightarrow L_1 \cdot L_2 = 4.48 \times 5.48 = 24.5304$  (Column 4).

### Ratio of two bounded sequences

Following Jain and Ahuja (2013), Iweobodo, et al (2023), Omokoh, et al (2023), mathematically, if  $a_n$  and  $a_m$  are sequences of real numbers such that  $a_n \rightarrow L_1$  and  $a_m \rightarrow L_2$  then the ratio of sequences of real numbers  $a_n/a_m \rightarrow L_1/L_2$  is said to be bounded provided  $L_2$  is not equal to zero ( $L_2 \neq 0$ ).

For example  $a_n$  of  $D_1$  data converges to 4.48 ( $a_n \rightarrow 4.48$ ) and  $a_m$  of  $D_2$  data converges to 5.48 ( $a_m \rightarrow 5.48$ ) then  $a_n/a_m \rightarrow L_1/L_2 = 4.48/5.48 = 0.8175$  (column 5).

### Monotone Sequence

Following Jain and Ahuja (2013), Apanapudor, et al (2023a) if  $a_n$  is a sequence of real numbers such that for all  $n$  satisfying  $a_{n+1} > a_n$ ; then the sequence  $a_n$  is said to be increasing monotonically. On the other hand, if  $a_{n+1}$  is strictly less than  $a_n$  i.e  $a_{n+1} < a_n$  for all  $n$ , then the sequence of real number  $a_n$  is said to be monotone, if it is both increasing monotonically and decreasing monotonically.

In summary, if  $a_n$  and  $a_m$  are sequence of real numbers such that  $a_n \rightarrow L_1$  and  $a_m \rightarrow L_2$  then the sequence  $a_n$  and  $a_m$  which converges to the finite limit  $L_1$  and  $L_2$  are said to be bounded, if they are bounded then the following properties will be satisfied, Okwonu, et al (2021a), Okwonu, et al (2020), Apanapudor and Olowu (2023).

- i.  $a_n + a_m \rightarrow L_1 + L_2$  (sum)
- ii.  $a_n \cdot a_m \rightarrow L_1 \cdot L_2$  (product)
- iii.  $a_n/a_m \rightarrow L_1/L_2$  Provided  $L_2 \neq 0$  (ratio)

For the purpose of this study, data sets that satisfy the properties of a bounded sequence can be tested for the smallest standard deviation, otherwise called the data precision index.

### 4.0. Numerical Results

The following tables present the numerical computations emanating from the data so far collected.

**Table 2:** Computing the data precision of interacting Niger Delta crude oil data due to the initial condition (0.7 0.35 1.0 0.50) using ODE45 numerical methods.

|  | D1     | D2     | D3     | D4     |
|--|--------|--------|--------|--------|
|  | 0.7000 | 0.3500 | 1.0000 | 0.5000 |
|  | 0.7090 | 0.6624 | 1.0238 | 0.5335 |
|  | 0.7172 | 0.8635 | 1.0472 | 0.5686 |

---

|        |        |        |        |
|--------|--------|--------|--------|
| 0.7249 | 0.9387 | 1.0706 | 0.6054 |
| 0.7322 | 0.9576 | 1.0940 | 0.6439 |
| 0.7391 | 0.9615 | 1.1174 | 0.6842 |
| 0.7456 | 0.9624 | 1.1409 | 0.7264 |
| 0.7518 | 0.9614 | 1.1644 | 0.7704 |
| 0.7577 | 0.9616 | 1.1878 | 0.8162 |
| 0.7632 | 0.9627 | 1.2113 | 0.8637 |
| 0.7684 | 0.9624 | 1.2347 | 0.9131 |
| 0.7733 | 0.9609 | 1.2580 | 0.9641 |
| 0.7779 | 0.9612 | 1.2813 | 1.0167 |
| 0.7822 | 0.9620 | 1.3044 | 1.0709 |
| 0.7862 | 0.9612 | 1.3274 | 1.1266 |
| 0.7899 | 0.9601 | 1.3503 | 1.1836 |

---

Estimated data precision index with respect to the crude oil production data

---

|        |        |        |        |
|--------|--------|--------|--------|
| 0.7934 | 0.9612 | 1.3729 | 1.2418 |
| 0.7966 | 0.9631 | 1.3954 | 1.3012 |
| 0.7996 | 0.9618 | 1.4177 | 1.3615 |
| 0.8023 | 0.9596 | 1.4398 | 1.4226 |
| 0.8048 | 0.9609 | 1.4616 | 1.4844 |
| 0.8071 | 0.9617 | 1.4832 | 1.5467 |
| 0.8092 | 0.9604 | 1.5045 | 1.6093 |
| 0.8111 | 0.9602 | 1.5255 | 1.6721 |
| 0.8128 | 0.9607 | 1.5462 | 1.7348 |

---

Estimated data precision index with respect to the third crude oil production data

---

|        |        |               |
|--------|--------|---------------|
| 0.7702 | 0.0012 | <b>0.0346</b> |
| 0.9200 | 0.0179 | 0.1339        |
| 1.2784 | 0.0284 | 0.1685        |
| 1.0545 | 0.1484 | 0.3852        |

---

**Table 3:** Computing the data precision of four interacting Niger Delta crude oil data due to the initial condition (0.8 0.4 1.1 0.55) using ODE45 numerical methods.

|        |        |        |        |
|--------|--------|--------|--------|
| 0.8000 | 0.4000 | 1.1000 | 0.5500 |
| 0.8043 | 0.7055 | 1.1241 | 0.5859 |
| 0.8081 | 0.8805 | 1.1479 | 0.6235 |
| 0.8114 | 0.9425 | 1.1715 | 0.6627 |
| 0.8144 | 0.9585 | 1.1950 | 0.7037 |
| 0.8172 | 0.9624 | 1.2185 | 0.7465 |
| 0.8198 | 0.9616 | 1.2420 | 0.7912 |
| 0.8221 | 0.9615 | 1.2654 | 0.8376 |
| 0.8243 | 0.9615 | 1.2887 | 0.8857 |

|        |        |        |        |
|--------|--------|--------|--------|
| 0.8263 | 0.9615 | 1.3120 | 0.9356 |
| 0.8281 | 0.9616 | 1.3351 | 0.9871 |
| 0.8297 | 0.9614 | 1.3581 | 1.0402 |
| 0.8311 | 0.9610 | 1.3809 | 1.0948 |
| 0.8324 | 0.9609 | 1.4035 | 1.1508 |
| 0.8336 | 0.9616 | 1.4259 | 1.2082 |
| 0.8346 | 0.9623 | 1.4481 | 1.2667 |
| 0.8355 | 0.9614 | 1.4701 | 1.3262 |
| 0.8362 | 0.9603 | 1.4918 | 1.3866 |
| 0.8368 | 0.9610 | 1.5132 | 1.4478 |
| 0.8373 | 0.9613 | 1.5343 | 1.5095 |
| 0.8377 | 0.9602 | 1.5552 | 1.5717 |
| 0.8380 | 0.9596 | 1.5757 | 1.6341 |
| 0.8382 | 0.9608 | 1.5959 | 1.6966 |
| 0.8383 | 0.9613 | 1.6158 | 1.7590 |
| 0.8383 | 0.9607 | 1.6353 | 1.8210 |

Estimated data precision index with respect to the fourth crude oil production data

|        |        |               |
|--------|--------|---------------|
| 0.8269 | 0.0001 | <b>0.0118</b> |
| 0.9244 | 0.0147 | 0.1214        |
| 1.3762 | 0.0273 | 0.1652        |
| 1.1289 | 0.1576 | 0.3969        |

**Table 4:** Computing the data precision of four (4) interacting Niger Delta crude oil data due to the initial condition (0.9 0.45 1.2 0.6) using ODE45 numerical methods.

|        |        |        |        |
|--------|--------|--------|--------|
| 0.9000 | 0.4500 | 1.2000 | 0.6000 |
| 0.8984 | 0.7430 | 1.2241 | 0.6382 |
| 0.8964 | 0.8974 | 1.2478 | 0.6780 |
| 0.8944 | 0.9462 | 1.2713 | 0.7195 |
| 0.8923 | 0.9582 | 1.2947 | 0.7628 |
| 0.8904 | 0.9613 | 1.3180 | 0.8079 |
| 0.8884 | 0.9614 | 1.3411 | 0.8547 |
| 0.8866 | 0.9614 | 1.3641 | 0.9033 |
| 0.8847 | 0.9614 | 1.3870 | 0.9535 |
| 0.8830 | 0.9613 | 1.4097 | 1.0053 |
| 0.8812 | 0.9611 | 1.4322 | 1.0588 |
| 0.8795 | 0.9611 | 1.4545 | 1.1136 |
| 0.8778 | 0.9613 | 1.4766 | 1.1698 |
| 0.8761 | 0.9614 | 1.4984 | 1.2273 |
| 0.8745 | 0.9607 | 1.5200 | 1.2859 |
| 0.8729 | 0.9600 | 1.5413 | 1.3455 |
| 0.8713 | 0.9606 | 1.5623 | 1.4059 |
| 0.8697 | 0.9616 | 1.5830 | 1.4670 |
| 0.8681 | 0.9608 | 1.6033 | 1.5287 |
| 0.8666 | 0.9600 | 1.6233 | 1.5907 |
| 0.8651 | 0.9610 | 1.6430 | 1.6529 |
| 0.8635 | 0.9620 | 1.6623 | 1.7151 |
| 0.8620 | 0.9605 | 1.6813 | 1.7771 |
| 0.8605 | 0.9586 | 1.6999 | 1.8388 |
| 0.8590 | 0.9597 | 1.7180 | 1.9000 |

Estimated data precision index with respect to the fifth crude oil production data

|        |        |               |
|--------|--------|---------------|
| 0.8785 | 0.0002 | <b>0.0126</b> |
| 0.9285 | 0.0119 | 0.1093        |
| 1.4703 | 0.0255 | 0.1598        |
| 1.2000 | 0.1651 | 0.4064        |

**Table 5:** Computing the data precision of four (4) interacting Niger Delta crude oil data due to the initial condition (1.0 0.5 1.3 0.65) using ODE45 numerical methods..

|        |        |        |        |
|--------|--------|--------|--------|
| 1.0000 | 0.5000 | 1.3000 | 0.6500 |
| 0.9910 | 0.7761 | 1.3238 | 0.6903 |
| 0.9823 | 0.9094 | 1.3471 | 0.7322 |
| 0.9741 | 0.9501 | 1.3702 | 0.7758 |
| 0.9663 | 0.9602 | 1.3931 | 0.8212 |
| 0.9591 | 0.9614 | 1.4158 | 0.8683 |
| 0.9523 | 0.9612 | 1.4383 | 0.9171 |
| 0.9459 | 0.9612 | 1.4606 | 0.9675 |
| 0.9399 | 0.9612 | 1.4828 | 1.0195 |
| 0.9342 | 0.9610 | 1.5047 | 1.0731 |
| 0.9289 | 0.9608 | 1.5263 | 1.1281 |
| 0.9238 | 0.9610 | 1.5477 | 1.1844 |
| 0.9190 | 0.9614 | 1.5688 | 1.2419 |
| 0.9145 | 0.9613 | 1.5896 | 1.3005 |
| 0.9102 | 0.9600 | 1.6100 | 1.3601 |
| 0.9060 | 0.9593 | 1.6302 | 1.4204 |
| 0.9021 | 0.9607 | 1.6500 | 1.4814 |
| 0.8984 | 0.9613 | 1.6695 | 1.5429 |
| 0.8948 | 0.9603 | 1.6886 | 1.6047 |
| 0.8914 | 0.9605 | 1.7073 | 1.6666 |
| 0.8881 | 0.9614 | 1.7256 | 1.7286 |
| 0.8850 | 0.9612 | 1.7436 | 1.7903 |
| 0.8819 | 0.9598 | 1.7612 | 1.8516 |
| 0.8790 | 0.9600 | 1.7783 | 1.9124 |
| 0.8762 | 0.9604 | 1.7951 | 1.9725 |

Estimated data precision index with respect to the sixth crude oil production data

|        |        |               |
|--------|--------|---------------|
| 0.9258 | 0.0014 | <b>0.0373</b> |
| 0.9325 | 0.0095 | 0.0977        |
| 1.5611 | 0.0233 | 0.1527        |
| 1.2681 | 0.1712 | 0.4137        |

From Table 1, we observed that the four(4) interacting data are bounded sequences in which the first column data converges to a finite limit value of 0.7899,; the second column data converges to a finite limit value of 0.9601, the third to 1.3503 and the fourth 1.1836. The corresponding ODE 45 computed data precision indices of the four(4) interacting data set are (1) 0.0346, (ii) 0.1339 (iii) 0.1685 (iv)0.3852 with the smallest value as 0.0346 aligning with the first column.

A look at Table 2, we observed that the four (4) interacting data are bounded sequences in which the first column data converges to a finite limit value of 0.8383, the second column data converges to a finite limit value of 0.9607, the third column data converges to a finite limit value of 1.6353 and the fourth column data converges to a finite limit value of 1.8210 provided the specified initial condition is defined by (0.8, 0.4, 1.1, 0.55)

The corresponding ODE 45 computed data precision indices of the fourth (4) interacting data are 0.0118 for the first column data, 0.1214 for the second column, 0.1652, for the third column data and 0.3969 for the fourth column data in which the smallest data precision index value of 0.0118 aligns with the first column data.

Again in Table 3, the four (4) interacting data set are bounded sequences in which the first column data converges to a finite limit value of 0.8590, the second column data converges to a finite limit value of 0.9597, the third column data converges to a finite limit value of 1.7180 and the fourth column data converges to a finite limit value of 1.900 provided the specified initial condition is define by (0.9, 0.45, 0.12, 0.6).

The corresponding ODE 45 computed data precision indices of the four (4) interacting data are 0.0126 for the first column data, 0.1093 for the second column data, 0.1598 for the third column data and 0.4064 for the fourth column data in which the smallest data precision index value of 0.0126 aligns with the first column data.

Also in Table 4, the four (4) interacting data set are also bounded sequences in which the first column data converges to a finite limit value of 0.8762, the second column data converges to a finite limit values of 0.9604, the third column data converges to a finite limit value of 1.7951 and the fourth column data converges to a finite limit value of 1.9725 provided the specified initial condition is defined by (1.0, 0.5, 1.3, 0.65).

The corresponding ODE 45 computed data precisions indices of the four (4) interacting data are 0.0373 for the first column data, 0.0977 for the second column data, 0.1527 for the third column data and 0.4137 for the fourth column data in which the smallest data precision index value of 0.0373 aligns with the first column data.

## **5.0. Conclusion**

This study have significantly applied the continuous dynamical system of a non-linear first order differential equation to study the effect of data precision index on the Niger Delta crude oil production data numerically. With a variation in the initial condition, we have obtained the data precision index of 0.0346 for the first column data, 0.0118 for the second column data, 0.0126 for the third column data and 0.0373 for the fourth column data as shown in the bold font in Tables 1, 2, 3, and 4 respectively, which represent oil well one (W1), oil well two (W2), oil well three (W3) and oil well four (W4); and have concluded that 0.0118(IC15) and 0.0126(IC17) are the best fit-data with a precision index of 0.0126. This present numerical approach of proving a fundamental functional analysis result and research done within the mathematical analysis, extended to other types of data sets such as fossil fuel emission in the atmosphere, biodiversity quantification, geoscience, relative humidity and stock exchange numerically simulated data and as well as in the ecosphere assess prediction to mention but a few. In particular, the production of crude oil data, the present data precision analysis can provide a further insight which is rarely done for a better understanding of the revenue derived from crude oil production in the Niger Delta region of Nigeria. Therefore, there should be consistent use of a single numerical method to avoid conflicting prediction of data precision value. The choice of the initial boundary conditions should agree with the dimension, in other to obtain the expected prediction of crude oil production.

### **Disclaimer (Artificial intelligence)**

#### **Option 1:**

**Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.**

#### **Option 2:**

**Author(s) hereby declare that generative AI technologies such as Large Language Models, etc have been used during writing or editing of manuscripts. This explanation will include list the name, version, model, and source of the generative AI technology and as well as the all input prompts provided to a generative AI technology**

**Details of the AI usage are given below:**

**1.**

**2.**

### 3.

#### References

- [1] Aderibigbe, F.M. And Apanapudor, J.S. (2014): On The Extended Conjugate Gradient Method (Ecgm) Algorithm For Discrete Optimal Control Problems And Some Of Its Features, IOSR Journal Of Mathematics
- [2] Ahad, N.A.andOkwonu, F.Z.(2020): COVID-19 Outbreak in Malaysia: Investigation on fatality cases,, Journal of advanced Research in Applied Sciences and Engineering Technology, Vol.20(1), <https://doi.org/10.37934/araset.20.1.110>
- [3] Ana, L. And James, Y. “A.(1976). Deterministic Model For Gonorrhoea In A Non-Homogeneous Population,” Mathematical Biosciences, Vol. 28, Pp. 221–236
- [4] Apanapudor, J.S. (2007): Properties of the Control Operator H in Extended Conjugate Gradient Method for Solving Discrete Optimal Control Problems, Journal of the Institute Of Mathematics and Computer Sc. (Mathematics series, Vol. 20, (3), pp. 165- 177
- [5] Apanapudor, J.S. and Olowu, O. O. (2023): The Fixed Lifetime Inventory System with two Products having the same shelf life, pdf from researchgate.net
- [6] Apanapudor, J.S. and Aderibigbe, F.M):On the Justification of the Extended Conjugate Gradient Method (ECGM) Algorithm for Optimal Control Problems, Quest Journals, Journal Research in Applied mathematics, Vol. 2 issues 5 pp.07-13
- [7] Apanapudor, J.S., Okwonu, F.Z.,Maduku, E.O. And Izevbizua, O.(2023d): Solvability And Uniqueness Of Solutions Of Two Dimensional Optimization Problems, Fuw Trends In Science And Technology Journal, [www.ftstjournal.Com](http://www.ftstjournal.Com), Vol.8, No. 1, Pp. 182 – 187.
- [8] Apanapudor, J.S., Umukoro, J., Okwonu, F.Z.,and Okposo, N. (2023c): Optimal Solution Techniques for Control Problem of Evolution Equations, Science World Journal Vol. 18(3) pp. 503 - 508
- [9] Apanapudor, J.S., Akporido, D.K. and Okwonu, F.Z.(2023a): On the Generalized Minimum Cost Flow Problem: An Application in Natural Gas Distribution Networks, FUW Trends in Science and Technology Journal, [www.ftstjournal.com](http://www.ftstjournal.com), Vol. 8.No. 1, pp.
- [10] Apanapudor, J.S., Okwonu, F.Z., Ahad, N. A. ,Ogini, N.O. and Yusuf, Z. M.(2023b): Perturbation Analysis and the solution of Linear Systems, AIP Conf.Proc. 2896, 030001, <https://doi.org/10.1063/5.0179165>
- [11] Apanapudor, J.S. Aderibigbe, F.M. and, Okwonu, F.Z.(2020): An Optimal Penalty Constant for Discrete Optimal Control Problems, J. Physics, Conf. Series, 1529
- [12] Apanapudor, J.S., Okpako, S.O. and Okposo, N.O.(2024): A Mathematical model for Intra-Communal Violence A case Study of Uvwie Local Government Area Delta State, IOSR Journal of mathematics(IOSR-JM), Vol. 20 Issue 2 Series 1(Mar. – Apr 2024) pp. 20 -26.
- [13] Atubi, A.O., Ogbija, T.E.,&Ojeh, V.N. (2015). Effects of environmental degradation on human health in selected oil communities in Delta State. *Journal of Environment and Earth Science*, 5(9),72 – 88.
- [14] Boris, O.H. (2015). The upsurge of oil theft and illegal bunkering in the Niger Delta region of Nigeria: Is there a way out?*Mediterranean Journal of Social Sciences*, 6(3), 563 – 573.
- [15] Dehghan, M.(2009):TheSolution of theVariable CoefficientsFourth-Order ParabolicPartial Differential Equations bythe HomotopyPerturbation Method, *Zeitschrift fürNaturforschungA-A Journal of Physical Sciences*, 64a, 420– 430 (2009)
- [16] Dehghan, M. and Heris, J.M.(2012): Studyof thewave-breaking's qualitative behaviorof theFornberg-Whitham equation via quasi-numeric approaches,*International Journal of Numerical Methods forHeat&Fluid Flow*, Vol. 22 No. 5, (2012) 537-553.
- [17] Ebegbulem, J. C., Ekpe, D., & Adejumo, T. O. (2013). Oil exploration and poverty in the Niger Delta region of Nigeria: A critical analysis. *International Journal of Business and Social Science*, 4(3), 279 – 287.
- [18] Ekanem, J.,& Nwachukwu, I. (2015). Sustainable Agricultural production in degraded oil producing and conflict.*Journal of Agriculture and Sustainability*, 8(1), 14 – 28.
- [19] Ekpenyong, N. S., & Udofia, U. S. (2015). Oil pollution and its impact on water quality in Ibeno community. *Studies in Sociology of Science*, 6(2), 8 – 12.
- [20] Elum, Z. A., Monini, K., & Henri-Ukoha, A. (2016). Oil exploitation and its socioeconomic effects on the Niger Delta region of Nigeria. *Environmental Science and Pollution Research*, 23(13), 12880 – 12889.Izevbizua, O. and Apanapudor, J.S.(2019): Implementing fries Model for the fixed lifetime Inventory System, OPSEARCH, <https://doi.org/10.1007/s12597-019-00403-1>
- [21] Islam, M. S., & Tanka, M. (2004). Impacts of pollution on coastal and marine ecosystems including coastal and marine fisheries and approach for management: a review and synthesis. *Marine Pollution Bulletin*, 48, 624 – 649.
- [22] Iweobodo, D.C.,Njoseh, I.N., and Apanapudor, J.S. (2023): A New Wavelet –based Galerkin method of weighted residual function for the numerical solution of one-dimensional differential equations, Journal of Mathematics and Statistics Vol.11(6),
- [23] Izevbizua, O. and Apanapudor, J.S.(2019a): Total Revenue Function for No- Regular Fixed lifetime Inventory System , African Journal of Mathematics and Computer Science Research,Vol. 12(2), pp.24-30
- [24] Izevbizua, O. And Apanapudor, J.S.(2022): A New Ordering Policy For The Fixed Lifetime Inventory System, Australian Journal Of Basic And Applied Sciences, <https://Doi.Org/10.22587/Ajbas.2022.16.3.1>, Vol. 16(3), Pp. 1-7.
- [25] Izevbizua, O. And Apanapudor, J.S.(2019b):Implementing the fries Model for the fixed lifetime Inventory System, OPSEARCH, <https://doi.org/10.1007/s12597-019-004031>

- [26] Kadafa, A. A. (2012). Environmental impacts of oil exploration and exploitation in the Niger Delta of Nigeria. *Global Journal of Science Frontier Research Environment and Earth Sciences*, 12(3), 19 – 28.
- [27] Kadafa, A. A. (2012). Oil exploration and spillage in the Niger Delta of Nigeria. *Civil and Environmental Research*, 2(3), 38 – 51.
- [28] Manafian, J. (2012): Solving the integro-differential equations using the modified Laplace Adomian decomposition Method, *Journal of Mathematical Extension*, 6(1), (2012) 1-15.
- [29] Manafian, J. (2021): An optimal galerkin-homotopy asymptotic method applied to the nonlinear second-order bvps. *Proc Inst Math Mech* 2021;47(1):156–82.
- [30] Manafian, J. and Allahverdiyeva, N. (2021): An Analytical analysis to solve fractional differential equations. *Adv Math Models & Appl*. Vol.6, No.2, pp. 128 - 161
- [31] Ogbonna, G. N., & Appah-Ebimobowei, F. C. A. (2012). Petroleum income and Nigerian economy: Empirical evidence. *Arabian Journal of Business and Management Review (OMAN chapter)*, 1(9), 33.
- [32] Ojimba, T.P. (2012). Determining the effects of crude oil pollution on crop production using stochastic translog production function in River State Nigeria. *Journal of Development and Agricultural Economics*, 4(13), 346 – 360.
- [33] Okposo, N.I., Addai, E., Apanapudor, J.S., Gomez-Aguilar, J.F. (2023): A study on a monkeypox transmission model within the scope of fractal-fractional derivative with power-law kernel, *European Physical Journal Plus*, <https://doi.org/10.1140/epip/s13360.023.04334-1>
- [34]
- [35] Okwonu, F.Z. and Apanapudor, J.S. (2019): The Statistical Value of Water Transport: A Preliminary Study of Niger Delta Creek, *Data Research Journal*, pp. 135-145
- [36] Okwonu, F.Z., Ahad, N. A., Yusuf, Z.A., Arunaye, F.I., and Apanapudor, J.S. (2021): Application of Shewchart Control Chart to analyze the effect of Income on Body Mass Index and Blood Pressure, *Journal of Applied Mathematics and Computational Intelligence*
- [37] Okwonu, F.Z., Ahad, N. A., Okoloko, I.E., Kamaruddi, S.A., Arunaye, F.I., and Apanapudor, J.S. (2022): Robust Hybrid Classification Methods and Applications, *Pertanika J. Sc. And Technology*, 30(4), pp. 2831-2850
- [38] Okwonu, F.Z., Apanapudor, J.S., Maduku, E.O. (2023): On Comparative Analysis of Estimation Procedures, *FUW Trends in Science and Technology Journal*, [www.ftstjournal.com](http://www.ftstjournal.com)
- [39] Okwonu, F.Z., Ahad, N. A., Apanapudor, J.S. and Arunaye, F.I. (2020): COVID-19 Prediction Model (COVID-19-PM) for Social Distancing : The Height Perspective, *Proceedings of the Pakistan Academy of Sciences: A: Physical and Computational Sciences* 57(4) 1-3
- [40] Olasebikan, T.E., Adebayo, K.J. and Apanapudor, J.S. (2015): On the derivation of Numerical Implementation of Penalty Function Method Imbedded in Conjugate Gradient Method Algorithm, *Quest Journals , Journal of Research in Applied Mathematics*, Vol.2 Issue 5, pp. 01 - 06
- [41] Omokoh, S.E, Ojobor, S. A. and Apanapudor, J.S. (2023): Using R-programming in the study of correlation coefficients in epidemiology, *AIP Conference Proceedings* 2872 020014, <https://doi.org/10.1063/5.0163565>
- [42] Paul, I. A. (2015). A historical perspective of petroleum on Nigeria's economic crisis since independence. *Global Journal of Human-Social Science: E Economics*, 15(2), 17 – 24.
- [43] Shahriari, M., Saray, B.N., Lakestani, M. and Manafian, J. (2018): Numerical treatment of Benjamin-Bona-Mahony equation by using Alpert Multiwavelets, *European Physical Journal Plus*, (2018), 133:201
- [44] Statista, (2023): Nigeria Monthly Crude Oil Data Analysis
- [45] Statista (2024): Nigerian Monthly Crude Oil Data Analysis
- [45] Usman, A., Madu, I., & Abdullahi, F. (2015). Evidence of petroleum resources on Nigerian economic development (2000-2009). *Business and Economics Journal*, 6(2), 1 – 4.
- [47] Wogu, S. O. (2000). Hydrocarbon Environmental Degradation and Poverty in the Niger Delta Region of Nigeria Exploitation. *Lund: Urhobo Historical Society, Lund University LUMES Program*.
- [48] Zoe Talentsolutions, <https://zoetalentsolutions.com>oil>, Top Oil Producing States in Nigeria
- 49 Dong H. Numerical Method for the Perturbed Risk Model with Randomized Observation and Two-sided Jumps. *Asian Res. J. Math.* [Internet]. 2018 Oct. 24 [cited 2024 Jun. 3];11(2):1-7. Available from: <https://journalarjom.com/index.php/ARJOM/article/view/240>
- 50 Pooja, Kumar J, Manchanda P. Numerical Solution of First Kind Fredholm Integral Equations Using Wavelet Collocation Method. *J. Adv. Math. Com. Sci.* [Internet]. 2024 May 22 [cited 2024 Jun. 3];39(6):66-79. Available from: <https://journaljamcs.com/index.php/JAMCS/article/view/1902>
- 51 Kadalbajoo MK, Gupta V. A brief survey on numerical methods for solving singularly perturbed problems. *Applied mathematics and computation*. 2010 Dec 15;217(8):3641-716



UNDER PEER REVIEW