

Original Research Article

**Exploring Perceived Weather Uncertainty Among Indian Farmers: Insights from
Micro-Level Analysis and Interpretations**

Formatted: English (United States)

ABSTRACT

India's economy relies heavily on farming, which is crucial for growth, jobs, and survival. But weather uncertainties like droughts, floods, and heatwaves make farming challenging. These uncertainties lower crop yield and quality, causing financial problems for farmers. Despite farmers' efforts, unpredictable weather still hurts crop management. Understanding how farmers feel about these uncertainties is vital for adapting to climate change and reducing risks. The present study was conducted in three villages: Bhomrapara, Mitrapur, and Maniktala of Haringhata block of Nadia district of West Bengal, India, from 2021 to 2022. Nadia district was purposively selected as it comes under the new alluvial zone (NAZ), which has decent productivity in terms of agriculture. A hundred farmers with good farming experiences were identified from the sampling frame, and responses were collected through a structured interview schedule. The study explores the diverse perspectives of Indian farmers on climate-related uncertainty, revealing that factors such as age, education, and landholding size significantly influence these views. Experienced farmers and those with more extensive landholdings perceive more significant uncertainty, with irrigation practices, crop yield, and cultivation costs playing crucial roles. The study emphasizes the urgency of proactive risk reduction and resilience enhancement to avoid severe implications for agriculture and food security.

Formatted: Font: (Default) Times New Roman, 12 pt, English (United States)

Formatted: English (United States)

INTRODUCTION

Indian economy predominantly depends on the agricultural sector as almost two-thirds of the nation directly or indirectly depends upon it (Srivastava et al., 2016). A significant percentage of the population receives employment, financial support, and nourishment from it (Saxena, 2018; Gillespie et al., 2019), and also makes a significant contribution to trade, economic and social growth of the community (Bisht et al., 2020; Hinz et al., 2020). Even though the irrigated system depends on monsoon rainfall (Lutz et al., 2022) and the majority of agricultural lands are rainfed (Kumar et al., 2022), the sector is very vulnerable to the hazards associated with climate change, particularly to drought (Roy et al., 2022). Flooding is also a considerable issue in many regions of the nation, particularly in the east, where floods occur frequently (Merz et al., 2021). Furthermore, heat waves in the middle and northern regions, cyclones along the eastern coast, and frost in the northwest equally wreak chaos. Recently, the incidence of these climatic extremes has increased due to the rising air temperature, increasing the possibility of significant losses in crop production (Beillouin et al., 2020). Both direct and indirect effects of climate change on crops, soils, livestock, and pests can impact agriculture (Hatfield et al., 2018). Increased atmospheric carbon dioxide affects agricultural fertility in several ways, including crop length, respiration rates, photosynthesis, evapotranspiration, and fertilizer use efficiency (Kingra & Misra, 2021). Successful farming relies on weather, land quality, irrigation, and crop management (Lal, 2009). Even with farmers doing their best, there are things beyond their control. These unpredictable factors, which can affect farming and make it hard to foresee income or outcomes, are called uncertainty (Reilly & Willenbockel, 2010). Weather uncertainty is the most significant uncertainty in agriculture among all categories. Climatic events like droughts, floods, and extremely high or low temperatures are ~~examples of~~ unpredictable weather patterns that can majorly impact livestock production and crop harvests, underscoring the importance of weather in agriculture (Das, 2005). Weather conditions play a crucial role in determining the quality of

crop output as it gets moved from the field to storage and then to the market(Hoogenboom, 2000). Adverse weather conditions can harm the quality of crops, whether they are left outside, stored indoors, or transported(Miraglia et al., 2009), which can ultimately damage the viability and strength of seeds and planting materials when stored(Long et al., 2014). Farmers generally want to mitigate unfavorable weather conditions, as they can result in substantial financial losses. However, achieving flawless coordination between crop production and meteorological circumstances is enormous. Weather patterns exhibit inherent unpredictability and can demonstrate significant year-to-year variability(Tonkin et al., 2017). Although farmers make diligent attempts to strategize and minimize risks, they cannot exert complete control or accurately forecast the weather(Elias et al., 2019). The absence of predictability in agricultural operations creates uncertainty, which hinders the consistent adjustment of crop quality and production(Hammer et al., 2001). The present study investigates the factors influencing farmers' perceptions of weather-related uncertainty and their contributions and interconnections. This study provides vital insights into how farmers manage the difficulties caused by uncertainty and adjust their methods in response to changing environmental circumstances. The study aims to illuminate the complexities of decision-making in agricultural environments by examining the nuances of farmers' perceptions and the underlying causes that influence them. Gaining a comprehensive understanding of these processes is essential for formulating efficient strategies and interventions to assist farmers in reducing risks and enhancing their ability to withstand unpredictable weather patterns and broader patterns related to climate change.

METHODOLOGY

The present study envisages the relationship between the critical factors of uncertainty in farming and the socio-ecological variables. An *ex-post facto* research design (Ray & Mondal, 2014) was followed to conduct the study. The study was conducted by randomly selecting

three villages, namely Bhomrapara, Mitrapur, and Maniktala, of the Haringhata block of Nadia district in West Bengal. Nadia district of West Bengal comes under the New Alluvial Zone (NAZ), characterized by highly fertile, productive land and high cropping intensity (Chatterjee et al., 2015; Gangopadhyay et al., 2022). Despite that, the farmers are not facing easy farming due to uncertainty. A score of 100 respondents has been selected through a random sampling method. Data are collected between August 2021 and May 2022 through a structured interview schedule using face-to-face interactions. The data were collected in terms of independent and dependent variables. Twenty-three socio-ecological variables are identified as independent variables based on the review of literature and pilot study for the study. For assessing uncertainty in agriculture, the dependent variable, i.e., weather uncertainty (WU), is considered the prime factor of uncertainty. This variable is quantified using a ten-point rating scale.

$$WU = \frac{(WUS_1 + WUS_2 + WUS_3 + WUS_4 + WUS_5)}{5} \text{ Where } WUS = \text{weather uncertainty statement}$$

A score of ten defines the highest perception value, and a score defines the lowest perception value, respectively, with five statements. The collected data are analyzed through both descriptive and multivariate analysis. Statistical Package for the Social Science v23.0 (SPSS) of IBM and online statistical tool OPSTAT (Sheoran et al., 1998) are used for analyzing the coefficient of correlation, stepwise regression, and path analysis.

RESULT AND DISCUSSION

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)




Fig 1. Perceived uncertainty of different climate events

Formatted: English (United States)

Figure 1 presents the selected farmers' perceived uncertainty of different climate events. The study shows that 60percent of farmers had perceived very high uncertainty about the temperature, 55percent of farmers had perceived low uncertainty about chances of precipitation, and 47percent about chances of the storm. At the same time, 51 percent and 43percent of farmers had perceived very low uncertainty about the chances of thunderstorms and the amount of precipitation, respectively. The study suggests that the farmers have a broad understanding of the uncertainty of different climate events, ranging from very low to very high. A similar study also reveals that the participant has a good appreciation of the uncertainty of weather forecasts. However, they tend to avoid forecasts based on low probabilities for their decisions (Kox et al., 2015).

Relation between perceived weather uncertainty and selected socio-ecological variables

Weather uncertainty is a condition where an uncertain weather event can be seen that directly impacts farming. Farmers can perceive uncertain weather conditions by achieving some socio-ecological attributes. Table 1 envisages the association between the dependent variable,

perceived weather uncertainty, and selected socio-ecological variables using Pearson's multiple correlation coefficients. It has been found that variables age (x1), education (x2), dependency ratio (x6), cultivated land (x7), landholding (x9), irrigated land (x11), crop diversity index (x13), yield of crop (x14), cost of cultivation (x15), information seeking behavior (x21) have recorded significant correlation with the dependent variable perceived weather uncertainty. among them, the following variables age (x1), landholding (x9), and cost of cultivation (x15) have recorded positive correlations, whereas education (x2), dependency ratio (x6), cultivated land (x7), irrigated land (x11), crop diversity index (x13), yield of crop (x14), information seeking behavior (x21) have recorded negative correlation with perceived weather uncertainty.

Table 1: Coefficient of Correlation: Weather uncertainty (y) and 23 independent variables (x1-x23)

Sl. No.	Independent Variables	'r' value	Remarks
1	Age(x1)	0.253	*
2	Education (x2)	-0.266	**
3	Family size (x3)	-0.053	
4	Sex ratio (x4)	-0.061	
5	Cost of energy consumption (x5)	0.083	
6	Dependency ratio (x6)	-0.426	**
7	Cultivated land (x7)	-0.206	*
8	Homestead land (x8)	0.039	
9	Landholding(x9)	0.482	**
10	Number of fragments (x10)	-0.156	
11	Irrigated land (x11)	-0.393	**
12	Cropping intensity (x12)	-0.059	

13	Crop diversity index (x13)	-0.389	**
14	Yield of crop (x14)	-0.292	**
15	Cost of cultivation (x15)	0.342	**
16	On-farm income (x16)	-0.134	
17	Off-farm Off-farm income (x17)	0.011	
18	Income per year (x18)	-0.120	
19	Training received (x19)	-0.166	
20	Farming experience (x20)	0.133	
21	Information seeking behaviour (x21)	-0.406	**
22	Health status (x22)	0.110	
23	Stress (x23)	-0.070	

*N.B. **Correlation is significant at the 0.01 level; *Correlation is significant at the 0.05 level*

Formatted: English (United States)

The study reveals that older farmers have a heightened perception of weather uncertainty due to their extensive farming experience. Farmers with larger land areas under cultivation may encounter more uncertain weather events, leading to increased cultivation costs due to unfavorable conditions. Conversely, farmers with lower levels of education tend to view weather uncertainty more negatively. Higher education and better training may mitigate the impact of weather uncertainty. Those who rely more on other family members' earnings often face more significant weather uncertainty. Farmers with smaller Landholdings are particularly vulnerable to extreme weather events. Regions with less irrigation suffer more from weather uncertainty, as irrigation can mitigate extreme weather effects. Weather uncertainty significantly affects crop yields. Seeking more weather information helps reduce uncertainty. Larger farms experience more pronounced effects from weather uncertainty. Similar studies also reveal that the factors affecting different categories of climate change perceptions depend upon a series of factors, including both socio-economic and

closely associated. The more land under irrigated farming, the less impact weather has on generating uncertainty. Irrigated land provides higher security and less uncertainty due to controlled management and consistent income. Crop yield serves as a strong predictor and indicator of weather uncertainty. Yield fluctuations are directly linked to weather variations. Crop diversity is essential for estimating weather uncertainty intensity and mitigating its effects. Dependency ratio usage affects both costs and risk perception. When costs increase, risk implications are amplified, creating a ripple effect. Cultivation costs serve as a standard indicator for assessing uncertainty levels. Information seeking and sharing are crucial for addressing uncertainty and are logically connected to the dependency ratio. Several similar studies also support that the availability of specific and agro-ecologically relevant weather forecasts is essential to overcome perceptual problems and to support effective adaptation (Etana et al., 2020) along with the provision of climate change-related information through various outlets may be helpful to distribute timely and relevant information to farmers. Institutional measures and arrangements, such as improved agricultural extension services, can have an increased impact in facilitating information exchange and motivating farmers to take necessary action in due course time (Habtemariam et al., 2016). It is also essential to adequately reduce the problem of lack of money, resource constraints, and shortage of irrigation water to adapt the mitigation strategies related to weather-related uncertainties (Abid et al., 2015).

Table 3: Decomposition of total effect perceived weather uncertainty (y) into direct, indirect, and residual effects on selected socio-ecological variables

Sl. No	Independent variables	TE	DE	IE	HIE
1	Age(x1)	0.253	0.078	0.175	0.143 (x15)
2	Education (x2)	-0.266	-0.023	-0.243	-0.125 (x18)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Table 3 presents the path analysis wherein the total effect of the dependent variable has been decomposed into direct, indirect, and residual effects of selected independent variables. Evidently, yearly income has exerted the highest direct effect on perceived weather uncertainty. The higher the weather uncertainty, the poorer has been the income. Again, On-farm income has come out with an intensive associative property to characterize the weather uncertainty by a clandestine maundering of the role and Contribution of other variables. The residual effect of 22.8 percent is to conclude that even with a combination of 23 causal variables, around 23 percent of variants in consequent variables and around 23 percent of variants in perceived weather uncertainty could not be explained. The variable irrigated land has routed the highest indirect effect of 11 other causal variables to characterize the perceived weather uncertainty.

The candidate manuscript does not have a robust scientific discussion, I suggest the authors incorporate the suggested paragraphs, in this way, it would improve the scientific quality of the manuscript:

Formatted: English (United States)

Understanding farmers' perceptions of weather uncertainty is crucial for several reasons. Firstly, it provides insights into how climate change impacts agricultural decision-making at the grassroots level (Olivares et al. 2012a; Olivares et al. 2016; Camacho et al. 2018). By delving into the subjective experiences of farmers, researchers can bridge the gap between macro-level climate projections and on-the-ground realities (Olivares et al. 2012b; Cortez et al. 2016a; 2016b).

This micro-level analysis contributes to the broader field of agricultural resilience and adaptation strategies (Olivares, 2014a; Olivares et al. 2020). By identifying factors such as age, education, and landholding size that influence perceptions of weather uncertainty, the

study offers valuable data for designing targeted interventions and policies (Olivares, 2014b; Olivares et al. 2015).

The study also underscores the interdisciplinary nature of climate research (Olivares, 2012), highlighting the intersection between meteorology (Olivares et al. 2016; Olivares et al. 2017a), agronomy (Montenegro et al. 2021a; Olivares and Lopez, 2019), sociology (Olivares et al. 2017b), and economics (Olivares and Franco, 2015; Pitti et al. 2021). Integrating these diverse perspectives is essential for developing holistic approaches to climate adaptation and mitigation in agricultural contexts (Montenegro et al 2021b).

Contemporary Relevance:

In the context of India, where agriculture remains a cornerstone of the economy and livelihoods, the findings of this study have immediate relevance (Hernandez et al. 2018a). With climate change exacerbating weather variability, farmers face mounting challenges in sustaining their agricultural practices and livelihoods (Hernandez and Olivares, 2020).

The study's focus on specific villages in West Bengal adds localized nuance to broader discussions on climate adaptation. It sheds light on the unique socio-economic and environmental dynamics that shape farmers' experiences of weather uncertainty in this region.

Moreover, the timing of the study coincides with the growing recognition of climate change as a pressing global issue (Hernandez et al. 2018b). As countries strive to meet their climate commitments under international agreements like the Paris Agreement, understanding the grassroots impacts of climate change on vulnerable communities like smallholder farmers is paramount.

Comparison with Studies in Rural Agricultural Territories of Developing Countries:

While this study focuses on Indian farmers, its insights are likely to resonate with similar rural agricultural communities in other developing countries facing comparable challenges. Droughts (Hernandez et al. 2017), floods (Hernandez et al. 2018c), and extreme temperatures are recurring threats to agricultural productivity across many regions (Guevara et al. 2013; Hernandez et al. 2020; Hernandez and Olivares, 2020).

By contextualizing the findings within a broader comparative framework, researchers can identify commonalities and differences in farmers' perceptions and coping strategies across diverse socio-cultural and agro-ecological contexts. This comparative lens enriches our understanding of the complex interactions between climate variability (Casana and Olivares, 2020), local livelihoods (Olivares and Zingaretti, 2019; Cortez et al. 2018), and adaptive capacity (Cortez et al. 2019; Olivares and Cortez, 2018).

Formatted: English (United States)

Formatted: English (United States)

Moreover, collaboration and knowledge-sharing between researchers working in different geographic contexts can facilitate the exchange of best practices and lessons learned in climate adaptation and resilience-building efforts (Viloria et al. 2023; Paredes et al. 2023).

CONCLUSION

Uncertainty is an intrinsic characteristic of any system characterized by multiple contradictory factors that remain unpredictable or incomprehensible. In such situations, the system's complexity level is inversely proportional to its ability to withstand and recover from disruptions. Farmers, whose livelihoods depend on the success of their crops, are acutely aware of the potential destruction that irregular weather patterns can inflict. Variations in precipitation and temperature may cause severe impacts on crop production, leading to a subsequent decrease in food supply. The findings indicate that farmers have a wide range of views of uncertainty, which differ depending on the specific climate occurrences. age, education, and landholding size are important socio-demographic factors

that majorly impact these beliefs. Elderly farmers and those with more extensive landholdings tend to experience increased uncertainty. Factors such as irrigation practices, crop yield, and cultivation costs are solid determinants of weather uncertainty. The study also reveals the complex interaction between these variables, highlighting income per year as a significant direct contributor. Although causal factors have been thoroughly examined, a substantial percentage of the uncertainty variation remains unexplained, indicating the complex nature of weather-related challenges. This instability weakens farmers' endeavors and makes it highly challenging to rationalize any modifications to their current farming techniques. These observations emphasize the necessity of implementing specific interventions and policy actions to strengthen the ability of agriculture to withstand the uncertainties caused by climate change. The complex interaction of uncertainties in the Indian agricultural production system highlights the pressing requirement for proactive actions to reduce risks and enhance resilience. Neglecting to tackle these difficulties comprehensively could result in significant implications, impacting not only the agricultural sector but also the country's overall food security.

REFERENCES

Abid, M., Scheffran, J., Schneider, U. A., & Ashfaq, M. (2015). Farmers' perceptions of and adaptation strategies to climate change and their determinants: the case of Punjab province, Pakistan. *Earth System Dynamics*, 6(1), 225–243. <https://doi.org/10.5194/esd-6-225-2015>.

Formatted: Font: (Default) Times New Roman, 12 pt, English (United States)

Formatted: English (United States)

Beillouin, D., Schauburger, B., Bastos, A., Ciais, P., & Makowski, D. (2020). Impact of extreme weather conditions on European crop production in 2018. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 375(1810), 20190510. <https://doi.org/10.1098/rstb.2019.0510>.

Formatted: Font: (Default) Times New Roman, 12 pt, English (United States)

Formatted: English (United States)

Bisht, I. S., Rana, J. C., & Pal Ahlawat, S. (2020). The Future of Smallholder Farming in India: Some Sustainability Considerations. *Sustainability*, 12(9), 3751. <https://doi.org/10.3390/su12093751>

Formatted: Font: (Default) Times New Roman, 12 pt, English (United States)

Formatted: English (United States)

Chatterjee, S., Santra, P., Majumdar, K., Ghosh, D., Das, I., & Sanyal, S. K. (2015). Geostatistical approach for management of soil nutrients with special emphasis on different forms of potassium considering their spatial variation in intensive cropping system of West Bengal, India. *Environmental monitoring and assessment*, 187, 1-17.

Camacho, R., Olivares, B., Avendaño, N. (2018). Agri-food landscapes: an analysis of the livelihoods of indigenous Venezuelans. *Revista de Investigación*. 42(93):130-153. <https://n9.cl/9utqc>

Formatted: English (United States)

Formatted: English (United States)

Casana, S., Olivares, B. (2020). Evolution and trend of surface temperature and windspeed (1994 - 2014) at the Parque Nacional Doñana, Spain. *Rev. Fac. Agron. (LUZ)*. 37(1):1-25. <https://n9.cl/c815e>

Cortez, A., Rodríguez, M.F., Rey, J.C., Ovalles, F., González, W., Parra, R., Olivares, B., Marquina, J. (2016). Space-time variability of precipitation in Guárico state, Venezuela. *Rev. Fac. Agron. (LUZ)* 33 (3): 292-310. <https://n9.cl/pmdck>

Cortez, A., Olivares, B., Muñetones, A., Casana, S. (2016b). Strategic Elements of Organizational Knowledge Management for Innovation. Case: Agrometeorology Network. *Revista Digital de Investigación en Docencia Universitaria*. 10 (1): 68-81. <http://dx.doi.org/10.19083/ridu.10.446>

Formatted: No underline, English (United States)

Formatted: English (United States)

Cortez, A., Olivares, B., Parra, M., Lobo, D., Rey, J.C., Rodríguez, M.F. (2019). Systematization of the calculation of the Standardized Precipitation Index as a

Formatted: No underline, English (United States)

[methodology to generate meteorological drought information. Rev. Fac. Agron. \(LUZ\). 36\(2\):209-223. https://n9.cl/4spjip](#)

Formatted: Hyperlink, Font: (Default) +Body, 11 pt, No underline, Font color: Auto, English (United States), Pattern: Clear

Field Code Changed

[Cortez, A., Olivares, B., Parra, R., Lobo, D., Rodríguez, M.F. y Rey, J.C. \(2018\). Description of meteorological drought events in localities of the central mountain range, Venezuela. *Ciencia, Ingenierías y Aplicaciones*. I \(1\):22-44. DOI: http://dx.doi.org/10.22206/cyap.2018.viil.pp23-45](#)

Formatted: English (United States)

[Dang, H. L., Li, E., Nuberg, I., & Bruwer, J. \(2019\). Factors influencing the adaptation of farmers in response to climate change: a review. *Climate and Development*, 11\(9\), 765–774. https://doi.org/10.1080/17565529.2018.1562866](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Das, H. P. \(2005\). *Agrometeorological Impact Assessment of Natural Disasters and Extreme Events and Agricultural Strategies Adopted in Areas with High Weather Risks*. Springer eBooks. https://doi.org/10.1007/3-540-28307-2_6](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Duinen, R. V., Filatova, T., Geurts, P., & Veen, A. V. D. \(2014\). Empirical Analysis of Farmers' Drought Risk Perception: Objective Factors, Personal Circumstances, and Social Influence. *Risk Analysis*, 35\(4\), 741–755. https://doi.org/10.1111/risa.12299](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Elias, E. H., Flynn, R., Idowu, O. J., Reyes, J., Sanogo, S., Schutte, B. J., Smith, R., Steele, C., & Sutherland, C. \(2019\). Crop Vulnerability to Weather and Climate Risk: Analysis of Interacting Systems and Adaptation Efficacy for Sustainable Crop Production. *Sustainability*, 11\(23\), 6619. https://doi.org/10.3390/su11236619](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Etana, D., Snelder, D. J. R. M., van Wesenbeeck, C. F. A., & de Cock Buning, T. \(2020\). Trends of Climate Change and Variability in Three Agro-Ecological Settings in](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Central Ethiopia: Contrasts of Meteorological Data and Farmers' Perceptions. *Climate*, 8(11), 121. <https://doi.org/10.3390/cli8110121>

Formatted: English (United States)

Gangopadhyay, S. K., Bandyopadhyay, S., & Maitra, A. K. (2022). Characteristics of soils of lower Indo-Gangetic plains of West Bengal under rice cultivation. *Journal of the Indian Society of Soil Science*, 70(1), 21-31.

Formatted: No underline, English (United States)

Formatted: English (United States)

Gillespie, S., Harris, J., & Kadiyala, S. (2019). The agriculture-nutrition disconnect in India: What do we know?. *Gates Open Res*, 3(1115), 1115.

Formatted: No underline, English (United States)

Formatted: English (United States)

Guevara, E., Olivares, B., Oliveros, Y. y López, L. (2013). Application of the thermal comfort index as an estimator of heat stress in livestock production in the Mesa de Guanipa, Anzoátegui state. *Revista Zootecnia Tropical*. 31 (3): 209-223. <https://n9.cl/ovcu9>

Formatted: No underline, English (United States)

Formatted: English (United States)

Habtemariam, L. T., Gandorfer, M., Kassa, G. A., & Heissenhuber, A. (2016). Factors Influencing Smallholder Farmers' Climate Change Perceptions: A Study from Farmers in Ethiopia. *Environmental Management*, 58(2), 343-358. <https://doi.org/10.1007/s00267-016-0708-0>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Hammer, G., Hansen, J., Phillips, J., Mjelde, J., Hill, H., Love, A., & Potgieter, A. (2001). Advances in application of climate prediction in agriculture. *Agricultural Systems*, 70(2-3), 515-553. [https://doi.org/10.1016/s0308-521x\(01\)00058-0](https://doi.org/10.1016/s0308-521x(01)00058-0)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Hatfield, J. L., Antle, J., Garrett, K. A., Izaurralde, R. C., Mader, T., Marshall, E., Nearing, M., Philip Robertson, G., & Ziska, L. (2018). Indicators of climate change in agricultural systems. *Climatic Change*, 163(4), 1719-1732. <https://doi.org/10.1007/s10584-018-2222-2>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Hernández, R. Olivares, B. \(2019\). Ecoterritorial sectorization for the sustainable agricultural production of potato \(*Solanum tuberosum* L.\) in Carabobo, Venezuela. *Agricultural Science and Technology*. 20\(2\): 339-354. \[https://doi.org/10.21930/rcta.vol20_num2_art:1462\]\(https://doi.org/10.21930/rcta.vol20_num2_art:1462\)](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Hernández, R., Olivares, B., \(2020\). Application of multivariate techniques in the agricultural land's aptitude in Carabobo, Venezuela. *Tropical and Subtropical Agroecosystems*, 23\(2\):1-12. <https://n9.cl/zeedh>](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Hernandez, R., Olivares, B., Arias, A, Molina, JC., Pereira, Y. \(2020\). Eco-territorial adaptability of tomato crops for sustainable agricultural production in Carabobo, Venezuela. *Idesia*. 38\(2\):95-102. <http://dx.doi.org/10.4067/S071834292020000200095>](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Hernández, R; Olivares, B. Arias, A; Molina, JC., Pereira, Y. \(2018a\). Agroclimatic zoning of corn crop for sustainable agricultural production in Carabobo, Venezuela. *Revista Universitaria de Geografía...* 27 \(2\): 139-159. <https://n9.cl/l2m83>](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Hernández, R; Pereira, Y; Molina, JC; Coelho, R; Olivares, B y Rodríguez, K. 2017. *Calendario de siembra para las zonas agrícolas del estado Carabobo en la República Bolivariana de Venezuela*. Sevilla, Spain, Editorial Universidad Internacional de Andalucía. 247 p. <https://n9.cl/sjbvk>](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Hernández, R; Olivares, B., Arias, A; Molina, JC., Pereira, Y. \(2018b\). Identification of potential agroclimatic zones for the production of onion \(*Allium cepa* L.\) in Carabobo, Venezuela. *Journal of the Selva Andina Biosphere.*, 6 \(2\): 70-82. \[http://www.scielo.org.bo/pdf/jsab/v6n2/v6n2_a03.pdf\]\(http://www.scielo.org.bo/pdf/jsab/v6n2/v6n2_a03.pdf\)](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Hernández, R; Olivares, B., Coelho, R., Molina, J.C., Pereira, Y. \(2018c\). Análisis espacial del índice hídrico: un avance en la adopción de decisiones sostenibles en los territorios agrícolas de Carabobo, Venezuela. Revista Geográfica de América Central. 60 \(1\): 277-299. DOI: <https://doi.org/10.15359/rgac.60-1.10>](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Hinz, R., Sulser, T. B., Huefner, R., Mason- D' Croz, D., Dunston, S., Nautiyal, S., Ringler, C., Schuengel, J., Tikhile, P., Wimmer, F., & Schaldach, R. \(2020\). Agricultural Development and Land Use Change in India: A Scenario Analysis of Trade- Offs Between UN Sustainable Development Goals \(SDGs\). *Earth's Future*, 8\(2\). <https://doi.org/10.1029/2019ef001287>](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Hoogenboom, G. \(2000\). Contribution of agrometeorology to the simulation of crop production and its applications. *Agricultural and Forest Meteorology*, 103\(1–2\), 137–157. \[https://doi.org/10.1016/s0168-1923\\(00\\)00108-8\]\(https://doi.org/10.1016/s0168-1923\(00\)00108-8\)](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Kaur, G. \(2022\). *Economic Growth, Climate Crisis and Natural Disasters*. IMPRI Impact and Policy Research Institute.](#)

Formatted: No underline, English (United States)

Formatted: English (United States)

[Kingra, P. K., & Misra, A. K. \(2021\). Agricultural Input Use Efficiency and Climate Change: Ways to Improve the Environment and Food Security. *Input Use Efficiency for Food and Environmental Security*, 33–67. \[https://doi.org/10.1007/978-981-16-5199-1_2\]\(https://doi.org/10.1007/978-981-16-5199-1_2\)](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Kox, T., Gerhold, L., & Ulbrich, U. \(2015\). Perception and use of uncertainty in severe weather warnings by emergency services in Germany. *Atmospheric Research*, 158–159, 292–301. <https://doi.org/10.1016/j.atmosres.2014.02.024>](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Kumar, A., Singh, D., & Mahapatra, S. \(2022\). Energy and carbon budgeting of the pearl millet-wheat cropping system for environmentally sustainable agricultural land use](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

planning in the rainfed semi-arid agro-ecosystem of Aravalli foothills. *Energy*, 246, 123389. <https://doi.org/10.1016/j.energy.2022.123389>

Formatted: English (United States)

Lal, R. (2009). *Soils and Food Sufficiency: A Review*. Springer eBooks. https://doi.org/10.1007/978-90-481-2666-8_4

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Long, R. L., Gorecki, M. J., Renton, M., Scott, J. K., Colville, L., Goggin, D. E., Commander, L. E., Westcott, D. A., Cherry, H., & Finch-Savage, W. E. (2014). The ecophysiology of seed persistence: a mechanistic view of the journey to germination or demise. *Biological Reviews*, 90(1), 31–59. <https://doi.org/10.1111/brv.12095>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Lutz, A., Immerzeel, W. W., Siderius, C., Wijngaard, R. R., Nepal, S., Shrestha, A. B., Wester, P., & Biemans, H. (2022). *South Asian agriculture increasingly dependent on meltwater and groundwater*. *Nature Climate Change*. <https://doi.org/10.1038/s41558-022-01355-z>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Merz, B., Blöschl, G., Vorogushyn, S., Dottori, F., Aerts, J. C. J. H., Bates, P., Bertola, M., Kemter, M., Kreibich, H., Lall, U., & Macdonald, E. (2021). Causes, impacts and patterns of disastrous river floods. *Nature Reviews Earth & Environment*, 2(9), 592–609. <https://doi.org/10.1038/s43017-021-00195-3>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Miraglia, M., Marvin, H., Kleter, G., Battilani, P., Brera, C., Coni, E., Cubadda, F., Croci, L., De Santis, B., Dekkers, S., Filippi, L., Hutjes, R., Noordam, M., Pisante, M., Piva, G., Prandini, A., Toti, L., van den Born, G., & Vespermann, A. (2009). Climate change and food safety: An emerging issue with special focus on Europe. *Food and Chemical Toxicology*, 47(5), 1009–1021. <https://doi.org/10.1016/j.fct.2009.02.005>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Montenegro, E; Pitti, J; Olivares, B. \(2021a\). Adaptation to climate change in indigenous food systems of the Teribe in Panama: a training based on CRISTAL 2.0. Luna Azul. 51 - 2, pp. 182 - 197. <https://n9.cl/qvwvz>.](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Montenegro, E; Pitti, J; Olivares, B. \(2021b\). Identificación de los principales cultivos de subsistencia del Teribe: un estudio de caso basado en técnicas multivariadas. Idesia. 39 - 3, pp. 83 - 94. <http://dx.doi.org/10.4067/S0718-34292021000300083>.](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Olivares, B. \(2012\). Valorization of ancestral and local knowledge through the perception of the climate in indigenous agricultural communities of the South of Anzoátegui, Venezuela. UDO Agrícola. 12 \(2\):407-417. <https://n9.cl/0ljhy>.](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Olivares, B. \(2014a\). Relationship of nature, climate and spirituality of the Kariña agricultural indigenous communities of Anzoátegui state, Venezuela. Revista Tiempo y Espacio. 61 \(2\): 129-150. <https://n9.cl/duqh2>.](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Olivares, B. \(2014b\). Systematization of ancestral and traditional knowledge of the Kariña ethnic group in Anzoátegui state, Venezuela. Revista de Investigación. 82 \(38\): 89-102. <https://n9.cl/fewif>.](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Field Code Changed

Formatted: Hyperlink, Font: (Default) Times New Roman, 12 pt, No underline, Font color: Auto, English (United States)

[Olivares, B. O. O., & Cortez, A. \(2017\). La extensión agrícola en territorios indígenas Kariña de Venezuela: Hacia el desarrollo local sostenible con identidad. Editorial Académica Española.](#)

Formatted: English (United States)

[Olivares, B., Cortez, A., Parra, R., Lobo, D., Rodríguez, M.F, Rey, J.C \(2017\). Evaluation of agricultural vulnerability to drought weather in different locations of Venezuela. Rev. Fac. Agron. \(LUZ\) 34 \(1\): 103-129. <https://n9.cl/d827w>.](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Olivares, B., Guevara, E., Demey, J. \(2012a\). Use of climatic bioindicators in agricultural production systems of Anzoátegui state, Venezuela. *Multiciencias*. 12 \(2\): 136-145.](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

<https://n9.cl/ak22r>

Formatted: English (United States)

[Olivares, B., Guevara, E., Demey, J. \(2012b\). Use and demand of agrometeorological information in agricultural production systems in Anzoátegui, Venezuela.](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

[Multiciencias. 12 \(4\): 372-381. <https://n9.cl/yuyd>](#)

Formatted: English (United States)

[Olivares, B., Hernández, R. \(2020\). Application of multivariate techniques in the agricultural land's aptitude in Carabobo, Venezuela. *Tropical and Subtropical Agroecosystems*,](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

[23\(2\):1-12. <https://n9.cl/zeedh>](#)

Formatted: English (United States)

[Olivares, B., Lobo, D., Cortez, A., Rodríguez, M.F. y Rey, J.C. \(2017\). Socio-economic characteristics and methods of agricultural production of indigenous community](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

[Kashaama, Anzoategui, Venezuela. *Rev. Fac. Agron. \(LUZ\)* 34 \(2\): 187-215.](#)

<https://n9.cl/p2gc5>

Formatted: English (United States)

[Olivares, B., López, M. \(2019\). Normalized Difference Vegetation Index \(NDVI\) applied to the agricultural indigenous territory of Kashaama, Venezuela. *UNED Research*](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

[Journal. 11\(2\): 112-121. <https://doi.org/10.22458/urj.v11i2.2299>](#)

Formatted: English (United States)

[Olivares, B., Pitti, J., Montenegro, E. \(2020\). Socioeconomic characterization of Bocas del Toro in Panama: an application of multivariate techniques. *Revista Brasileira de*](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

[Gestao e Desenvolvimento Regional, 16\(3\):59-71. <https://n9.cl/1dj6>](#)

Formatted: English (United States)

[Olivares, B., Rodríguez, M.F, Cortez, A., Rey, J.C., Lobo, D. \(2015\). Physical Natural Characterization of Indigenous Community Kashaama for Sustainable Land](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

[Management. *Acta Nova*. 7 \(2\):143-164. <https://n9.cl/6gezo>](#)

Formatted: English (United States)

Olivares, B., Zingaretti, M.L., Demey Zambrano, J.A., Demey, J.R. (2016). Typification of agricultural production systems and the perception of climatic variability in Anzoátegui, Venezuela. Revista FAVE - Ciencias Agrarias 15 (2): 39-50. <https://doi.org/10.14409/fa.v15i2.6587>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Olivares, B. O., & Franco, E. (2015). Diagnóstico agrosocial de la comunidad indígena de Kashaama: Un estudio empírico en el estado de Anzoátegui, Venezuela. Revista Guillermo de Ockham, 13(1), 87-95.

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Olivares, B., Zingaretti, M.L. (2019). Application of multivariate methods for the characterization of periods of meteorological drought in Venezuela. Revista Luna Azul. 48, 172:192. <http://dx.doi.org/10.17151/luaz.2019.48.10>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Paredes-Trejo, F.; Olivares, B.O.; Movil-Fuentes, Y.; Arevalo-Groening, J.; Gil, A. (2023). Assessing the Spatiotemporal Patterns and Impacts of Droughts in the Orinoco River Basin Using Earth Observations Data and Surface Observations. Hydrology, 10, 195. <https://doi.org/10.3390/hydrology10100195>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Pitti, J; Olivares, B; Montenegro, E. (2021). The role of agriculture in the Changuinola District: a case of applied economics in Panama. Tropical and Subtropical Agroecosystems. 25 - 1, pp. 1 - 11. <https://n9.cl/quyl2>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Ray, G. L. & Mondal, S. (2014). *Research Methods in Social Sciences & Extension Education*. Kalyani Publishers, New Delhi, India. ISBN- 978-8127267469.

Formatted: No underline, English (United States)

Formatted: English (United States)

Reilly, M., & Willenbockel, D. (2010). Managing uncertainty: a review of food system scenario analysis and modelling. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 365(1554), 3049–3063. <https://doi.org/10.1098/rstb.2010.0141>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Roy, P., Pal, S. C., Chakraborty, R., Chowdhuri, I., Saha, A., & Shit, M. (2022). Climate change and groundwater overdraft impacts on agricultural drought in India: Vulnerability assessment, food security measures and policy recommendation. *Science of the Total Environment*, 849, 157850. <https://doi.org/10.1016/j.scitotenv.2022.157850>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Saxena, N. C. (2018). Hunger, Under-Nutrition and Food Security in India. *Poverty, Chronic Poverty and Poverty Dynamics*, 55–92. https://doi.org/10.1007/978-981-13-0677-8_4

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Sheoran, O. P., Tonk, D. S., Kaushik, L. S., Hasija, R. C., & Pannu, R. S. (1998). Statistical software package for agricultural research workers. Recent advances in information theory, statistics & computer applications by DS Hooda & RC Hasija Department of Mathematics Statistics, CCS HAU, Hisar, 139-143.

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Srivastava, P., Singh, R., Tripathi, S., & Raghubanshi, A. S. (2016). An urgent need for sustainable thinking in agriculture – An Indian scenario. *Ecological Indicators*, 67, 611–622. <https://doi.org/10.1016/j.ecolind.2016.03.015>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

Tonkin, J. D., Bogan, M. T., Bonada, N., Rios- Touma, B., & Lytle, D. A. (2017). Seasonality and predictability shape temporal species diversity. *Ecology*, 98(5), 1201–1216. <https://doi.org/10.1002/ecy.1761>

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

[Viloria, J.A.; Olivares, B.O.; García, P.; Paredes-Trejo, F.; Rosales, A. Mapping Projected Variations of Temperature and Precipitation Due to Climate Change in Venezuela. *Hydrology* 2023, 10, 96. <https://doi.org/10.3390/hydrology10040096>](#)

Formatted: Font: (Default) Times New Roman, 12 pt, No underline, English (United States)

Formatted: English (United States)

UNDER PEER REVIEW