

Analysis of City Transportation Routes With Fleury Algorithm On Bus Route Network: Case Study of Trans Mamminasata Makassar City Indonesia

ABSTRACT

Graph theory is a branch of mathematics that studies the structure and describes the relationships between vertices and edges. In general, graph theory is used to represent discrete objects (vertices) and the relationships between them (edges). A path that can pass through each edge exactly once in a graph is called a directed graph Euler path. One way to find Euler paths is by using Fleury's algorithm. Fleury's algorithm is designed to find Euler paths in directed graphs. This article examines the application of Fleury's algorithm to the determination of a transportation route in a city interpreted in a directed graph. The case study in this research focuses on the trans *Mamminasatabus* route in Makassar city Indonesia with the aim of implementing Fleury's algorithm in bus route generation. The result obtained from the simulation using Fleury's algorithm is that all edges can be visited exactly once, so that an Euler path is formed on the transportation route. The route formed from the Euler trajectory will be a comparison of the current route to determine the operational efficiency of the bus route network in the city.

Keywords: Directed graph; Eulerian path; Fleury algorithm; transportation route

1. INTRODUCTION

Urban transportation plays a crucial role and is a major component of daily life. One of the most commonly used modes of urban transportation is the inner-city bus, which is often the backbone of public transportation systems in many cities around the world. The efficiency and sustainability of urban transportation systems depend heavily on the operation of the inner-city bus route network.

Aspects that can affect the efficiency of bus routes involve optimal route and schedule planning. For example, the use of the Vehicle Routing Problem method to optimize Trans-Pontianak Equator bus routes [1]. Integrated mass transportation plays a strategic role in the service and socio-economic development of the community [2]. This shows that integrated bus transportation in the city is a very vital transportation need. Therefore, determining the optimal bus route not only has an impact on operational efficiency but also affects the level of consumer demand for the service.

Research on the relationship between bus transportation routes and Euler trajectories provides an innovative and mathematical perspective for designing more efficient and sustainable transportation systems. The Euler trajectory concept presents a mathematical approach to determining the trajectory that involves each road section exactly once. Applying this concept to bus route networks can help optimize the use of each route, reduce waste, and improve operational efficiency. However, in the search for Euler trajectories, sometimes problems arise in the selection of edges, such as when the edge that has been bypassed turns out to be bypassed again because there is no marker for the edge that has been bypassed.

35 Fleury's algorithm, with its ability to find Euler paths on directed or undirected graphs,
36 becomes an effective instrument in route planning. The distinctive feature of Fleury's
37 algorithm is to mark the route that has been traveled. Research on Fleury's algorithm covers
38 not only the theoretical aspects but also its applications in real-world contexts. For example,
39 the use of Fleury's algorithm to find the nearest route for postmen in China [3]. In Indonesia,
40 similar research was also conducted related to finding the shortest route for postmen using
41 the Fleury algorithm [4]. This algorithm was also used in Vietnam to find the shortest path for
42 waste collection using waste transportation vehicles [5]. The results of the study
43 recommended using a graph theory approach to obtain the optimal cost and travel time.
44 Fleury's algorithm has been used in graph theory to find Euler trajectories in various
45 contexts, including urban transportation route networks such as bus transportation. The
46 application of Fleury's algorithm in inner-city bus transportation has the potential to optimize
47 bus routes, reduce waiting time, reduce fuel consumption, and improve public transportation
48 services. In addition to Fleury's algorithm, solving Euler trajectories has been done using the
49 Depth First Search (DFS) algorithm. The DFS search technique serves as a solution to how
50 all routes contained in the graph can be traveled exactly once, and specifically, the Euler
51 circuit will end up at the point of origin of departure. [6]

52 Based on this description, this research aims to explore the potential use of Fleury's
53 algorithm in improving the efficiency of urban transportation through optimal bus route
54 planning. It is hoped that the results of this research can make a significant contribution to
55 the improvement of urban transportation systems as well as help create a more sustainable
56 environment and better mobility for city residents.

57 2. THEORETICAL FOUNDATION

58 The concept of using Fleury's algorithm on transportation networks is applied by using Euler
59 graph theory and then marking the edges that have been passed on the graph so that it
60 becomes an illustration of a transportation route. Locations that are grouped into a
61 destination region undergo a process of selecting one main node from the region. Suppose
62 the vertex is v_i with $i = \{1, 2, 3, \dots, n\}$, then $V = \{v_1, v_2, v_3, \dots, v_n\}$ is the set of destination
63 location vertices. The vertices that have been selected must have an edge that connects
64 them. Suppose the edge connecting vertex v_i to v_j is called edge e_k with $k = \{1, 2, 3, \dots, m\}$,
65 then $E = \{e_1, e_2, e_3, \dots, e_m\}$ is the set of all edges formed from vertex V . Each vertex v_i has
66 a variety of edges, ranging from first-degree vertices, second-degree vertices, or even more
67 than third-degree vertices. This will complicate the process of determining the optimal route
68 because so many edges can be chosen. [7]

69 One way that can be used to optimize a route is to create a directed graph on the
70 transportation network system that can produce Euler trajectories because it can pass
71 through each edge of E exactly once. A directed graph is a graph in which each side is given
72 a directional orientation [8]. In order to facilitate the process of creating Euler trajectories, a
73 theorem is needed to determine the number of degrees on each vertex so that the graph
74 formed can produce Euler trajectories. The following is the theorem used to help in the
75 process of determining the number of degrees at vertex V .

76 **Theorem 1**[9]


77 A nontrivial connected graph G is Euler if and only if every vertex of G has an even degree.

78 An Euler graph is a graph that can pass through an edge exactly once; hence, it is definitely
79 an Euler path.

80 **Theorem 2**[9]

81 A connected graph G contains an Euler path if and only if exactly two vertices of G have an
82 odd degree. Furthermore, every Euler path of G starts at one odd vertex and ends at another
83 odd vertex.

84 From Theorem 1 and Theorem 2, it is shown that Euler trajectories can be formed on graphs
85 whose vertices have an even degree or have at most two vertices of an odd degree. The
86 following is an example of a graph with every vertex of even degree and a graph with two
87 vertices of odd degree in Figure 1.



88

89 **Fig. 1. (1) Graph with every vertex of even degree (2) Graph with 2 vertices of odd**
90 **degree**

91 In the *TransMamminasata* case study in Makassar city, Indonesia, the operation of *Trans*
92 *Mamminasata* buses is not optimal because they do not pass thoroughly through locations
93 that are considered important by the community, such as office centers, warehouse centers,
94 and even terminals [10]. The process of determining the number of buses used in each
95 corridor is done by calculating the length of time required by the bus for 1 rotation, or 2 times
96 the total distance from the starting point to the end point in each corridor, then divided by the
97 departure time of each bus.

98 If B is the number of buses, total distance is the sum of e_k , average speed is \bar{x} , gap time is
99 w_t , and p is the number of spare buses, then the formula for determining the number of B
100 becomes:

$$B = \frac{2 \times \sum_1^m e_k}{\bar{x} \cdot w} + p \quad (1)$$

101 Equation (1) obtained is then used to calculate the number of buses on the *Trans*
102 *Mamminasata* route created using the Fleury algorithm.

103 **2. METHOD**

104

105 The following are the stages of using fleury's algorithm on the transportation network.

106 1. Define the graph in the transportation route

107 a. Vertex

108 Selecting destination location nodes as the first step in designing a transportation
109 route network and grouping them in one area that has the same characteristics or

- 110 transportation needs. Then take one node to become the main node and
 111 annotate the main node that has been selected as the destination location.
- 112 b. Edge
 113 An edge is a path that connects two vertices or destination locations on a route.
- 114 c. Degree
 115 All roads and edges connected to a vertex must have at most two odd-degree
 116 vertices.
- 117 2. Clarify the existence of euler trajectories on graphs.
 118 a. An Euler trajectory can be formed on a graph if it satisfies the condition that each
 119 vertex is of even degree (Theorem 1) or has at most two vertices of odd degree
 120 (Theorem 2).
 121 b. If the graph in the route satisfies condition (a), then the graph definitely generates
 122 an Euler trajectory.
- 123 3. Generating euler trajectories with fleury's algorithm on graphs
 124 The following are the steps to determine the Euler path on graph R using Fleury's
 125 algorithm. [4]
 Step 1 : Take one node to start.
 Step 2 : From the vertex, take one edge to pass through.
 Step 3 : Marking the edge is a reminder that the edge cannot be traversed
 anymore. The marking done is to delete the edge that has been
 bypassed.
 Step 4 : Through the marked edge, the next vertex will choose an edge to skip
 again and repeat the second step until all edges are skipped.
- 126
 127 4. Comparing the route generated using fleury's algorithm with the existing route
 128
 129

3. RESULTS AND DISCUSSION

3.1 Trans *Mamminasata* route created using the Fleury algorithm

131 The research results obtained from the process of using Euler's graph theory with Fleury's
 132 algorithm on the Trans Mamminasata bus transportation network are the main bus stop
 133 points that have been determined based on important location points such as markets,
 134 settlements, educational places, malls, offices, commercial terminals, hotels, and sports
 135 facilities. The bus stop is denoted as a V node. The following 41 V nodes or bus stops
 136 represent a group of areas, namely $V = \{v_1, v_2, \dots, v_{41}\}$ in table 1.

137 **Table 1. Nodes designated as main stops**

Vertex V	Main Stop Location	Vertex V	Main Stop Location
v_1	Tanjung Bayang	v_{22}	CitralandHertasning
v_2	Pantai akarena	v_{23}	UIN Alauddin Samata
v_3	Trans Studio	v_{24}	Gedung fajar
v_4	Bundaran CPI	v_{25}	Mall Nipah
v_5	Pantai Losari	v_{26}	Makam Pahlawan
v_6	Benteng Rotterdam	v_{27}	M'Tos
v_7	MTC	v_{28}	UIM
v_8	RS Palamonia	v_{29}	UNHAS
v_9	RujabKetua DPRD	v_{30}	DinKes Prov. Sul Sel
v_{10}	Mall Ratu Indah	v_{31}	CitraLandTallasa City

v_{11}	Toko Btng Veteran	v_{32}	PT.Penguin Indo
v_{12}	Toko Marmer Gran	v_{33}	PT. FKS Multi Agro
v_{13}	Pasar Senggol	v_{34}	PIP Makassar
v_{14}	Kampus MIPA UNM	v_{35}	Golf Baddoka
v_{15}	Term. Malengkeri	v_{36}	Term.Daya
v_{16}	UNISMUH	v_{37}	Hotel Dalton
v_{17}	UIN I Alauddin	v_{38}	Bandara
v_{18}	Hotel Claro	v_{39}	Royal Penerbangan
v_{19}	Taman Pakui Sayang	v_{40}	Gor Sudiang
v_{20}	Masjid Raya	v_{41}	Kampus II PNUP
v_{21}	Mall Panakukang		

138 From the vertex V that has been determined, the edge E is selected using Theorem 1, with
 139 each vertex having no more than two odd-degree vertices. The following 45 edges E are
 140 formed from the vertex with $E = \{e_1, e_2, \dots, v_{45}\}$ in table 2.


141 **Table 2. The name of the road on each side E of the graph obtained from the trans**
 142 **Mamminasata route in Makassar City with two corridors divided into two corridors**

Corridor I		Corridor II	
Edge	street name	Edge	street name
$e_1 (v_1, v_2)$	JITanjung Bunga	$e_{24} (v_{22}, v_{23})$	Jl. H.M. Yasin Limpo
$e_2 (v_2, v_3)$	Jl. Metro Tj Bunga 1	$e_{23} (v_{21}, v_{22})$	Jl. LetjenHertasing
$e_3 (v_3, v_4)$	Jl. Metro Tj Bunga 2	$e_{22} (v_{19}, v_{21})$	Jl. Boulevard
$e_4 (v_4, v_5)$	Jl.Hl. Somba Opu	$e_{25} (v_{19}, v_{22})$	Jl. AP. Pettarani 3
$e_5 (v_5, v_6)$	Jl. Penghibur	$e_{26} (v_{24}, v_{25})$	Jl. UripSumoharjo 1
$e_6 (v_6, v_7)$	Jl. Ahmad Yani	$e_{27} (v_{25}, v_{26})$	Jl. UripSumoharjo 2
$e_7 (v_7, v_8)$	Jl. Jendral Sudirman 1	$e_{28} (v_{26}, v_{27})$	Jl. Perintis Kemerdekaan1
$e_8 (v_8, v_9)$	Jl. Jendral Sudirman 2	$e_{29} (v_{27}, v_{28})$	Jl. Perintis Kemerdekaan2
$e_9 (v_9, v_{10})$	Jl. DR Ratulangi 1	$e_{30} (v_{28}, v_{29})$	Jl. Perintis Kemerdekaan3
$e_{10} (v_{10}, v_{11})$	Jl. DR Ratulangi 2	$e_{31} (v_{29}, v_{30})$	Jl. Perintis Kemerdekaan4
$e_{11} (v_{11}, v_{12})$	Jl. Veteran Selatan	$e_{32} (v_{30}, v_{31})$	Jl. Jalur Lingkaran Barat
$e_{12} (v_{12}, v_7)$	Jl. Veteran Utara	$e_{33} (v_{31}, v_{32})$	Jl. Ir. Sutami
$e_{20} (v_7, v_{20})$	Jl. Masjid Raya	$e_{34} (v_{32}, v_{33})$	Jl. DaengtaQalia
$e_{21} (v_{20}, v_{19})$	Jl. AP. Pettarani 1	$e_{35} (v_{33}, v_{34})$	Jl. Salodong
$e_{19} (v_{18}, v_{19})$	Jl. AP. Pettarani 2	$e_{36} (v_{34}, v_{35})$	Jl. Batara Bira
$e_{18} (v_{17}, v_{18})$	Jl. Sultan Alauddin 1	$e_{37} (v_{35}, v_{36})$	Jl. Underpass Simpang Mandai
$e_{17} (v_{16}, v_{17})$	Jl. Sultan Alauddin 2	$e_{39} (v_{36}, v_{37})$	Jl. Perintis Kemerdekaan5
$e_{16} (v_{15}, v_{16})$	Jl. Malengkeri Raya	$e_{40} (v_{37}, v_{38})$	Jl. Poros Bandara Baru
$e_{15} (v_{14}, v_{15})$	Jl. Abdul Kadir	$e_{42} (v_{38}, v_{39})$	Jl. Daeng Rammang
$e_{14} (v_{13}, v_{14})$	Jl. Rajawali	$e_{42} (v_{39}, v_{40})$	Jl. Pajjaiang
$e_{13} (v_4, v_{13})$	Jl. Metro Tanjung B	$e_{44} (v_{40}, v_{41})$	Jl. Paccerakang
		$e_{45} (v_{30}, v_{41})$	Jl. Bumi TamalanreaPermai
		$e_{38} (v_{30}, v_{36})$	Jl. PerintisKemerdiakaan 6
		$e_{43} (v_{36}, v_{40})$	Jl. Pajjaiang

143 The following is the result of the route created using Euler graph theory with the Fleury
 144 algorithm method, which is divided into 2 corridors, namely corridor I as graph A and corridor
 145 II as graph B .

146 3.1.1. Corridor I

147 Trans Mamminasata bus routes for corridor I are obtained by selecting important locations
 148 such as markets, settlements, educational places, malls, offices, commercial terminals,
 149 hotels, and sports facilities so that the selection of route locations is more optimal. Then the
 150 route of corridor I is illustrated in the form of a directed A graph in Figure 2.



(1) (2)

159 **Fig. 2. (1) Corridor I route on the map; (2) Corridor I route on the directed A graph**

160 The form of Euler path L for graph A with v_1 as the start vertex and v_4 as the end vertex is as
 161 follows:.

$$L(A) = (e_1, e_2, e_3, e_4, e_5, e_6, e_7, e_8, e_9, e_{10}, e_{12}, e_{20}, e_{21}, e_{19}, e_{18}, e_{17}, e_{16}, e_{15}, e_{14}, e_{13})$$

162 **3.1.2. Corridor II**

163 Trans Mamminasata bus routes for corridor II are obtained by selecting important locations
 164 such as markets, settlements, educational places, malls, offices, commercial terminals,
 165 hotels, and sports facilities so that the selection of route locations is more optimal. Then the
 166 route of corridor II is illustrated in the form of a directed A graph in Figure 3.

167

168


169

170

171

172

173



174

175

176

177

178 (1) (2)

179 **Fig. 3. (1) Corridor II route on the map (2) Corridor II route on the directed B graph**

180 The Euler path form L for graph B with v_{23} as the start vertex and v_{40} as the end vertex is as
181 follows:.

$$L(B) = (e_{24}, e_{23}, e_{22}, e_{25}, e_{26}, e_{27}, e_{28}, e_{29}, e_{30}, e_{31}, e_{32}, e_{33}, e_{34}, e_{35}, e_{36}, e_{37}, e_{39}, e_{40}, e_{41}, e_{42}, e_{44}, e_{45}, e_{38}, e_{43})$$

182 **3.2. Comparison of Trans Mamminasata routes created using Fleury's algorithm with**
183 **existing ones**

184 This research uses two different route data sets to compare Trans *Mamminasata* routes
185 created using Fleury's algorithm with existing routes. The first route data is used to compare
186 routes from road usage sessions because it is more effective than the second route data.
187 However, the first route data has never been applied, so to compare routes in terms of
188 optimizing road usage, the second route data currently used by Trans *Mamminasata*
189 Makassar City is needed to operate. The following are the results of the comparison of Trans
190 *Mamminasata* routes made using the Fleury algorithm with existing routes in terms of
191 effective use of roads and optimization of bus use.

192 **3.2.1. Effectiveness of road use**

193 The following are roads that are passed by the route created using Fleury's algorithm but are
194 not passed by the existing Trans *Mamminasata* route based on important location nodes
195 such as markets, settlements, educational places, malls, offices, commercial terminals,
196 airports, hotels, and sports facilities.

197

198

199 **Table 3. Road data that is passed by the route using Fleury's algorithm but not passed**
200 **by the existing Trans Mamminasata route.**

No	Street Name	Location Passed
1	Jl. Dr. Ratulangi	Mall, Perkantoran, Hotel, dan Pusat Toko kebutuhan ATK
2	Sebagian Jl. Sultan Alauddin	Kampus dan Hotel

3	Jl. Opu Daeng Risadju	Pasar Tradisional , Pusat Toko kebutuhansehari-hari, dan perkantoran
4	Jl. Jalur Lingkar Barat	Pusat Gudang terbesar di kota Makassar
5	Jl. Bumi TamalanreaPermamai	Pasar, Sekolah, dan UMKM

201 The roads marked in red are all roads that are important to pass but are not passed by the
 202 old Trans *Mamminasata* route, so the use of buses for important roads and locations is not
 203 effective, as seen in Figure 4.

204


205

206

207

208

209



210 **Fig.4. Roads that are not passed by the old Trans *Mamminasata* Route**

211 The following shows that the route created using Fleury's algorithm covers more areas that
 212 are considered important and can be done for all areas to be created routes, so that the
 213 route generation technique with Euler graph theory using Fleury's algorithm is more effective
 214 in terms of road usage (Figure 5).

215


216

217

218

219

220



221 **Fig. 5. Trans *Mamminasata* Route Created Using the Fleury Algorithm**

222 **3.2.2. Optimization of bus usage**

223 Calculation of the number of buses B in corridor I and corridor II using equation (1) with
 224 waiting time $w = 10 \text{ minutes}$, average bus speed $\bar{x} = 28,75 \text{ km/h}$, and many spare buses
 225 $p = 5 \text{ units}$ as follows:.

- 226 • Calculation of the number of buses in Corridor I with a route distance of 35,25 km

$$B = \frac{2 \times 35,25}{28,75 \times \left(\frac{1}{6}\right)} + 6$$

$$B = 19,71304$$

227 The results of B are then rounded up, so the number of buses used for corridor 1 is
228 20 units.

- 229 • Calculation of the number of buses in Corridor II with a route distance of 81 km

$$B = \frac{2 \times 81}{28,75 \times \left(\frac{1}{6}\right)} + 6$$

$$B = 38,8087$$

230 The results of B are then rounded up, so the number of buses used for corridor II is
231 39 units.

232 From the calculation results obtained using equation (1),

233 **Table 4. Number of buses used on routes created using Fleury's algorithm**

	Corridor I	Corridor II
Bus Quantity	20 units	39 units

234 The data in Table 4 is then compared with the data on the number of buses used for the
235 existing Trans *Mamminasata* route, which obtained the number of buses as many as 88
236 units by dividing the number of buses into 5 corridors to be able to pass through all important
237 areas in Makassar City, while the Trans *Mamminasata* route created using the Fleury
238 algorithm only requires 59 units by dividing into 2 corridors to pass through important areas
239 in Makassar City, so that the Trans *Mamminasata* route created using the Fleury algorithm is
240 more optimal in terms of bus usage than the existing Trans *Mamminasata* route (Table 5).

241 **Table 5. Table data on the number of Trans *Mamminasata* bus routes created with
242 Fleury's algorithm and previous routes to cover all important areas in Makassar City.**

	Fluery algorithm route	Existing routes
Bus Quantity	59	88

243

244 **4. CONCLUSION**

245 Based on the results of the analysis, it is concluded that the use of Fleury's algorithm on the
246 transportation network can be done with the condition that the graph G cannot have more
247 than two odd degree vertices, and the Trans *Mamminasata* route created using Fleury's
248 algorithm is better than the existing route in terms of efficient use of roads and optimization
249 of bus use.

250 **ACKNOWLEDGEMENTS**

251 My deepest gratitude to my supervisors and examiners for their guidance, support, and
252 constructive criticism in the process of completing this article. You have provided valuable
253 direction, constructive feedback, and tremendous dedication in helping me overcome every
254 stage of writing. Without your guidance and encouragement, this achievement would not
255 have been realized. I greatly appreciate your patience, insight, and inspiration, and I hope
256 this article can make a meaningful contribution to our field. Thank you again for all your help
257 and the opportunity to study under your guidance. I feel fortunate and proud of the support.

258
259 **AUTHORS' CONTRIBUTIONS**

260 Authors can use the following wording for this section: "Author Jusriadi' designed the study,
261 performed the statistical analysis, wrote the protocol, and wrote the first draft of the
262 manuscript and managed the analysis.'AuthorSobriAbusini' and 'Author Vira Hari Krisnawati'
263 managed the literature search and revised the manuscript. All authors read and approved
264 the final manuscript."

265 **REFERENCES**

- 266 [1] Baringbing JSS. Optimization of Routes and Number of Trans Pontianak Equator Buses
267 Using Vehicle Routing Problem and Simulation. Journal of TIN Tanjungpura University.
268 2015; 3(1). Indonesia
269 [2] Suryani F, Natadipura RK, Tunafiah H. Optimization of Travel Routes for Bogor-Jakarta
270 Integrated Public Transport Facilities. IKRA-ITH Technology Journal of Science and
271 Technology. 2019; 3(2). 63-75. Indonesia
272 [3] Zhang B. Peng J. Uncertain programming model for Chinese postman problem with
273 uncertain weights. Industrial Engineering and Management Systems. 2012; 11(1) :18-25.
274 [4] Putri IK. Fleury Algorithm to Solve the Tsp (Traveling Salesman Problem). d'ComPutarE:
275 Scientific Journal of Information Technology.2018; 8(1). Indonesia
276 [5] Truong BC, Pho KH, Nguyen VB. Tuan BA, Wong WK. Graph theory and environmental
277 algorithmic solutions to assign vehicles: Application to garbage collection in
278 Vietnam. *Available at SSRN 3430459*. 2019
279 [6]Rumetna MS, Lina TN, Santoso AB, Komansilan R, Karay J. Implementation of Depth
280 First Search Algorithm in Solving Euler Trajectory and Circuit Problems. Journal of Komtika
281 (Computing and Informatics). 2023; 7(1), 12-21. Indonesia
282 [7] Buhaerah, Zulfiqar B, Herlan S. Teori Graf dan Aplikasinya. Living Spiritual Quotient;
283 2022
284 [8]Kusmira M, Taufiqurrahman T. Utilization of Graph Application in the Creation of Angkot
285 05 Tasikmalaya Line. Proceedings of Semnastek. 2017. Indonesia
286 [9] Chartrand G, Lesniak L, Zhang P. *Graphs & Digraphs*. Edisi ke-6: CRC Press; 2016 :
287 118-119.
288 [10] Ali II, Akmal MI, Alfisyahrin AI, Indrawan NF, Tikson SDS. Makassar Smart
289 Transportation: Implementation of *Mamminasata* Apps and *Mamminasata* Card to Optimize
290 Bus Rapid Transit Makassar City. Jbmi (Journal of Business, Management, and
291 Informatics). 2017; 14(1), 1-13. Indonesia.