

## Original Research Article

### AN ASSESSMENT OF DINING ROOM DESIGN ASPECTS IN HOUSING FOR ELDERLY PEOPLE

#### Abstract

Dining room in houses should be designed ergonomically in a way that are easy to handle and operate and should be provided with age-friendly furniture to avoid any injuries. The study aimed to know the dining room design features in elderly people housing. Kurnool district of Andhra Pradesh is selected as study location. A sample of 60 elderly women was selected purposively. The existing dining room of elderly houses were physically observed and evaluated as per the standard recommended design guidelines. The study revealed that majority (93%) of the dining rooms had both direct and indirect accessibility to various rooms as per the guidelines. Maximum houses had ceiling of dining area at a height above the recommended guidelines. Provision of circulation Space in dining area was felt neutral by ~~the~~ more than half respondents. Most of the elderly preferred dining area in every house with recommended features. There is an association between the existing dining room design and the needs of the respondents to age in place with reference to dining room design.

**Keywords:** Dining room, Elderly people, Ergonomics and Design

#### Introduction

Elderly people housing should have age-appropriate furniture and furnishings in their homes as they spend a lot of time there which will help to prevent accidents and injuries. The layout of the kitchen and dining area should be designed ergonomically, with easily handled and operated equipment suitable for the elderly. A wide range of products, including tables and chairs, kitchen worktops and storage space, bedroom and dining room furnishings, electric switch locations, door handles, window placements, etc., are designed with the elderly's comfort in mind.

In order to ensure that the elderly may utilise their residences to the fullest without facing harm or discomfort, the planning and designing requirements for housing for elderly individuals

**Comment [N1]:** Change to 'to understand'

**Comment [N2]:** Rephrase this sentence. Its confusing.

should be based on both the occupants' current and future housing needs. In the near future, there may not be enough homes to meet the demand for senior living due to supply constraints. A home for the elderly should be designed with ease of living in mind (Halime, 2007). For the elderly, standard design elements become barriers. When a space is well-designed with physical elements and well-arranged furnishings, older people feel secure (Ishihara et al., 1997; Alcantara et al., 2005).

**Comment [NJ3]:** Please choose appropriate/suitable word to describe this.

In an ergonomic dining room design study, Octavia et al. (2013) determined the needs and specifications of a sample of Indonesian senior citizens. To determine the extent of elderly housing elements present in the residence, the researcher observed the housing conditions. The Usability, Safety, Attractiveness Participator (USAP) design model was employed in the study, which includes the active involvement of senior citizens as consumers during the needs identification, design idea generation, and design model evaluation phases of product design. The study's conclusions highlighted the necessity of a shelf to hold cutlery utensils, a foot support, a hand support to make standing up easier, and a portable table to hold small snacks. According to a research by Nachreiner et al. (2007), trips and slips account for the majority (62%) of falls that happen in and around the house, especially during the day in living rooms, kitchens, and dining rooms. The investigator observed that falls had happened at home on a regular basis when people were walking, carrying things, or reaching or leaning. The study found that while 53% of falls resulted in no injuries at all, 31% caused minor injuries, 10% caused moderate injuries, and 6% caused serious injuries. In order to lower the danger of falls, the author stressed the importance of raising awareness of the home environment.

### Methodology

Exploratory research design was used in the study. The study was conducted in the Kurnool district of Andhra Pradesh. A total of 60 elderly women who are living independently were selected purposively as the sample of the study. The data was collected using self-structured interview cum observation schedule. The design guidelines for dining room in elderly housing proposed by Parker (1987) served as a base for identifying the features to measure the existing conditions of a dining room. Eight features that enable the elderly to eat with comfort in dining room were identified from the guidelines. The dining room of the respondent was evaluated in terms of these standard design guidelines. Depending on the presence and absence

**Comment [NJ4]:** Please state the exact location including the country.

**Comment [NJ5]:** Please include more information of how the data collection is made (the duration, the age range, the criteria selection of the respondent, i.e. is she under category of disable person)

of the design feature, scoring was given. Score 3 was given in case the existing feature was 'above the recommended guidelines', score 2 was given in case the existing feature was designed 'exactly as per the recommended guidelines' and score 1 was given in case the existing features was 'below the recommended guidelines'. The probable score each respondent can earn was between 8 and 24. The results were interpreted such that the higher the score, higher in the probability of the dining room as per the recommended guidelines. Design needs were scored 3, 2 and 1 for essential, preferred and neutral. Chi-square analysis was used to know the association between existing design features and needs of the elderly.

## Results and discussion

### Existing dining room design features

Eight standard design guidelines were identified to assess the design of dining room in elderly housing. The results are presented in the table 1 below.

More than half of the dining rooms had table space as per the recommended guidelines. Two thirds of the dining rooms had space between wall and furniture, space for serving the food, space for the person to rise from chair. The area of storage unit was found as per design guidelines in case of 56.66 per cent of the houses. In case of 43.33 per cent of houses storage in dining room was found inadequate.

Majority (93%) of the dining rooms had both direct and indirect accessibility to various rooms as per the guidelines. Maximum houses had ceiling of dining area at a height above the recommended guidelines.

**Comment [NJ6]:** It is recommended if the process were interpret into a chart/ process chart to help readers to understand how your research is conducted.

**Comment [NJ7]:** Please describe this in text

**Comment [NJ8]:** Please be consistency in writing the formats. If using symbol, please make sure it use through all the manuscript.

**Table 1. Distribution of respondents by existing dining room design features n=60**

S.No	Recommended Design guidelines	Status of existing design features against the guidelines		
		Above the recommended guidelines	Exactly as per the recommended	Below the recommended guidelines

		guidelines					
		N	%	N	%	N	%
1	Table space for each person 1 foot 9 inches to 2 feet	6	10	32	53.33	22	36.67
2	3 feet between wall or a piece of furniture and the table in order to get a seated person.	4	6.67	17	28.33	39	65
3	3 feet 8 inches from table to wall for serving	4	6.67	16	26.67	40	66.67
4	Minimum of 2 feet 8 inches for rising from chair at the table	4	6.67	24	40	32	53.33
5	1 feet 6inches x 3feet 6 inches area for storage unit in dining area	14	23.33	20	33.33	26	43.33
6	The ceiling height of the dining space no lower than 7 feet 6 inches	57	95	1	1.67	2	3.33
7	Direct accessibility between food preparation and living area	56	93.33	4	6.67	0	0
8	Indirect accessibility between entry/exit and private outdoor	56	93.33	4	6.67	0	0

### Design needs in dining room

The elderly were asked to state their proposal and needs to design a dining room to enable them to live comfortably in old age(Table 2.)

More than half (56 %) of the respondents preferred to have proper table space for each person in dining area. Slightly less than half of the elderly preferred 3 feet space between wall

and furniture. Respondents felt neutral in case of provision of space to serve the food (61%), the person to rise from chair (51 %), storage in dining room (38%).Majority (93%) of the respondents felt essential for both direct and indirect accessibility to various rooms.

**Table 2. Distribution of respondents by their needs in designing a dining room**

n=60

S.No	Dining room needs of the elderly	Adequacy of dining room needs					
		Essential		Preferred		Neutral	
		N	%	N	%	N	%
1	Table space for each person should be of 1 foot 9 inches to 2 feet	7	11.67	34	56.67	19	31.67
2	Allow 3 feet between wall or a piece of furniture and the table in order to get a seated person	4	6.67	28	46.67	28	46.67
3	Serving requires 3 feet 8 inches from table to wall	4	6.67	17	28.33	39	65
4	Minimum of 2 feet 8 inches is required for rising from chair at the table	4	6.67	25	41.67	31	51.67
5	Area of storage unit in dining area should be 1 feet 6 inches by 3feet 6 inches	18	30	19	31.67	23	38.33
6	Direct accessibility has to be provided between food preparation and living area	56	93.33	2	3.33	2	3.33
7	Indirect accessibility has to be provided between entry/exit and private outdoor	56	93.33	4	6.67	0	0

Convenient accessibility was felt most essential design feature by elderly. The elderly felt essential to have both direct and indirect access between dining space and living space, entry/exit and private outdoor. The sample felt sufficient table space was essential.

**Comment [NJ9]:** Is there any word that suitable to replace this?

Provision of circulation Space in dining area was felt neutral by the more than half respondents. Most of the elderly preferred dining area in every house with recommended features.

**Comment [NJ10]:** Is there any word that suitable to replace this?

**Comment [NJ11]:** Please indicates the 'recommended features' for example 'such as.....'

**Comment [NJ12]:** Gives some introduction of what is this section for.

### Hypothesis testing

H<sub>0</sub> 1. There exists no significant association between existing dining room design and needs of elderly with reference to dining room design

The design guidelines specified for dining room include table space for each person in dining area, space between wall and furniture, space for the person to rise from chair, direct and indirect accessibility to various rooms and so on. Eighty-three per cent of the respondents preferred dining room as per the design guidelines.

**Comment [NJ13]:** Inconsistency of format writing. Use symbols.

**Table 3. Association between existing design features of Dining room and needs of the elderly**

n=60

Existing dining room features	Design needs with reference to dining room							
	Neutral		Preferred		Essential		Total	
	N	%	N	%	N	%	N	%
Below the recommended guidelines	1	1.67	0	0.00	0	0.00	1	1.67
As per the recommended guidelines	1	1.67	50	83.33	0	0.00	51	85.00
Above the recommended guidelines	0	0.00	2	3.33	6	10.00	8	13.33
Total	2	3.33	52	86.67	6	10.00	60	100.00
χ <sup>2</sup> value	72.7262							
Probability value	< 0.0001*							

Note- \*- significant at 1 per cent level

The Chi-square value was found to be highly significant (Table 3.). There is a strong evidence against the null hypothesis. Thus, there is an association between the existing dining room design and the needs of the respondents to age in place with reference to dining room design. Hence, the null hypothesis was rejected.

## Conclusion

Space allowances for easy circulation was found as per the recommended design guidelines in fifty per cent of the dining rooms. Space allowance per person on dining table was found adequate in case of majority of the houses. Storage in dining room was found below recommended standards in most of the dining rooms. Dining rooms were found with both direct and indirect accessibility. Convenient accessibility was felt most essential design feature by elderly. The elderly felt essential to have both direct and indirect access between dining space and living space, entry/exit and private outdoor. The sample felt sufficient table space was essential.

## References:

- Alcantara, E., Artacho, M. A., Gonzalez, J. C and García, A. C. 2005. Application of product semantics to footwear design. Part I-identification of footwear semantic space applying differential semantics. *International Journal of Industrial Ergonomics*.35 (8): 713-725.
- Halime, D. 2007. Housing for the aging population. *European Review of Aging and Physical Activity*. 4: 33-38.
- Ishihara, S., Ishihara, K., Nagamachi, M and Matsubara, Y. 1997. An analysis of Kansei structure on shoes using self-organizing neural networks. *International Journal of Industrial Ergonomics*.19(2):93-104.
- Nachreiner, N.M., Findorff, M.J., Wyman, J.F and Mc Carthy, T.C. 2007. Circumstances and Consequences of Falls in Community-Dwelling Older Women. *Journal of Women's Health*.16(10):1437-1446.
- Octavia.J.R and Widjaja, M.S. 2013. Ergonomic Living-Dining Room Design to Enhance Assisted Living for Elderly People in Indonesia. *Advanced Engineering Forum*.10:51-56.
- Parker, W.R.1987.Housing for the elderly. In J.De Chaira and J. Callender(eds.) *Time Saver Standards for Building Types*,2<sup>nd</sup> ed. Mc Graw-hill International Editions.87-101.

**Comment [NJ14]:** Overall in this section need to be improve.

**Comment [NJ15]:** formats

**Comment [NJ16]:** Change to other word