

Analysis Of Technical Efficiency of Sunflower Oil Production in TanzaniaA Case of Small-Scale Processors in Singida Region

Abstract

Most developing nations, including Tanzania, consider agro-processing as a key to industrialization. Despite an attractive sunflower seed yield, Tanzania's sunflower oil processing and production has been staggering over the years. Sunflower oil production is inefficient which leads to low-output. So, this study studied sunflower oil production technical efficiency in Singida region. The study examined the social and economic factors that affect Technical Efficiency in small-scale sunflower oil producers. It applied cross-sectional design and secondary data for year 2016/2017 which were collected from Central Zone Sunflower Oil Processors Association and Small Industrial Development Organizationbased on Singidasmall-scale sunflower oil producers. It also used stochastic frontier analysis and multiple linear regressions to find the empirical economic relationship between the variables. Sunflower oil producers were averaged 30.1% less Technical Efficiency as the average was 69.9%. It also revealed that Labor, seed, capital, and electricity affect production.while, Age, experience, education, and locality also mattered. Finally, processing techniques, socio-economic, and demographic differences affect sunflower oil production. So, producers must increase capital inputs to be technically efficient. Consider boosting producer capacity and abilities and observing a minimum number of productive staff.

Keywords: Technical efficiency, Sunflower, Singida, Stochastic Frontier Analysis

1 Introduction

Agriculture in Africa has been the main economic activity. It employs two thirds of the continent. The sector employs 69% of sub-Saharan African workers (**Organisation for Economic Cooperation and Development**, 2016). The rural people know its importance. According to Bachewe et al. (2018) and Jayne et al. (2019), 25% of urban families and 84% of rural families depend on agriculture. The sector accounts for 30% to 70% of national income and 30% of export value in each country. Only 7% of Africa's total land is arable and used for grain production (Mzali, 2019).

Sunflowers is identified as one of the main crops produced in Tanzania, and quite considered as the one of the backbones in the agriculture sector alongside maize, rice, cassava, banana, peanut and sweet potato. In addition, Tanzania has been one of the world's top producers of sunflower oil seeds with an annual production of approximately 3,112,500 tons of sunflower seeds during 2017, corresponding to approximately 239,000 tons of oil (**United Republic of Tanzania (URT)**, 2019). Its production is mainly based on the small-scale farmers, throughout

the country; therefore, the sunflower oil production has tremendous potential to improve livelihoods and the wellbeing of comparatively poor households.

The central region—Dodoma, Singida, and surrounding areas—produces almost 42% of the nation's goods (URT, 2018). Tanzania is one of three major African producers of sunflower seed oil, along with South Africa and Uganda, yet there is still a great demand for edible oil in the country (Iringo, 2013). **Rural Livelihood Development Programme** (2016) in Tanzania evaluated annual edible oil demand at 440,000 tones and expected 3% annual growth. The country imports more than half of its edible oil. Large and small processors contribute 40% of the nation's edible oil needs (Ekblom, 2016).

However, Tanzania's sunflower oil seed output has declined from 1.1 million in 2017 to 767,188 tons in 2018, a 30.2% drop, and to 561,297 tons in 2019, a 26.8% drop and a staggering production process (URT, 2019). Moreover, the soaring production of sunflower seeds, most agro-processors and small companies that process edible oil, notably sunflower oil producers, are still inefficient and incompetent. In 2019, the farms produced 561,297 tons of sunflower seeds but only 97,740 tonnes of oil, indicating that the industry is not fully utilizing its edible oil production potential (URT, 2019).

Generally, this study intended to bridge the empirical and specificity gap arising from reviewed literatures by analyzing the technical efficiency in the production of sunflower oil among the small-scale producers. In precise the study examined both rural and urban sunflower oil producers through a well primary collected data, which were used to make an analysis on the socio-economic factors affecting the technical efficiency in the production of sunflower oil among the small-scale producers in the specific case of Singida region as well as determine their level of technical efficiency in the production of sunflower oil.

Studies by Heriqbaldi et al., (2015); Kea et al., (2016); Mwalupaso et al., 2019; Gong et al., 2019 and several others all explored on the concept of technical efficiency at different areas especially in the agriculture and agro-processing sector, more specifically a study by Njiku (2019) made a similar assessment in the case of two regions specifically Singida and Dodoma. This study examined technical efficiency of sunflower oil production in the case of Singida region. In specific, the study did determine the level of technical efficiency among producers of sunflower oil as well as analyse the socio-economic factors affecting the technical efficiency in the production of sunflower oil among the small-scale producers

In developing countries like Tanzania, agriculture and agro processing inefficiency is a common complaint. The agricultural sector is inefficient since it has not fully grown into a sector that involves farm processing firms. Consequently, changing the economic return, considering the importance and demand of most agro-processed products like sunflower oil Tanzania (Tisimia, 2014). Sunflower oil production faces limited output potential and chronic technical efficiency decline, resulting in a mismatch between production and consumption (Mushi, 2016).

Mpeta et al. (2020) compared technical efficiency among Kongwa district small-scale sunflower producers in the central agricultural zone. The study used the propensity score method to reduce bias from farmer characteristics. According to the study, sunflower farmers who contract farm are 7.4% more technically efficient than those who do not. Farmland size, input loans, age, off-farm income, schooling, labour, and fertilizer were examined. Only two variables were significant at 5%. Hence, the study advised farmers to participate in extension

programmes, farm management training, and input credit systems to improve technical efficiency and production. However, Mwalupaso et al. (2019) found that using mobile phones to acquire agricultural information maximized technical efficiency. The report also suggests using mobile phones and technology in agriculture since it boosts production and information for rural farmers.

Ngaisset and Jia (2020) examined Lobaye's palm oil processors' technological efficiency. Descriptive and stochastic frontier analyses were used to analyze 159 randomly chosen palm oil processors. The study found 81% technical efficiency, meaning processors can enhance efficiency by 19% to reach their full capacity. Yet, producer education in the production area considerably affects palm oil processor productivity. So, the study advises measures to improve and train producers to increase knowledge, productivity, and efficiency. Attipoe et al. (2020) examined how rural and community banks affect cocoa production technical efficiency. A cross-sectional survey of 500 cocoa growers was analyzed using stochastic frontier analysis and Heckman's model. The study found that rural and community banks' financial support improved cocoa growers' technical efficiency. The rural and community banks' credit availability is governed by many circumstances, yet farmers' technical efficiency averaged 81%, indicating that no farmer attained the cocoa-production efficiency requirement of 100%.

Kea et al. (2016) examined Cambodia's rice production's technical efficiency and important parameters. From 2012 to 2015, panel data was collected from 25 Cambodian provinces. The stochastic frontier analysis showed that capital investment (i.e., agricultural machinery), land, and fertilizer application affect output. The survey also found that rice production was only 78.4% technically efficient. Additionally, Ismiasih (2017) used secondary data from the 2013 agricultural survey of 1229 palm farmers in Western Kalimantan to assess palm oil production efficiency. The stochastic frontier analysis showed that the farmers analyzed are technically inefficient. The study also found that plant age, number of productive trees, fertilizers, labour, and pesticides affected palm oil production efficiency. However, the report suggested that farmers participate in plasma programmes and become more involved in cooperatives to learn more about palm oil farming. Sarker et al. (2017) evaluated Bangladeshi watermelon growers' technical efficiency, efficiency factors, and dangers. The stochastic frontier analysis of 180 farmers identified a mean technical efficiency level of 86%, indicating that Bangladeshi watermelon producers can improve by 14%.

This study examined technical efficiency of sunflower oil production in the case of Singida region. In specific, the study did determine the level of technical efficiency among producers of sunflower oil as well as analyze the socio-economic factors affecting the technical efficiency in the production of sunflower oil among the small-scale producers. The study aims to determine the level of technical efficiency in the production of sunflower oil among the small-scale producers, analyses the socio-economic factors affecting the technical efficiency in the production of sunflower oil among the small-scale producers

2 Methodology

Study models

Coelli, Prasada Rao, O'Donnell, and Battese (2005) recommended Stochastic Frontier Analysis (SFA) to be the best measure of technical efficiency estimation in agriculture studies rather than the deterministic approach and Data

Envelopment Analysis(DEA), because data from agriculture are highly influenced by measurement errors and the effect of pest, weather and diseases etc. This study adopted Stochastic Production Frontier because it is the most precise technique used in technical efficiency estimation.

The SFA split up the error term (deviation) into twofold parts to accommodate factors are beyond firms' control. Thus, one is a technical inefficiency portion for a firm and another part includes random shocks which are also known as white noise like bad weather or climate, measurements errors, and exclusion of variables which could be included in the model. (Aigner, Lovell, & Schmidt ,1977). Subsequently, this study determines the factors that influence or affect technical efficiency and estimate technical efficiency of sunflower oil small scale producer in Singida, Tanzania using the SFA model.

The study model is expressed as follows:

$\ln Y_i = \beta_0 + \sum \beta_j \ln X_{ij} + \exp^{e_i}$ Where by:

\ln = represent the natural logarithm

i = represent the i^{th} Sunflower oil producer

Y_i = represents litres of sunflower oil of the i^{th} sunflower oil producer

X_{ij} = denotes the production inputs i^{th} sunflower oil producer

$e_i = v_i - u_i$ represents the residual random term composed of two elements v_i and u_i .

The v_i captures random deviation in output caused by factors like climatic condition, variables exclusion, and other exogenous shocks, while u_i denote the technical inefficiency.

Cobb Douglas functional form was used in this study to estimating the relationship between inputs of productions and output produced. This functional form is more preferred because the model of this study has more than three independent variables and is simple in specification and production frontier estimation in the literatures reviewed. Additionally, the parameter approximation using econometric technique is very simple in terms of analysis and explanation (interpretation) because of the logarithmic production function nature.

The Cobb-Douglas functional form of stochastic frontier production expressed as follows:

$$\ln Y_i = \beta_0 + \sum_{j=1}^4 \beta_j \ln X_{ij} + v_i - u_i$$

Where:

β_0 = Constant

Y = Litres of Sunflower oil produced

X_{ij} = Independent variables

v_i = Random error

u_i = Inefficiency effect, which is non-negative

Therefore, the inefficiency model defined as follows:

$$u_i = \delta_0 + \delta_{ij} Z_{iji}$$

u_i	=	Technical Inefficiency
$\delta_1-\delta_5$	=	Parameters to be estimated
Z_1-Z_5	=	Independent variable coefficient

Sampling methods

Basing on the Cochran sample calculating formula this analysis selected a total of 176 survey respondents using a simple random and cluster sampling technique to represent the overall population of 322 small-scale producers of sunflower oil that are located in the Singida region. The population studied in the area of study was thus subdivided into numerous clusters. For this case the seven regional districts namely, Iramba, Singida urban, Manyoni, Mkalama, Ikungi, Singida rural and Itigi. Additionally, these districts were further subdivided into wards present in the respective districts by means of cluster sampling techniques. In this case, the five districts (clusters) were selected using the simple random technique so as to ensure unbiasedness in the sampling process. Finally, the respondents to be analysed in this particular analysis from the specified wards were also selected using the simple random technique of sampling.

3. Results and Discussion

The presentations of findings are mainly based on the designed objectives of the study that govern the study analysis. Therefore, the findings displayed are a result of the descriptive statistical analysis performed in the study as well as the inferential statistical analysis performed on the data collected. Such analysis and presentation of the findings was done to precisely achieve the study objectives and answer the research objectives that specifically intended to determine the level technical efficiency in the production of sunflower oil. As well as analysing the socio-economic factors affecting the technical efficiency in the production process.

Descriptive statistics for continuous variables

From the study analysis, the specified continuous variables were about seven i.e. litres of sunflower oil produced, capital injected in the firm, amount of labour employed in the production process, amount of electricity used on daily basis, education of the producer (owner), experience in the production process and age of the producer. Therefore, the statistical analysis was basically based on the mean averages, standard deviations and the min and max ranges were presented

Table 1 Descriptive statistics for continuous variables

Variable	Obs	Mean	Std. Dev.	Min	Max
Litres	176	39.47159	10.18174	5	60
Capital	176	8869006	7045075	855000	2.85e+07
Labour	176	9.386364	7.405684	1	30
Electricity	176	6427.841	3053.741	2000	14200

Education	176	12.77841	3.714341	2	19
Experience	176	6.982955	4.135525	2	18
Age	176	41.58523	9.902589	27	62

Source: Field Survey, (2023)

The variable litres were researched in table 1 above to establish the amount of litres sunflower oil produced in the study area among the studied respondents. Furthermore, the variable was investigated as the foundation for establishing the study's technical efficiency. According to the data, 176 observations were made in the study region, and the mean or average number of litres produced on a daily basis was 39.47 litres. The small-scale producers generated the most litres per day, 60 litres, and the least amount, 5 litres, of sunflower oil per day. Moreover, variable capital, determined by company investment, was specified for 176 small-scale firms. The researched small-scale producers injected a maximum of Tsh. 2850000/= and a minimum of Tsh. 855000/=. The statistics also showed that the average capital invested was Tsh. 8869006/=, with small-scale producers diverging by Tsh. 7045075/=.

Yet, variable labour was explored as a crucial production determinant that affected small-scale producers' technical efficiency. The findings showed that among the 176 small-scale producers surveyed, the largest number of labours required in the production process was 30 and the lowest was one, meaning a range of 29 laborer. The average labour was 9, while small manufacturers deviated from the norm by 7.4 (standard deviation). Variable electricity was also explored as a key production factor. To simplify production, electricity costs were analyzed. The lowest daily power or energy resource expenditure among the 176 analyzed producers was Tsh. 2000/=, while the highest was Tsh. 14200/=. The average daily electricity or energy expenditure was Tsh. 6427.8/=, and producers varied from the norm by Tsh. 3053.7/=.

Among the 176 producers evaluated, education was measured in years of schooling. The maximum number of years spent in school was 19, indicating masters' holders, while the lowest was 2, indicating primary school class 1. The average number of years spent at school was 12.7, which represents form leavers, while the producers' education years (schooling years) differed from the mean by 3.7, or 4 schooling years. Since more experienced producers are predicted to be technically efficient, experience was explored as a fundamental driver of producer technical efficiency. The most experienced producer had 18 years of producing experience, while the least experienced had 2. The average experience was 6.98 years, or 7 years of production, while the average variance was 4.13 years (standard deviation).

Next, all 176 producers were examined by age, with the oldest being 62 and the youngest 27. The average sunflower oil producer was 41.58 years old, and the producers surveyed were 9.9 years older. *Empirical Results of the Stochastic Frontier Model*

The method used to do the analysis was the stochastic frontier method, and it only required a single step to complete the entire process. The method relied on statistical estimates of the Cobb Douglas function, where inputs determine outputs, and estimated inefficiency factors, or those that prevent producers in the examined area from maximizing

their technical efficiency in sunflower oil production. The linear regression model of the technical efficiency levels established for each producer and the inefficiency causes was also highlighted by the empirical data.

Table 2 Level of technical efficiency of the sunflower producers

Variable	Observation	Mean	Std. Dev.	Min	Max
Technical efficiency	176	0.6991336	0.1849744	0.089621	0.9919784

Source: Field Survey, (2023)(2023)

Technical efficiency averaged 0.699, or 69.9%, according to table 2. The sampled population's average technical efficiency is 69.9%, or 70%. Hence, small-scale sunflower oil producers in the analyzed region are 30% less efficient and may improve by 30% to attain their full potential. The data also shows that sunflower producers in the region have a minimum technical efficiency of 0.0896, which is 8.96% efficient and 91.04% below their potential. The most technically efficient corporation received a 0.9919 efficiency rating, or 99.19% technical efficiency. Producer efficiency was 0.185, 18.5% below average.

Table 3 Empirical Results of the Stochastic Frontier Model

Variables	Coefficients	Standard Error	P> z
Frontier			
Labour	-.0884616*	.000273	0.000
Seeds	.0921063*	.0006081	0.000
Capital	.0763461*	.0001326	0.000
Land size	-3.15e-07	.0000411	0.994
Electricity	-.1283844*	.0002018	0.000
Constant	3.675365	.	.
Inefficiency model			
Age	-.0410882*	.00227	0.000
Experience	.0002097	.0041827	0.960
Training	.0487744*	.0241856	0.044
Location	.0217225	.0252988	0.391
Constant	1.9721	.0867432	0.000
Usigma			
cons	-4.104623	.1171153	0.000
Vsigma			
cons	-24.10556	13.82894	0.081
sigma_u	.1284377	.007521	0.000
sigma_v	5.83e-06	.0000403	0.885

lambda	22036.77	.0075209	0.000
Number of observations = 176			
Wald chi2(5) = 6.62e+06			
Prob > chi2 = 0.0000			
Loglikelihood=183.8355			

Source: Field Survey, (2023)(2023)

- **Note:**Dependent variable is Sunflower oil in Litres

P-values with *, ** and *** imply significance level at 10 percent, 5 percent, and percent respectively

In table 2, all independent variables affecting the deterministic phase of the analysis, the Cobb Douglas model, are significant at 5% except land size. At 5% significance, the land size variable did not affect sunflower productivity among the examined producers in the region. Such findings concur to those of Mpeti (2015) that signified that land was the least significant variable among the others in the production process. Such that whenever other factors are significantly well efficient in the production process, a smaller land is needed in the overall process of production. Moreover, two socio-economic aspects which are Age and training were statistically significant and crucial to the production process, whereas others had little impact.

However, for the significant variables impacting sunflower oil production, the results show that if all other variables are maintained constant, a 1% increase in labour size (number of workers) decreases productivity by 0.08%. In a similar situation, the variable seed intake was supposed to monitor production seed processing. While other conditions are fixed, increasing seed intake by 1% increases sunflower oil output by 0.09%.

The variable capital introduced to the business increased sunflower oil production by 0.07% when other factors were held constant. While other variables are held constant, an increase in land size by 1% corresponds to a 0.00000315% rise in productivity, which is not significant at 5%. Finally, a 1% increase in electricity usage increases sunflower oil production by 0.1% when other conditions are maintained equal.

In the inefficiency section of the model, increasing age by one year increases sunflower oil production efficiency by 0.4%, decreasing inefficiency among the investigated small-scale producers. While all things are held constant, a year of small-scale producer experience decreases efficiency by 0.0002%. Variable experience is not statistically significant. Sunflower growers with training were 0.2% more efficient than those without. Finally, urban producers may be less efficient.

Significant variables include daily labour, seed intake, capital in shillings, machinery cost, and electricity use in production. Variable labour hurt output. This implies that a corporation will be technically efficient if it produces more with fewer labour. Yet, electricity spending reduces output and efficiency, while capital was found to increase production and producer efficiency. Lastly, the number of sunflower seeds used as source material had a favorable significant effect. So, the more kilogrammes of seeds processed, the more sunflower oil produced and the more technically efficient the manufacturer. These findings agree with Ngaisset and Jia (2020) and Ismiasih (2017) that variable capital and raw material are the most important variables in production and efficiency.

On the side of inefficiency part, Variable experience, training, and location favorably increase technical inefficiency, according to stochastic frontier model study. Experience, training, and location all lower the study's technical efficiency. The variable affected technical efficiency and inefficiency differently. Age was found to negatively affect technical inefficiency and positively affect technical efficiency. Technical efficiency may rise with producer age. These findings contradict most underlying assumptions and specifically Sarker et al. (2017), who also reported a positive relationship between age and productivity.

There are a variety of ways in which the technical efficiency might be triggered by the societal and economic context. Thus, a linear regression model is further done with regard to the technical efficiency levels derived from the stochastic frontier model to prove the effect of such factors on the level of technical efficiency. The OLS assumption that the model is built on makes it strictly linear.

Table 4Regression model of the socio-economic factors affecting the level of technical efficiency

Variables	Coefficient	Standard Error	P> t
Age	.0083645*	.0007123	0.000
Gender	.0047088	.0168619	0.780
Experience	-.0039877*	.0017364	0.023
Training	.026474**	.013564	0.053
Location	-.0456363*	.0125964	0.000
Education	.0044728*	.0015295	0.004
cons	.4577687	.0422507	0.000
Number of obs	176		
F (6, 169)	38.26		
Prob > F	0.0000		
R-squared	0.5760		
Adj R-squared	0.5609		
Root MSE	0.07179		

Source: Field Survey, (2023)(2023)

- **Note:**Dependent variable is Sunflower oil in Litres
P-values with *, ** and *** imply significance level at 10 percent, 5 percent, and percent respectively

Table 4 demonstrates that the model was statistically significant at the 5%, 1%, and 10% levels of significance, with an F-Statistic of 38.26 and a probability of F of 0.000 out of a total of 176 observations. This was the case at all three levels of significance. In addition, the model had an R-squared value of 0.5760, which indicates that the inefficiency factors evaluated (age, gender, experience, training, location, and education level) account for 57.6% of the variation in technical efficiencies. These factors include: age, gender, experience, training, location, and education level. It was demonstrated that age was a significant influence for all of the variables that were investigated at all three levels of significance (1%, 5%, and 10%).

The study also used precise producer technical efficiencies to create a linear regression model to determine the socio-economic determinants affecting sunflower oil production technical efficiency. The work employed stochastic frontier analysis to determine the linear regression model based on Ordinal Least Square model linear assumptions. Technical efficiencies were regressed to socioeconomic parameters such as age, gender, experience, training, location, and education. The data showed that producer technical efficiency increased with age. So, older producers are more productive. Such data also suggest that elderly producers are more efficient than younger ones. Yet, such studies on age can also imply the capital-imposed gap, where the senior group tends to impose a huge capital due to financial stability, which can increase production efficiency. Sarker et al. (2017) discovered a favorable relationship between age and productivity.

Male producers are 0.4% more technically efficient than female producers. The proposed model shows that women are less likely than males to produce sunflower oil in Singida. These data support Kaijage (2016)'s claim that men farmers are more technically proficient than female farmers.

Literature suggests that variable experience boosts production and efficiency (Attipoe et al., 2020; Ngaisset & Jia, 2020; Mpetta et al., 2020). This study found that producer experience negatively impacted technical efficiency. Those data suggest that experienced producers become less efficient. Most people get sluggish and less focused over time, which is true for most sunflower oil manufacturers in Singida. Attipoe et al. (2020) found that most cocoa producers are technically proficient.

According to the literature, trained staff performs better than unskilled staff. The study found that varied training did not affect technical efficiency. Nonetheless, the variable was positive. Trained workers were 0.2% more technically efficient than unskilled ones. Njiku (2019) and Kaijage (2016) also found that the more a producer is trained, the more efficient they will be.

In the variable location, urban-based producers especially in Singida town and adjacent township centers—were less technically efficient than rural-based producers. Nevertheless, urban producers produce more but also use more labour than rural producers, which adds to inefficiency. Ismiasih (2017) also found that rural firms are more likely to produce because they are closer to raw materials.

Technical efficiency increased significantly with schooling. So, better educated producers are more efficient. Kaijage (2016), Surker et al. (2017), and Attipoe et al. (2020) found a positive correlation between education and production efficiency.

5. Policy Implication

Therefore, the study recommends that for the producers to be technically efficient they should invest more on the capital inputs of the production process since the variable capital was found to be very significant at affecting the efficiency and the overall level of production. Furthermore, in a connection to the capital imposed, the producers should focus on employing more efficient and latest tech machines for the processing of sunflower oil. It was noted that majority of the small producers were using the oldest technologies in the processing and therefore not being

quite effective enough. In similar concept of expanding the capital inputs, the study recommends that the producers should focus on acquiring loans and credits so as to broaden their capital base.

Through acquiring loan, the producers will have enough funds to buy the high-tech machines that are quite efficient and less electricity consuming.

On the other hand, since the technical efficiency of the producer of sunflower oil decreases with an increase in number of labours employed in the production process. Therefore, owners can observe a minimal number of effective employees in sunflower oil processing firms for improved output as well as improve their overall level of technical efficiencies. A large number of workers working on a similar task result in wasted time, difficulty in management, and higher labour costs. Furthermore, the producers can take initiatives of conducting training activities to their labour so as to promote the effective working capabilities

Furthermore, the study discovered that male producers are more efficient than female producers, and those in rural areas are more efficient than those in urban ones. As a result, the government and other agriculture stakeholders should increase women's access to more and better production facilities and resources, as well as financial assistance. Furthermore, urban producers should be assisted in obtaining raw materials such as sunflower seeds on time and at a minimum cost comparable to that incurred by rural farmers.

Conclusion

The small-scale producers in Singida region are not fully technically efficient whereby on average their level of technical efficiency was around 69.9%, Therefore, it demonstrates that majority of the producers are in the decline and subsequently in the second and third stage of production, which yield a relative lower return in comparison to inputs used. thus, the study concludes that majority of the producers are not technically efficient due to a negative effect and inefficiency of some variables such as labour. Furthermore, factors such as land was found to be insignificant for the production process, since it was revealed that most producers don't highly depend on large part of land for production. In precise it was revealed that the actual land used for production was small and most part of the land remaining was used for storage of sunflower as well as for the inspection and sorting of the sunflower seeds to be processed. Lastly, basing on the findings it can also be concluded that male producers are more technically efficient than the female and also the producers that are based on rural areas are more technically efficient than those in urban.

Furthermore, it was revealed that the variables cost capital introduced in the business and the amount of seeds used per day were the most significant factors in the production. This demonstrates that employing of quality input factors could yield a chance for an increased output as well as improving the overall efficiency of the production process.

Nevertheless, study also examined the concepts of education level as well as the training among the producers. Therefore, given the level of education and training being quite low, the government through Small Industries Development Organisation, Tanzania Food and Drugs Authority and other governing institutions such as Central Zone Sunflower Oil Processors Association can also consider improving the capacity and skills of producers through providing occasional seminars as well as special industrial training on the overall production process of

sunflower oil. This is because it was revealed in the study analysis that the technical efficiency of the producers tends to improve as number of years of schooling increases. Moreover, it was also revealed that the trained producers are more technically efficient than the untrained producers.

REFERENCES

- Attipoe, S. G., Jianmin, C., Opoku-Kwanowaa, Y. and Ohene-Sefa, F. (2020). The Determinants of Technical Efficiency of Cocoa Production in Ghana: An Analysis of the Role of Rural and Community Banks. *Journal of Sustainable Production and Consumption*. Vol. 23, pp.11-20. <https://doi.org/10.1016/j.spc.2020.04.001>
- Bachewe, F., Berhane, G., Minten, B. And Taffesse, A. (2018). Agricultural Transformation in Africa? Assessing the Evidence in Ethiopia. *Journal of World Development*. Vol. 105, No. 20, pp. 286-298. <https://doi.org/10.1016/j.worlddev.2017.05.041>
- Coelli, T. J., Rao, D. S. P., O'Donnell, C. J. and Battese, G. E. (2005), *An Introduction to Efficiency and Productivity Analysis*. 2nd Edition. Springer publishers, New York, USA. <https://doi.org/10.1007/b136381>
- Eklblom, M. (2016). Challenges Facing Food processing MSEs in Tanzania: Qualitative Case Study of the Sunflower Oil Industry in Babati, Manyara. Doctoral dissertation, Södertörn University. <https://urn.kb.se/resolve?urn=urn:nbn:se:sh:diva-30289>
- Iringo, R. (2013). Sunflower Subsector. Collaboration between Sunflower Oil Processors and RLDC for Improved Sunflower Sector in Tanzania. A Power Point presentation. 12pp.
- Ismiasih, I. (2017). Technical Efficiency of Palm Oil Production in West Kalimantan. *HABITAT*, Vol. 28, No.3, pp. 91–98. <https://doi.org/10.21776/ub.habitat.2017.028.3.13>
- Jayne, T., Snapp, S., Place, F. & Sitko, N. (2019). Sustainable agricultural intensification in an era of rural transformation in Africa. *Global Food Security Journal*. Vol. 30, No. 25, pp. 105-113. <https://doi.org/10.1016/j.gfs.2019.01.008>
- Kea, S., Li, H. And Pich, L. (2015). Technical Efficiency and Its Determinants of Rice Production in Cambodia. *Journal of Economies*. Vol. 4, No. 4, pp. 1-17. <https://doi.org/10.3390/economies4040022>
- Kumar, R. (2018). *Research Methodology: A Step-by-Step Guide for Beginners*. 5th Edition. SAGE publications. London. <https://doi.org/10.1080/15348431.2019.1661251>

- Lovell, C. (1993). *Production Frontiers and Productivity Efficiency. The Measurement of Productive Efficiency: Techniques and Applications*. Oxford: Oxford University Press, Inc.
- Mzali, S. (2019). *Agriculture in Africa 2019: The Special Report*. Oxford Business Group. SAGE publications. London.<https://oxfordbusinessgroup.com/blog/souhir-mzali/focus-reports/agriculture-africa-2019-special-report>
- Mpeta, D.F. (2015). *Effects of Contract Farming on production and Income of Sunflower Farmers in Kongwa District in Central Agricultural Zone of Tanzania*. PhD Thesis, Mzumbe University, Morogoro, Tanzania. <http://hdl.handle.net/11192/2247>
- Mpeta, D., Kuzilwa, J. A. And Sebyiga, B. (2018). *Analysis Of Contract Farming Effects on Efficiency And Productivity Of Small-Scale Sunflower Farmers In Tanzania – A Propensity Score Method Approach*. *Journal of ActaScientiarumPolonorum, Oeconomia*. Vol. 17, No. 1, pp. 75-84. DOI:10.22630/ASPE.2018.17.1.9
- Mushi, C. W. (2016). *Cost efficiency of small-scale sunflower processors in Dodoma region in Tanzania*. Doctoral dissertation, Sokoine University of Agriculture, Tanzania. <https://www.suaire.sua.ac.tz/handle/123456789/1475>
- Mwalupaso, G. E., Wang, S., Rahman, S., Alavo, E. J. and Tian, X. (2019). *Agricultural Informatization and Technical Efficiency in Maize Production in Zambia*. *Journal of Sustainability*. Vol. 11, No. 8, pp. 1-17. <https://doi.org/10.3390/su11082451>
- Ngaisset, F. and Jia, X. (2020). *Analysis on Technical Efficiency in the Process of Exploitation Palm Oil in Lobaye Locality, Central Africa Republic*. *Journal of Social Sciences*. Vol. 8, No. 5, pp. 474-488. Doi:10.4236/jss.2020.85032.
- Njiku, A. R. (2019). *Determinants of Technical Efficiency and Financial Sustainability of Small-Scale Sunflower Oil Processing Firms in Tanzania*. PhD Dissertation, Mzumbe University, Tanzania. <http://hdl.handle.net/11192/2824>
- Organisation for Economic Co-operation and Development – OECD. (2016). *Agriculture in Sub-Saharan Africa: Prospects and challenges for the next decade*. https://doi.org/10.1787/agr_outlook-2016-5-en
- Rural Livelihood Development Company- RLDP. (2010). *Sunflower Sector; Market Development Strategy, an initiative by Rural Livelihood Development Company*. Retrieved on 31st December, 2020. <http://www.rldc.co.tz/docs/sunflower.pdf>

Rural Livelihood Development Company- RLDP. (2016). Rural livelihood transformations and local development in Cameroon, Ghana and Tanzania. International Institute for Environment and Development. Retrieved on 10th January, 2020. <https://pubs.iied.org/pdfs/1026811IIED.pdf>

Sarker, B., Majumder, S. and Khatun, A. (2017). Technical Efficiency, Determinants and Risks of Watermelon Production in Bangladesh. Journal of Economics and Finance. Vol. 8, No. 2, pp. 51-59. doi:10.9790/5933-0802045159

Tisimia, V.K. (2014). The growth of Small Agro-processing firms and their influence on employment creation in Tanzania. PhD thesis, Sokoine University of Agriculture, Morogoro, Tanzania. <https://www.suaire.sua.ac.tz/handle/123456789/610>

United Republic of Tanzania- [URT]. (2017). Singida socio-economic Profile, 2015. National Bureau of Statistics. Ministry of Finance, Dar es Salaam. Government printers. <https://singida.go.tz/storage/app/uploads/public/59a/431/dc1/59a431dc167e2754571355.pdf>

United Republic of Tanzania- [URT]. (2019). The Economic Survey 2018. Ministry of Finance and Planning. Dar es Salaam. Government printers. https://www.mof.go.tz/uploads/documents/en-1646218922-KITABU%20CHA%20HALI%20YA%20UCHUMI%20WA%20TAIFA%20KATIKA%20MWAKA%202018_compressed.pdf

Appendix

Description and measurement of variables

Variable	Description	Measurement
Amount produced	Amount of sunflower oil produced per day	Litres
Capital	Amount of money invested in machinery for the production process	Tanzania shillings
Labour	Number of labours employed in the production process	Number of workers employed
Electricity	Amount of money spent in electricity	Tanzania shillings
Seeds	Amount of seeds used in the production process	Kilograms
Land size	Area of land occupied in the production process	Square meters

Technical efficiency	Effectiveness with which a given set of inputs is used to produce an output	Derived from a stochastic frontier model
Age	Age of the producer	Number of years
Gender	Male or female	A dummy variable
Experience	Number of years since first involved in the production process	Number of years
Training	Trained or not trained	A dummy variable
Location	Urban or rural	A dummy variable
Education	Number of years spent in school	Number of years

Source: Field Survey, (2023)(2023)

UNDER PEER REVIEW