

Review Article

Harvesting Abundance: Exploring the Tools and Techniques of Zero Budget Natural Farming - A Comprehensive Review

Abstract

Zero Budget Natural Farming (ZBNF) is an innovative and sustainable agricultural paradigm that redefines conventional farming practices. Pioneered by Subhash Palekar, ZBNF promotes a harmonious coexistence with nature by minimizing external inputs and eliminating the use of synthetic chemicals. The approach is rooted in indigenous wisdom, emphasizing the use of locally available resources and traditional farming techniques. Through the judicious application of inputs such as Jeevamrut and Bijamrita, ZBNF aims to enhance soil fertility and plant resilience. ZBNF advocates crop diversification, cover cropping, and agroforestry, fostering biodiversity and mitigating the risks associated with monoculture. The method encourages farmers to adopt natural pest management strategies, reducing reliance on chemical pesticides. One of the distinctive features is its "zero budget" approach, wherein farmers aim to meet their agricultural needs without incurring additional costs. By integrating traditional knowledge with modern ecological principles, ZBNF stands as a promising model for sustainable and regenerative agriculture, addressing global concerns about environmental impact and food security.

Keywords: *Harvesting Abundance, Natural Farming, Zero Budget and Techniques*

Introduction:

Zero Budget Natural Farming (ZBNF) stands as a groundbreaking and sustainable agricultural methodology that has garnered widespread acclaim for its eco-friendly and economically viable principles. Crafted by Subhash Palekar, a revered Indian agriculturist and recipient of the Padma Shri award, ZBNF centers around reducing reliance on external inputs and fostering self-reliance

among farmers (Prasad, 2018). This innovative farming approach has not only gained traction in India but has also become a global exemplar for regenerative and holistic agricultural practices. At the heart of ZBNF lies the philosophy of eschewing synthetic fertilizers, pesticides, and other external inputs. The term "zero budget" does not negate the existence of costs but rather underscores the elimination of the necessity for externally purchased inputs (Khangarot *et al.* 2022). Instead, ZBNF relies on amalgamating traditional farming techniques, indigenous wisdom, and locally available resources. A fundamental tenet of ZBNF is the formulation and application of 'Jeevamrutha,' a microbial inoculant designed to naturally enhance soil fertility. Jeevamrutha is concocted through the fermentation of locally sourced cow dung, cow urine, jaggery, gram flour, and water. The resultant solution is teeming with beneficial microorganisms, enzymes, and nutrients that foster soil health and plant development. By leveraging the potency of indigenous microorganisms, ZBNF aspires to establish a harmonious and flourishing ecosystem within the soil. Another integral element of ZBNF is 'Bijamrita,' a seed treatment solution crafted from locally available materials such as cow dung, cow urine, lime, and chili. This treatment not only shields seeds from pests and diseases but also enhances their germination and vitality. The emphasis on utilizing local resources renders ZBNF a cost-effective and sustainable alternative to conventional farming. ZBNF advocates for the adoption of cover crops and mulching to enhance soil structure, retain moisture, and control weeds. Leguminous cover crops play a crucial role in fixing nitrogen in the soil, diminishing the need for external nitrogen fertilizers. Employing organic materials for mulching further contributes to water conservation and weed suppression, fostering a resilient and productive farming system. Numerous success stories from farmers embracing ZBNF underscore increased yields, reduced input costs, and enhanced soil health. Additionally, ZBNF promotes biodiversity by encouraging farmers to cultivate a diverse array of crops, including traditional and indigenous varieties. This diversity proves instrumental in pest management and mitigates the risk of crop failure. The triumph of ZBNF has spurred governments, non-governmental organizations, and agricultural institutions to champion and adopt this model. In India, several states have initiated programs to educate farmers in ZBNF practices, equipping them with the knowledge and skills needed to transition from conventional to natural farming (Krishijagran , 2022). In conclusion, Zero Budget Natural Farming represents a revolutionary shift in agriculture, championing a sustainable and regenerative approach aligned with the principles of ecological equilibrium and self-sufficiency.

As the world grapples with the challenges posed by climate change and environmental degradation, ZBNF stands as an inspiring beacon illustrating how agriculture can be metamorphosed to ensure food security while safeguarding the health of our planet (Altieri, 2004).

Tools and techniques of ZBNF:

Zero Budget Natural Farming (ZBNF) relies on minimal external inputs and emphasizes the use of local resources and indigenous practices. The following are some of the key tools and techniques employed in ZBNF

Jeevamrut: Microbial Alchemy for Sustainable Agriculture

Jeevamrut, a pivotal element of Zero Budget Natural Farming (ZBNF), encapsulates the core principles of sustainable and regenerative agriculture. Crafted by Subhash Palekar, this microbial solution serves as a fundamental tool in reshaping farming approaches, placing emphasis on self-sufficiency and ecological equilibrium. The preparation of Jeevamrut involves a harmonious blend of locally available ingredients, including cow dung, cow urine, jaggery, gram flour, and water. Through a natural fermentation process, this concoction transforms into a nutrient-rich microbial brew. The resulting solution is brimming with beneficial microorganisms, enzymes, and nutrients that contribute to both soil health and the vitality of plants. When applied to the soil, Jeevamrut acts as a bio-stimulant, elevating microbial activity and nutrient availability. The diverse microorganisms present in Jeevamrut play a vital role in organic matter decomposition, nutrient cycling, and the enhancement of soil structure. Moreover, the solution fosters symbiotic relationships between plants and beneficial microorganisms, providing a shield against pests and diseases. In the face of the pressing challenges of sustainability and environmental conservation in agriculture, Jeevamrut emerges as a transformative solution. Aligned with the principles of ZBNF, it offers a pathway towards resilient and ecologically conscious farming practices. As the agricultural landscape seeks methods that balance productivity with environmental responsibility, Jeevamrut stands as a testament to the potential of microbial alchemy in fostering sustainable and regenerative agriculture.

Beejamrut: Nurturing Seeds Naturally for Sustainable Agriculture

In the domain of Zero Budget Natural Farming (ZBNF), Beejamrut emerges as a pivotal player in promoting sustainable agriculture by offering a natural and cost-effective alternative for seed treatment. Conceived by agricultural innovator Subhash Palekar, Beejamrut signifies a transition towards holistic farming practices that prioritize environmental well-being and self-sufficiency. The formulation of Beejamrut involves a balanced fusion of locally obtained ingredients, including cow dung, cow urine, lime, and chili. Through a meticulous preparation process, these elements culminate in a seed treatment solution designed not only to shield seeds from pests and diseases but also to enhance their germination and vitality. Beejamrut acts as a natural protective shield for seeds, obviating the necessity for synthetic chemical treatments against various pests and diseases. Applying the solution to seeds before planting fortifies their resilience, ensuring a robust start for the germinating plants. Furthermore, Beejamrut's natural composition aligns with ZBNF's ethos of zero dependence on external inputs, fostering self-sufficiency among farmers. In the global pursuit of sustainable agricultural alternatives, Beejamrut stands as a testament to the potential of amalgamating traditional wisdom with contemporary farming needs. This natural seed treatment method not only contributes to heightened agricultural productivity but also aligns with the overarching objectives of ecological balance and resilience within the ZBNF framework.

Mulching: A Natural Blanket for Sustainable Agriculture

Mulching, an essential element of agroecological practices, functions as a protective covering for the soil, offering a multitude of benefits that contribute to sustainable and resilient agriculture. This technique entails covering the soil surface with organic materials such as straw, leaves, or crop residues, embodying the principles of conservation agriculture. The application of mulch provides a natural shield against various environmental stressors. A pivotal role of mulching is moisture conservation, achieved by reducing evaporation from the soil surface (Nalliah, 2015). This not only aids in water conservation but also enhances water-use efficiency in crops. Additionally, the organic layer serves as a barrier, suppressing weed growth and minimizing

competition for nutrients and water resources. The organic matter within the mulch gradually decomposes, enriching the soil with essential nutrients and fostering microbial activity. This, in turn, contributes to improved soil structure, aeration, and overall fertility. Furthermore, mulching serves as a thermal insulator, regulating soil temperature and creating an optimal environment for root development. In the face of challenges related to climate change and resource scarcity in agriculture, mulching emerges as a sustainable solution aligned with agroecological principles (Mechergui *et al.* 2021). It not only conserves water and enhances soil health but also reduces the environmental impact of conventional weed management practices, promoting a balanced and resilient agricultural ecosystem (Thakur and Kumar, 2021).

Cover Crops: Nature's Blanket for Sustainable Agriculture

Cover crops, an integral aspect of regenerative agriculture, function as nature's protective layer, bestowing numerous ecological advantages upon the soil and crops. These crops, strategically planted to cover the soil during periods of the main crop's dormancy, play a vital role in promoting soil health, nutrient cycling, and pest management, embodying the principles of sustainable and agroecological farming. Operating as a living mulch, cover crops shield the soil from erosion caused by wind and water. This protective layer minimizes nutrient runoff, ensuring that essential elements remain within the soil, fostering long-term fertility. The extensive root systems of these crops contribute to soil structure, augmenting water infiltration, aeration, and overall moisture retention. The diversity inherent in cover crops, encompassing both legumes and grasses, assumes a crucial role in nitrogen fixation (Blanco-Canqui *et al.* 2015). Particularly, leguminous cover crops form symbiotic relationships with nitrogen-fixing bacteria, enriching the soil with this vital nutrient. This natural enrichment diminishes the necessity for synthetic fertilizers, promoting sustainable nutrient management. Beyond their soil-centric contributions, cover crops provide a habitat for beneficial insects, cultivating biodiversity and establishing a natural mechanism for pest control. By attracting and hosting these beneficial insects, cover crops actively contribute to integrated pest management strategies, reducing the dependence on chemical pesticides. In the face of climate change and the imperative for resilient agricultural systems, cover crops emerge as a practical and environmentally friendly solution. Their multifaceted benefits align with the tenets of sustainable agriculture, championing soil health, biodiversity, and the overall sustainability of agroecosystems.

Crop Rotations and Diversification: The Pillars of Resilient Agriculture

Crop rotations and diversification are enduring strategies in sustainable agriculture, fostering soil health, alleviating pest pressures, and enhancing overall farm resilience. These practices, deeply rooted in agroecological principles, contribute to the establishment of dynamic and diverse farming systems (Shah *et al.* 2021).

Crop Rotations: Crop rotations involve the systematic sequencing of different crops over time on the same piece of land. This practice aids in breaking pest and disease cycles, preventing nutrient depletion, and improving soil structure. The rotation of crops with varying root structures and nutrient requirements contributes to a balanced soil fertility (Ball *et al.* 2005)

Crop Diversification: On the other hand, crop diversification entails cultivating a variety of crops within a farming system. This strategy promotes biodiversity, reduces the risk of crop failure, and enhances ecosystem resilience. Diverse cropping systems exhibit greater resilience to environmental stresses, including pests, diseases, and adverse weather conditions (Brush, 1995).

Crop rotations and diversification have been integral to traditional farming systems globally and are now regaining attention in modern sustainable agriculture. By minimizing reliance on chemical inputs and promoting natural ecological processes, these practices align with agroecological principles, contributing to the long-term sustainability and resilience of agricultural landscapes. As agriculture confronts the challenges of climate change and environmental degradation, the adoption of these practices becomes increasingly crucial for building robust and sustainable food production systems.

Natural Pest Management: Harnessing Nature's Balance for Sustainable Agriculture

Natural pest management signifies a transformative shift in agriculture, departing from reliance on synthetic pesticides toward ecologically sound and sustainable approaches. By leveraging the inherent power of nature, farmers can uphold a harmonious balance in their ecosystems while

alleviating pest pressures. Several practices within natural pest management have gained recognition for their efficacy and environmental benefits (Srinivasamurthy *et al.* 2014).

Companion Planting: Companion planting involves cultivating specific plants together to enhance the overall health of the garden. Some plants inherently repel pests, while others attract beneficial insects that prey on harmful pests. For instance, planting marigolds alongside vegetables can deter nematodes, and intercropping with aromatic herbs like basil can help repel insects.

Biological Control: Biological control entails introducing natural enemies of pests, such as predators, parasites, or pathogens, to regulate pest populations. Beneficial insects like ladybugs, predatory beetles, and parasitoid wasps exemplify organisms that can assist in controlling pests in an agricultural ecosystem (Kogan and Turnipseed, 1987).

Trap Cropping: Trap cropping involves cultivating specific crops that attract pests away from the main crop. This diversionary tactic can safeguard the primary crop by concentrating pests in a localized area, facilitating easier management. For instance, planting mustard as a trap crop can attract flea beetles away from susceptible crops (Lenteren *et al.* 2006).

Botanical Pesticides: Derived from plants and their extracts, botanical pesticides offer a natural and less harmful alternative to synthetic chemical pesticides. Neem oil, for example, possesses insecticidal properties and proves effective against a range of pests (Isman, 2006).

As agriculture evolves to meet the demand for sustainable practices, natural pest management emerges as a holistic approach that not only controls pests but also fosters ecological balance, biodiversity, and long-term resilience in farming systems. The referenced studies underscore the significance of integrating these strategies to enhance pest control while minimizing environmental impact (Altieri and Nichollas, 2004).

Preserving Agricultural Heritage: The Significance of Local Seed Varieties

Local seed varieties commonly referred to as "landraces," assume a pivotal role in upholding agricultural biodiversity and perpetuating farming traditions. Tailored to specific local

environments, these seeds encapsulate a reservoir of genetic diversity that bolsters resilience against environmental fluctuations, pests, and diseases. The preservation and application of local seed varieties actively contribute to the conservation of agricultural heritage and the advancement of sustainable farming practices (Ceccarelli, 2015).

Biodiversity and Adaptation: Local seed varieties are finely tuned to the agro-climatic nuances of their particular region. Over successive generations, farmers have meticulously bred these varieties, yielding crops well-suited to local soils, resilient against regional pests and diseases, and adept at navigating prevailing weather conditions. This genetic diversity stands as a valuable asset for constructing robust agricultural systems.

Cultural Importance: Often intricately woven into cultural practices and traditions, local seed varieties encapsulate the stories, knowledge, and rituals of local communities. Safeguarding and cultivating these seeds foster cultural continuity, fortifying the identity of farming communities (Jarvis *et al.* 2008).

Resilience to Climate Change: Demonstrating resilience amidst changing climatic dynamics, local seed varieties showcase adaptability that enables farmers to persevere in cultivation despite unpredictable weather patterns. This adaptability emerges as a critical resource for ensuring food security in the context of climate change.

Supporting Sustainable Agriculture: Local seed varieties actively contribute to sustainable agriculture by lessening dependence on external inputs. Their adaptability often translates to reduced reliance on synthetic inputs like fertilizers and pesticides, aligning seamlessly with the principles of organic and agroecological farming.

As the global agricultural landscape grapples with challenges such as climate change and an escalating demand for food, the conservation and utilization of local seed varieties emerge as indispensable strategies. The referenced studies underscore the paramount importance of local seed varieties in sustaining agricultural diversity, preserving cultural heritage, and fortifying resilient food systems. Supporting farmers in the preservation and utilization of these seeds contributes substantially to a more sustainable and adaptable future for agriculture (Kumar and Nair, 2004).

Cow-Based Farming: Nurturing Agriculture through Sustainable Practices

Cow-based farming constitutes an agricultural paradigm centered on the pivotal role of cows in furnishing invaluable inputs for sustainable and regenerative practices. This comprehensive system places a dual emphasis on ensuring the well-being of cows and harnessing their by-products to enrich soil fertility, bolster plant health, and diminish reliance on external inputs.

a. Cow Dung and Cow Urine: Central to cow-based farming are cow dung and urine, serving as foundational elements. Properly composted cow dung transforms into a nutrient-dense organic fertilizer, augmenting soil fertility and structure. Cow urine, whether applied as a foliar spray or incorporated into formulations like Jeevamrut, supplies plants with essential nutrients while acting as a natural pest deterrent.

b. Cow Pat Pit Preparation: The process of Cow Pat Pit preparation involves fermenting a concoction of cow dung, urine, milk, curd, ghee, and jaggery. This resultant solution, utilized as a foliar spray, fosters plant growth, fortifies resistance to diseases, and enhances overall soil health. This practice seamlessly aligns with the principles espoused by Zero Budget Natural Farming (ZBNF).

c. Biodynamic Farming: Cow-based farming frequently intertwines with biodynamic farming, a holistic methodology treating the farm as a self-sufficient organism. Within biodynamic practices, preparations involving cow manure and horn manure are employed to invigorate soil vitality and stimulate plant growth (Steiner, 1924).

d. Sustainable Agriculture and Livestock Integration: The integration of cows into agricultural systems contributes significantly to sustainable farming by establishing a closed-loop nutrient cycle. The synergistic relationship between livestock and crops sees cow manure as a valuable resource for crop nutrition, thereby diminishing the reliance on external fertilizers.

Cow-based farming aligns seamlessly with the principles of sustainable and regenerative agriculture, underscoring the symbiosis between farming practices and the natural environment. The references elucidate the scientific and philosophical foundations of cow-based farming, illustrating its potential to contribute to a more resilient and sustainable agricultural future.

e. Sustainable Agriculture and Livestock Integration: Integrating cows into agricultural systems contributes to sustainable farming by providing a closed-loop nutrient cycle. The integration of livestock and crops creates synergies where cow manure serves as a valuable resource for crop nutrition, reducing the need for external fertilizers.

Cow-based farming aligns with the ethos of sustainable and regenerative agriculture, emphasizing the harmony between farming practices and the natural environment. The references highlight the scientific and philosophical underpinnings of cow-based farming, showcasing its potential to contribute to a more resilient and sustainable agricultural future (Palekar, 2015).

Agroforestry: Cultivating Resilient and Sustainable Landscapes

Agroforestry, an integrated land use management system that combines trees or shrubs with agricultural crops and/or livestock, exemplifies a harmonious synergy between agriculture and forestry (Nair, 1993). This multifaceted approach provides numerous advantages, such as heightened biodiversity, improved soil health, enhanced resilience to climate change, and diversified livelihoods for farmers. Rooted in traditional practices and supported by contemporary research, agroforestry stands as a model for sustainable land management (Garrity and Mercado, 1994).

a. Biodiversity and Ecosystem Services: Agroforestry systems enrich biodiversity by serving as habitats and food sources for diverse species. The amalgamation of trees with crops and livestock fosters a varied and resilient ecosystem, contributing to natural pest control, pollination services, and overall ecological equilibrium (Franzel and Scherr, 2002).

b. Soil Health and Nutrient Cycling: The inclusion of trees in agroforestry systems positively impacts soil health. Tree roots play a role in preventing soil erosion, enhancing soil structure, and facilitating nutrient cycling. Leaves and organic matter from trees contribute to soil fertility, diminishing the need for external inputs (WAC, 2022).

c. Climate Change Mitigation and Adaptation: Agroforestry plays a pivotal role in mitigating climate change by sequestering carbon in both above-ground biomass and soil. The integration of trees into agricultural landscapes bolsters the resilience of farming systems to climate variability, acting as a buffer against extreme weather events (Montagnini and Nair, 2004).

d. Livelihood Diversification and Economic Benefits: Agroforestry provides farmers with diverse income sources. In addition to crop and livestock products, trees yield valuable items such as fruits, nuts, timber, and non-timber forest products, enhancing economic resilience for farming communities.

e. Water Management: Strategically placing trees in agroforestry systems aids in water management. Tree canopies decrease evaporation, while their roots help control water runoff and enhance groundwater recharge—particularly beneficial in regions grappling with water scarcity challenges.

f. Traditional Practices and Indigenous Knowledge: Agroforestry often draws from traditional practices and indigenous knowledge, incorporating age-old methods that have sustained communities for generations. Blending these practices with modern agroforestry approaches ensures cultural continuity and adaptive management strategies.

g. Policy and Adoption: The successful adoption of agroforestry practices hinges on supportive policies and effective extension services. Understanding the social, economic, and environmental factors influencing adoption is crucial for the widespread implementation of agroforestry.

In conclusion, agroforestry stands as a holistic and sustainable land use system, offering a myriad of benefits to address contemporary challenges in agriculture and natural resource management. As evidenced in the referenced literature, the integration of trees into agricultural landscapes not only enhances environmental resilience but also contributes to the well-being of communities

and the planet. The adoption of agroforestry practices represents a forward-thinking approach to sustainable land management, bridging the gap between traditional wisdom and modern agricultural science.

Conclusion:

Zero Budget Natural Farming (ZBNF) stands as a revolutionary departure from conventional agricultural practices, presenting a comprehensive and sustainable framework that not only addresses the shortcomings of traditional farming but also aligns harmoniously with principles of environmental sustainability and social equity. As we conclude our exploration of ZBNF, it becomes increasingly apparent that this method is not just a departure from the norm but rather a blueprint for a regenerative and resilient future in agriculture.

At its essence, ZBNF embodies a profound philosophy that underscores the synergy between human intervention and the innate intelligence of natural ecosystems. The adoption of ZBNF signifies a departure from the conventional model, which heavily relies on external inputs and agrochemicals, and a move towards achieving self-sufficiency and ecological equilibrium. This shift is encapsulated by the concept of "zero budget," wherein farmers strive to meet their agricultural needs without incurring additional costs.

A notable strength of ZBNF lies in its utilization of indigenous knowledge and traditional farming practices. By tapping into the potential of local resources like cow dung, cow urine, and other organic materials, ZBNF actively promotes sustainable soil health and fertility. Practices such as Jeevamrut, Bijamrita, and the integration of cow-based inputs exemplify the simplicity and effectiveness of traditional wisdom in fostering agricultural productivity.

ZBNF's emphasis on crop diversification, cover cropping, and agroforestry plays a pivotal role in enhancing biodiversity and resilience in farming systems. The rejection of monoculture in favor of diverse cropping systems not only mitigates the risks associated with pests and diseases but also enhances soil health and fertility. The integration of trees and shrubs in agroforestry not only provides additional sources of income but also augments ecosystem services, such as carbon sequestration and water regulation.

Natural pest management strategies employed in ZBNF reflect a commitment to reducing the ecological footprint of agriculture. Techniques like companion planting, creating habitats for beneficial insects, and utilizing natural predators diminish the reliance on synthetic pesticides, safeguarding the health of ecosystems and ensuring the well-being of both farmers and consumers.

The success of ZBNF transcends its ecological impact; it extends to socio-economic dimensions as well. By curbing input costs and boosting yields, ZBNF significantly contributes to the economic well-being of farmers. Moreover, the emphasis on local and traditional seed varieties fosters agricultural biodiversity and preserves the cultural heritage associated with farming practices.

In conclusion, Zero Budget Natural Farming emerges as a beacon of hope in a world grappling with the challenges of climate change, environmental degradation, and food security. Its principles of self-sufficiency, ecological balance, and community resilience position ZBNF as a viable and scalable solution for sustainable agriculture. As nations and communities seek alternatives to conventional farming, ZBNF offers not just a methodology but a philosophy that beckons towards a regenerative and harmonious coexistence with the land. By embracing the wisdom embedded in nature and nurturing the symbiotic relationship between humans and the environment, ZBNF paves the way for a greener, healthier, and more sustainable agricultural landscape.

References:

- Blanco-Canqui, H., Shaver, T. M., Lindquist, J. L., Shapiro, C. A., Elmore, R. W., Francis, C. A., & Hergert, G. W. (2015). Cover Crops and Ecosystem Services: Insights from Studies in Temperate Soils. *Agriculture, Ecosystems & Environment*, 107(6), 2449-2474.
- Shah, K. K., Modi, B., Pandey, H. P., Subedi, A., Aryal, G., Pandey, M., & Shrestha, J. (2021). Diversified Crop Rotation: An Approach for Sustainable Agriculture Production. *Advances in Agriculture*.

- Thakur, M., Kumar, R., (2021). Mulching: Boosting crop productivity and improving soil environment in herbal plants. *Journal of Applied Research on Medicinal and Aromatic Plants*, 20, 100287.
- Nalliah, R. (2015). Enhancing the growth and yield of pigeon pea through growth promoters and organic mulching - A review. *African Journal of Agricultural Research*, 10(12), 1359-1366.
- Mechergui, T., Pardos, M., Jhariya, M. K., Banerjee, A. (2021). Mulching and Weed Management Towards Sustainability. In *Ecological Intensification of Natural Resources for Sustainable Agriculture*. DOI: 10.1007/978-981-33-4203-3_8
- Ball, B. C., Bingham, I., Rees, R. M., Watson, C. A., & Litterick, A. (2005). The role of crop rotations in determining soil structure and crop growth conditions. *Canadian Journal of Soil Science*, 85(5), 577-577.
- Altieri, M. A. (2004). *Linking ecologists and traditional farmers in the search for sustainable agriculture*. *Frontiers in Ecology and the Environment*, 2(1), 35-42.
- Altieri, M. A., & Nicholls, C. I. (2004). *Biodiversity and Pest Management in Agroecosystems*. CRC Press.
- Brush, S. B. (1995). *In situ conservation of landraces in centers of crop diversity*. *Economic Botany*, 49(3), 236-243.
- Ceccarelli, S. (2015). *Efficiency of Plant Breeding*. *Crop Science*, 55(1), 87-97.
- Khangarot, A. K., Choudhary, D., & Singh, K. (July 2022). *Zero Budget Natural Farming*. In *Advance in Agronomy*. Akinik Publication.
- Franzel, S., & Scherr, S. J. (2002). *Trees on the farm: Assessing the adoption potential of agroforestry practices in Africa*. Wallingford, UK: CABI.

- Garrity, D., & Mercado, A. R. (1994). *Agroforestry systems for sustainable land use*. *Advances in Agroforestry*, 1, 29-42.
- Isman, M. B. (2006). *Botanical Insecticides: For Richer, for Poorer*. *Outlooks on Pest Management*, 17(4), 164-167.
- Jarvis, D. I., Brown, A. H. D., Cuong, P. H., Collado-Panduro, L., Latournerie-Moreno, L., Gyawali, S., ... & Tanto, T. (2008). *A global perspective of the richness and evenness of traditional crop-variety diversity maintained by farming communities*. *Proceedings of the National Academy of Sciences*, 105(14), 5326-5331.
- Jose, S. (2009). *Agroforestry for ecosystem services and environmental benefits: An overview*. *Agroforestry Systems*, 76(1), 1-10.
- Kogan, M., & Turnipseed, S. G. (1987). *Ecology of Stink Bugs (Heteroptera: Pentatomidae)*. *Annual Review of Entomology*, 32(1), 227-245.
- Krishijagran. (n.d.). *Zero Budget Natural Farming (ZBNF): Subhash Palekar's Revolutionary Technique*. Retrieved from <https://www.krishijagran.com/agripedia/zero-budget-natural-farming-zbnf-subhash-palekars-revolutionary-technique/>
- Kumar, B. M., & Nair, P. K. R. (2004). *The enigma of tropical homegardens*. *Agroforestry Systems*, 61(1-3), 135-152.
- Montagnini, F., & Nair, P. K. R. (2004). *Carbon sequestration: An underexploited environmental benefit of agroforestry systems*. *Agroforestry Systems*, 61(1-3), 281-295.
- Nair, P. K. R. (1993). *An Introduction to Agroforestry*. Springer.
- Palekar, S. (2015). *The Philosophy of Spiritual Farming - Volume I*. Mumbai: Krishi Gyan Vistar Kendra.
- Perales, H. R., Benz, B. F., & Brush, S. B. (2005). *Maize diversity and ethnolinguistic diversity in Chiapas, Mexico*. *Proceedings of the National Academy of Sciences*, 102(3), 949-954.

- Place, F., & Franzel, S. (2001). *The adoption of agroforestry innovations: A review*. *Agroforestry Systems*, 53(2), 173-202.
- Prasad, S. U. (2018). *Zero Budget Natural Farming - Five Innovations That Helped Indian Farmers Increase Yields and Income*. ICRISAT Policy Brief No. 77. International Crops Research Institute for the Semi-Arid Tropics.
- Srinivasamurthy, C. A., Manoj, K., & Karmegam, N. (2014). *Biopesticidal and fertilization effect of cow urine*. *African Journal of Agricultural Research*, 9(18), 1389-1396.
- Steiner, R. (1924). *Agriculture Course: The Birth of the Biodynamic Method*. Bio-Dynamic Farming and Gardening Association.
- Van Lenteren, J. C., Bale, J., Bigler, F., Hokkanen, H. M., & Loomans, A. J. (2006). *Assessing Risks of Releasing Exotic Biological Control Agents of Arthropod Pests*. *Annual Review of Entomology*, 51(1), 609-634.
- World Agroforestry Centre. (2022). *Subhash Palekar's Zero Budget Natural Farming: Indian Farmers Innovate, Not Just Emulate*. Retrieved from <https://www.worldagroforestry.org/blog/subhash-palekars-zero-budget-natural-farming-indian-farmers-innovate-not-just-emulate>