

Review Form 1.7

Journal Name:	Ophthalmology Research: An International Journal
Manuscript Number:	Ms_OR_116423
Title of the Manuscript:	Schematic Concise Review: Glaucoma (Eye Disease) and Its Associated Diagnosis and Treatment Process
Type of the Article	Review article

Review Form 1.7

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<p><u>Compulsory</u> REVISION comments</p> <p>1. Is the manuscript important for scientific community? (Please write few sentences on this manuscript)</p> <p>2. Is the title of the article suitable? (If not please suggest an alternative title)</p> <p>3. Is the abstract of the article comprehensive?</p> <p>4. Are subsections and structure of the manuscript appropriate?</p> <p>5. Do you think the manuscript is scientifically correct?</p> <p>6. Are the references sufficient and recent? If you have suggestion of additional references, please mention in the review form.</p> <p><u>(Apart from above mentioned 6 points, reviewers are free to provide additional suggestions/comments)</u></p>	<p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>	
<p><u>Minor</u> REVISION comments</p> <p>1. Is language/English quality of the article suitable for scholarly communications?</p>	<p>Yes</p>	
<p><u>Optional/General</u> comments</p>	<p>I would like to recommend corrections in the following statements in the review article.</p> <ol style="list-style-type: none"> 1. A thorough dilated eye exam is the only way to determine if you have glaucoma. 2. , vision protection and damage can frequently be stopped 3. A definition of glaucoma is a disorder 4. . Range of disorders of the Eyes that can result in blindness. 5. Around 2 l of aqueous are produced by each typical eye each minute, or around 70 l 6. Anguish Pain is not a sign of glaucoma until the pressure is quite high if the rise in pressure is gradual 7. loss of visual field Damage to the retinal nerve fibres is caused by pressure on the nerve fibres 8. . The main symptom of open-angle glaucoma is usually gradual, painless damage to the optic nerve, 9. While primary angle closure glaucoma (PACG) can be acute or chronic and is characterized by papillary block 	

[Review Form 1.7](#)

PART 2:

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
Are there ethical issues in this manuscript?	<i>(If yes, Kindly please write down the ethical issues here in details)</i>	

Reviewer Details:

Name:	R Deborah Rinita
Department, University & Country	Sri Balaji Vidyapeeth, Shri Sathya Sai Medical College and Research Institute, India