

Review Article

A comprehensive review on Genomic Approaches for Insect Pest Management

Abstract:

Genomic approaches, such as RNA interference (RNAi) and CRISPR/Cas9, have shown promise for insect pest management. RNAi techniques involve the use of double-stranded RNAs (dsRNA) to silence specific target genes in arthropod pests, which can be highly selective and safe for non-target organisms. CRISPR/Cas9 technology, on the other hand, allows for precise editing of insect genomes, offering potential strategies for controlling pests through various mechanisms such as impairing reproductive capacity or making pests susceptible to insecticides. These genomic approaches provide species-specific and environmentally friendly alternatives to chemical insecticides, which are facing challenges such as resistance and negative impacts on human health and the environment. However, there are still challenges to overcome, such as the delivery of genetic material into the germline of insects, particularly in the Hemiptera order. Further research and advancements in these genomic technologies are needed to fully realize their potential for insect pest management.

Keywords: Environmentally friendly, Genetic material, Genomic approaches and RNAi, CRISPR/Cas9

Comment [mm1]: Alphabetic

Introduction:

Genomic approaches have shown promise in insect pest management. Genetic pest management (GPM) methods involve releasing modified versions of pest species to mate with wild pests, potentially introgressing DNA sequences from the release strain into the wild population [1]. The use of CRISPR/Cas9 technology has revolutionized genetic control strategies in insects, including the Hemiptera order, which is a globally significant pest of agriculture [2]. Insects have developed resistance to insecticides, including Bt crops, through various mechanisms, highlighting the need for alternative biotechnological approaches for insect control [3]. CRISPR/Cas9-based genome editing has been successfully applied to several insect pest species, making them susceptible to insecticides and compromising their

reproductive fitness [4]. Additionally, DNA barcoding and genome editing techniques have been employed for identifying, monitoring, and managing insect pests, as well as improving the production and formulation of entomopathogenic fungi [5]. These genomic approaches offer potential solutions for more efficient and environmentally friendly insect pest management. Genomic approaches have revolutionized insect pest management by providing new tools and techniques for control. These approaches include the use of biotechnological methods such as gene and genome editing, RNA interference (RNAi), and CRISPR/Cas9 technology [6]. Gene and genome editing techniques, such as ZFNs, TALENs, and CRISPR/Cas9 [7], allow for the precise modification of insect genes, enabling the knock-out, knock-in, or knock-down of specific gene sequences. RNAi-based methods, using double-stranded RNA molecules, can be used to suppress the expression of genes in insects [8], including those involved in insecticide resistance. These genomic approaches provide more efficient and precise methods for managing insect pests, allowing for targeted control strategies and reducing the reliance on traditional breeding methods. Additionally, DNA barcoding techniques can be used for the identification and monitoring of insect pests and their natural enemies, aiding in pest management efforts [9]. Insect pests have long been a major challenge in agriculture, causing significant damage and economic losses worldwide [10]. To ensure food security and sustainable agricultural practices, effective pest management strategies are essential. Insect pests damage crops by feeding on plants, transmitting diseases, and reducing yields.

Conventional methods of insect pest management, such as the use of chemical pesticides, have proven effective but can have adverse effects on the environment and human health [11]. As a result, there has been a growing interest in developing alternative and more sustainable approaches to control insect pests. Over the years, insect pest management techniques have evolved to minimize the impact of pests on crops. Initially, farmers relied on cultural practices like crop rotation, intercropping, and the use of resistant crop varieties. Later, chemical pesticides emerged as dominant methods, offering effective control but also raising concerns about pesticide resistance, environmental pollution, and human health risks [12].

Integrated Pest Management (IPM) was then introduced as a holistic approach combining various pest control methods, including biological control, cultural practices, and the judicious use of pesticides [13]. IPM aimed to reduce pesticide dependency while maintaining effective pest control. Significant progress in the field of genomics has opened up

promising opportunities for insect pest management. Genomic approaches have revolutionized many scientific disciplines, and insect pest management is no exception. Genomic approaches in insect pest management involve the use of advanced technologies, including next-generation sequencing and gene editing tools like CRISPR-Cas9 [14]. These approaches enable researchers to better understand the genetic makeup and behavior of insect pests, leading to the development of targeted and effective management strategies. One prominent application of genomics is the identification and characterization of genes related to insect resistance to pesticides. This knowledge allows scientists to develop novel approaches that exploit the vulnerabilities of insect pests, such as using RNA interference (RNAi) to silence specific genes crucial for their survival. Genomic approaches also facilitate the development of sustainable pest management strategies by providing insights into insect behavior, population genetics, and insecticide resistance mechanisms.

Traditional Insect Pest Management Techniques:

1. Chemical insecticides

Chemical insecticides have been a cornerstone of insect pest management for many decades [16]. These synthetic compounds are designed to kill or repel insect pests, making them an effective tool in controlling infestations [17]. Chemical insecticides come in various formulations, including sprays, dusts, and baits [18]. The advantages of chemical insecticides lie in their quick and immediate action [19]. They provide a rapid solution to control outbreaks and protect crops from significant damage. Chemical insecticides are also versatile, as they can target a wide range of pests and can be applied to different crops [20]. However, the use of chemical insecticides comes with certain drawbacks. Over time, repeated use can lead to the emergence of pesticide-resistant insect populations, making it increasingly challenging to control pest outbreaks [21]. Additionally, the broad-spectrum nature of many chemical insecticides can harm non-target organisms, including beneficial insects, pollinators, and aquatic organisms [22]. Chemical residues can also accumulate in the environment, causing pollution and potential risks to human health [23].




Figure 1: Environmental impact of pesticides (Source: Wikipedia) [84]

2. Biological control methods

Biological control methods rely on the use of natural enemies to manage insect pest populations [24]. This approach involves introducing or enhancing the presence of predators, parasitoids, or pathogens that can regulate pest populations [25]. These organisms can directly feed on or parasitize insect pests, reducing their numbers and preventing crop damage [26]. Biological control methods offer several advantages. They are environmentally friendly, as they reduce reliance on chemical insecticides and minimize the adverse effects on non-target organisms [27]. They are also sustainable, as natural enemies can persist in the ecosystem and provide long-term pest control. Additionally, biological control methods can be applied in a targeted manner, focusing on specific pest species without harming beneficial insects [28]. However, there are limitations to the use of biological control methods. In some cases, the natural enemies may not establish or function effectively in the agricultural ecosystem, limiting their impact on pest populations [29]. Additionally, biological control may not provide immediate control during pest outbreaks, as the natural enemies often require time to establish and build up populations, the success of biological control methods relies on a thorough understanding of the target pest and its natural enemies, which may not always be available or easily accessible [24].

3. Cultural and physical control measures

Cultural and physical control measures involve manipulating the crop environment or using physical barriers to deter and manage insect pests [30]. These methods include practices such as crop rotation, intercropping, trap cropping, mechanical barriers, and the use of insect-proof nets. Cultural control measures aim to disrupt the life cycle of pest species by altering planting dates, destroying crop residues, or planting trap crops to attract and divert pests away from the main crop [31]. Physical barriers like nets or screens can physically prevent insects from accessing the crop or laying eggs on it. These approaches have several advantages. Cultural and physical control methods are generally cost-effective and environmentally friendly. They have minimal impacts on non-target organisms and reduce the reliance on chemical insecticides. Additionally, cultural practices can improve overall crop health and resilience to pests. However, cultural and physical control measures have limitations and challenges. Their effectiveness can vary depending on the specific pest species and farming conditions. Some cultural practices may require significant changes in farming practices or may not be feasible in certain regions. Physical barriers, while effective, may be costly to install and maintain, especially for larger areas [30].

Limitations and Challenges of Traditional Approaches

While traditional insect pest management techniques have been valuable in controlling pests and protecting crops, they are not without their limitations and challenges. The reliance on chemical insecticides can lead to pesticide resistance, environmental pollution, and harmful effects on non-target organisms. Followings are few limitations and challenges of traditional approaches [32,33,34,35]:

- 1. Lack of Adaptability:** Traditional approaches often lack flexibility and struggle to adapt to changing circumstances or requirements, leading to inefficiencies and stagnation.
- 2. Rigidity:** These methods tend to be rigid in structure, making it difficult to accommodate variations or unexpected situations, hindering innovation and problem-solving.
- 3. Limited Scalability:** Traditional approaches may face challenges in scaling up to meet increasing demands or expanding operations, resulting in bottlenecks and constraints on growth.

4. **Siloed Thinking:** Siloed departments or functions within organizations can hinder collaboration and information sharing, leading to fragmented efforts and missed opportunities for synergy.
5. **Inefficient Communication:** Communication barriers within hierarchical structures can impede the flow of information, causing delays, misunderstandings, and ineffective decision-making.
6. **Resistance to Change:** Traditional approaches often encounter resistance from stakeholders accustomed to established methods, making it challenging to implement necessary changes or improvements.
7. **Risk Aversion:** Risk aversion within traditional frameworks can stifle innovation and experimentation, preventing organizations from seizing opportunities or addressing emerging threats effectively.
8. **Slow Response Time:** Due to bureaucratic processes and hierarchical decision-making, traditional approaches may struggle to respond swiftly to market changes or customer needs, putting organizations at a competitive disadvantage.
9. **Limited Customer Focus:** Traditional methods may prioritize internal processes or structures over customer needs, leading to a disconnect between the organization and its target audience, resulting in decreased satisfaction and loyalty.
10. **Difficulty in Talent Retention:** In environments where creativity and initiative are stifled, talented individuals may become disengaged or seek opportunities elsewhere, leading to a loss of valuable human capital.

Genomic Tools and Techniques

Genomics is the study of an organism's entire genome, including genes and their functions. In insect pest management, genomics plays a vital role in identifying specific genes and biological processes associated with pest resistance or susceptibility [36]. By understanding the genomics of pests, scientists can develop targeted strategies for pest control. Genomic sequencing technologies have revolutionized pest management strategies by providing deeper insights into the genetic makeup of pests, their behaviors, and vulnerabilities. Here's an overview of how genomic sequencing technologies are utilized in pest management:

a. Genomic sequencing technologies

Genomic sequencing is the process of determining the order of nucleotides within an organism's DNA [37]. Sanger sequencing was the first method developed and remains useful for sequencing smaller genomes [38]. Next-Generation Sequencing (NGS) technologies, such as Illumina sequencing and Ion Torrent sequencing, allow for high-throughput sequencing of larger genomes at a lower cost [39]. These sequencing technologies have revolutionized genomics in insect pest management by enabling the analysis of multiple genomes simultaneously.

1. **Identification and Classification:** Genomic sequencing allows for accurate identification and classification of pest species [40,41]. By analyzing the genetic markers unique to each species, researchers can distinguish between closely related pests and identify invasive species.
2. **Understanding Pest Biology:** Genomic sequencing provides insights into the biology, physiology, and behavior of pests [42]. By studying the pest's genome, researchers can identify genes responsible for traits such as resistance to pesticides, reproductive capabilities, and host preferences.
3. **Targeted Control Methods:** Genomic sequencing helps in developing targeted control methods by identifying specific genes or pathways that can be targeted with pesticides or other control measures [43]. For example, if a gene responsible for pesticide resistance is identified, strategies can be developed to overcome or bypass this resistance mechanism.
4. **Biocontrol Agents:** Genomic sequencing aids in the development of biocontrol agents by identifying pathogens, parasites, or predators that specifically target pests [44]. By understanding the genetic interactions between the pest and its natural enemies, researchers can develop more effective biological control strategies.
5. **Monitoring Resistance:** Genomic sequencing enables the monitoring of pest populations for the development of resistance to pesticides or other control measures [45]. By analyzing changes in the pest's genome over time, researchers can detect the emergence of resistance and develop strategies to manage it effectively.

6. **Precision Pest Management:** Genomic sequencing facilitates precision pest management by providing data-driven insights into pest populations, including their distribution, genetic diversity, and population dynamics [46]. This information allows for more targeted and efficient pest control strategies, minimizing the use of pesticides and reducing environmental impact.
7. **Genetic Modification:** While controversial, genomic sequencing also opens the door to genetic modification of pests for control purposes. This could involve techniques such as gene editing to introduce traits that make pests less harmful or more susceptible to control measures.
8. **Prediction and Early Detection:** Genomic sequencing can aid in predicting outbreaks of pest species by identifying genetic markers associated with population growth or environmental triggers. Early detection of potential pest outbreaks allows for proactive management strategies to be implemented before significant damage occurs.

b. Transcriptomics, proteomics, and metabolomics

Transcriptomics, proteomics, and metabolomics play significant roles in pest management [47] by providing insights into the molecular mechanisms underlying interactions between pests and their environment, including host plants, pathogens, and natural enemies. Here's how each omics approach contributes to pest management:

1. Transcriptomics:




Figure 2: Host transcriptome analysis of *Spodoptera frugiperda* larvae parasitized by *Microplitis manila* (Gulinuer et al.,2023), <https://www..mdpi.com> [85].

- **Identification of Pest Genes:** Transcriptomics allows researchers to identify genes expressed by pests during different stages of development, in response to environmental stimuli, or during interactions with host plants or natural enemies [48]. This helps in understanding the genetic basis of pest traits such as virulence, resistance, and adaptation.
- **Gene Expression Profiling:** Transcriptomics facilitates the profiling of gene expression patterns in pests exposed to various conditions, such as pesticide exposure, host plant resistance, or biological control agents [49]. Differential gene expression analysis can identify key genes associated with pest responses to management interventions.
- **Gene Regulatory Networks:** Transcriptomics helps in elucidating gene regulatory networks involved in pest development, behavior, and response to stressors [50]. By identifying transcription factors, signaling pathways, and regulatory elements, researchers can gain insights into the molecular mechanisms underlying pest biology.

- **Biomarker Discovery:** Transcriptomics aids in the discovery of molecular markers (e.g., gene expression signatures) associated with pest traits of interest, such as insecticide resistance or susceptibility to biological control agents [51]. These biomarkers can be used for monitoring pest populations, predicting pest outbreaks, and designing targeted pest management strategies.

2. Proteomics:

- **Identification of Pest Proteins:** Proteomics enables the identification and characterization of proteins expressed by pests, including enzymes, structural proteins, and proteins involved in signaling and regulation [52]. This helps in understanding pest physiology, metabolism, and interactions with their environment.
- **Protein-Protein Interactions:** Proteomics techniques can identify protein-protein interactions involved in pest-host interactions, pathogen infection, or responses to pesticides or natural enemies [53]. Understanding protein interaction networks can reveal key molecular targets for disrupting pest biology.
- **Post-Translational Modifications:** Proteomics allows for the detection of post-translational modifications (e.g., phosphorylation, glycosylation) that regulate protein function and activity in pests [54]. Characterizing these modifications provides insights into regulatory mechanisms controlling pest behavior and physiology.
- **Biomarker Identification:** Proteomics can identify protein biomarkers associated with pest traits, such as stress tolerance, reproductive capacity, or resistance to control measures [56]. These biomarkers serve as molecular indicators for monitoring pest populations and assessing the efficacy of pest management interventions.

3. Metabolomics:

- **Metabolic Profiling:** Metabolomics provides a comprehensive analysis of metabolites present in pests, host plants, and their interactions [56]. By profiling metabolite abundance and dynamics, researchers can understand metabolic

pathways, biochemical reactions, and metabolic responses to environmental stimuli.

- **Biochemical Pathways:** Metabolomics elucidates biochemical pathways involved in pest metabolism, energy production, and detoxification processes [57]. Understanding these pathways can reveal vulnerabilities that can be targeted for pest control, such as disrupting essential metabolic processes or enhancing susceptibility to toxins.
- **Metabolite Signatures:** Metabolomics identifies metabolite signatures associated with pest resistance, susceptibility, or response to management practices [58]. These signatures can be used as diagnostic markers for predicting pest outbreaks, assessing pest fitness, and optimizing pest management strategies.
- **Secondary Metabolites:** Metabolomics helps in characterizing secondary metabolites produced by pests, host plants, and natural enemies [59]. These metabolites play roles in defense mechanisms, chemical communication, and ecological interactions, influencing pest behavior and population dynamics.

c. Genome editing tools (CRISPR/Cas9, TALENs, etc.)

Genome editing technologies allow for precise modification of an organism's genome [60]. CRISPR/Cas9 and TALENs are two commonly used genome editing systems [61]. CRISPR/Cas9 uses a guide RNA to direct the Cas9 enzyme to a specific target sequence, enabling the editing of genes. TALENs (Transcription Activator-Like Effector Nucleases) use TALE proteins to bind and cut specific DNA targets, facilitating targeted genome modifications [62]. These genome editing tools contribute to insect pest management by developing pest-resistant crops and controlling insect populations. Here's a detailed description of how each tool works and its applications in pest management:

1. CRISPR/Cas9:

Mechanism: CRISPR/Cas9 is a versatile genome editing tool derived from the bacterial immune system [63]. It consists of a guide RNA (gRNA) that directs the Cas9 enzyme to a specific target DNA sequence [64], where Cas9 creates a double-strand break (DSB). This DSB can be repaired by the cell's DNA repair machinery, leading to gene knockout, gene insertion, or gene modification.

Applications:

- **Gene Knockout:** CRISPR/Cas9 can be used to disrupt specific genes essential for pest survival, development, or reproduction. This approach can be applied to target genes involved in pesticide resistance, host plant interactions, or vector competence.
- **Gene Insertion:** CRISPR/Cas9 allows for the precise insertion of desired genes or genetic elements into the pest genome. This could include introducing genes for sterility, insecticidal proteins, or RNA interference (RNAi) constructs targeting essential pest genes.
- **Gene Modification:** CRISPR/Cas9 enables precise modifications of target genes, such as single nucleotide changes or small indels (insertions or deletions). This capability can be used to engineer pest populations with desired traits, such as enhanced susceptibility to pesticides or reduced ability to transmit diseases.
- **Population Suppression:** CRISPR-based gene drives can be developed to spread desired genetic modifications through pest populations rapidly. This approach could be used for population suppression or population replacement strategies, aiming to reduce pest abundance or alter pest traits beneficially.




Figure 3: Workflow for CRISPR-Cas9-based genome editing in insects and plants for insect resistance (Source: Moon et al., 2022), [86].

2. TALENs (Transcription Activator-Like Effector Nucleases):

Mechanism: TALENs are engineered nucleases composed of a DNA-binding domain derived from transcription activator-like effectors (TALEs) fused to a nuclease domain [65]. The DNA-binding domain can be customized to recognize specific DNA sequences, allowing TALENs to induce targeted DSBs in the pest genome.

Applications:

- **Gene Editing:** TALENs function similarly to CRISPR/Cas9, enabling targeted gene knockout, gene insertion, or gene modification in pest species. TALENs have been used successfully in various organisms, including insects, to engineer desired genetic changes.
- **Trait Modification:** TALENs can be employed to modify pest traits related to behavior, physiology, or interactions with the environment. This includes enhancing susceptibility to control measures, disrupting reproductive capabilities, or altering host plant preferences.
- **Population Control:** TALENs could be used in combination with gene drive systems to spread genetic modifications through pest populations, leading to population suppression or modification of pest traits beneficial for pest management.

3. ZFNs (Zinc Finger Nucleases):

Mechanism: ZFNs are artificial nucleases composed of zinc finger DNA-binding domains fused to a nuclease domain [66]. The zinc finger domains are designed to recognize specific DNA sequences, allowing ZFNs to induce targeted DSBs at desired genomic loci.

Applications:

- **Gene Targeting:** ZFNs enable targeted gene editing in pest species by inducing DSBs at specific genomic sites. This allows for gene knockout, gene insertion, or gene modification to achieve desired pest management outcomes.

- **Trait Engineering:** ZFN-mediated gene editing can be employed to engineer pest traits, such as modifying insecticide resistance mechanisms, disrupting reproductive capabilities, or altering behaviors related to pest dispersal or feeding.
- **Population Management:** ZFNs could be used as components of gene drive systems to spread genetic modifications through pest populations. This approach could be applied for population suppression, modification of pest behaviors, or introduction of traits that render pests less harmful.

d. Bioinformatics tools for genomic analysis

Bioinformatics tools are essential for analyzing genomic data in pest management, allowing researchers to extract valuable insights from vast amounts of genomic information [67]. Here are several bioinformatics tools commonly used for genomic analysis in pest management:

1. Alignment and Assembly Tools:

- **BLAST (Basic Local Alignment Search Tool):** BLAST is widely used for comparing nucleotide or protein sequences against a database to identify homologous sequences [68]. It helps in annotating genomic sequences, identifying genes, and studying evolutionary relationships.
- **Bowtie/Bowtie2:** Bowtie is a fast and memory-efficient tool for aligning short DNA sequences to a large reference genome [69]. It is commonly used for mapping short reads generated from next-generation sequencing (NGS) technologies to a pest genome.
- **SOAPdenovo/SOAPaligner:** SOAPdenovo is a de novo genome assembly tool, while SOAPaligner is used for mapping short reads to a reference genome [69]. These tools are useful for assembling and aligning genomic sequences from pest species with limited genomic resources.

2. Variant Calling Tools:

- **GATK (Genome Analysis Toolkit):** GATK is a powerful tool for variant discovery in genomic data. It identifies single nucleotide polymorphisms (SNPs), insertions, deletions, and structural variations from sequence data [70]. GATK is

valuable for studying genetic diversity, population genetics, and evolutionary relationships in pest populations.

- **Samtools:** Samtools is a suite of programs for manipulating SAM/BAM format files generated from sequence alignment [71]. It includes tools for variant calling, alignment processing, and calculating sequence coverage. Samtools is commonly used in variant calling pipelines for pest genomic analysis.

3. Gene Prediction and Annotation Tools:

- **Augustus:** Augustus is a software tool for predicting genes and protein-coding regions in eukaryotic genomes [72]. It uses statistical models and gene structure information to accurately annotate genes in pest genomes.
- **GeneMark:** GeneMark is another gene prediction tool commonly used for ab initio gene finding in genomic sequences [73]. It identifies protein-coding genes, exon-intron boundaries, and untranslated regions (UTRs) based on hidden Markov models (HMMs).
- **InterProScan:** InterProScan integrates multiple protein signature recognition methods to predict protein function and domain architecture [74]. It annotates protein sequences with functional information, protein domains, and conserved motifs, aiding in functional annotation of pest genes.

4. Pathway and Functional Analysis Tools:

- **KEGG (Kyoto Encyclopedia of Genes and Genomes):** KEGG is a database of biological pathways and associated gene annotations [75]. It provides tools for pathway enrichment analysis, allowing researchers to identify biological pathways enriched with differentially expressed genes or variants in pest genomes.
- **GO (Gene Ontology) Enrichment Analysis Tools:** Tools such as DAVID (Database for Annotation, Visualization, and Integrated Discovery) and PANTHER (Protein Analysis Through Evolutionary Relationships) perform Gene Ontology enrichment analysis to identify overrepresented functional categories among a set of genes. These tools help in understanding the biological processes, molecular functions, and cellular components associated with pest genes.

5. Population Genomics and Phylogenetic Analysis Tools:

- **PLINK:** PLINK is a toolset for analyzing genotype data in population genetics studies. It performs various analyses, including association studies, linkage disequilibrium analysis, and population structure analysis, to understand genetic diversity and evolutionary relationships in pest populations.
- **RAxML (Randomized Axelerated Maximum Likelihood):** RAxML is a popular tool for phylogenetic tree reconstruction based on sequence data. It uses maximum likelihood estimation to infer evolutionary relationships among pest species or populations using genomic sequences.

Genomic Approaches for Understanding Insect Pests

- Genomic insights into insect pest biology and behavior:** Genomic approaches have provided valuable insights into the biology and behavior of insect pests. By sequencing and analyzing the genomes of various insect species, researchers can identify and study the genes responsible for traits relevant to pest behavior, such as host preference, reproduction, and survival. These genomic insights allow us to better understand the underlying mechanisms behind insect pest biology and behavior, enabling more targeted and effective pest management strategies [76].
- Identification of insect pest genes associated with resistance and adaptation:** Genomic approaches have also facilitated the identification of genes associated with insect pest resistance and adaptation [77]. By comparing the genomes of pest populations that are resistant to certain control measures with those that are susceptible, scientists can pinpoint genetic variations that confer resistance.
- Genomic approaches for studying insect-plant interactions:** Insect pests often interact with plants in complex ways, and understanding these interactions at the genomic level can provide valuable insights for pest management [78]. By studying the genomes of both the pests and their plant hosts, researchers can identify the genes and molecular mechanisms involved in pest-plant interactions, such as feeding preferences, detoxification processes, and plant defense responses.
- Genetic basis of insecticide resistance:** Insecticide resistance is a major challenge in pest management, and genomics has played a crucial role in unraveling the genetic basis of this phenomenon. Genomic studies can identify the specific genes and mechanisms through which pests develop resistance to insecticides [79]. This

knowledge can help guide the development of new insecticides or modify existing ones to overcome resistance. Additionally, genomic approaches allow for monitoring the spread of resistance genes in pest populations, which aids in predicting and managing resistance development.

Genomic Approaches for Insect Pest Control

a. Development of novel insecticides based on genomic insights: Genomic approaches provide researchers with a deep understanding of the genes and biological pathways involved in insect pest survival and adaptation [80]. By analyzing the genomes of pests, scientists can identify potential vulnerabilities and targets for new insecticides. This information enables the development of novel insecticides that selectively target essential genes or biological processes, leading to more effective pest control methods while minimizing harm to non-target organisms and the environment.

b. RNA interference (RNAi) technology for insect pest control: RNA interference is a powerful technique that can selectively silence specific genes in insects, disrupting their normal biological functions and hindering their ability to cause damage [81]. Genomic approaches help identify genes that are crucial for pest survival, reproduction, or behavior, making them potential targets for RNAi-based pest control strategies. By leveraging genomic insights, researchers can develop RNAi-based treatments that specifically target insect pests, providing an effective and environmentally friendly approach to pest management.




Figure 4: (RNAi) and CRISPR/Cas9 technology for insect pest control (Source: Abdel-Banat and El-Shafie, 2021), [87]

c. Sterile insect technique (SIT) enhanced by genomic tools: The sterile insect technique involves the release of large numbers of sterile insects into a target area [82]. These sterile insects outcompete wild pests for mates, thereby reducing overall pest reproduction. Genomic tools can enhance the effectiveness of SIT by providing insights into the genetic structure and population dynamics of the target pests. Genomic approaches help identify genetic markers that enable accurate tracking and monitoring of sterile insects, allowing for better optimization of SIT programs and more efficient control of pest populations.




Figure 5: Sterile Insect Technique (Source: Slideshare), [88]

d. Deployment of genetically modified organisms (GMOs) for pest suppression:

Genomic approaches are essential in the development and deployment of genetically modified organisms (GMOs) for pest suppression [83]. By manipulating the genome of pests or their host plants, researchers can introduce genetic modifications that enhance resistance against pests or disrupt pest physiology or behavior. Genomic insights guide the identification of target genes for genetic modification and assess the potential impacts of these modifications on the pest and the ecosystem. GMOs developed through genomic approaches offer effective and sustainable solutions for controlling insect pests.

Table 1: Different Genomic Approaches for Insect Pest Management

S. No.	Genomic Approaches for Insect Pest Management	
A RNA Interference (RNAi)		
1	Description	Introduces double-stranded RNA molecules that degrade mRNA transcripts of specific genes
2	Target Mechanism	Sequence-specific silencing of gene expression
3	Target Genes (Examples)	Detoxification enzymes (e.g., cytochrome P450s in insecticide resistance)
4	Delivery Methods	Topical application - Nanocarriers - Symbiotic bacteria

5	Current Research Progress	Extensive research on model insects like <i>Drosophila melanogaster</i> , with successful applications in greenhouse settings. Field efficacy remains a challenge.
6	Potential Applications in IPM	Disrupt development, reduce insecticide resistance, control insect vectors of diseases
7	Advantages	Highly specific for target genes - Environmentally friendly
8	Disadvantages	Can be difficult to deliver efficiently in field settings - May have off-target effects on non-target genes - Limited knowledge of functional genes in many insect pests
B Gene Drive		
1	Description	Utilizes engineered genetic elements that bias inheritance of a desired gene
2	Target Mechanism	Modifies germline transmission to favor the spread of a specific allele
3	Target Genes (Examples)	Fertility genes (e.g., doublesex in mosquitoes) - Genes associated with insecticide resistance
4	Delivery Methods	Genetically modified insects - Engineered microbes
5	Current Research Progress	Theoretical models and lab studies show promise, but field trials are currently limited due to regulatory hurdles
6	Potential Applications in IPM	Population suppression of invasive species, control of disease vectors, introduction of self-limiting sterility
7	Advantages	Can rapidly suppress target populations - Can introduce beneficial traits like self-limiting sterility
8	Disadvantages	Difficult to control once released into the environment - Ethical concerns due to potential unintended consequences
C CRISPR/Cas9		
1	Description	Precise genome editing tool that cleaves DNA at a specific location
2	Target Mechanism	Creates targeted mutations or insertions in the insect genome
3	Target Genes (Examples)	Essential genes for development, reproduction, or insecticide resistance
4	Delivery Methods	Microinjection - Embryo editing - Somatic cell transfection
5	Current Research Progress	Rapidly growing field with successful demonstrations in lab settings for insect pest control. Delivery methods and off-target effects are areas of active research.
6	Potential Applications in IPM	Disrupt essential genes for pest control, introduce resistance to insecticides, develop sterile insect release programs
7	Advantages	Highly specific and efficient - Versatile for various applications
8	Disadvantages	New technology with potential unforeseen risks - Regulatory hurdles for deployment in field settings
D Population Genomics		
1	Description	Analyzes genome-wide variations within insect populations
2	Target Mechanism	Identifies genetic markers associated with traits of interest (e.g., insecticide resistance)
3	Target Genes (Examples)	Single nucleotide polymorphisms (SNPs) - Microsatellites

4	Delivery Methods	Genome sequencing - Bioinformatic analysis
5	Current Research Progress	Emerging field with growing datasets for major insect pests. Provides valuable data for developing resistance management strategies
6	Potential Applications in IPM	Monitor insecticide resistance evolution, identify potential targets for control, understand pest population dynamics
7	Advantages	Provides insights into population dynamics and evolution of resistance - Can be used to monitor resistance development
8	Disadvantages	Requires large-scale sequencing data analysis - May not directly translate into control strategies
E	Transcriptomics	
1	Description	Analyzes gene expression patterns in insect populations
2	Target Mechanism	Identifies genes that are differentially expressed under specific conditions (e.g., insecticide exposure)
3	Target Genes (Examples)	Genes involved in detoxification, immunity, or development
4	Delivery Methods	RNA sequencing - Microarray analysis
5	Current Research Progress	Extensive research tool for understanding insect biology and identifying potential targets for pest management.
6	Potential Applications in IPM	Identify genes involved in insecticide resistance, understand insect-plant interactions, develop novel control strategies
7	Advantages	Provides insights into the molecular mechanisms of pest behavior and adaptation
8	Disadvantages	Requires complex data analysis - Functional validation of identified genes is needed
F	Proteomics	
1	Description	Analyzes the protein profile of insect populations
2	Target Mechanism	Identifies proteins that are differentially expressed or modified under specific conditions
3	Target Genes (Examples)	Detoxification enzymes - Insecticide targets - Development related proteins
4	Delivery Methods	Mass spectrometry - Protein gel electrophoresis
5	Current Research Progress	Developing field with increasing applications in understanding insect physiology and resistance mechanisms.
6	Potential Applications in IPM	Identify novel insecticide targets, understand mechanisms of resistance, develop diagnostic tools for pest detection
7	Advantages	Provides insights into the functional aspects of the insect's response to stress or control measures
8	Disadvantages	Requires sophisticated equipment and expertise - Data analysis can be complex

Challenges and Limitations of Genomic Approaches in Pest Management

1. Limited knowledge of functional gene annotation: Despite advancements in genomic sequencing, there is still a lack of comprehensive functional gene annotation for many insect pests. Understanding the precise functions and roles of individual genes is crucial for effective pest management strategies.

2. Complex genetic interactions: Insect pests interact with their environment, hosts, and natural enemies in intricate ways. Genomic approaches often struggle to capture and unravel these complex genetic interactions, hampering the ability to identify key targets for control.

3. Cost and accessibility: Genomic research and technologies can be costly, limiting their accessibility to researchers and organizations with limited resources. The expenses associated with genomic sequencing, data analysis, and infrastructure pose challenges to their widespread adoption in pest management.

4. Ethical and regulatory considerations: The use of genomics in pest management raises ethical and regulatory concerns, such as the potential environmental risks, unintended effects on non-target species, and public acceptance. Addressing these concerns is essential for responsible and sustainable use of genomic approaches.

5. Limited availability of reference genomes: Many insect pests lack well-characterized reference genomes, hindering the precision and accuracy of genomic analyses. The absence of comprehensive reference genomes limits our understanding of pest biology and hampers the identification of potential targets.

6. Genetic diversity and variation: Insect pest populations often exhibit extensive genetic diversity and variations. These genetic differences contribute to variations in resistance, virulence, and adaptation, making it challenging to develop broad-spectrum control strategies using genomic approaches.

7. Challenges in data analysis and interpretation: Genomic approaches generate vast amounts of complex data that require sophisticated computational tools and expertise for analysis and interpretation. The complex nature of the data makes it difficult to extract meaningful insights without advanced computational resources and bioinformatics expertise.

8. Practical implementation in field environments: Applying genomic approaches in real-world field environments can be challenging due to the requirements for infrastructure,

equipment, and expertise. Field conditions may pose limitations in sample collection, storage, and DNA quality, impacting the reliability and usefulness of genomic data.

9. Evolutionary response and resistance development: Insect pests have a remarkable ability to evolve and develop resistance to control methods. Genomic approaches may provide insights into resistance mechanisms, but the dynamic nature of pest populations necessitates continuous monitoring and adaptation in pest management strategies.

10. Integration with other pest control methods: Genomic approaches work best when integrated with other pest control methods, such as cultural practices, chemical control, and biological control. Coordinating and combining different approaches can be challenging due to the diverse nature of pest management strategies and the need for collaboration among various stakeholders.

Future Directions of Genomic Approaches in Pest Management

1. Expansion of reference genomes: Continued efforts to sequence and annotate the genomes of diverse insect pests will enhance our understanding of their biology and facilitate targeted pest management strategies.

2. Integration of multi-omics approaches: Combining genomics with transcriptomics, proteomics, and metabolomics will provide a more comprehensive understanding of pest biology, interactions, and responses to control methods.

3. Functional gene annotation: Increased efforts to annotate and characterize the functions of genes identified through genomic approaches will enable more precise and effective pest control interventions.

4. Development of genomic-based diagnostics: Genomic approaches can be harnessed to develop diagnostic tools that enable rapid and accurate identification of pest species, strains, and potential resistance.

5. Application of CRISPR-Cas and gene drive technologies: Genomic tools such as CRISPR-Cas and gene drive systems can be leveraged to develop targeted and sustainable pest control methods by modifying pest genomes.

6. Integration of genomic data into decision-making tools: Incorporating genomic data into decision support tools and models will aid in the development of customized and informed pest management strategies.

7. Exploration of microbiome and host-pathogen interactions: Studying the microbiome and host-pathogen interactions at the genomic level will provide insights into factors influencing pest resistance, virulence, and population dynamics.

8. Use of population genetics and evolutionary genomics: Integrating population genetics and evolutionary genomics into pest management will help monitor resistance development, track pest movements, and guide the selection of effective control strategies.

9. Leveraging machine learning and artificial intelligence: Utilizing advanced computational techniques, such as machine learning and artificial intelligence, will enhance data analysis, prediction modeling, and optimization of pest management approaches.

10. Collaboration and knowledge sharing: Enhanced collaboration among researchers, organizations, and stakeholders will facilitate the sharing of genomic data, resources, and expertise, enabling more efficient and effective pest management practices.

Conclusion:

Genomic approaches, such as RNA interference (RNAi) and CRISPR/Cas9, have shown promise for insect pest management. RNAi involves the use of double-stranded RNA (dsRNA) to silence specific target genes in insects, leading to reduced reproductive fitness and hindering metamorphosis. This technique has been successfully applied to several insect pest species, making them susceptible to insecticides and compromising their ability to survive and reproduce. On the other hand, CRISPR/Cas9 is a genome editing technology that can be used to knock out or knock in specific sequences of interest in insect genomes. It offers potential tactics for managing pest populations by targeting genes involved in insecticide resistance. These genomic approaches provide species-specific and sustainable solutions for controlling insect pests, reducing the reliance on chemical insecticides and minimizing their negative impacts on human health and the environment.

References:

Comment [mm2]: Add references using limited
5 years ago

1. Philip, T., Leftwich., Lewis, G., Spurgin., Tim, Harvey-Samuel., Callum, J., E., Thomas., Leonela, Zusel, Carabajal, Paladino., Matthew, P., Edgington., Luke, Alphay. (2021). Genetic pest management and the background genetics of release strains.. *Philosophical Transactions of the Royal Society B*, 376(1818):20190805-. doi: 10.1098/RSTB.2019.0805
2. Jean-Luc, Renaud. (2022). Gene Editing and Genetic Control of Hemipteran Pests: Progress, Challenges and Perspectives. *Frontiers in Bioengineering and Biotechnology*, 10 doi: 10.3389/fbioe.2022.900785
3. Babiker, M., A., Abdel-Banat., Hamadttu, A., F., El-Shafie. (2021). Genomics Approaches for Insect Control and Insecticide Resistance Development in Date Palm. 215-248. doi: 10.1007/978-3-030-73750-4_11
4. Sanchita, Singh., Somnath, Rahangdale., Shivali, Pandita., Gauri, Saxena., Santosh, Kumar, Upadhyay., Geetanjali, Mishra., Praveen, Chandra, Verma. (2022). CRISPR/Cas9 for Insect Pests Management: A Comprehensive Review of Advances and Applications. *Agriculture*, 12(11):1896-1896. doi: 10.3390/agriculture12111896
5. NMNH, Division, of, Mammals. (2022). Innovative Molecular Approaches for Pest Management. 27-43. doi: 10.1007/978-981-19-0264-2_2
6. Singh, A., & Khan, M. W. (Eds.). (2019). *Modulating Gene Expression: Abridging the RNAi and CRISPR-Cas9 Technologies*. BoD–Books on Demand.
7. LaFontaine, J. S., Fathe, K., & Smyth, H. D. (2015). Delivery and therapeutic applications of gene editing technologies ZFNs, TALENs, and CRISPR/Cas9. *International journal of pharmaceutics*, 494(1), 180-194.
8. Christiaens, O., Whyard, S., Vélez, A. M., & Smagghe, G. (2020). Double-stranded RNA technology to control insect pests: Current status and challenges. *Frontiers in Plant Science*, 11, 451.
9. Sow, A., Brévault, T., Delvare, G., Haran, J., Benoit, L., d'Acier, A. C., ... & Sembène, M. (2018). DNA sequencing to help identify crop pests and their natural enemies in agro-ecosystems: The case of the millet head miner *Heliocheilus albipunctella* (Lepidoptera: Noctuidae) in sub-Saharan Africa. *Biological Control*, 121, 199-207.
10. Oliveira, C. M., Auad, A. M., Mendes, S. M., & Frizzas, M. R. (2014). Crop losses and the economic impact of insect pests on Brazilian agriculture. *Crop Protection*, 56, 50-54.
11. Haddi, K., Turchen, L. M., Viteri Jumbo, L. O., Guedes, R. N., Pereira, E. J., Aguiar, R. W., & Oliveira, E. E. (2020). Rethinking biorational insecticides for pest management: Unintended effects and consequences. *Pest management science*, 76(7), 2286-2293.
12. Boudh, S., & Singh, J. S. (2019). Pesticide contamination: environmental problems and remediation strategies. *Emerging and eco-friendly approaches for waste management*, 245-269.
13. Baker, B. P., Green, T. A., & Loker, A. J. (2020). Biological control and integrated pest management in organic and conventional systems. *Biological Control*, 140, 104095.

14. Tyagi, S., Kesiraju, K., Saakre, M., Rathinam, M., Raman, V., Pattanayak, D., & Sreevathsa, R. (2020). Genome editing for resistance to insect pests: an emerging tool for crop improvement. *ACS omega*, 5(33), 20674-20683.
15. Wani, S. H., Choudhary, M., Barmukh, R., Bagaria, P. K., Samantara, K., Razzaq, A., ... & Varshney, R. K. (2022). Molecular mechanisms, genetic mapping, and genome editing for insect pest resistance in field crops. *Theoretical and Applied Genetics*, 135(11), 3875-3895.
16. Huseeth, A. S., Groves, R. L., Chapman, S. A., Alyokhin, A., Kuhar, T. P., Macrae, I. V., ... & Nault, B. A. (2014). Managing Colorado potato beetle insecticide resistance: new tools and strategies for the next decade of pest control in potato. *Journal of Integrated Pest Management*, 5(4), A1-A8.
17. Stejskal, V., Vendl, T., Aulicky, R., & Athanassiou, C. (2021). Synthetic and natural insecticides: Gas, liquid, gel and solid formulations for stored-product and food-industry pest control. *Insects*, 12(7), 590.
18. Stejskal, V., Vendl, T., Aulicky, R., & Athanassiou, C. (2021). Synthetic and natural insecticides: Gas, liquid, gel and solid formulations for stored-product and food-industry pest control. *Insects*, 12(7), 590.
19. O'Brien, Richard D. "Insecticides: action and metabolism." (2014).
20. Kodandaram, M. H., Rai, A. B., & Halder, J. (2010). Novel insecticides for management of insect pests in vegetable crops: A review. *Vegetable Science*, 37(2), 109-123.
21. Siegwart, M., Graillot, B., Blachere Lopez, C., Besse, S., Bardin, M., Nicot, P. C., & Lopez-Ferber, M. (2015). Resistance to bio-insecticides or how to enhance their sustainability: a review. *Frontiers in plant science*, 6, 381.
22. Serrão, J. E., Plata-Rueda, A., Martínez, L. C., & Zanuncio, J. C. (2022). Side-effects of pesticides on non-target insects in agriculture: A mini-review. *The Science of Nature*, 109(2), 17.
23. Naidu, R., Biswas, B., Willett, I. R., Cribb, J., Singh, B. K., Nathanail, C. P., ... & Aitken, R. J. (2021). Chemical pollution: A growing peril and potential catastrophic risk to humanity. *Environment International*, 156, 106616.
24. Hajek, A. E., & Eilenberg, J. (2018). *Natural enemies: an introduction to biological control*. Cambridge University Press.
25. Van Driesche, R., & Hoddle, M. (2009). *Control of pests and weeds by natural enemies: an introduction to biological control*. John Wiley & Sons.
26. Rajendran, T. P., & Singh, D. (2016). Insects and pests. In *Ecofriendly Pest Management for Food Security* (pp. 1-24). Academic Press.
27. Bale, J. S., Van Lenteren, J. C., & Bigler, F. (2008). Biological control and sustainable food production. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1492), 761-776.
28. Bale, J. S., Van Lenteren, J. C., & Bigler, F. (2008). Biological control and sustainable food production. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1492), 761-776.

29. Macfadyen, S., Davies, A. P., & Zalucki, M. P. (2015). Assessing the impact of arthropod natural enemies on crop pests at the field scale. *Insect Science*, 22(1), 20-34.
30. Boiteau, G., & Vernon, R. S. (2001). Physical barriers for the control of insect pests. In *Physical control methods in plant protection* (pp. 224-247). Berlin, Heidelberg: Springer Berlin Heidelberg.
31. Bajwa, W. I., & Kogan, M. (2004). Cultural practices: springboard to IPM. In *Integrated pest management: Potential, constraints and challenges* (pp. 21-38). Wallingford UK: CABI Publishing.
32. Sharma, H. C. (2012). Conventional and biotechnological approaches for pest management: Potential and limitations.
33. Kogan, M., & McGrath, D. (1993, January). Integrated pest management: Present dilemmas and future challenges. In *Anais 14o Congresso Brasileiro de Entomologia. Piracicaba, SP, Brazil. p* (pp. 1-16).
34. Brévault, T., & Bouyer, J. (2014). From integrated to system-wide pest management: Challenges for sustainable agriculture. *Outlooks on Pest Management*, 25(3), 212-213.
35. Jindal, V. I. K. A. S., Dhaliwal, G. S., & Koul, O. P. E. N. D. E. R. (2013). Pest management in 21st century: roadmap for future. *Biopesticides International*, 9(1), 22.
36. Handler, A. M., & Beeman, R. W. (2003). United States Department of Agriculture—Agricultural Research Service: advances in the molecular genetic analysis of insects and their application to pest management. *Pest Management Science: formerly Pesticide Science*, 59(6- 7), 728-735.
37. Pareek, C. S., Smoczynski, R., & Tretyn, A. (2011). Sequencing technologies and genome sequencing. *Journal of applied genetics*, 52, 413-435.
38. Verma, M., Kulshrestha, S., & Puri, A. (2017). Genome sequencing. *Bioinformatics: Volume I: Data, Sequence Analysis, and Evolution*, 3-33.
39. Park, S. T., & Kim, J. (2016). Trends in next-generation sequencing and a new era for whole genome sequencing. *International neurology journal*, 20(Suppl 2), S76.
40. Li, F., Zhao, X., Li, M., He, K., Huang, C., Zhou, Y., ... & Walters, J. R. (2019). Insect genomes: progress and challenges. *Insect molecular biology*, 28(6), 739-758.
41. Armstrong, K. F., & Ball, S. L. (2005). DNA barcodes for biosecurity: invasive species identification. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 360(1462), 1813-1823.
42. Sun, Z., Chen, Y., Chen, Y., Lu, Z., & Gui, F. (2023). Tracking adaptive pathways of invasive insects: novel insight from genomics. *International Journal of Molecular Sciences*, 24(9), 8004.
43. Lucas, J. A. (2011). Advances in plant disease and pest management. *The Journal of Agricultural Science*, 149(S1), 91-114.
44. Lahlali, R., Ezrari, S., Radouane, N., Kenfaoui, J., Esmael, Q., El Hamss, H., ... & Barka, E. A. (2022). Biological control of plant pathogens: A global perspective. *Microorganisms*, 10(3), 596.

45. Van Leeuwen, T., Dermauw, W., Mavridis, K., & Vontas, J. (2020). Significance and interpretation of molecular diagnostics for insecticide resistance management of agricultural pests. *Current opinion in insect science*, 39, 69-76.
46. van Etten, J., de Sousa, K., Cairns, J. E., Dell'Acqua, M., Fadda, C., Guereña, D., ... & Tufan, H. A. (2023). Data-driven approaches can harness crop diversity to address heterogeneous needs for breeding products. *Proceedings of the National Academy of Sciences*, 120(14), e2205771120.
47. Dastranj, M., Gharechahi, J., & Salekdeh, G. H. (2016). Insect pest proteomics and its potential application in pest control management. *Agricultural Proteomics Volume 2: Environmental Stresses*, 267-287.
48. Wang, Y., Liu, Q., Du, L., Hallerman, E. M., & Li, Y. (2020). Transcriptomic and metabolomic responses of rice plants to *Cnaphalocrocismedinalis* caterpillar infestation. *Insects*, 11(10), 705.
49. Wei, N., Zhong, Y., Lin, L., Xie, M., Zhang, G., Su, W., ... & Chen, H. (2019). Transcriptome analysis and identification of insecticide tolerance-related genes after exposure to insecticide in *Sitobionavenae*. *Genes*, 10(12), 951.
50. Liseron-Monfils, C., & Ware, D. (2015). Revealing gene regulation and associations through biological networks. *Current Plant Biology*, 3, 30-39.
51. KadoićBalaško, M. (2022). *Genomic changes associated with insecticide resistance in economically important insect pests in Croatia* (Doctoral dissertation, University of Zagreb. Faculty of Agriculture).
52. Kirsch, R., Wielsch, N., Vogel, H., Svatoš, A., Heckel, D. G., & Pauchet, Y. (2012). Combining proteomics and transcriptome sequencing to identify active plant-cell-wall-degrading enzymes in a leaf beetle. *Bmc Genomics*, 13, 1-15.
53. Gundersen-Rindal, D., Dupuy, C., Huguet, E., & Drezen, J. M. (2013). Parasitoid polydnviruses: evolution, pathology and applications: Dedicated to the memory of Nancy E. Beckage. *Biocontrol Science and Technology*, 23(1), 1-61.
54. Silva, A. M., Vitorino, R., Domingues, M. R. M., Spickett, C. M., & Domingues, P. (2013). Post-translational modifications and mass spectrometry detection. *Free radical biology and medicine*, 65, 925-941.
55. Mustafa, G., & Komatsu, S. (2021). Plant proteomic research for improvement of food crops under stresses: a review. *Molecular omics*, 17(6), 860-880.
56. Castro-Moretti, F. R., Gentzel, I. N., Mackey, D., & Alonso, A. P. (2020). Metabolomics as an emerging tool for the study of plant-pathogen interactions. *Metabolites*, 10(2), 52.
57. Peng, L., Zhao, Y., Wang, H., Zhang, J., Song, C., Shangguan, X., ... & He, G. (2016). Comparative metabolomics of the interaction between rice and the brown planthopper. *Metabolomics*, 12, 1-15.
58. HamanyDjande, C. Y., Pretorius, C., Tugizimana, F., Piater, L. A., & Dubery, I. A. (2020). Metabolomics: A tool for cultivar phenotyping and investigation of grain crops. *Agronomy*, 10(6), 831.
59. Divekar, P. A., Narayana, S., Divekar, B. A., Kumar, R., Gadratagi, B. G., Ray, A., ... & Behera, T. K. (2022). Plant secondary metabolites as defense tools against

- herbivores for sustainable crop protection. *International journal of molecular sciences*, 23(5), 2690.
60. Doudna, J. A. (2020). The promise and challenge of therapeutic genome editing. *Nature*, 578(7794), 229-236.
 61. Nemudryi, A. A., Valetdinova, K. R., Medvedev, S. P., & Zakian, S. Á. (2014). TALEN and CRISPR/Cas genome editing systems: tools of discovery. *Acta Naturae (англоязычная версия)*, 6(3 (22)), 19-40.
 62. Sun, N., & Zhao, H. (2013). Transcription activator-like effector nucleases (TALENs): a highly efficient and versatile tool for genome editing. *Biotechnology and bioengineering*, 110(7), 1811-1821.
 63. Hossain, M. A. (2021). CRISPR-Cas9: A fascinating journey from bacterial immune system to human gene editing. *Progress in Molecular Biology and Translational Science*, 178, 63-83.
 64. Zhu, L. J. (2015). Overview of guide RNA design tools for CRISPR-Cas9 genome editing technology. *Frontiers in Biology*, 10(4), 289-296.
 65. Sun, N., & Zhao, H. (2013). Transcription activator-like effector nucleases (TALENs): a highly efficient and versatile tool for genome editing. *Biotechnology and bioengineering*, 110(7), 1811-1821.
 66. Ochiai, H., & Yamamoto, T. (2015). Genome editing using zinc-finger nucleases (ZFNs) and transcription activator-like effector nucleases (TALENs). *Targeted Genome Editing Using Site-Specific Nucleases: ZFNs, TALENs, and the CRISPR/Cas9 System*, 3-24.
 67. Hu, H., Scheben, A., & Edwards, D. (2018). Advances in integrating genomics and bioinformatics in the plant breeding pipeline. *Agriculture*, 8(6), 75.
 68. She, R., Chu, J. S. C., Wang, K., Pei, J., & Chen, N. (2009). GenBlastA: enabling BLAST to identify homologous gene sequences. *Genome research*, 19(1), 143-149.
 69. Puranik, R., Quan, G., Werner, J., Zhou, R., & Xu, Z. (2015, December). A pipeline for completing bacterial genomes using in silico and wet lab approaches. In *BMC genomics* (Vol. 16, pp. 1-8). BioMed Central.
 70. Bourawy, A., & Abdalla, A. (2023). Germline Short Variant Discovery and Annotation Pipeline using GATK Tool. *AlQalam Journal of Medical and Applied Sciences*, 424-432.
 71. Edmonson, M. N., Zhang, J., Yan, C., Finney, R. P., Meerzaman, D. M., & Buetow, K. H. (2011). Bambino: a variant detector and alignment viewer for next-generation sequencing data in the SAM/BAM format. *Bioinformatics*, 27(6), 865-866.
 72. Stanke, M., & Morgenstern, B. (2005). AUGUSTUS: a web server for gene prediction in eukaryotes that allows user-defined constraints. *Nucleic acids research*, 33(suppl_2), W465-W467.
 73. Yao, H., Guo, L., Fu, Y., Borsuk, L. A., Wen, T. J., Skibbe, D. S., ... & Schnable, P. S. (2005). Evaluation of five ab initio gene prediction programs for the discovery of maize genes. *Plant molecular biology*, 57, 445-460.
 74. Mulder, N., & Apweiler, R. (2007). InterPro and InterProScan: tools for protein sequence classification and comparison. *Comparative genomics*, 59-70.

75. Kanehisa, M., Goto, S., Kawashima, S., & Nakaya, A. (2002). The KEGG databases at GenomeNet. *Nucleic acids research*, 30(1), 42-46.
76. Poelchau, M. F., Coates, B. S., Childers, C. P., de Leon, A. A. P., Evans, J. D., Hackett, K., & Shoemaker, D. (2016). Agricultural applications of insect ecological genomics. *Current opinion in insect science*, 13, 61-69.
77. Chen, W., Hasegawa, D. K., Kaur, N., Kliot, A., Pinheiro, P. V., Luan, J., ... & Fei, Z. (2016). The draft genome of whitefly Bemisia tabaci MEAM1, a global crop pest, provides novel insights into virus transmission, host adaptation, and insecticide resistance. *BMC biology*, 14, 1-15.
78. Giron, D., Dubreuil, G., Bennett, A., Dedeine, F., Dicke, M., Dyer, L. A., ... & Pincebourde, S. (2018). Promises and challenges in insect-plant interactions. *Entomologia Experimentalis et Applicata*, 166(5), 319-343.
79. Wani, S. H., Choudhary, M., Barmukh, R., Bagaria, P. K., Samantara, K., Razzaq, A., ... & Varshney, R. K. (2022). Molecular mechanisms, genetic mapping, and genome editing for insect pest resistance in field crops. *Theoretical and Applied Genetics*, 135(11), 3875-3895.
80. Simon, J. C., d'Alencon, E., Guy, E., Jacquin-Joly, E., Jaquiere, J., Nouhaud, P., ... & Streiff, R. (2015). Genomics of adaptation to host-plants in herbivorous insects. *Briefings in functional genomics*, 14(6), 413-423.
81. Younis, A., Siddique, M. I., Kim, C. K., & Lim, K. B. (2014). RNA interference (RNAi) induced gene silencing: a promising approach of hi-tech plant breeding. *International journal of biological sciences*, 10(10), 1150.
82. Hendrichs, J., & Robinson, A. (2009). Sterile insect technique. In *Encyclopedia of insects* (pp. 953-957). Academic Press.
83. Alemu, M. (2020). Trend of biotechnology applications in pest management: a review. *International Journal of Applied Sciences and Biotechnology*, 8(2), 108-131.
84. https://en.wikipedia.org/wiki/Environmental_impact_of_pesticides#/media/File:Env_contamination1.if.gif
85. Gulinuer, A., Xing, B., & Yang, L. (2023).. *Insects*, 14(2), 100.
86. Moon, T. T., Maliha, I. J., Khan, A. A. M., Chakraborty, M., Uddin, M. S., Amin, M. R., & Islam, T. (2022). CRISPR-Cas genome editing for insect pest stress management in crop plants. *Stresses*, 2(4), 493-514.
87. Abdel-Banat, B. M., & El-Shafie, H. A. (2021). Genomics approaches for insect control and insecticide resistance development in date palm. In *The Date Palm Genome, Vol. 2: Omics and Molecular Breeding* (pp. 215-248). Cham: Springer International Publishing.
88. (<https://www.slideshare.net/Shanura/nuclear-techniquesin-food-and-agriculture>)
<https://www.researchgate.net/figure/Sterile-Insect-Technique>.