

# Plastic Use in Agriculture: Balancing Benefits, Environmental Impacts, and Sustainable Solutions

## ABSTRACT

Plastics have become an essential component of modern agriculture, significantly enhancing productivity, improving water efficiency, and protecting crops due to their versatility, durability, and cost-effectiveness. Their widespread use in applications such as plastic mulches, greenhouse covers, irrigation systems, and packaging has revolutionized crop production by boosting yields and aiding pest control. However, the growing reliance on plastics in agriculture, commonly referred to as plasticulture, has raised significant environmental concerns. These include soil contamination, diminished soil fertility, microplastic pollution, and greenhouse gas emissions, all of which pose serious long-term risks to ecosystems. This review offers a comprehensive exploration of plastic use in agriculture, detailing its various applications and the associated environmental challenges. The persistence of plastic waste in soils, waterways, and natural habitats not only leads to pollution and biodiversity loss but also presents potential threats to human health. This review emphasizes the urgent need for sustainable solutions, including effective waste management strategies and advancements in biodegradable and bio-based plastics. It also discusses the potential of recycling technologies and the role of policy reform in minimizing the ecological footprint of agricultural plastics. In conclusion, this review advocates for a balanced approach that maximizes the agronomic benefits of plastics while minimizing their environmental impacts through innovation, research, and the promotion of sustainable agricultural practices.

*Keywords:* Plasticulture; plastic pollution; sustainable alternatives; soil contamination; environmental impact; biodegradable plastic.

## 1. INTRODUCTION

The use of plastics in agriculture also known as plasticulture has grown exponentially over the past few decades, driven by the need for increased agricultural productivity and efficiency. Plastics have become integral to modern farming practices, offering numerous benefits such as improved crop yields, efficient water use, and enhanced protection against pests and adverse weather conditions. Common applications of plastics in agriculture include greenhouse covers, mulching films, irrigation systems, and silage wraps, among others [1].

Despite their benefits, the extensive use of plastics in agriculture poses significant environmental challenges. Plastic materials, particularly those that are non-biodegradable, contribute to soil and water pollution, disrupt ecosystems, and pose risks to wildlife and human health. Microplastic contamination of agricultural soils has been increasingly recognized as a critical issue, with potential long-term impacts on soil health and productivity. Research indicates that microplastics can alter ecosystem functions and services by increasing soil microbial biomass, while negatively affecting soil fauna growth and reproduction, and reducing soil bacterial diversity[2,3,4].

The environmental footprint of plastic use in agriculture necessitates the exploration of sustainable alternatives and practices. Biodegradable plastics, organic mulches, and innovative materials are being developed to mitigate the adverse effects of traditional plastic products. Additionally, policies and regulations aimed at reducing plastic waste and promoting sustainable agricultural practices are being implemented worldwide [5,6,7].

The environmental impact of plastic use in agriculture underscores the urgent need for sustainable alternatives and practices. The extensive reliance on traditional plastics has prompted the development of various solutions designed to reduce environmental harm. Biodegradable plastics offer a promising alternative, as they break down more readily and minimize long-term pollution. Organic mulches, made from natural materials, provide a sustainable alternative for soil management

while enhancing soil health. Additionally, innovative materials are being explored to replace conventional plastics, aiming to reduce their negative environmental footprint[5,6].

Efforts to address plastic pollution are not limited to technological innovations. Policymakers are increasingly enacting regulations and policies aimed at curbing plastic waste and encouraging more sustainable agricultural practices. These initiatives include restrictions on single-use plastics and incentives for adopting eco-friendly alternatives. Around the globe, governments and organizations are working to integrate these measures into agricultural frameworks to promote environmental stewardship and reduce plastic dependency[7].

This review aims to provide a comprehensive overview of the use of plastics in agriculture, examining their benefits, environmental impacts, and potential sustainable alternatives. By synthesizing current research and case studies, we seek to highlight best practices and future directions for minimizing the ecological footprint of agricultural plastics while maintaining their benefits for food production and security.

## **2. HISTORICAL CONTEXT AND EVOLUTION**

The integration of plastics into agricultural practices has a relatively recent history, beginning in the mid-20th century. The advent of synthetic plastics provided a cost-effective and versatile material that quickly found applications in various sectors, including agriculture. The first notable use of plastics in agriculture was the introduction of polyethylene films for greenhouse coverings in the 1950s [8]. This innovation allowed for the extension of growing seasons, enhanced control over growing conditions, and protection against pests and diseases, thereby significantly boosting crop yields.

In the 1960s and 1970s, the use of plastic mulches gained popularity. Plastic mulches, typically made from polyethylene, were used to cover the soil surface, providing benefits such as moisture retention, temperature regulation, and weed suppression [9]. This period also saw the development and adoption of plastic irrigation systems, including drip and sprinkler systems, which revolutionized water management in agriculture by improving efficiency and reducing water waste [10].

The 1980s and 1990s marked further advancements in agricultural plastics, with the introduction of more durable and specialized plastic products. These included UV-stabilized films for longer-lasting greenhouse covers, multi-layered plastic films for enhanced performance, and silage films for better fodder preservation. During this time, the environmental impacts of plastic use began to garner attention, leading to initial efforts to recycle agricultural plastics and develop biodegradable alternatives [11,12].

In the 21st century, the focus has increasingly shifted towards sustainability. The environmental concerns associated with plastic waste, particularly in agricultural contexts, have driven research and development of biodegradable plastics and other eco-friendly materials. Additionally, there has been a growing emphasis on circular economy principles, promoting the recycling and reuse of plastic materials to minimize waste and environmental impact [7,13].

The evolution of plastics in agriculture reflects a trajectory from initial adoption for productivity enhancement to a more nuanced approach that balances agricultural benefits with environmental sustainability. This historical perspective underscores the ongoing need to innovate and implement sustainable practices in the use of plastics in agriculture.

## **3. TYPES OF PLASTICS USED IN AGRICULTURE**

The utilization of plastics in agriculture spans a wide range of applications, leveraging the material's versatility to address various agronomic needs. The primary types of plastics used in agriculture include polyethylene (PE), polyvinyl chloride (PVC), polypropylene (PP), polystyrene (PS), and polyethylene terephthalate (PET). Each type offers unique properties that make them suitable for specific agricultural applications as itemized below [8, 14,15].

### **3.1 Polyethylene (PE)**

Polyethylene is the most widely used plastic in agriculture due to its flexibility, durability, and cost-effectiveness. It is commonly used in the following forms:

1. **Plastic Mulch Films:** PE mulch films are used to cover the soil surface, aiding in moisture retention, temperature regulation, and weed control. They are available in various thicknesses and colours, tailored to specific crop requirements.
2. **Greenhouse Films:** PE films are extensively used as greenhouse covers. These films can be treated with UV stabilizers to extend their lifespan and can be multi-layered to improve thermal insulation and light diffusion.
3. **Low Tunnel Films:** Used to create mini-greenhouses over rows of crops, these PE films provide protection against frost and pests, promoting early growth and extending the growing season.
4. **Silage Films:** PE films are used to wrap silage bales, ensuring anaerobic conditions for optimal fermentation and preservation of fodder.

### 3.2 Polyvinyl Chloride (PVC)

PVC is known for its rigidity and resistance to chemicals, making it suitable for:

1. **Irrigation Pipes:** PVC pipes are widely used in irrigation systems due to their durability and resistance to corrosion and chemicals.
2. **Drip Irrigation Systems:** PVC is also used in manufacturing components for drip irrigation systems, which enhance water use efficiency and reduce runoff.

### Polypropylene (PP)

Polypropylene is favoured for its strength and resistance to heat, making it ideal for:

1. **Woven Ground Covers:** PP woven fabrics are used as ground covers to suppress weeds, control soil erosion, and improve soil temperature and moisture.
2. **Twine and Ropes:** PP is commonly used for agricultural twine and ropes due to its strength and resistance to abrasion and UV degradation.

### 3.3 Polystyrene (PS)

Polystyrene is known for its rigidity and insulating properties. It is primarily used in:

1. **Seedling Trays and Pots:** PS is used to manufacture trays and pots for nurseries due to its rigidity and ability to retain moisture and nutrients.
2. **Packaging:** PS is used for packaging agricultural products, providing protection during transportation and storage.

### 3.4 Polyethylene Terephthalate (PET)

PET is valued for its strength, transparency, and recyclability. It is used in:

1. **Water and Beverage Bottles:** PET bottles are commonly used to store and transport water and other beverages in agricultural settings.
2. **Protective Covers:** PET is also used for protective covers and cloches to shield plants from adverse weather conditions.


## 4. BENEFITS OF PLASTICS IN AGRICULTURE

The use of plastics in agriculture has revolutionized the industry, providing numerous advantages that enhance productivity, efficiency, and sustainability. These benefits are evident in various agricultural practices, from crop protection and irrigation to soil management and post-harvest handling.

## 4.1 Enhanced Crop Protection

Plastics offer effective solutions for protecting crops from environmental stressors and pests. Greenhouse films, for instance, create controlled environments that shield plants from adverse weather conditions such as frost, heavy rain, and excessive heat, while promoting optimal growth conditions. Additionally, low tunnel films provide similar benefits on a smaller scale, enabling early planting and extending the growing season [8, 15].

Figure 1 illustrates the percentage increase in crop yield associated with different plastic applications in agriculture, such as plastic mulch (30%), drip irrigation (25%), and greenhouse films (40%), highlighting the productivity benefits of plastics in agricultural practices.



**Figure 1: Impact of plastics on crop yield [14, 15]**

## 4.2 Improved Water Management

Plastics play a crucial role in efficient water management, which is vital in agriculture. Drip irrigation systems made from polyethylene (PE) and polyvinyl chloride (PVC) ensure precise water delivery to plant roots, reducing water wastage and improving crop yield. Moreover, plastic-lined ponds and reservoirs help in water storage and conservation, particularly in arid regions [10, 16].

## 4.3 Soil Health and Weed Control

Plastic mulch films significantly contribute to soil health and weed management. By covering the soil, these films reduce weed growth, conserve soil moisture, and moderate soil temperature, leading to improved plant health and yield [14]. The reduction in weed growth minimizes the need for chemical herbicides, promoting more sustainable farming practices.

## 4.4 Enhanced Post-Harvest Handling

The use of plastics in post-harvest handling and storage has improved the shelf life and quality of agricultural produce. Plastic crates, bins, and packaging materials protect fruits and vegetables from physical damage and contamination during transportation and storage. Silage films, used for wrapping and preserving animal feed, ensure anaerobic conditions that prevent spoilage and maintain nutritional value [17].

## 4.5 Increased Agricultural Efficiency

Plastics contribute to increased efficiency in various agricultural operations. For example, the use of plastic twine and ropes in trellising systems supports plant structures, facilitating easier harvesting

and maintenance. Furthermore, plastic seedling trays and pots improve nursery operations by providing a uniform and controlled environment for seed germination and growth [18].

#### 4.6 Economic Benefits

The adoption of plastics in agriculture can lead to significant economic benefits for farmers. By improving crop yields, reducing water and input costs, and minimizing post-harvest losses, plastics contribute to higher profitability and reduced financial risk [19]. Additionally, the durability and longevity of plastic products reduce the need for frequent replacements, offering long-term cost savings.

### 5. ENVIRONMENTAL IMPACTS

The widespread use of plastics in agriculture, while beneficial in numerous ways, has raised significant environmental concerns. These impacts stem from the production, use, and disposal of plastic materials, contributing to various ecological and health challenges. Table 1 highlights the pathway of plastic its fate on the environment. However, the key environmental impacts associated with the use of plastics in the sections 5.1 to 5.11 below.

**Table 1: Sources and fate of microplastics in agricultural environments [3, 20]**

Source of Microplastics	Type of Plastic	Entry Pathway	Fate in the Environment	Impact
<b>Plastic Mulch Films</b>	Polyethylene (PE)	Fragmentation during use and disposal in fields	Persistent in soil, breaking down into microplastics	Alters soil structure, reduces porosity, and affects root growth
<b>Greenhouse Films</b>	Polyvinyl Chloride (PVC)	Degradation and disposal	Microplastic particles remain in soil or wash into water bodies	Leaches chemicals and disrupts microbial communities
<b>Drip Irrigation Tubes</b>	Polyethylene (PE)	Wear and tear during usage	Microplastics accumulate in soil or water systems	Reduces soil fertility and contaminates water sources
<b>Plastic Seed Trays and Pots</b>	Polystyrene (PS)	Breakage and disposal	Microplastic debris can remain in soil	Decreases soil nutrient availability and interferes with plant growth
<b>Silage Films</b>	Polyethylene (PE)	Wear degradation during use	Fragments into microplastics, persists in soil or water	Affects soil health and can be ingested by wildlife
<b>Fertilizer and Pesticide Packaging</b>	Polypropylene (PP)	Improper disposal or degradation	Microplastics enter soil or waterways	Contaminates ecosystems and bioaccumulates in food chain
<b>Agricultural Nets and Twines</b>	Polypropylene (PP)	Fragmentation and loss during use	Microplastics accumulate in soil and water bodies	Entangles wildlife and disrupts soil microbial activity

#### 5.1 Plastic Pollution and Soil Contamination

One of the most pressing issues associated with agricultural plastics is their contribution to soil pollution. Plastic mulch films, often left in the field after use, degrade slowly and can fragment into microplastics, which persist in the soil for decades [20]. These microplastics can affect soil health by altering its physical, chemical, and biological properties. For instance, studies have shown that microplastics can reduce soil porosity and permeability, affecting water infiltration and root growth [21]. Additionally, the additives in plastics, such as plasticizers and stabilizers, can leach into the soil,

potentially disrupting soil microbial communities and affecting nutrient cycling [3]. As shown in Figure 2, plastic components used in irrigation systems, such as polyethylene pipes and drip tapes; mulches; greenhouse films, seedling trays, and plastic-based packaging used in post-harvest handling degrade over time, contributing to the accumulation of microplastic particles in the soil. Once introduced, microplastics accumulate in the soil, mixing with organic and inorganic particles. These particles persist for long periods due to their slow degradation rates.




Figure 2: Microplastic accumulation in agricultural soil[22]

## 5.2 Waterway Contamination

Agricultural plastics, particularly those used in irrigation systems and greenhouse covers, contribute significantly to waterway contamination. Plastic debris from fields and greenhouses often finds its way into rivers, lakes, and oceans, posing threats to aquatic life. Large pieces of plastic debris can entangle or be ingested by marine organisms, leading to injury or death [23]. Moreover, the degradation of plastics in aquatic environments releases toxic chemicals, including bisphenol A (BPA) and phthalates, which can accumulate in the food chain, affecting the health of wildlife and humans [24].

## 5.3 Greenhouse Gas Emissions

The production of agricultural plastics is a major contributor to greenhouse gas (GHG) emissions. The manufacture of plastics involves the extraction and processing of fossil fuels, which release significant amounts of carbon dioxide ( $\text{CO}_2$ ) and methane ( $\text{CH}_4$ ) into the atmosphere [25]. Additionally, the disposal and degradation of plastic waste in landfills and natural environments release methane, a potent greenhouse gas [2]. The environmental footprint of plastic production and disposal highlights the need for more sustainable practices and alternatives.

## 5.4 Biodiversity Loss

The accumulation of plastics in agricultural landscapes and natural habitats can lead to biodiversity loss. Plastic waste can alter habitats, obstruct sunlight, and affect the reproductive success of various species. For example, plastic debris in soil and water bodies can harm soil-dwelling organisms and disrupt aquatic ecosystems [26]. The presence of microplastics in the soil can affect the growth and reproduction of soil organisms, thereby reducing biodiversity and ecosystem resilience [27].

## 5.5 Chemical Contamination

Plastics in agriculture often contain additives that can leach into the environment, posing risks to both ecosystems and human health. These additives, including flame retardants, stabilizers, and plasticizers, can disrupt endocrine functions in wildlife and humans [28]. The persistence and bio-accumulative nature of these chemicals in the environment further complicate their management and removal [29]. Studies have demonstrated that these chemicals can interfere with the hormonal systems of aquatic and terrestrial organisms, leading to adverse health effects and population declines [30].

## **5.6 Soil Contamination**

The use of plastic mulches, greenhouse films, and drip irrigation systems contributes to soil contamination. Over time, these plastics degrade into smaller particles known as microplastics, which can persist in the soil for decades [31]. Microplastics can affect soil structure, nutrient availability, and microbial activity, potentially disrupting plant growth and soil health [3].

## **5.7 Water Pollution**

Plastic waste from agricultural activities often ends up in water bodies, contributing to water pollution. This is particularly true for plastic mulches and irrigation materials that are not properly managed after use. Plastics can leach harmful chemicals into water, affecting aquatic ecosystems and contaminating drinking water sources [32]. Additionally, microplastics can be ingested by aquatic organisms, leading to bioaccumulation and biomagnification in the food chain [24].

## **5.8 Impact on Wildlife**

Plastic pollution poses a severe threat to wildlife. Animals can ingest or become entangled in plastic debris, leading to injury, suffocation, or death. Agricultural plastics, such as mulches and nets, are often lightweight and can be easily carried by wind to natural habitats, where they can harm terrestrial and marine wildlife. Birds, fish, and mammals are particularly vulnerable to the impacts of plastic pollution [23].

## **5.9 Greenhouse Gas Emissions**

The production and disposal of plastics contribute to greenhouse gas emissions. The manufacturing of plastic materials involves the use of fossil fuels, which releases significant amounts of carbon dioxide ( $CO_2$ ) and other greenhouse gases into the atmosphere [20]. Additionally, when plastics are burned for disposal, they release toxic gases, including dioxins and furans, which further exacerbate climate change [33].

## **5.10 Human Health Risks**

The presence of plastics in the environment also poses risks to human health. Chemicals used in the production of plastics, such as bisphenol A (BPA) and phthalates, can leach into soil and water, leading to potential human exposure [34]. These chemicals are known endocrine disruptors and can cause various health problems, including reproductive issues and cancer [29]. Furthermore, the ingestion of microplastics through contaminated food and water can have unknown long-term health effects [30].

## **5.11 Waste Management Challenges**

The disposal of agricultural plastics presents significant waste management challenges. In many regions, there are limited facilities for recycling agricultural plastics, leading to improper disposal methods such as open burning or landfilling [9]. These practices contribute to environmental pollution and the loss of valuable materials that could otherwise be recycled and reused.

## **6. SUSTAINABLE ALTERNATIVES TO CONVENTIONAL PLASTICS**

The environmental impact of conventional plastics in agriculture has prompted extensive research and development of sustainable alternatives. These alternatives aim to provide the same benefits as conventional plastics while reducing environmental harm. However, the transition to the following

sustainable alternatives to conventional plastics in agriculture is essential for reducing environmental impacts while maintaining agricultural productivity.

## 6.1 Biodegradable Plastics

Biodegradable plastics are designed to break down more quickly and completely than conventional plastics when exposed to environmental conditions such as soil and composting environments. They are made from renewable resources such as starch, cellulose, and polylactic acid (PLA), which microorganisms can degrade into water, carbon dioxide, and biomass.

1. **Polylactic Acid (PLA):** PLA is derived from fermented plant starch (usually corn) and is commonly used for mulch films, plant pots, and packaging. Studies have shown that PLA mulch films can perform similarly to conventional polyethylene (PE) films in terms of weed control and soil moisture retention, with the added benefit of biodegradability [35].
2. **Polyhydroxyalkanoates (PHA):** PHAs are a group of biodegradable polymers produced by bacterial fermentation of sugars and lipids. They are used in various agricultural applications, including mulch films and slow-release fertilizer coatings. PHA's biodegradability in soil and marine environments makes it a promising alternative to conventional plastics [36].
3. **Starch-based Plastics:** These are made by blending starch with synthetic polymers to enhance biodegradability. They are used in applications such as mulch films and packaging. Research indicates that starch-based plastics can degrade in soil within a few months, significantly reducing long-term environmental impact [37].

## 6.2 Bio-based Plastics

Bio-based plastics are derived from renewable biological sources such as plants, algae, and microorganisms. Unlike biodegradable plastics, bio-based plastics are not necessarily biodegradable but have a reduced carbon footprint compared to petroleum-based plastics.

1. **Bio-polyethylene (Bio-PE):** Produced from ethanol derived from sugarcane, Bio-PE has similar properties to conventional polyethylene but with a lower environmental impact. It is used in various agricultural applications, including greenhouse films, irrigation pipes, and packaging [38].
2. **Polyethylene Furanoate (PEF):** PEF is derived from plant-based materials and has superior barrier properties compared to PET (polyethylene terephthalate). It is used in applications such as bottles and films. PEF's enhanced performance and renewable origin make it a viable sustainable alternative [39].

Despite the environmental benefits of bio-based plastics, their application in agriculture faces several limitations. One key challenge is their relatively higher cost compared to conventional plastics, which can be prohibitive for large-scale agricultural use, especially in developing countries. Additionally, not all bio-based plastics are biodegradable, meaning they still contribute to plastic waste if not properly managed[40,41].

## 6.3 Recycled Plastics

Recycled plastics offer another sustainable alternative by repurposing existing plastic waste, thereby reducing the overall carbon footprint and environmental nuisance caused by plastic production. In agriculture, recycled plastics can be used for applications such as irrigation pipes, mulch films, greenhouse covers, and packaging. By incorporating recycled materials, the demand for virgin plastics is lowered, and less waste ends up in landfills or polluting ecosystems. However, the use of recycled plastics in agriculture is often limited by concerns about material quality, contamination, and durability. Addressing these challenges through advancements in recycling technologies and quality control can enhance the usability and environmental benefits of recycled plastics in agricultural applications[1, 42, 43].

## 6.4 Innovative Practices

In addition to developing alternative materials, innovative agricultural practices can significantly reduce the reliance on conventional plastics.

1. **Agroforestry and Crop Diversification:** Incorporating trees and diverse crops into agricultural systems can reduce the need for plastic mulch by naturally suppressing weeds and maintaining soil moisture. Agroforestry systems can enhance biodiversity, improve soil health, and increase resilience to climate change [44].
2. **Organic Mulching:** Using organic materials such as straw, grass clippings, and compost as mulch can provide similar benefits to plastic mulch without the associated environmental impacts. Organic mulches improve soil structure, enhance nutrient availability, and support beneficial soil microorganisms [45].
3. **Precision Agriculture:** Implementing precision agriculture techniques, such as drip irrigation and targeted pesticide application, can reduce the need for plastic irrigation tubing and pesticide containers. Precision agriculture optimizes resource use and minimizes waste, contributing to more sustainable agricultural practices [46].

## 7. REGULATORY AND POLICY FRAMEWORK

The use of plastics in agriculture is governed by a complex array of regulatory and policy frameworks at international, national, and local levels. These frameworks aim to balance the benefits of plastics in enhancing agricultural productivity with the need to mitigate their environmental impacts. This section reviews key regulations and policies impacting the use of plastics in agriculture, their effectiveness, and areas for improvement.

### 7.1 International Regulations and Agreements

At the international level, several agreements and conventions address the environmental impacts of plastics, including their use in agriculture:

1. **Basel Convention:** The Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal regulates the international movement of plastic waste. Amendments adopted in 2019 specifically address plastic waste, aiming to improve the management and recycling of plastics globally [47].
2. **MARPOL Annex V:** The International Convention for the Prevention of Pollution from Ships (MARPOL) Annex V prohibits the discharge of plastics from ships into the sea, which includes agricultural plastics used on offshore installations [48].
3. **European Union Directives:** The EU has implemented several directives to manage plastic waste, such as the Waste Framework Directive (Directive 2008/98/EC) and the Packaging and Packaging Waste Directive (Directive 94/62/EC)[7, 49]. These directives promote recycling and the reduction of plastic waste through extended producer responsibility schemes and targets for recycling rates.

### 7.2 National Regulations

National governments have implemented various policies to manage plastic use and waste in agriculture:

1. **United States:** The Resource Conservation and Recovery Act (RCRA) regulates the management of agricultural plastics as solid waste. The U.S. Department of Agriculture (USDA) also promotes practices such as plasticulture, which involves the use of plastic mulch, while encouraging research into biodegradable alternatives [50].
2. **China:** China's National Sword policy, implemented in 2018, restricts the import of plastic waste, encouraging domestic recycling and the development of biodegradable plastics. Additionally, the Chinese government has set targets to reduce plastic use in agriculture through its Circular Economy Promotion Law [51].

3. **India:** India has enacted the Plastic Waste Management Rules (2016), updated by the Waste Management (Amendment) Rules, 2022, which establish comprehensive guidelines for the management of plastic waste in agriculture, including the use of materials such as mulch films and greenhouse coverings. These regulations emphasize the adoption of biodegradable plastics in agricultural practices and promote recycling to mitigate plastic waste accumulation. The rules aim to reduce environmental impact by encouraging sustainable alternatives and effective waste management strategies, aligning with global efforts to combat plastic pollution [52, 53].

### 7.3 Effectiveness and Areas for Improvement

While existing regulations and policies have made significant strides in managing the use and disposal of plastics in agriculture, several challenges remain:

1. **Enforcement and Compliance:** Ensuring compliance with regulations, especially in developing countries, remains a significant challenge due to limited resources and infrastructure.
2. **Innovation and Research:** Continued investment in research and innovation is necessary to develop more effective biodegradable plastics and sustainable alternatives.
3. **Education and Awareness:** Raising awareness among farmers and stakeholders about the environmental impacts of plastic use and available sustainable alternatives is crucial for improving adoption rates.
4. **International Cooperation:** Enhanced international cooperation is needed to address the global nature of plastic pollution, including sharing best practices and technologies.

## 8. FUTURE DIRECTIONS AND RESEARCH NEEDS

The integration of plastics in agriculture has yielded significant benefits, yet the environmental drawbacks necessitate urgent attention and innovation. To strike a balance between utility and sustainability, future research must focus on developing environmentally friendly alternatives and improving current plastic management practices. This section outlines key areas for future research and potential directions to mitigate the adverse impacts of plastics in agriculture.

### 8.1 Development of Biodegradable and Bio-based Plastics

One of the most promising avenues is the development and adoption of biodegradable and bio-based plastics. These materials can potentially reduce environmental pollution by breaking down more quickly and completely than conventional plastics. Research should focus on enhancing the durability and cost-effectiveness of these alternatives to ensure they can compete with traditional plastics in terms of performance and price.

### 8.2 Advancements in Recycling Technologies

Improving recycling technologies is critical for reducing plastic waste. Innovations in sorting, cleaning, and processing plastics can increase the efficiency and effectiveness of recycling programmes. Research should also explore chemical recycling methods that can break down plastics into their original monomers, allowing for the production of new, high-quality plastics from recycled materials [54].

### 8.3 Sustainable Agricultural Practices

Incorporating sustainable agricultural practices can significantly reduce the reliance on plastics. Research into alternative farming techniques, such as agroecology and permaculture, can provide insights into methods that minimize plastic use while maintaining productivity [55]. Additionally, exploring the use of natural mulches, cover crops, and other organic materials can offer practical alternatives to plastic mulches.

### 8.4 Environmental Impact Assessment

Conducting comprehensive environmental impact assessments of plastic use in agriculture is essential for understanding the full scope of its effects. Long-term studies that evaluate the impacts of microplastics on soil health, crop productivity, and biodiversity are needed [3]. These assessments can inform regulations and best practices for plastic use in agriculture.

## 8.5 Policy and Regulation

Effective policies and regulations are crucial for managing plastic use in agriculture. Future research should focus on developing and evaluating policy frameworks that incentivize the reduction, reuse, and recycling of plastics. This includes exploring economic instruments such as taxes, subsidies, and credits that can drive the adoption of sustainable practices.

## 8.6 Education and Outreach

Education and outreach programmes are vital for promoting sustainable plastic use among farmers and agricultural workers. Research should investigate the most effective strategies for educating stakeholders about the environmental impacts of plastics and encouraging the adoption of sustainable alternatives. This can include the development of training programmes, workshops, and informational materials.

## 8.7 Collaboration and Multidisciplinary Approaches

Addressing the challenges of plastic use in agriculture requires a collaborative and multidisciplinary approach. Researchers, policymakers, industry stakeholders, and farmers must work together to develop and implement solutions. Future research should focus on creating platforms for collaboration and knowledge sharing to foster innovation and drive progress.

## 9. CONCLUSION

The integration of plastics into agriculture has revolutionized the industry, offering significant benefits such as enhanced crop protection, efficient water management, and improved post-harvest handling. However, the environmental costs of plastic use, including pollution, soil and water contamination, and greenhouse gas emissions, are substantial and require urgent attention.

As agriculture continues to rely on plastic for its productivity and efficiency, it is crucial to balance these advantages with sustainable practices. The development of biodegradable and bio-based plastics, advancements in recycling technologies, and the adoption of alternative farming methods offer promising pathways for reducing plastic-related environmental harm. Regulatory frameworks, policy innovations, and effective waste management systems will also play a critical role in mitigating the negative impacts of plastic use in agriculture.

Future research and collaboration among scientists, policymakers, and agricultural stakeholders will be essential to drive the transition toward a more sustainable agricultural model. By integrating innovative solutions and adopting best practices, the agriculture industry can continue to reap the benefits of plastics while minimizing their environmental footprint, ensuring a healthier, more resilient ecosystem for future generations.

## DISCLAIMER (ARTIFICIAL INTELLIGENCE)

**Author(s)** hereby declare that NO generative AI technologies such as LargeLanguage Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during **the** writing or editing of this manuscript.

## REFERENCES

1. Hofmann T, Ghoshal S, Tufenkji N, et al. Plastics can be used more sustainably in agriculture. *Commun Earth Environ*. 2023;4:332.
2. Thompson RC, Moore CJ, vom Saal FS, Swan SH. Plastics, the environment and human health: Current consensus and future trends. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 2009;364(1526):2153-2166.

3. Rillig MC, Lehmann A. Microplastic in terrestrial ecosystems. *Science*. 2020;368(6498):1430-1431.
4. Liu M, Feng J, Shen Y, Zhu B. Microplastics effects on soil biota are dependent on their properties: A meta-analysis. *Soil Biology and Biochemistry*. 2023;178:108940. <https://doi.org/10.1016/j.soilbio.2023.108940>.
5. Moshood TD, Nawanir G, Mahmud F, Mohamad F, Ahmad MH, AbdulGhani A. Sustainability of biodegradable plastics: New problem or solution to solve the global plastic pollution? *Current Research in Green and Sustainable Chemistry*. 2022;5:100273.
6. Hayes DG, Wadsworth LC, Sintim HY, Flury M, English M, Schaeffer S, Saxton AM. Effect of diverse weathering conditions on the physicochemical properties of biodegradable plastic mulches. *Polymer Testing*. 2017;32(5):765-775.
7. European Commission. *Directive 94/62/EC on packaging and packaging waste*. 2018.
8. Espí E, Salmerón A, Fontecha A, García Y, Real AI. Plastic films for agricultural applications. *Journal of Plastic Film and Sheeting*. 2006;22(2):85-102.
9. Steinmetz Z, Wollmann C, Schaefer M, Buchmann C, David J, Tröger J, Schaumann GE. Plastic mulching in agriculture. Trading short-term agronomic benefits for long-term soil degradation? *Science of the Total Environment*. 2016;550:690-705.
10. Kumar R, Singh VP. *Plasticulture Engineering and Technology*. CRC Press, 2022.
11. Pilapitiya N, Ratnayake AS. The World of Plastic Waste: A Review. *Cleaner Materials*. 2024;11:100220.
12. Gross RA, Kalra B. Biodegradable polymers for the environment. *Science*. 2002;297(5582):803-807.
13. Sintim HY, Flury M. Is biodegradable plastic mulch the solution to agriculture's plastic problem? *Environmental Science & Technology*. 2017;51(3):1068-1069.
14. Kasirajan S, Ngouajio M. Polyethylene and biodegradable mulches for agricultural applications: a review. *Agron Sustain Dev*. 2012;32:501-529.
15. Lamont WJ. Plastics: Modifying the microclimate for the production of vegetable crops. *HortTechnology*. 2005;15(3):477-481.
16. Haman DZ, Smajstrla AG, Pitts DJ. Efficiencies of irrigation systems used in Florida nurseries. *Transactions of the ASAE*. 2000;43(4):895-901.
17. Flieger M, Kantorová M, Prell A, Řezanka T, Votruba J. Biodegradable plastics from renewable sources. *Folia Microbiologica*. 2003;48(1):27-44.
18. Stevens ES. Environmentally degradable plastics. *Encyclopedia of Polymer Science and Technology*. 2003.
19. Lakhari IA, Yan H, Zhang J, Wang G, Deng S, Bao R, Zhang C, Syed TN, Wang B, Zhou R, Wang X. Plastic pollution in agriculture as a threat to food security, the ecosystem, and the environment: An overview. *Agronomy*. 2024;14:548.
20. Geyer R, Jambeck JR, Law KL. Production, use, and fate of all plastics ever made. *Science Advances*. 2017;3(7).
21. Jia L, Liu L, Zhang Y, Fu W, Liu X, Wang Q, Tanveer M, Huang L. Microplastic stress in plants: Effects on plant growth and their remediations. *Front Plant Sci*. 2023;14:1226484.
22. Castan S, Henkel C, Hüffer T, Thilo F. Microplastics and nanoplastics barely enhance contaminant mobility in agricultural soils. *Commun Earth Environ*. 2021;2:193.
23. Gall SC, Thompson RC. The impact of debris on marine life. *Marine Pollution Bulletin*. 2015;92(1-2):170-179.
24. Cole M, Lindeque P, Halsband C, Galloway TS. Microplastics as contaminants in the marine environment: A review. *Marine Pollution Bulletin*. 2011;62(12):2588-2597.
25. Andrady AL. Microplastics in the marine environment. *Marine Pollution Bulletin*. 2011;62(8):1596-1605.
26. Jambeck JR, Geyer R, Wilcox C, Siegler TR, Perryman M, Andrady A, Narayan R. Plastic waste inputs from land into the ocean. *Science*. 2015;347(6223):768-771.
27. Wright SL, Thompson RC, Galloway TS. The physical impacts of microplastics on marine organisms: A review. *Environmental Pollution*. 2013;178:483-492.
28. Raju N, Carbone S, Jain P, Srivastava RK, Gopinath PM, Johnston HJ. Additives of plastics: Entry into the environment and potential risks to human and ecological health. *Journal of Environmental Management*. 2023;337:119364.

29. Rochman CM, Browne MA, Underwood AJ, van Franeker JA, Thompson RC, Amaral-Zettler LA. The ecological impacts of marine debris: Unraveling the demonstrated evidence from what is perceived. *Ecology*. 2016;97(2):302-312.
30. Smith M, Love DC, Rochman CM, Neff RA. Microplastics in seafood and the implications for human health. *Curr Environ Health Rep*. 2018;5(3):375-386.
31. Nizzetto L, Futter M, Langaas S. Are agricultural soils dumps for microplastics of urban origin? *Environmental Science & Technology*. 2016;50(20):10777-10779.
32. Wagner M, Scherer C, Alvarez-Muñoz D, Brennholt N, Bourrain X, Buchinger S, et al. Microplastics in freshwater ecosystems: What we know and what we need to know. *Environmental Sciences Europe*. 2014;26(1):12.
33. Hopewell J, Dvorak R, Kosior E. Plastics recycling: Challenges and opportunities. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 2009;364(1526):2115-2126.
34. Teuten EL, Saquing JM, Knappe DR, Barlaz MA, Jonsson S, Björn A, et al. Transport and release of chemicals from plastics to the environment and to wildlife. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 2009;364(1526):2027-2045.
35. Scarascia-Mugnozza G, Schettini E, Vox G, Malinconico M, Immirzi B, Pagliara S. Mechanical properties decay and morphological behaviour of biodegradable films for agricultural mulching in real scale experiment. *Polymer Degradation and Stability*. 2006;91(11):2801-2808
36. Chen GQ. Plastics completely synthesized by bacteria: Polyhydroxyalkanoates. In: *Plastics from Bacteria*. Springer, Berlin, Heidelberg; 2010. pp. 17-37.
37. Ali S, Isha, Chang YC. Ecotoxicological impact of bioplastics biodegradation: A comprehensive review. *Processes*. 2023;11(12):3445.
38. Burelo M, et al. Recent developments in bio-based polyethylene: Degradation studies, waste management and recycling. *Heliyon*. 2023;9(11).
39. Vink ETH, Glassner DA, Kolstad JJ, Wooley RJ, O'Connor RP. The eco-profiles for current and near-future NatureWorks® polylactide (PLA) production. *Industrial Biotechnology*. 2007;6(4):212-224.
40. Rosenboom JG, Langer R, Traverso G. Bioplastics for a circular economy. *Nat Rev Mater*. 2022;7:117-137.
41. Folino A. Biodegradable and bio-based plastics for sustainable agricultural practices. *J Environ Chem Eng*. 2023;11:109424.
42. Saleem J. Sustainable technologies for agricultural plastic waste management. *Environ Technol Innov*. 2023;30:103289.
43. Briassoulis D. The impact of plastic waste on climate change: A holistic approach. *Sci Total Environ*. 2023;164533.
44. Nair PK. Agroforestry systems and environmental quality: Introduction. *Journal of Environmental Quality*. 2011;40(3):784-790.
45. Zhang S, Wang Y, Sun L, Qiu C, Ding Y, Gu H, Wang L, Wang Z, Ding Z. Organic mulching positively regulates the soil microbial communities and ecosystem functions in tea plantation. *BMC Microbiology*. 2020;20(1):103.
46. Gebbers R, Adamchuk VI. Precision agriculture and food security. *Science*. 2010;327(5967):828-31
47. Secretariat of the Basel Convention. *Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal*. 2019.
48. International Maritime Organization. *MARPOL Annex V - Prevention of pollution by garbage from ships*. 2017.
49. European Commission. *Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives*. 2008
50. USDA. *Resource Conservation and Recovery Act (RCRA)*. 2020.
51. National Development and Reform Commission. *China's Circular Economy Promotion Law*. 2018.
52. Ministry of Environment, Forest and Climate Change. *Plastic Waste Management Rules*. 2016.

53. IPCA. Waste Management (Amendment) Rules, 2022 [Internet]. Available from: [https://environment.delhi.gov.in/sites/default/files/inline-files/pwm\\_epr\\_1.pdf](https://environment.delhi.gov.in/sites/default/files/inline-files/pwm_epr_1.pdf).
54. Al-Salem SM, Lettieri P, Baeyens J. Recycling and recovery routes of plastic solid waste (PSW): A review. *Waste Management*. 2009;29(10):2625-2643.
55. Garnett T, Appleby MC, Balmford A, Bateman IJ, Benton TG, Bloomer P, et al. Agriculture. Sustainable intensification in agriculture: Premises and policies. *Science*. 2013;341(6141):33-34.

UNDER PEER REVIEW