

The Role of Exotic Fruits in Modern Diets: Health Benefits and Nutritional Value

Abstract

Exotic fruits, often referred to as tropical fruits, are native to specific regions and are known for their unique flavors, nutritional benefits, and bioactive compounds. This review explores various exotic fruits such as rambutan, kiwi, dragon fruit, durian, passion fruit, avocado, goji, and mangosteen. These fruits are rich in vitamins, minerals, antioxidants, and other bioactive components that offer numerous health benefits, including anti-inflammatory, anti-cancer, and cardioprotective properties. The paper also discusses the commercial cultivation, nutritional composition, and potential health benefits of these fruits, highlighting their growing popularity and significance in global markets.

Key Words: Bioactive Compounds, Commercial Cultivation, Exotic Fruits, Health Benefits, Nutritional Benefits,

Introduction: The term "exotic fruits" describes those mouthwatering fruits that are native to a distant nation, particularly one with a tropical climate. Thus, in certain places, exotic fruits are also referred to as tropical fruits. To put it briefly, these are unique to particular parts of the world and may not be grown everywhere; instead, they are imported from those areas so that other people can also sample them. More nations are now engaged in growing these fruits domestically in an effort to lessen the drawbacks of importing fruit products. People are getting more health conscious and inclined to choose healthier foods these days. Exotic fruits are rich in bioactive components with anti-inflammatory and anti-cancer capabilities, as well as a variety of vitamins and minerals, according to numerous studies. The exotic fruits are also highly praised for their delicious flavor, elegant appearance, and possible health advantages. There are many different kinds of exotic fruits, such as creamy durian, crisp kiwis, and spicier cactus pears. Dragon fruit, lychee, kiwi, durian, rambutan, mangosteen, star fruit, feijoa, longan, kiwano, Buddha's hand, cactus pear, pomelo, ackee, and breadfruit are a few of the exotic fruits.

Rambutan : The tropical fruit rambutan, scientifically known as *Nephelium lappaceum* L., is a member of the Sapindaceae family. The fruits are round, oval, or circular, has soft, hairy

projections that resemble spines and an exterior skin texture like leather (Minh *et al.*, 2019). It grows naturally in many tropical regions of South-Eastern Asia, including Malaysia and Indonesia. Commercial cultivation and exportation have spread to nations like India, Singapore, Thailand, Australia, Congo, Madagascar, Syria, and the Philippines, with Malaysia, Thailand, and Singapore being the largest producers and exporters (Mahmood *et al.*, 2018 and Jahurul., 2020). According to a study, rambutan fruits are rich in antioxidants, which can help heal bacterial infections, diabetes, and reduce cellular damage, all of which can lower the risk of cancer. (Sridevi Chigurupati *et al.*, 2019). An edible rambutan fruit weighing 100 grams contains 13.9 grams to 20.87 grams of carbs, 0.65 grams to 1.05 grams of protein, 0.21 grams of fat, 38.6 mg to 70 mg of vitamin C, 11 mg of sodium, 7 mg of manganese, 140 mg of potassium, 0.1 mg to 25 mg of iron, 9 mg to 30 mg of phosphorus, 22 mg of calcium, and 0.3 grams to 2.8 grams of fiber. (Gursimran Kaur., 2022). Eating rambutan fruits improves the health of the heart, bones, digestive system, skin, scalp, and hair. Moreover, it helps to avoid high blood pressure. Moreover, it possesses aphrodisiac, anti-cancer, anti-obesity, and anti-hypercholesterolemia qualities. (Wenli Sun., 2020)

Kiwi fruit: The oval-shaped fruit known as *Actinidia deliciosa*, or kiwi, is also known as Chinese gooseberry. Its mesocarp, which is green in color with purple-black seeds and a pleasant, tangy flavor, is covered with hairy, thin, greenish brown skin. In temperate regions with latitudes between 25°C and 45°C, it grows profusely. Originating in China's Yangtze Valley, it was extensively grown in New Zealand during the 1900s (T.Pinto., 2018 and Barnkob L *et al.*, 2020). Research indicates that one hundred grams of fresh kiwi fruit has 17.5 grams of carbohydrates, 0.79 grams of protein, 0.07 grams of fat, 0.027, 0.025, 0.341, 0.183, and 0.063 milligrams of Vitamin B1, B2, B3, B4, B5, and B6 in that order. vitamin C (92.7 mg), vitamin A (87 IU), vitamin E (1.47 mg), vitamin K (40.3 µg), calcium (34 mg), magnesium (17 mg), iron (0.31 mg), phosphorous (34 mg), copper (0.13 mg), and zinc (0.14 mg). Rhythm Kalsi *et al.*, 2022). Actinidin, a proteolytic enzyme that facilitates protein digestion, is abundant in kiwifruits. Because anti-platelets factor is present, it provides cardioprotective properties that help prevent cardiovascular illnesses. The fiber in question aids in lowering blood cholesterol levels in the fruit. The inclusion of potassium, vitamin C, vitamin E, and beneficial polyphenols also lowers blood triglyceride levels. A combination of vitamin K and amino acids, including glutamate and arginine, can help avoid blood clotting by dilatation of the blood arteries and improved blood

flow. Additionally, it demonstrates some laxative qualities, resulting in softer, looser feces with a larger volume. Copper stops premature graying, vitamin C stops hair loss, and Omega 3 fatty acids keep hydration in the hair. It also possesses antimicrobial, anti-inflammatory, and anti-diabetic qualities. (Richardson, D. P *et al.*, 2018, Ishida *et al.*, 2021)

Dragon fruit: Dragon fruit are native to Central America and southern Mexico and are now grown all over the world. They are members of the *Hylocereus* genus and family of Cactaceae. Its exterior layer is scaly and reddish-green or yellow-green, while its juicy inner layer is reddish-purple or white and contains tasty black seeds. Other names for it include red pitaya, belle of the night, night blooming cereus, strawberry pear (*Selenicereus* spp. and *Hylocereus* spp.), pitaya, red pitaya, conderella plant, and kamalam. (Chandni V Mori *et al.*, 2023). The crop is becoming more and more well-liked since it needs minimal water and can withstand higher temperatures. (Trivellini *et al.*, 2020). The pulp of *Hylocereus undatus* is found to contain a variety of substances in different solvents, including sugars, glucosides, cardiac glycosides, anthocyanins, phenols, steroids, terpenoids, alkaloids, triterpenoids, saponins, tannins, flavonoids, quinones, and coumarins. (Padmavathy K *et al.*, 2021). Along with being high in vitamins, fiber, magnesium, calcium, phosphorus, and antioxidants including betalains and ascorbic acid, the fruit is also high in phytochemicals. Red dragon fruit has anti-diabetic qualities, helps with digestion, reduces blood pressure, which avoids hypertension, and aids in the body's removal of toxins, particularly heavy metal pollutants, thanks to its abundance of vitamins and minerals. Rich in antioxidants, the phytoalbumin found in dragon fruits helps prevent some malignancies, including colon cancer, and also relieves cough and asthma. (Shekade DP *et al.*, 2018 and Kumar SB *et al.*, 2018) Because the fruit possesses anti-obesity and hypolipidemic qualities, it also aids in preventing atherosclerosis. (Suastuti NGMADA *et al.*, 2018).

Durian : The tropical fruit *Durio zibethinus*, is a member of the Bombacaceae family, is indigenous to Southeast Asia and has been grown there for generations. This fruit is not available in most Western countries because of its overpowering sulfurous smell, which makes people feel repulsed nonetheless, it is regarded as "the king of fruits" in Southeast Asian countries, primarily China. Approximately 200 different types of durian are widely grown in Malaysia, as well as in Indonesia, India, the Philippines, Thailand, Madagascar, Sri Lanka, Florida, and Hawaii. The

creamy, sweet texture of the durian fruit makes its pulp quite popular. It is eaten either fresh or freeze-dried, and it can also be found in drinks and sweets like cake, jam, and candies. (Lisa Striegel *et al.*, 2018 and Ali MM *et al.*, 2020) It has three to five seeds approximately, encircled with edible, custard-like flesh that most people eat. (Husin *et al.*, 2018). Overripe durians have higher concentrations of flavonoids, tannins, polyphenols, flavanols, and ascorbic acid than immature durians. (Paško *et al.*, 2019) Anthocyanin, apigenin, gallic acids, lutein, ascorbic acids, tannins, polyphenols, quercetin, flavonols, and flavonoids are the components of durian fruit. (A Aziz NA *et al.*, 2019) Thai durian types contain higher levels of total carotenoid content than Malaysian ones. Additionally, it preserves cardiac health and possesses a number of medicinal qualities, including anti-inflammatory and anti-diabetic effects. (Sarah Yew Yen Yee., 2021) It has been discovered that durian, particularly the Monthong and Chani types, is high in carotene, including alpha- and beta-carotene, as well as linoleic, oleic, palmitoleic, myristic, and stearic acids. s (Mohd *et al.*, 2020).

Passion fruit: The botanical name for passion fruit is *Passiflora edulis*, and it is extensively grown in tropical and subtropical climates. (Ramos L *et al.*, 2018). Scientifically known as *Passiflora edulis* f. *flavicarpa*, the yellow passion fruit species is primarily grown in Brazil, Ecuador, and Peru; *P. edulis* f. *edulis*, the violet passion fruit species, is primarily grown in Colombia; and *P. alata*, the sweet passion fruit, is primarily grown in Brazil. The sweet passion fruit weighs between 192 and 243 grams and has dimensions of 9.6 and 7.1 cm in length, whereas the violet passion fruit is round in shape, about 5 cm in diameter, 42–68 grams in weight, and has a thinner peel than the yellow kind. (Rodríguez N *et al.*, 2020). According to Biswaset *al.* (2021), roughly 100g of edible passion fruit contains compound such as 23.38g of carbohydrates, 2.20g of protein, 0.70g of total fat, 10.40g of dietary fiber, 1274 IU of vitamin A, 14µg of folate, 1.500 mg of niacin, 30 mg of vitamin C, 12 mg of calcium, 348 mg of potassium, 1.60 mg of iron, 68 mg of phosphorus, 29 mg of magnesium, 743µg of beta-carotene, and 41µg of beta-crytoxanthine. The antifungal and antibacterial properties of passion fruit protect plants and humans from hazardous pathogenic organisms. (He X *et al.*, 2020) Passion fruit has been used as herbal medicine and to cure a variety of illnesses since ancient times. It is believed to have anxiolytic and antidepressant qualities. (Sarris J., 2018 and Da Fonseca *et al.*, 2020) Passion fruit possesses a variety of bioactive qualities, including sedative, hepato and lung

protecting, anti-diabetic, anti-hypertensive, antibacterial, and antidepressant effects, according to several pharmacological investigations conducted both in vitro and in vivo. (Panelli *et al.*, 2018)

Avocado :The nutrient-dense avocado (*Persea americana*) is a member of the Lauraceae family of fruits. As the name of the species implies, it originated in America. There are three possible shapes of the fruit egg, spherical, and pear. Its outer covering is thick and uneven, and when ripe, it may turn purple black. Inside, the fruit is smooth, creamy, and tasty, with a big, single seed positioned in the middle. (Muhammad Afzal *et al.*, 2022). The fruit's abundance of nutrients supports the body's regular operations and guards against a number of harmful illnesses. Avocados contain folate, a naturally occurring form of vitamin B9 that helps reduce the risk of several malignancies, including prostate and colon cancer. Folate reduces depression by halting the rise in homocysteine levels. The presence of vitamin K lowers the risk of osteoporosis by promoting better bone health, which in turn helps to slow down the loss of bone mineral density. Because of the fruit's high potassium content, it has anti-inflammatory qualities, helps with normal digestion, protects the eyes from UV radiation, and delays the onset of muscular atrophy. It also contains lutein and zeaxanthin.

Goji :Goji yields an ellipsoid, orange-red berry that is about 2 cm deep and has a flavor that is both sweet and acidic. The Goji berry belongs to the Solanaceae family, which also includes potato, tomato, and eggplant. It is the fruit of *L. barbarum* and *L. chinense*. (Wang *et al.*, 2010). It is most frequently utilized in Traditional Chinese Medicine to lessen a variety of medical conditions, such as diabetes and obesity. Goji fruit seems to have potential medicinal uses for obesity, diabetes, and the issues that follow. In alloxan-induced diabetic rabbits, the crude polysaccharide and purified polysaccharide fractions extracted from goji fruit significantly decreased blood glucose levels, serum total cholesterol, and triglyceride content, and boosted HDL levels. In diabetic rats, it has been discovered that the injection of goji fruit reduced body weight, plasma insulin levels, and the insulin-sensitive index. (Ming *et al.*, 2009). Strong cardioprotective and antioxidant properties are also present in goji fruit. Moreover, therapy with 10 mg/kg of goji polysaccharide lowers blood glucose, malondialdehyde (MDA), and NO levels. Reis *et al.* (2014)

Accordingly, the research indicates that goji can control glucose metabolism and homeostasis and shield against complications caused by oxidative stress that arise from diabetes. Guowen *et al.* (2010)

Mangosteen :*Garcinia mangostana* Linn is a fruit that belongs to the Guttiferae family and is tropical in nature. Mangosteen fruits range in color from dark purple to red purple. The edible fruit of aril is white. (Kusumawati *et al.*, 2017)

It is juicy and supple, with a sweet and somewhat tangy flavor. In addition, it smells good. It is also known as the "queen of fruit". It is a tropical fruit that is prized for its many health advantages as well as its sweet and sour taste. Though it is produced all over the world now, the fruit's popularity is highest in Africa, Australia, and the America. It originated in Southeast Asia. Mangosteen trees require a warm, humid atmosphere to flourish and can reach heights of up to 80 feet. (Wathoni *et al.*, 2019). Mangosteen has shown proven for a range of applications and has become an unexplored source of bioactive Natural substances found in abundance in the fruit, including antioxidants and xanthenes, have been shown to have a host of health advantages. These bioactive substances have antibacterial, anti-inflammatory, and anti-cancer effects. Additionally, studies on preclinical and clinical mangosteen extracts and supplements have put forward encouraging results, indicating their potential as therapeutic agents. (Xie *et al.*, 2015). The bioactive chemicals found in mangosteen have novel prospects for the pharmaceutical, nutraceutical, and cosmetic industries. (Chaovanalikit *et al.*, 2012) These breakthroughs lay the groundwork for further advancements and applications of this exceptional fruit. Furthermore, mangosteen has demonstrated promise in bolstering immune system performance, preventing neurological illnesses, and improving cardiovascular health. Mangosteen has a potential bioactive profile, although it is still mostly untapped and unstudied. (Weecharangsan *et al.*, 2006). With only 63 calories per 100 g, mangosteen is low in calories, cholesterol, and saturated fats. It also contains a lot of dietary fiber (100 g provides 13% of RDA). Additionally a strong source of vitamin C, This fruit also has a small quantity of B complex vitamins, which help the body metabolize fats, proteins, and carbohydrates. These vitamins include thiamin, niacin, and folates. It also has a very high concentration of minerals, such as magnesium, manganese, and

copper. Potassium is an essential component of bodily fluids and cells because it helps control blood pressure and heart rhythm. (Aizat *et al.*, 2019)

References

1. A Aziz NA, Mhd Jalil AM. Bioactive compounds, nutritional value, and potential health benefits of indigenous durian (*Durio Zibethinus Murr.*): A review. *Foods*. 2019 Mar 13;8(3):96.
2. Aizat WM, Ahmad-Hashim FH, Syed Jaafar SN. Valorization of mangosteen, “The Queen of Fruits,” and new advances in postharvest and in food and engineering applications: A review. *Journal of Advanced Research*, 2019;20:61–70.
3. Ali MM, Hashim N, Abd Aziz S, Lasekan O. Exploring the chemical composition, emerging applications, potential uses, and health benefits of durian: A review. *Food Control*. 2020 Jul 1;113:107189
4. Barnkob L; Argyraki A; Jakobsen J, "In vitro studies on anti-inflammatory activities of kiwifruit peel extract in human THP-1 monocytes" DAFNE DIPARTIMENTO DISCIENZE AGRARIE E FORESTALI,2020.
5. Biswas, S.; Mishra, R.; Singh, A. Passion to profession: A review of passion fruit processing. *Aptisi Trans. Techno preneurship* 2021, 3, 48–57.
6. Chandni V Mori, AR Patel, VK Parmar and GS Patel., (2023)., Dragon fruit (Kamalam): An excellent exotic fruit crop of India., *The Pharma Innovation Journal* 2023; 12(1): 115-123.
7. Chaovanalikit A, Mingmuang A, Kitbunluewit T, Choldumrongkool N, Sondee J, Chupratum S. Anthocyanin and total phenolics content of mangosteen and effect of processing on the quality of Mangosteen products. *International Food Research Journal*. 2012;19(3):1047–1053
8. Da Fonseca, L.R.; Rodrigues, R.A.; Ramos, A.S.; da Cruz, J.D.; Ferreira, J.L.P.; Silva, J.R.A.; Amaral, A.C.F. Herbal Medicinal Products from *Passiflora* for Anxiety: An Unexploited Potential. *Sci. World J*. 2020
9. dos Reis B.A., Kosińska–Cagnazzo A., Schmitt R., Andlauer W., Fermentation of plant material – Effect on sugar content and stability of bioactive compounds. *Pol. J. Food Nutr. Sci.*, 2014, 64, 235–241.

10. Guowen C., Longjun J., Qiang F., Anti-hyperglycemic activity of a polysaccharide fraction from *Lycium barbarum*. *Afr. J. Biomed. Res.*, 2010, 13, 55–59.
11. Gursimran Kaur., Muskaan., Nitish Chaudhary and Zorempuii., (2022)., A review paper on rambutan., *The Pharma Innovation Journal* 2022; SP-11(1): 1052-1060
12. He X, Luan F, Yang Y et al (2020) *Passiflora edulis*: an insight into current researches on phytochemistry and pharmacology. *Front Pharmacol* 11:1–16.
13. Husin et al. (2018) Husin NA, Rahman S, Karunakaran R, Bhore SJ. A review on the nutritional, medicinal, molecular and genome attributes of Durian (*Durio zibethinus* L.), the King of fruits in Malaysia. *Bioinformation*. 2018;14:265–270.
14. Ishida, F. , Hu, A. , Yamaguchi, T. , Naraoka, Y. and Kobayashi, H. (2021) The Effects of Green Kiwifruit Ingestion on Digestive Health, Blood Flow, Skin Health, and the Autonomic Nervous System. *Health*, 13, 647-659.
15. Jahurul, M. H. A., Azzatul, F. S., Sharifudin, M. S., Norliza, M. J., Hasmadi, M., Lee, J. S., Patricia, M., Jinap, S., George, M. R., Khan, M. F., & Zaidul, I. S. M. (2020). Functional and nutritional properties of rambutan (*Nephelium lappaceum* L.) seed and its industrial application: A review. *Trends in Food Science & Technology*, 99, 367–374
16. Kumar SB, Issac R, Prabha ML. Functional and health-promoting bioactivities of dragon fruit. *Drug Invent Today*. 2018;10.
17. Kusumawati N, Santoso AB, Sianita MM, Muslim S. Extraction, characterization, and application of natural dyes from the fresh mangosteen (*Garcinia mangostana* L.) peel. *International Journal on Advanced Science, Engineering and Information Technology*. 2017;7(3):878–884.
18. Lisa Striegel., Soraya Chebib., Yuyun Lu., Dejian Huang., Michael Rychlik and Caroline Dumler., (2018)., Durian fruits discovered as superior folate sources., *Frontiers in Nutrition* 5
19. Mahmood, K., Kamilah, H., Alias, A. K., & Ariffin, F. (2018). Nutritional and therapeutic potentials of rambutan fruit (*Nephelium lappaceum* L.) and the by-products: A review. *Journal of Food Measurement and Characterization*, 12(3), 1556–1571
20. Ming M., Guanhua L., Zhanhai Y., Guang C., Xuan Z., Effect of the *Lycium barbarum* polysaccharides administration on blood lipid metabolism and oxidative stress of mice fed high-fat diet in vivo. *Food Chem.*, 2009, 113, 872–877

21. Minh, N. P., Vo, T. T., Trung, Q. V., Van Bay, N., & Loc, H. T. (2019). Application of CMC, xanthan gum as biodegradable coating on storage of rambutan (*Nephelium lappaceum*) fruit. *Journal of Pharmaceutical Sciences and Research*, 11(3), 1063–1067.
22. Mohd, A.M., Hashim, N., Aziz, S., Lasekan, O., 2020. Exploring the chemical composition, emerging applications, potential uses, and health benefits of durian: A review. *Food Control*, 113, Pp. 107189.
23. Muhammad Afzal, Attiq Akhtar, Riaz Ali Bukhari, Syed Zia Ul Hasan and Haseeb Syed., (2022)., Review on Avocado Fruit: Description, Morphological Characteristics, Composition, Nutritional Benefits and Propagation Technique., *Plant Cell Biotechnology and Molecular Biology* 23(29&30):32-41.
24. Padmavathy K., Kanakarajan S., Karthika S., Selvaraj R., Kamalanathan A. Phytochemical Profiling And Anticancer Activity Of Dragon Fruit *Hylocereus Undatus* Extracts Against Human Hepatocellular Carcinoma Cancer (Hepg-2) Cells. *Int. J. Pharm. Sci. Res.* 2021;12:2770–2778.
25. Panelli M. F., Pierine D. T., de Souza S. L., Ferron A. J. T., Garcia J. L., Santos K. C. D., et al. (2018). Bark of *Passiflora edulis* treatment stimulates antioxidant capacity, and reduces dyslipidemia and body fat in db/db mice. *Antioxidants* 7, 1–11. [10.3390/antiox7090120](https://doi.org/10.3390/antiox7090120)
26. Paško, P., Tyszka-Czochara, M., Trojan, S., 2019. Glycolytic genes expression, proapoptotic potential in relation to the total content of bioactive compounds in durian fruits. *Food Research International*, 125, Pp. 108563.
27. Ramos, L.; Pesamosca, E.; Salvador, M.; Hickmann, S.; de Oliveira, A. Antioxidant potential and physicochemical characterization of yellow, purple and orange passion fruit. *J. Food Sci. Technol.* 2018, 55, 2679–2691.
28. Rhythm Kalsi., Priya Negi and Harmanjot Singh.,(2022) Nutritional composition and potential health benefits of Kiwifruit (*Actinidia deliciosa*): A review., *International Journal of Creative Research Thoughts (IJCRT)*., Volume 10, Issue 1., d577-582.
29. Richardson, D. P., Ansell, J., & Drummond, L. N. (2018). The nutritional and health attributes of kiwifruit: a review. *European journal of nutrition*, 57(8), 2659–2676.

30. Rodríguez, N.; Ambachew, D.; Melgarejo, L.; Wohlgemuth, M. Morphological and agronomic variability among cultivars, landraces, and genebank accessions of purple passion fruit, *Passiflora edulis f. edulis*. *HortScience* 2020, 55, 768–777
31. Sarah Yew Yen Yee., Medicinal Properties Of Bioactive Compounds And Antioxidant Activity In *Durio zibethinus.*, *Malaysian Journal of Sustainable Agriculture (MJSA)*5(2) (2021) 82-89
32. Sarris, J. Herbal medicines in the treatment of psychiatric disorders: 10-year updated review. *Phytother. Res.* 2018, 32, 1147–1162
33. Shekade DP, Patil PD, Mote G V., Sahoo AK. Potential use of dragon fruit and Taro leaves as functional food: a review. *Eur J Eng Sci Technol.* 2018; 1(1):10-20.
34. Sridevi Chigurupati, Shantini Vijayabalan, Kesavanarayanan Krishnan Selvarajan, N.E. Hashish, Venkatesh Mani, E.S. Ahmed, Shilpa Das., (2019)., Identification of *Nephelium lappaceum* leaves phenolic and flavonoid component with radical scavenging, antidiabetic and antibacterial potential, *Indian Journal of Traditional Knowledge* 18(2):360-365.
35. Suastuti NGMADA, Bogoriani NW, Putra AAB. Activity of *Hylocereus Costarioensis's* Extract as Antiobesity and Hypolipidemic of Obese Rats. *Int J Pharm Res Allied Sci.* 2018; 7(1):201-8
36. T. Pinto, “Kiwifruit, a botany, chemical and sensory approach a review,” *Adv. Plants Agric. Res.*, vol. 8, no. 6, pp. 383–390, 2018, doi: 10.15406/apar.2018.08.00355.
37. Trivellini A, Lucchesini M, Ferrante A, Massa D, Orlando M, Incrocci L, Mensuali-Sodi A. 2020. Pitaya, an Attractive Alternative Crop for Mediterranean Region. *Agronomy* 10 (1065)
38. Wang C.C., Chang S.C., Inbaraj B.S., Chen B.H., Isolation of carotenoids, flavonoids and polysaccharides from *Lycium barbarum* L. and evaluation of antioxidant activity. *Food Chem.*, 2010, 120, 184–192
39. Wathoni N, Yuan Shan C, Yi Shan W, Rostinawati T, Indradi RB, Pratiwi R. Characterization and antioxidant activity of pectin from Indonesian mangosteen (*Garcinia mangostana* L.) rind. *Heliyon.* 2019;5(8):e02299.

40. Weecharangsan W, Opanasopit P, Sukma M, Ngawhirunpat T, Sotanaphun U, Siripong P. Antioxidative and neuroprotective activities of extracts from the fruit hull of mangosteen (*Garcinia mangostana* Linn.). *Medical Principles and Practice*. 2006;15(4):281– 287.
41. Wenli Sun., M. Hesam Shahrajabian., Mehdi Khoshkharam., Qi Cheng., (2020)., Rambutan, A tropical plant with Ethno-Pharmaceutical properties., *Agrociencia* 54(1): 121-128.
42. Xie Z, Sintara M, Chang T, Ou B. Daily consumption of a mangosteen-based drink improves in vivo antioxidant and anti-inflammatory biomarkers in healthy adults: A randomized, double-blind, placebo-controlled clinical trial. *Food Science and Nutrition*. 2015;3(4):342–348

UNDER PEER REVIEW