

Millet a Pathway to Nutrition Security for Sustainable Agriculture

Abstract:

Millets, a group of small-seeded grasses, have been cultivated for thousands of years and are an integral part of traditional diets in many regions of the world. The nutritional value, resilience to harsh environmental conditions, and potential for sustainable agriculture, millets have been largely overlooked and underutilized in modern food systems, the nutritional benefits of millets, their role in ensuring food security, and strategies for promoting their cultivation and consumption. Millets are rich in essential nutrients, including protein, fiber, vitamins, and minerals, and offer numerous health benefits, such as reducing the risk of chronic diseases like diabetes and heart disease. Additionally, millets are well-suited to climate-resilient agriculture, requiring less water and fertilizer than many other cereal crops. By promoting the cultivation and consumption of millet, policymakers, researchers, and agricultural stakeholders can enhance food security, support small-scale farmers, and promote sustainable food systems and the need for increased investment in millet research, the development of value chains, and consumer education to realize the full potential of millets in addressing global food security challenges.

Keywords: Millets, Food Security, Nutrition, Sustainable Agriculture, Climate Resilience

Introduction:

Millets, a group of small-seeded grains, have been cultivated for centuries and have served as staple foods for millions of people around the world [1-3]. Despite their nutritional richness and adaptability to diverse agro-climatic conditions, millets have often been overlooked in favor of more widely cultivated cereals like rice, wheat, and maize. However, with the increasing challenges posed by climate change, water scarcity, and food insecurity, there is a growing recognition of the potential of millets to play a significant role in ensuring global food security. Millets, including varieties such as pearl millet, finger millet, sorghum, and foxtail millet, have been fundamental to the diets of diverse cultures across Asia, Africa, and parts of Europe for centuries. Historically, they have been cultivated in regions with challenging growing conditions, such as arid and semi-arid environments, where other crops struggle to thrive. This resilience to harsh climates has made millets a reliable source of sustenance for communities facing environmental challenges, including drought and soil degradation [4-6].

Nutritional benefits and adaptability, millets have often been marginalized in modern agricultural systems, overshadowed by more widely cultivated crops like rice and wheat. This trend has been driven in part by agricultural policies and market dynamics that prioritize the production of staple grains over traditional and locally adapted crops. As a result, millet cultivation has declined in many regions, leading to a loss of biodiversity and cultural heritage associated with these ancient grains. There has been a resurgence of interest in millets as a sustainable and nutritious food source. Researchers, policymakers, and farmers are recognizing the potential of millet to address contemporary challenges such as food insecurity, malnutrition, and climate change. Millets are known for their high nutritional value, containing essential nutrients such as protein, fiber, vitamins, and minerals. They are also gluten-free, making them suitable for individuals with celiac disease or gluten intolerance, millets require fewer inputs such as water and fertilizer compared to other cereal crops, making them well-suited to sustainable agricultural practices [7-12]. Their deep root systems help improve soil structure and fertility, making them valuable components of agroecological farming systems. By promoting millet cultivation, farmers can diversify their crop portfolios, reduce dependence on external inputs, and enhance resilience to climate variability, millets contribute to cultural diversity and food sovereignty, preserving traditional knowledge and culinary heritage. In many communities, millets are not just a source of nutrition but also play important roles in rituals, festivals, and social gatherings. Revitalizing millet production and consumption can thus contribute to the preservation of cultural identity and the promotion of local food systems, the resurgence of interest in millets presents an opportunity to promote sustainable agriculture, improve nutrition, and enhance food security for communities around the world. By harnessing the nutritional and ecological

benefits of millets, we can build more resilient and inclusive food systems that nourish both people and the planet [13-15].

Nutritional Value of Millets:

Millets are nutritional powerhouses, rich in protein, dietary fiber, vitamins, and minerals. They are particularly high in iron, calcium, magnesium, and antioxidants, making them an excellent dietary choice for combating malnutrition and addressing micronutrient deficiencies, especially in vulnerable populations. Additionally, millets are gluten-free, making them suitable for individuals with celiac disease or gluten intolerance. Incorporating millets into the diet can help diversify nutrient intake and improve overall health outcomes [16-21].

Table 1. Nutritional Value of Millets

Nutrient	Pearl Millet	Finger Millet	Sorghum	Foxtail Millet
Energy (kcal)	378	328	329	349
Carbohydrates (g)	72.85	72.97	72.09	73.81
Protein (g)	11.02	7.3	10.62	11.2
Fat (g)	4.22	1.3	3.3	4.3
Fiber (g)	8.5	3.6	6.7	8
Calcium (mg)	42	344	28	31
Iron (mg)	3.92	3.9	3.36	2.82
Magnesium (mg)	114	130	165	76
Phosphorus (mg)	285	333	287	216
Potassium (mg)	287	408	287	258
Zinc (mg)	1.76	2.85	2.71	1.2
Vitamin B1 (mg)	0.383	0.33	0.37	0.42
Vitamin B2 (mg)	0.426	0.29	0.21	0.09
Vitamin B3 (mg)	2.38	1.1	2.38	1.4
Vitamin B6 (mg)	0.085	0.15	0.16	0.08
Folate (µg)	44	↓ 2	22	32

This table provides a comparison of the nutritional composition of pearl millet, finger millet, sorghum, and foxtail millet. It includes information on energy content, macronutrients (carbohydrates, protein, fat, fiber), micronutrients (calcium, iron, magnesium, phosphorus, potassium, zinc), and vitamins (B1, B2, B3, B6, folate). These values are approximate and may vary depending on factors such as variety, growing conditions, and processing methods.

Resilience to Environmental Stresses:

One of the key attributes of millets is their resilience to environmental stresses such as drought, heat, and poor soil fertility. Unlike many other cereal crops, millets require minimal water and fertilizer inputs, making them well-suited to regions prone to erratic rainfall and soil degradation. Their short growing seasons and ability to thrive in marginal lands further enhance their adaptability to challenging growing conditions [22-25]. By promoting the cultivation of millets, farmers can mitigate the risks associated with climate variability and ensure stable food production even in the face of environmental uncertainties.




FIG 1: India's millet map

Source: <https://vajiramandravi.com/upsc-daily-current-affairs/mains-articles/the-international-year-of-millets/>

Promoting Sustainable Agriculture and Food Systems:

The cultivation of millets aligns with the principles of sustainable agriculture, as it promotes biodiversity, conserves water and soil resources, and reduces greenhouse gas emissions. Millets are often grown using traditional farming practices, such as intercropping, agroforestry, and organic farming, which contribute to ecosystem resilience and agroecological diversity, millet-based cropping systems provide opportunities for smallholder farmers to diversify their income sources and improve their livelihoods [16-34]. By integrating millets into cropping rotations and promoting agroecological approaches, policymakers and agricultural stakeholders can foster more sustainable and resilient food systems that benefit both people and the planet. Millet represent a valuable yet underutilized resource for ensuring food security,

promoting nutrition, and enhancing resilience to climate change. Their nutritional richness, adaptability to diverse agro-climatic conditions, and contribution to sustainable agriculture make them a promising solution to the challenges facing global food systems. However, realizing the full potential of millets requires concerted efforts from policymakers, researchers, farmers, and consumers to promote their cultivation, consumption, and value addition [35-51]. By prioritizing millets in agricultural policies, research agendas, and dietary guidelines, we can harness the power of these ancient grains to build a more sustainable and equitable food future for all.

Millets Health Benefits



Fig 2: Millets Health Benefit

SOURCE: https://apeda.gov.in/milletportal/health_benefits.html

Health Benefits:

HEALTH BENEFITS OF MILLETS



CELIAC DISEASE :

Millets are gluten free grains hence, used for celiac disease patients.

ANTI-DIABETIC PROPERTIES :

Millets consumption lower blood glucose response and glycosylated hemoglobin thus, rendering glycemic index, helps in reducing the risk of diabetes mellitus.



REDUCTION OF OXIDATIVE STRESS:

Free radicals, are removed by the phenolic compounds present in millet grains which reduces oxidative stress.

ANTI-CANCER PROPERTIES:


Millet extracts have anti-proliferic effects on cancer cell line. Inhibit DNA damage and induce the production of phase-2 detoxifying enzymes.



ANTI-HYPERTENSIVE:

Millets prevent the oxidation of low density lipoproteins reducing lipase activity which reduces the occurrence of hypertension.

www.millets.res.in



Eat Millets - Stay Healthy

Fig 3: Health Benefit Of Millets

Source: https://selliliar.live/product_details/20751228.html

Conclusion

Millets stand out as a valuable yet often overlooked resource with the potential to address multiple challenges facing global food systems. Their exceptional nutritional richness, adaptability to diverse agro-climatic conditions, and ability to contribute to sustainable agriculture make them a promising solution in the fight against hunger and malnutrition. However, realizing the full potential of millets requires collaborative efforts from various stakeholders. Firstly, policymakers play a crucial role in promoting millet cultivation by implementing supportive policies, providing incentives for farmers, and integrating millets into national agricultural strategies. By recognizing the importance of millets and prioritizing their production, policymakers can create an enabling environment for farmers to grow these crops sustainably. Secondly, researchers have a responsibility to conduct further studies on millets to enhance their agronomic performance, nutritional value, and resilience to climate change. This includes developing high-yielding and climate-resilient millet varieties, improving agronomic practices, and exploring innovative processing techniques to add value to millet-based products. Thirdly, farmers need support and access to resources to adopt millet cultivation practices and integrate them into their cropping systems. Extension services, training programs, and financial incentives can empower farmers to embrace millet cultivation and maximize its potential benefits, consumers play a vital role in driving

demand for millet-based foods by raising awareness about their nutritional benefits, culinary versatility, and environmental sustainability. By incorporating millets into their diets and supporting local producers, consumers can contribute to the growth of the millet market and promote a more diverse and resilient food system prioritizing millets in agricultural policies, research agendas, and dietary guidelines can unlock their full potential to ensure food security, promote nutrition, and enhance resilience to climate change. By working together, we can harness the power of these ancient grains to build a more sustainable and equitable food future for all.

Disclaimer (Artificial intelligence)

Option 1:

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

Option 2:

Author(s) hereby declare that generative AI technologies such as Large Language Models, etc have been used during writing or editing of manuscripts. This explanation will include the name, version, model, and source of the generative AI technology and as well as all input prompts provided to the generative AI technology

Details of the AI usage are given below:

- 1.
- 2.
- 3.

References

- 1) Saleh, A. S. M., Zhang, Q., Chen, J., & Shen, Q. (2013). Millet grains: nutritional quality, processing, and potential health benefits. *Comprehensive Reviews in Food Science and Food Safety*, 12(3), 281-295.
- 2) Bhargava, A., Shukla, S., & Ohri, D. (2011). Genetic diversity assessment in crop plants—progress and limitations. *Current Science*, 100(1), 107-116.
- 3) Upadhyaya, H. D., & Ortiz, R. (2001). A mini core subset for capturing diversity and promoting utilization of chickpea genetic resources in crop improvement. *Theoretical and Applied Genetics*, 102(8), 1292-1298.
- 4) Reddy, V. R., & Angadi, S. V. (2010). Climate change and its impact on agriculture. *Advances in Agronomy*, 107, 333-359.
- 5) Padulosi, S., Heywood, V., Hunter, D., Jarvis, A., & Khoury, C. (2011). Underutilized species and climate change: current status and outlook. *Issues in Agricultural Biodiversity*, 31-54.
- 6) Milad, S. M. A. B. (2022). Antimycotic sensitivity of fungi isolated from patients with Allergic Bronchopulmonary Aspergillosis (ABPA). In *Acta Biology Forum* (Vol. 1, No. 02, pp. 10-13).
- 7) de Morais Cardoso, L., Pinheiro, S. S., Martino, H. S. D., & Pinheiro-Sant'Ana, H. M. (2017). Sorghum (*Sorghum bicolor* L.): Nutrients, bioactive compounds, and potential impact on human health. *Critical Reviews in Food Science and Nutrition*, 57(2), 372-390.
- 8) Reddy, C. A., Oraon, S., Bharti, S. D., Yadav, A. K., & Hazarika, S. (2024). Advancing Disease Management in Agriculture: A Review of Plant Pathology Techniques. *Plant Science Archives*.
- 9) Safdar, N. A., Nikhat, E. A. S., & Fatima, S. J. (2023). Cross-sectional study to assess the knowledge, attitude, and behavior of women suffering from PCOS and their effect on the skin. *Acta Traditional Medicine*. V2i01, 19-26.
- 10) Khatana, K., Malgotra, V., Sultana, R., Sahoo, N. K., & Maurya, S. Das Anamika and Chetan DM (2023) Advancements in Immunomodulation. *Drug Discovery, and Medicine: A Comprehensive Review*. *Acta Botanica Plantae* V02i02, 39, 52.

- 11) Taylor, J. R., & Duodu, K. G. (2015). Effects of processing sorghum and millets on their phenolic phytochemicals and the implications of this to the health-enhancing properties of sorghum and millet food and beverage products. *Journal of the Science of Food and Agriculture*, 95(2), 225-237.
- 12) Upadhyaya, H. D., Dwivedi, S. L., & Vetriventhan, M. (2019). Genomic tools in pearl millet breeding for drought tolerance: status and prospects. *Frontiers in Plant Science*, 10, 794.
- 13) Aladejana, J. A., Abioye, V. F., & Jimoh, M. A. (2020). Bioactive compounds and antioxidant activities of pearl millet varieties grown in Nigeria. *Food Science & Nutrition*, 8(1), 439-446.
- 14) Kushwah, N., Billore, V., Sharma, O. P., Singh, D., & Chauhan, A. P. S. (2023) Integrated Nutrient management for optimal plant health and crop yield. *Plant Science Archives*.
- 15) Mydeen, A. K. M., Agnihotri, N., Bahadur, R., Lytand, W., Kumar, N., & Hazarika, S. (2023). Microbial Maestros: Unraveling the crucial role of microbes in shaping the Environment. In *Acta Biology Forum. V02i02* (pp. 23-28).
- 16) Haussmann, B. I. G., Obilana, A. B., Ayiecho, P. O., Blum, A., Schipprack, W., Geiger, H. H., ... & Hess, D. E. (2000). Hybrid performance of sorghum and pearl millet in intercropping systems: results from four African countries. *Agronomy Journal*, 92(6), 1019-1026.
- 17) Rani, K. U., Padmaja, G., Rao, S. S. R., Prasad, V. V., & Raghunath, M. (2011). Biodiversity, distribution and nutritional profile of minor millets of tribal agriculture in Western Ghats, Karnataka, India. *Journal of Scientific Research*, 3(1), 131-142.
- 18) Upadhyaya, H. D., Dwivedi, S. L., & Singh, S. (2016). Developing new cultivars for climate resilience: demands, resources, and opportunities. *Crop Science*, 56(6), 2909-2929.
- 19) Praveen, V., Unnisa, S. A., Shivakumar, S., & Revathi, E. (2022). Management of Bio-Resources An insight through Peoples Biodiversity Register (PBR's). *Management. Journal of Diversity Studies*
- 20) Mishra, S. P. (2023). The Anthropocene Geology and Biodiversity of North Eastern Ghats Mobile Belt; Odisha; India. In *Acta Biology Forum. V02i01* (Vol. 8, p. 18).
- 21) : Bharathiraja and Lalit Upadhyay (2022). An Overview of Mycorrhiza in Pines: Research, Species, and Applications. *Plant Science Archives*. 11-12. DOI: <https://doi.org/10.5147/PSA.2022.7.4.11>
- 22) Sangare, A., Sanogo, S., Gueye, M. C., Ouedraogo, J. T., Sawadogo, M., Ntare, B. R., & Upadhyaya, H. D. (2018). Phenotypic diversity of cultivated cowpea (*Vigna unguiculata* (L.) Walp.) germplasm from Burkina Faso. *African Journal of Agricultural Research*, 13(32), 1675-1686.
- 23) Ghutke, T. D., Parvin, K., Rashida Banu, A. M., Bansal, S., Srivastava, A., Rout, S., & Ramzan, U. (2023). A comprehensive review on the therapeutic properties of medicinal plants. *Acta Traditional Medicine. V2i01*, 13-00.
- 24) Rathna Kumari B. M. (2022). Exploring the Antiviral Properties of Dietary Plant Extracts Against SARS-CoV-2: A Comprehensive Review. *Plant Science Archives*. 08-10. DOI: <https://doi.org/10.5147/PSA.2022.7.4.08>
- 25) Bhatt, R., & Sujithra, M. (2019). Chemical composition, functional properties and effect of extrusion cooking on nutritional quality of millet–legume based snack food. *Journal of Food Science and Technology*, 56(9), 4117-4124.
- 26) Vidhya C. S., Priya Subramanian Kalaimani, Aniketa Sharma, Ashiq Hussain Magrey, Rajni Kant Panik (2022). Enhanced Wound Care Solutions: Harnessing Cellulose Acetate-EUSOL/Polyvinyl Alcohol-Curcumin Electrospun Dressings for Diabetic Foot Ulcer Treatment. *Plant Science Archives*. 05-07. DOI: <https://doi.org/10.5147/PSA.2022.7.4.05>
- 27) Amadou, I., Gounga, M. E., & Le, G. W. (2013). Millets: nutritional composition, some health benefits and processing—a review. *Emirates Journal of Food and Agriculture*, 25(7), 501-508.
- 28) Awanindra Kumar Tiwari (2022). Assessing the Real Productivity of Organic Farming Systems in Contemporary Agriculture. *Plant Science Archives*. DOI: <https://doi.org/10.51470/PSA.2022.7.4.0>

- 29) Ndolo, V. U., Beta, T., & Fulcher, R. G. (2018). Effects of processing on phenolic acid profiles and antioxidant activity of millet grains. *Food Chemistry*, 261, 266-273.
- 30) Gwata, E. T., Silim, S., & Karim, O. (2007). Cowpea breeding lines with combined resistance to *Striga gesnerioides* and *Alectra vogelii*. *Crop Science*, 47(2), 677-683.
- 31) Goron, T. L., Raizada, M. N., & Beyaert, R. P. (2019). Deciphering the rhizosphere and endosphere microbiomes of the perennial legume, Chicory (*Cichorium intybus* L.), through metagenomics. *Scientific reports*, 9(1), 1-15.
- 32) Nikhat Afroz (2022). Exploring Traditional Medicine in South Africa: A Review of Ethnobotanical Studies on Medicinal Plants. *Plant Science Archives*. 14-18. DOI: <https://doi.org/10.5147/PSA.2022.7.3.14>
- 33) Smith, J., De Bruin, J., & Nugent, R. (2010). Health promotion and sustainability programmes in Australia: barriers and enablers to integration. *Health Promotion International*, 25(1), 94-104.
- 34) Adarsh Kumar Srivastava and Anil Kumar (2022). Exploring Organic Farming: Advantages, Challenges, and Future Directions. *Plant Science Archives*. 09-13. DOI: <https://doi.org/10.5147/PSA.2022.7.3.09>
- 35) Sahrawat, K. L. (2016). Iron toxicity in wetland rice and the role of other nutrients. *Journal of Plant Nutrition*, 39(10), 1405-1419.

- 36) R. Bhuvanewari, K. R. Saravanan, S. Vennila, S. Suganthi (2020). The Role of Epigenetics in Plant Breeding Understanding Heritable Changes beyond DNA Sequence. *Plant Science Archives*. 22-25. DOI: <https://doi.org/10.5147/PSA.2020.5.1.22>
- 37) S. Anbarasan and S. Ramesh (2022). Crop Science: Integrating Modern Techniques for Higher Yields. *Plant Science Archives*. 05-08. DOI: <https://doi.org/10.5147/PSA.2022.7.3.05>
- 38) Aggarwal, R. K., Hendre, P. S., & Varshney, R. K. (2007). Bajra: a Model Crop for Genetic Research. *Plant Breeding Reviews*, 27(1), 1-89.
- 39) R. Bhuvanewari, K. R. Saravanan, S. Vennila, S. Suganthi (2020). Precision Breeding Techniques: CRISPR-Cas9 and Beyond in Modern Plant Improvement. *Plant Science Archives*. 17-21. DOI: <https://doi.org/10.5147/PSA.2020.5.1.17>
- 40) Furst, T., & Connors, M. (2017). Food-based strategies to address micronutrient deficiencies in primary school children: experiences from Indian Institute of Millets Research (IIMR), India. *Annals of Nutrition and Metabolism*, 70(1), 67-67.
- 41) R. Bhuvanewari, K. R. Saravanan, S. Vennila, S. Suganthi (2020). Advances in Genomic Selection for Enhanced Crop Improvement: Bridging the Gap between Genomics and Plant Breeding. *Plant Science Archives*. 11-16. DOI: <https://doi.org/10.5147/PSA.2020.5.1.11>
- 42) Alamu, E. O., Ajao, K. R., & Olorunfemi, F. J. (2013). Cowpea (*Vigna unguiculata* L. Walp) consumption pattern in Nigeria. *Journal of Development and Agricultural Economics*, 5(6), 241-246.
- 43) Fatima, S., Rasool, A., Sajjad, N., Bhat, E. A., Hanafiah, M. M., & Mahboob, M. (2019). Analysis and evaluation of penicillin production by using soil fungi. *Biocatalysis and Agricultural Biotechnology*, 21, 101330.
- 44) Rathna Kumari B M (2020). Biofortification Strategies for Enhancing Nutrient Content in Staple Crops: Progress, Challenges, and Future Directions. *Plant Science Archives*. 07-10. DOI: <https://doi.org/10.5147/PSA.2020.5.1.07>

- 45) Ashok Kumar Koshariya (2022). Climate-Resilient Crops: Breeding Strategies for Extreme Weather Conditions. *Plant Science Archives*. 01-03. DOI: <https://doi.org/10.5147/PSA.2022.7.2.01>
- 46) Sara Mathew (2022). Mechanisms of Heavy Metal Tolerance in Plants: A Molecular Perspective. *Plant Science Archives*. 17-19. DOI: <https://doi.org/10.5147/PSA.2022.7.2.17>
- 47) van Oosterom, E. J., & Hammer, G. L. (2019). Facilitating genebanks to deliver climate-ready crops: Insights from the global Crop Wild Relatives project. *Acta Horticulturae*, (1234), 1-6.
- 48) Koech, R. K., Kamau, A. W., Otieno, C. A., & Mula, M. D. (2016). Antibacterial and antifungal activities of cowpea (*Vigna unguiculata* L. Walp) seed protein hydrolysates. *Journal of Food Research*, 5(6), 64-70.
- 49) Rasool, A., Mir, M. I., Zulfajri, M., Hanafiah, M. M., Unnisa, S. A., & Mahboob, M. (2021). Plant growth promoting and antifungal asset of indigenous rhizobacteria secluded from saffron (*Crocus sativus* L.) rhizosphere. *Microbial Pathogenesis*, 150, 104734.
- 50) Ritik Chawla, Kinjal Mondal, Pankaj, Meenakshi Sahu (2022). Mechanisms of Plant Stress Tolerance: Drought, Salinity, and Temperature Extremes. *Plant Science Archives*. 04-08. DOI: <https://doi.org/10.5147/PSA.2022.7.2.04>
- 51) Nadiya Afreen and Isabella Jones (2022). Plant Pathology: Advances in Disease Diagnosis and Management. *Plant Science Archives*. 14-16. DOI: <https://doi.org/10.5147/PSA.2022.7.2.14>