

LOW INTENSITY LASER THERAPY: A REVIEW OF ITS APPLICATIONS AND EFFECTIVENESS IN HEALTH, GENERAL DENTISTRY AND ENDODONTICS

ABSTRACT

Aims: To evaluate the use of low-level laser therapy in endodontic treatment and its broader applicability in General Health and Dentistry.

Study Design: Literature review.

Place and Duration of Study: The study involved searching articles and book chapters in the Google Scholar and PubMed databases from 2018 to 2023, with the review concluding in 2024.

Methodology: The review used descriptors from the Brazilian Health Sciences Descriptors database: Laser Therapy, Low-Level Light Therapy, Endodontic Treatment, Dentistry, and their Portuguese equivalents. A total of 34 articles were selected, focusing exclusively on low-level laser therapy and its applications. Articles not addressing this specific therapy were excluded.

Results: Low-level laser therapy is frequently used as an adjunct in general health, dentistry and endodontic treatment. Clinical applications, such as postoperative pain control, root canal system disinfection, periapical surgery, and tissue repair, showed promising results. However, more theoretical and clinical evidence is still required to fully establish its efficacy. Further research is needed to strengthen the evidence base and optimize its clinical use.

Conclusion: Low-level laser therapy offers a potential non-invasive treatment option in endodontics, with satisfactory outcomes in various clinical applications.

Keywords: Low-Level Laser Therapy; Non-Invasive Treatment; Dental Treatment; General Clinical Applications; Endodontics.

1. INTRODUCTION

The term laser originates from the expression "light amplification by stimulated emission of radiation" and low-intensity laser therapy is considered a potential non-invasive treatment. Its physical properties allow it to emit radiation with high energy and low power, which contribute to biostimulation and biochemical reactions in cells through light interaction, depending on the wavelength used according to therapeutic needs [1-2].

The wavelength used in low-intensity laser therapy is 660nm for red light and 808nm for infrared light; this type of radiation has therapeutic effects on living tissues. The wavelength employed is directly proportional to the penetration it will have in the tissue, and the devices can be applied in continuous light or pulsed light mode, depending on their power [3]. Infrared laser has anti-inflammatory properties and greater tissue penetration. In contrast, red lasers are less penetrating than infrared [4].

The use of laser therapy has been frequently applied in Medicine, Dentistry, Speech Therapy, and other areas of human and animal health [5]. Low-power laser is used to stimulate tissue healing, possessing milliwatts of up to a maximum of 1W, which are not

32 capable of causing tissue destruction [2]. Additionally, therapies associated with lasers can
33 relieve pain, be anti-inflammatory, stimulate, improve local microcirculation, and reduce
34 oedema [4].

35

36 In the field of Dentistry, the application of low-intensity laser is also quite common nowadays,
37 due to its beneficial results in various situations. One of the most frequent applications is in
38 aiding the treatment of recurrent and traumatic oral ulcerated lesions, as well as in the
39 treatment of other oral diseases. The results of this therapy include pain relief and reduced
40 discomfort for patients [4].

41

42 The relationship between low-intensity laser and Endodontics is being studied. Endodontic
43 treatment must clean, shape, and seal the canals to eliminate or reduce the number of
44 microorganisms present. The treatment consists of a good diagnosis, endodontic access,
45 pulp removal, instrumentation, canal system filling, and patient follow-up [6]. Disinfection is
46 performed using irrigating solutions in the root canal system, such as sodium hypochlorite or
47 chlorhexidine gluconate, which act on microorganisms and organic and inorganic tissues,
48 aiding in adequate antiseptis [7-8].

49

50 Thus, this article aims to report on the use of laser therapy in endodontic treatment and its
51 applicability in other areas of health and Dentistry.

52

53 **2. MATERIAL AND METHODS**

54

55 The present study is a literature review, conducted by searching for articles and book
56 chapters in the Google Scholar and PubMed databases in 2023, focusing on the last five
57 years (2018–2023). In addition to this time range, the inclusion criteria allowed for the
58 consideration of articles in both English and Portuguese.

59

60 The descriptors used were registered in the Brazilian Health Sciences Descriptors database:
61 Laser Therapy, Low-Level Light Therapy, Endodontic Treatment, Dentistry, and their
62 Portuguese equivalents. The Boolean operator "AND" was applied in both English and
63 Portuguese research strategies as follows: "Low-Level Light Therapy" AND "Dentistry," and,
64 in Portuguese, "Uso da Laserterapia" AND "TratamentoEndodôntico."

65

66 Based on this selection of articles, the research aimed to discuss and describe the use and
67 effects of laser therapy in endodontic treatment. Positive results were found regarding the
68 use of lasers, their applicability in clinical dental practice, and the benefits to patients.
69 Articles that did not address the use of low-level lasers were excluded from the research.

70

71 As this study relied solely on already published material for analysis, prior evaluation by an
72 Ethics Committee on Research with Human Subjects was not required.

73

74 **3. RESULTS AND DISCUSSION**

75

76 Applying the descriptors in the databases yielded the following categories and the
77 corresponding number of articles found: (1) Low-level light therapy = 9,343, (2) Laser
78 therapy = 108,316, (3) Low-level light therapy AND dentistry = 1,789, (4) Use of Laser
79 Therapy in Endodontic Treatment = 1,139. The articles were evaluated, and 34 were
80 selected to be included in this review. The results of the initial analysis of the selected
81 articles are presented in Table 1, which includes information such as author(s)/year of
82 publication, general objective, and main findings. Articles written in both English and
83 Portuguese were included.

84

85
86
87

Table 1. Characterization of selected studies regarding authorship, year of publication, main objective and main results.

Authors and Year	Objective	Main Results
Lopes; Pereira; Bacelar, 2018 [2]	To assess the ability of low-power lasers to stimulate cellular activity and collagen production, and their application in aesthetic treatments.	Due to its safety and non-invasiveness, the laser is being used for cellulite, acne and rejuvenation treatments, and application without causing side effects or discomfort to the patient.
Metin <i>et al.</i> , 2018 [9]	To analyse the use of low-level laser therapy (LLLT) in soft and hard tissue regeneration immediately after endodontic surgery.	LLLT showed favourable results in reducing pain and stimulating soft and hard tissue healing after endodontic surgery procedures.
Alonaizan; Alfawaz, 2019 [10]	To answer the PICOS question: In patients with postoperative endodontic pain (Population), what is the effect of phototherapy (Intervention) as compared to placebo (Comparator) on postoperative endodontic pain (Outcomes) considering only RCTs (Study design)?	It remains debatable whether phototherapy reduces post-operative endodontic pain after root canal therapy.
Caccianiga <i>et al.</i> , 2019 [11]	To use photobiomodulation for post-surgical care of dental implants to alleviate side effects.	Studies confirm that photobiomodulation, used complementarily, reduces swelling and pain after implant surgery. Further studies are needed to compare spectral technology with photobiomodulation.

Kuzekanani <i>et al.</i> , 2019 [12]	To evaluate the lasers most commonly applied in endodontics for root canal disinfection via laser-activated irrigation, dentine hypersensitivity, pulpectomy, photoactivated disinfection, and pulp encapsulation.	The primary and most significant focus of laser use is its capacity to disinfect canals through photoactivation. For access and preparation of root canals, mechanical instrumentation is superior compared to laser-assisted procedures.
Plotino <i>et al.</i> , 2019 [13]	To review the use of laser therapy in the speciality of endodontics: reviewing its mechanism of action, limitations, and clinical cases in the literature.	Favourable results were obtained with in vitro samples. Photodynamic therapy proved to be an adjunct to conventional endodontic treatments for the reduction of persistent microorganisms.
Yoshinari <i>et al.</i> , 2019 [14]	To assess postoperative pain at different times with and without photodynamic therapy in teeth with asymptomatic periodontitis.	Evaluated patients reported low levels of pain, indicating that the use of photodynamic therapy for post-operative pain treatment was not advantageous.
Anagnostaki <i>et al.</i> , 2020 [15]	To evaluate the use of conventional lasers as adjuncts for canal disinfection, antimicrobial photodynamic therapy (aPDT), and the management of post-endodontic treatment pain, and assess their effectiveness as auxiliary therapies in endodontic treatment.	Conventional endodontic treatment remains the gold standard. However, due to its failure rates and post-treatment pain, there was a need for something complementary. The use of lasers can indeed complement conventional treatment.
Cardoso <i>et al.</i> , 2020 [1]	To evaluate laser therapy as a method for controlling post-endodontic treatment pain.	Laser therapy reduces post-dental treatment pain, not only in endodontics.

Guerreiro <i>et al.</i> , 2020 [16]	To investigate the effect of low-level laser therapy (LLLT) in reducing post-endodontic pain.	Most studies reported a lower pain rate after endodontic treatment using LLLT across various time periods. There was low evidence for endodontic surgeries and retreatment.
Karamifaret <i>et al.</i> , 2020 [17]	To analyze current methods for diagnosing and treating endodontically failed teeth, endodontic periradicular lesions, highlighting their advantages and disadvantages.	Despite various treatments for endodontically failed teeth, there is still a need for minimally invasive treatment and for apical periodontitis and cysts.
Medeiros <i>et al.</i> , 2020 [6]	To conduct a comparative analysis between conventional endodontic techniques and the use of photodynamic therapy with methylene blue in eliminating <i>Enterococcus faecalis</i> bacteria.	The use of antimicrobial photodynamic therapy positively demonstrated a reduction in <i>Enterococcus faecalis</i> bacteria in root canal systems with low cytotoxicity.
Silva Neto <i>et al.</i> , 2020 [18]	To evaluate through an integrative review the applications of low-intensity laser in dentistry.	Laser is indispensable in dentistry, serving as an adjunct in various treatments and specialisations, with the added benefit of lacking side effects.
Tavares <i>et al.</i> , 2020 [19]	To report a clinical case of a pulpal canal with apical periodontitis using guided endodontic treatment combined with photodynamic therapy (aPDT).	Positive results were obtained by combining the two techniques. The aPDT played an important role in the case, thus encouraging its use in cases with calcifications and without apical patency.
Figueirêdo-Júnior <i>et al.</i> , 2021 [7]	To show an adjunctive method for disinfecting root canal systems using laser therapy through photodynamic therapy.	For root canal disinfection, aPDT provides a favorable resource to assist endodontic treatments.

<p>Nogueira <i>et al.</i>, 2021 [20]</p>	<p>To expose the cellular and molecular results of low-power laser use in dentistry.</p>	<p>When applied, the laser promotes cell regeneration and a rapid physiological response. There are still insufficient studies showing the biomodulation process of low-power laser with clinical trials.</p>
<p>Oliveira <i>et al.</i>, 2021^a [21]</p>	<p>To compare the use of low-level laser therapy with another postoperative method in patients undergoing third molar surgery, aiming to reduce edema, trismus, and pain.</p>	<p>Laser was effective in controlling pain, edema, and trismus after third molar extraction, benefiting different tissues. Laser enhances cellular mobility and adhesion, inhibiting apoptosis and producing cell development factors.</p>
<p>Oliveira <i>et al.</i>, 2021^b [22]</p>	<p>To explain to dentists the use of phototherapy associated with laser in endodontics and general aspects.</p>	<p>There is evidence that laser therapy is an adjunctive method for disinfecting root canals, but it requires professionals to have knowledge of its fundamentals and tissue interactions.</p>
<p>Ren <i>et al.</i>, 2021 [23]</p>	<p>To determine how laser therapy can help in treating pain caused by temporomandibular joint dysfunction (TMD) using various wavelengths and transcutaneous electrical nerve stimulation (TENS).</p>	<p>In patients with TMD, laser therapy has shown to be more effective in short-term pain reduction, using wavelengths from 910 nm to 1100 nm.</p>
<p>Santos; Sousa, 2021 [24]</p>	<p>To analyse what are the main contributions of laser therapy as a resource for the benefit of speech therapy.</p>	<p>Laser therapy has been found beneficial in speech therapy, enhancing performance in muscles involved in speech and chewing. More studies are needed regarding laser therapy in speech therapy.</p>

Simões; Catão, 2021 [25]	To analyse the forms of laser therapy applications in clinical practice through scientific publications.	Laser use in clinical practice to alleviate post-endodontic treatment pain and clean root canals has yielded satisfactory results.
Souza <i>et al.</i> , 2021 [4]	To present low-level laser therapy and its modes of action in treating trigeminal nerve lesions in dental procedures.	When performing procedures near nerves, care must be taken to avoid nerve injuries. Laser therapy presents benefits in regenerative, anti-inflammatory, and analgesic processes.
Bansal; Sandhu, 2022 [26]	To analyse how laser-assisted irrigation in endodontics works within root canals.	Laser-activated irrigation is a novel method for root canal disinfection. Its results, when combining laser energy, show that laser radiation creates cavitations in the irrigant solution.
Liu; Zhang; Zhou 2022 [27]	To examine the functioning of periodontal endodontic therapy associated with diode laser (DL) therapy.	Using DL in periodontal tissue proves effective in tissue healing, reducing periodontal pockets, and alleviating dental pain.
Lopes <i>et al.</i> , 2022 [28]	To discuss the clinical use of photodynamic therapy in endodontics.	The use of antimicrobial photodynamic therapy in endodontics showed high levels of clinical evidence. Two studies that were determined had clinical recommendations of A1A and an evidence level of A.
Pandit <i>et al.</i> , 2022 [29]	To apply laser in endodontics: for pulp diagnosis, pulp capping, pulpotomy, root canal disinfection, dentin hypersensitivity, canal shaping and long fibres. Nd:YAG laser and obturation, and apicoectomy.	The use of lasers in endodontics is expected to become more common due to advances in very fine, elastic, and was efficient in common procedures.

<p>Moreira, Teixeira, Lyon, 2022 [5]</p>	<p>To discuss concepts to better understand physiotherapeutic techniques and expand their clinical applications.</p>	<p>Comparatively, the use of photobiomodulation in human medicine is well-established, unlike in veterinary medicine. Devices are becoming more accessible, expanding to more clinics, favouring application.</p>
<p>Oliveira <i>et al.</i>, 2022 [30]</p>	<p>To investigate the action of photodynamic therapy for pain control in teeth with pulp involvement.</p>	<p>There is currently insufficient evidence to support the use of photodynamic therapy for controlling endodontic-origin pain. However, there is better support for its use in root canal disinfection.</p>
<p>Brasilet <i>et al.</i>, 2023 [31]</p>	<p>To report a clinical case and literature review on the effects of laser in facial harmonization due to its bio-stimulating and tissue repair effects.</p>	<p>Laser as an auxiliary tool in disease treatment and aesthetics is gaining ground for its efficiency and enhancement in facial harmonization.</p>
<p>Ismail; Obeid; Hassanien, 2023 [32]</p>	<p>To compare two distinct methods: low-power laser therapy and laser-activated irrigation, for managing post-endodontic treatment pain using low-intensity diode laser.</p>	<p>Both methods yielded positive results; however, laser-activated irrigation proves more effective due to its antibacterial effects, moderate cost, and wider adoption in general practice.</p>
<p>Rubio <i>et al.</i>, 2023 [33]</p>	<p>To present two cases of teeth with asymptomatic apical periodontal involvement and pulp necrosis, disinfected using 940nm diode laser and photobiomodulation therapy.</p>	<p>Diode laser in periodontal tissues compromised by periodontitis aids in tissue healing, noting low-intensity laser as complementary to conventional endodontic treatment.</p>

<p>Huang <i>et al.</i>, 2023 [34]</p>	<p>To show the various ways laser can be applied, the types of lasers, and their wavelengths for different situations.</p>	<p>There remains a gap in determining the type of laser and parameters to be used in clinical practice. Additionally, its applications are costly and may cause erythema, skin hyperpigmentation, burns, and ocular injuries.</p>
<p>Lima <i>et al.</i>, 2023 [35]</p>	<p>To discuss the significance of laser therapy in various pathologies and periradicular lesions of endodontic origin.</p>	<p>Further theoretical refinement is necessary to substantiate research claims.</p>
<p>Yong <i>et al.</i>, 2023 [36]</p>	<p>To explain the use of regenerative endodontic procedures and applications of laser irradiation and photobiomodulation therapy in endodontics.</p>	<p>There is insufficient specific evidence explaining how photodynamic therapy will act in regenerative endodontic procedures (REPs), but it may serve as a complementary approach for the future of endodontics and REPs.</p>

88 **Source:** Authorship (2024)

89 **3.1 Laser in General Health**

90

91 Low-level laser therapy (LLLT) is a non-invasive treatment that incorporates phototherapy
92 principles and contributes to photobiomodulation, affecting cellular metabolism and local
93 microcirculation. It promotes the production of prostaglandins (PGI₂) for anti-inflammatory
94 effects, inhibits pro-inflammatory factors, and eliminates pain-inducing substances such as
95 histamine, substance P, and dopamine [32].

96

97 The mechanism of action of lasers is based on light absorption by chromophores, enhancing
98 cellular respiration in mitochondria and increasing ATP formation through enzymatic
99 reactions [24]. Research comparing Photodynamic Therapy (PDT) with photobiomodulation
100 has shown that, while PDT requires a photosensitizing dye to generate biological responses,
101 photobiomodulation relies on endogenous chromophores in the tissue, producing effects
102 without exogenous dyes [5].

103

104 Photosensitizing oils extracted from plants and activated by light absorption have been used
105 as early as 1400 BC by Asian cultures to treat conditions like vitiligo. Although the exact
106 timeline of laser invention is unclear, modern applications of laser technology have
107 demonstrated significant therapeutic relevance. In ancient medicine, sunlight combined with
108 specific herbs was used to alleviate pain, hinting at the foundations of light-based therapies
109 [18].

110

111 In the field of Speech-Language Pathology, red laser therapy has been effectively applied to
112 patients suffering from oropharyngeal dysphagia, temporomandibular disorders, post-
113 operative orthognathic surgery, facial paralysis, and prosthesis/implant irritations. It has also

114 proven helpful for treating nipple fissures due to its analgesic and anti-inflammatory
115 properties, contributing to symptom relief and patient recovery [3]. Intravascular Laser
116 Irradiation of Blood (ILIB) involves irradiating blood via optical fiber in the radial artery using
117 red and infrared laser light. This painless therapy does not cause burns and has shown
118 benefits in post-operative recovery by reducing oedema [24].

119

120 Laser applications in Speech-Language Pathology have also been shown to reduce muscle
121 fatigue, modulate salivary flow, and improve intraoral sensitivity, particularly in patients with
122 neurological conditions or facial paralysis. Photobiomodulation therapy, known for its
123 photochemical and photophysical effects, utilises non-ionizing light sources and has no side
124 effects, making it a non-invasive technique aiding various therapeutic processes [24].

125

126 **3.2 Laser in General Dentistry**

127

128 Early laser research in Dentistry began with ruby-type lasers used "in vitro," which caused
129 tissue burns due to high heat at the point of exposure. However, subsequent research has
130 demonstrated the positive effects of low-intensity lasers, which are well-focused,
131 monochromatic light beams capable of deep tissue penetration. These have led to bio-
132 stimulation, pain relief, and anti-inflammatory effects, revolutionising dental treatments [18].

133

134 In Dentistry, low-level laser therapy (LLLT) is used to treat various conditions such as
135 aphthous ulcers, temporomandibular disorders (TMD), dentine hypersensitivity, mucositis,
136 dry mouth, osteoradionecrosis, and post-surgical complications. Its analgesic properties help
137 alleviate or eliminate pain, offering a non-traumatic, minimally invasive, and non-toxic
138 treatment option for healthy cells [18].

139

140 For patients with dentine hypersensitivity, low-level laser therapy (LLLT) effectively reduces
141 pain through its bio-stimulating action on nerve endings. Similarly, in dental bleaching, the
142 application of infrared light beams at wavelengths of 660 and 810 nm has led to improved
143 desensitisation outcomes [18]. Furthermore, in the treatment of periodontitis, laser therapy
144 has proven to be a beneficial adjunct, particularly for diabetic patients, as it enhances access
145 to areas that mechanical methods may struggle to reach, such as root bifurcations and
146 periodontal pockets, all while maintaining low tissue temperatures [27].

147

148 Orthodontic procedures also benefit from laser therapy, aiding bone rehabilitation and
149 reducing discomfort during tooth movement with separators [18]. Post-operative issues
150 following molar extractions, including oedema, trismus, and pain, are alleviated by applying
151 LLLT with specific wavelengths and fluence. Research highlights the effectiveness of laser
152 therapy in reducing post-operative discomfort, particularly in implant surgery [21].

153

154 The use of LLLT in orofacial harmonisation procedures promotes healing and addresses
155 inflammation, offering promising results for facial rejuvenation by stimulating cellular
156 processes [31].

157

158 **3.2 Laser in Endodontics**

159

160 Anatomical variations in root canals pose challenges for instruments and irrigating solutions,
161 often leaving behind imperfections and microorganisms even after thorough
162 chemomechanical preparation [7]. Laser therapy enhances root canal disinfection by
163 applying light at a specific wavelength, which stimulates a dye to induce oxidation in the
164 presence of oxygen, resulting in bacterial cell death [22].

165

166 Anagnostaki et al. [15] highlighted the significance of laser use in endodontics, particularly in
167 conjunction with ultrasonic irrigation techniques. While the publication primarily discusses
168 low-power laser therapy, it mentions a 2,940 nm laser, which is classified as a high-power
169 laser. The primary interaction between near-infrared (NIR) wavelengths (810–1064 nm) and
170 host tissues is photothermal, with lasers penetrating dentinal tubules that act as "light
171 guides" due to their substantial penetration depth in dental tissues. However, in vitro tests
172 have shown that while laser-activated irrigation (LAI) with a 2,940 nm wavelength using
173 saline did not completely eliminate microorganisms, LAI with NaOCl did, suggesting that
174 diode lasers should serve as an adjunct rather than a replacement for conventional methods.
175

176 Auxiliary procedures such as laser therapy can be crucial for achieving swift root canal
177 disinfection, given their broad antimicrobial activity [7]. Laser therapy has been utilised in
178 endodontics to improve the elimination of microorganisms left after chemomechanical
179 preparation, providing ease and rapid clinical applicability [22].
180

181 Sodium hypochlorite is widely used as an irrigating solution in endodontics due to its ability
182 to dissolve organic matter and part of the smear layer. However, improper use can lead to
183 complications, such as pain caused by the extrusion of liquid beyond the apical foramen.
184 Low-intensity laser therapy has been proposed to alleviate such pain due to its analgesic
185 and anti-inflammatory effects [1]. The addition of EDTA enhances root canal disinfection by
186 demineralising dentin and removing the smear layer. When combined with laser treatment,
187 EDTA has proven effective in reducing microorganisms, particularly *Enterococcus faecalis*
188 [22].
189

190 The use of diode lasers (DL) for treating periapical lesions has gained popularity due to their
191 wide applicability and accessibility. Several studies have demonstrated DL's effectiveness in
192 biostimulating periapical bone tissue and providing photothermal disinfection. Its
193 antimicrobial action is based on its direct photothermal effect on pigmented bacterial
194 membranes. The wavelengths used (810, 940, and 980 nm) are not absorbed by water,
195 allowing light to reach microorganisms deep within dentinal tubules. LLLT serves as a
196 valuable alternative for addressing infections in hard-to-reach areas [33].
197

198 Research by Medeiros et al. [6] and Rubio et al. [33] supports the efficacy of laser therapy in
199 reducing *Enterococcus faecalis* in root canals. These findings suggest that photodynamic
200 therapy (PDT) could become a valuable addition to routine endodontic practice, despite the
201 additional time it may require, due to its improved bacterial elimination.
202

203 Laser-induced photobiomodulation therapy (PBMT) has also been proposed as an
204 adjunctive therapy that can enhance dental pulp tissue regeneration. When applied with
205 appropriate parameters, PBMT stimulates cell proliferation and differentiation, ATP
206 production, mitochondrial respiration, protein synthesis, and osteoblast formation—all
207 essential for tissue repair. Cellular sources for pulp regeneration include dental pulp stem
208 cells (DPSCs), stem cells from the apical papilla (SCAPs), and bone marrow stem cells
209 (BMSCs).
210

211 PBMT operates through photochemical mechanisms via electromagnetic radiation and is
212 widely accepted in endodontics for its anti-inflammatory, analgesic, and regenerative
213 effects. It assists in pain relief, disinfection, reduction of dentin sensitivity, and stimulation of
214 dentin formation in root canals. Red and infrared light emitted by PBMT is absorbed by
215 mitochondria, initiating a cascade of photochemical and photoelectric reactions that
216 stimulate stem cell proliferation and trigger subsequent effects [36].
217

218 Photodynamic therapy (PDT) using low-intensity lasers achieves excellent results in
219 controlling endodontic infections. It not only enhances postoperative comfort compared to
220 conventional treatments but also effectively manages post-endodontic pain. Low-intensity
221 lasers can also be employed postoperatively for repair and stimulation. Their use extends
222 across various endodontic procedures, including bone repair acceleration, analgesia, tissue
223 repair, biostimulation, pulp capping, enhanced root canal preparation, root canal disinfection,
224 obturation, adhesion of sealers, and aiding in periapical surgery and repair [1].
225

226 **4. CONCLUSION**

227
228 In various fields, such as postoperative pain management, the disinfection of root canal
229 systems, periapical surgery, and postoperative tissue repair, the clinical use of laser as an
230 adjunct to conventional endodontic treatment has shown satisfactory results. However, it is
231 essential that laser therapy be prescribed and performed according to established protocols
232 to ensure its safety and efficacy for dental surgery. Although scientific and technological
233 advancements have been made in the field of Endodontics, the persistence of microbial
234 factors still leads to failures. A significant challenge that has motivated researchers is the
235 development of new technologies to eliminate these resistant microorganisms, with the use
236 of lasers representing one of the most promising areas.
237

238 **ACKNOWLEDGEMENTS**

239
240 Authors 1 and 2 thank Author 3 for his overall guidance, assistance, and corrections during
241 the research and manuscript preparation.
242

243 **COMPETING INTERESTS**

244
245 Authors have declared that no competing interests exist.
246

247 **AUTHORS' CONTRIBUTIONS**

248
249 Author 1 conducted the literature search, analyzed the data, designed the study, and wrote
250 the manuscript. Author 2 analyzed the data, contributed to the study design, and edited the
251 manuscript. Author 3 provided overall research guidance, analyzed the data, and both edited
252 and reviewed the manuscript. All authors read and approved the final version of the
253 manuscript.
254

255 **REFERENCES**

- 256
257 1. Cardoso MVT, Magalhães RCL, Oliveira AG. Effect of laser therapy on pain control after
258 endodontic treatment: a literature review. In: Health Science: from theory to practice. 1st
259 ed. [s.l.]: Uniedusul; 2020:207-230. <https://doi.org/10.29327/518883.1-13>
260
261
262 2. Lopes JC, Pereira LP, Bacelar IA. Low-power laser in aesthetics: Literature review. Rev
263 Saúde Foco. 2018;10:429-437.
264
265 3. Gomes CF, Schapochnik A. The therapeutic use of low-intensity laser (LBI) in some
266 pathologies and its relation to speech-language pathology. Disturb Comun. 2017;29(3):570-
267 578. <https://doi:10.23925/2176-2724.2017v29i3p570-578>
268

- 269 4. Souza AVA de, Lima JFR, Lopes ECA, et al. Low-power laser therapy in the treatment of
270 peripheral trigeminal nerve lesions in dentistry: a literature review. Arch Health Investig.
271 2021;10(7):1107-1118. <http://dx.doi.org/10.21270/archi.v10i7.5267>
272
- 273 5. Moreira LM, Teixeira AO, Lyon JP. Phototherapeutic methods of clinical relevance. Res
274 Soc Dev. 2022;11(5):e51411528589. <https://doi.org/10.33448/rsd-v11i5.28589>
275
- 276 6. Medeiros GCL, Vasconcelos F, Oliveira CO. Influence of antimicrobial photodynamic
277 therapy on Enterococcus faecalis bacteria in the root canals of anterior teeth. Rev Cient
278 UMC. 2020:1-4.
279
- 280 7. Figueirêdo-Júnior EC, et al. Antimicrobial photodynamic therapy as an adjuvant resource
281 in endodontic treatment of infected teeth: bibliometric analysis and literature review. Arch
282 Health Invest. 2021;10(1):179-186. Portuguese. <http://dx.doi.org/10.21270/archi.v10i1.5013>
283
- 284 8. Martins DL, et al. Low-intensity laser for the treatment of sodium hypochlorite extrusion:
285 case report. Braz J Surg Clin Res. 2017;21(1):82-85. Portuguese.
286
- 287 9. Metin R, Tatli U, Evlice B. Effects of low-level laser therapy on soft and hard tissue
288 healing after endodontic surgery. Lasers Med Sci. 2018;33(8):1699-1706.
289 <https://doi.org/10.1007/s10103-018-2523-8>
290
- 291 10. Alonaizan FA, AlFawaz YF. Is phototherapy effective in the management of
292 post-operative endodontic pain? A systematic review of randomized controlled clinical
293 trials. PhotodiagnosisPhotodyn Ther. 2019;26:53-58.
294 <https://doi.org/10.1016/j.pdpdt.2019.03.003>
295
- 296 11. Caccianiga G, Perillo L, Portelli M, Baldoni M, Galletti C, Gay-Escoda C. Evaluation of
297 effectiveness of photobiostimulation in alleviating side effects after dental implant surgery.
298 A
299 randomized clinical trial. Med Oral Patol Oral Cir Bucal. 2020;25 (2):277-282.
300 <http://dx.doi.org/doi:10.4317/medoral.23336>
301
- 302 12. Kuzekanani M, Plotino G, Gutmann JL. Current applications of lasers in endodontics.
303 Giorn Ital Endod. 2019;33(2):13-23. <https://doi.org/10.32067/gie.2019.33.02.01>
304
- 305 13. Plotino G, Grande NM, Mercade M. Photodynamic therapy in endodontics. Int Endod J.
306 2019;52(6):760-774. <https://doi.org/10.1111/iej.13057>
307
- 308 14. Yoshinari FMS, Vieira JS, Silva TMF, et al. Influence of photodynamic therapy in the
309 control of postoperative pain in endodontic treatment: a cross-sectional randomized clinical
310 trial. Pesqui Bras OdontopediatriaClínIntegr. 2019;19(1):1-8.
311 <http://doi.org/10.4034/PBOCI.2019.191.43>
312
- 313 15. Anagnostaki E, Mylona V, Parker S, Lynch E, Grootveld M. Systematic Review on the
314 Role of Lasers in Endodontic Therapy: Valuable Adjunct Treatment?. Dent J. 2020;8(3):63.
315 <https://doi.org/10.3390/dj8030063>
316

- 317 16. Guerreiro MYR, et al. Effect of low-level laser therapy on postoperative endodontic pain:
318 An updated systematic review. *Complement Ther Med*. 2021;57:102638.
319 <https://doi.org/10.1016/j.ctim.2020.102638>
320
- 321 17. Karamifar K, Tondari A, Saghiri MA. Endodontic Periapical Lesion: An Overview on the
322 Etiology, Diagnosis and Current Treatment Modalities. *EurEndod J*. 2020;5(2):54-67.
323
- 324 18. Silva Neto JMDA, et al. Application of low-intensity laser therapy in dentistry: an
325 integrative review. *Rev EletrônicaAcervoSaúde*. 2020;39:e2142. Portuguese.
326 <https://doi.org/10.25248/reas.e2142.2020>
327
- 328 19. Tavares WLF, Tavares TMF, Pontes LM, et al. Antimicrobial photodynamic therapy and
329 guided endodontics: a case report. *PhotodiagnPhotodyn Ther*. 2020;31:101935.
330 <https://doi.org/10.1016/j.pdpdt.2020.101935>
331
- 332 20. Nogueira JES, et al. Effects of low-intensity laser therapy on cellular and molecular
333 mechanisms in dental procedures: an integrative review. *Rev EletrônicaAcervoSaúde*.
334 2021;13(6):e6684. Portuguese. <https://doi.org/10.25248/REAS.e6684.2021>
335
- 336 21. Oliveira FJD, et al. Use of low-level laser therapy to reduce postoperative pain, edema,
337 and trismus following third molar surgery: A systematic review and meta-analysis. *J Cranio-*
338 *Maxillofac Surg*. 2021;49(11):1088-1096. <https://doi.org/10.1016/j.jcms.2021.06.006>
339
- 340 22. Oliveira RF, et al. Photodynamic therapy associated with laser in endodontic treatment.
341 *Arch Health Investig*. 2021;10(2):236-240. <https://doi.org/10.21270/archi.v10i2.5051>
342
- 343 23. Ren H, et al. Comparative effectiveness of low-level laser therapy with different
344 wavelengths and transcutaneous electric nerve stimulation in the treatment of pain caused
345 by temporomandibular disorders: A systematic review and network meta-analysis. *J Oral*
346 *Rehabil*. 2022;49(2):138-149. <https://doi.org/10.1111/joor.13230>
347
- 348 24. Santos MDGS, Sousa CCA. Laser therapy as a therapeutic resource in speech therapy.
349 *Res Soc Dev*. 2021;10(1):e8310111463. <http://dx.doi.org/10.33448/rsd-v10i1.11463>
350
- 351 25. Simões TMS, Catão MHCV. Clinical application of laser therapy in Endodontics. *Arch*
352 *Health Investig*. 2021;10(1):140-146. <http://dx.doi.org/10.21270/archi.v10i1.4899>
353
- 354 26. Bansal, K; Sandhu NS. Laser Assisted Endodontic Irrigation: A Review. *MARDS*.
355 2022;6(3):1-9.
356
- 357 27. Liu S, Zhang X, Zhou Q. Efficacy of periodontal endodontics combined with diode laser
358 (DL) therapy on severe periodontitis. *Evid Based Complement Alternat Med*.
359 2022;2022:5689900. <https://doi.org/10.1155/2022/5689900>
360
- 361 28. Lopes CB, et al. Protocol for the clinical practice of photodynamic therapy in
362 endodontics: Assessment of guideline quality using the AGREE II instrument.
363 *PhotodiagnosisPhotodyn Ther*. 2022;38:102835.
364 <https://doi.org/10.1016/j.pdpdt.2022.102835>
365

- 366 29. Pandit VS, et al. Lasers in endodontics: A review. *Int J Health Sci.* 2022;10574-10583.
367 https://www.researchgate.net/publication/Lasers_in_endodontics_review
368
- 369 30. Oliveira APS, et al. Photodynamic therapy in the control of endodontic pain. *Res Soc*
370 *Dev.* 2022;11(15):e257111537175. <http://dx.doi.org/10.33448/rsd-v11i15.37175>
371
- 372 31. Brasil JAN, Carlos Menezes Blasca J, Pilon Muknickas D, Ribeiro Marques B, Teodora
373 Ribeiro E, Teruo Suguihara R. O uso de laser therapy/ photobiomodulation in the
374 management of aging in orofacial harmonization: narrative literature review. 2023;3(01):987-
375 1024. <http://dx.doi.org/10.51249/hs.v3i01.1205>
376
- 377 32. Ismail HH, Obeid M, Hassanien E. Efficiency of diode laser in control of post-endodontic
378 pain: A randomized controlled trial. *Clin Oral Investig.* 2023;27(6):2797-2804.
379 <https://doi.org/10.1007/s00784-023-04864-z>
380
- 381 33. Rubio F, et al. Photobiomodulation therapy and endodontic treatment of teeth with
382 apical periodontitis using 940-nm diode laser: Report of two cases. *J Clin Exp Dent.*
383 2022:e298-e302. <https://doi.org/10.4317/jced.59058>
384
- 385 34. Huang Q, et al. Current Applications and Future Directions of Lasers in Endodontics: A
386 Narrative Review. *Bioengineering.* 2023;10(3):296.
387 <https://doi.org/10.3390/bioengineering10030296>
388
- 389 35. Lima LSC, Brait AH, Porto Júnior AC. Treatment of periradicular lesions of endodontic
390 origin with the aid of laser therapy: A systematic literature review and clinical case
391 presentation. *Rev OdontolAraçatuba.* 2023:38-45.
392 <https://www.revaracatuba.odo.br/trabalho06.pdf>
393
- 394 36. Yong J, Liu X, Tang Z, et al. Photobiomodulation therapy and pulp-regenerative
395 endodontics: a narrative review. *Bioengineering.* 2023;10(3):371.
396 <https://doi.org/10.3390/bioengineering10030371>